

| HANCOCK (23)  |           |   |           |       | MISSISSIPPI<br>DEPARTMENT OF<br>TRANSPORTATION | Simmons Erosion<br>Control, Inc. | DCD-Lane JV | J. Levens Builders,<br>Inc. |
|---|-----------|---|-----------|-------|--|----------------------------------|-------------|-----------------------------|
| SMALL BUSINESS CONCERN PROJECT - Traffic Signal on US 90 at Bouslog Street, known as Federal Aid Project No. HSIP-0003-01(185) / 106247301 in Hancock County. |           |   |           |       | \$378,389.50                                   | \$455,964.88                     | IRREGULAR   | IRREGULAR                   |
| Ref#  | SM Item   | Item Description  | Item Qty  | Units |  | 1                                | 2           | 3                           |
| 0010  | 201-A001  | Clearing and Grubbing                                   | 1.000     | LS    |  | 32,650.00                        |             |                             |
| 0020  | 202-B038  | Removal of Curb, All Types                              | 933.000   | LF    |  | 14.50                            |             |                             |
| 0030  | 202-B076  | Removal of Traffic Stripe                               | 1,100.000 | LF    |  | 2.61                             |             |                             |
| 0040  | 202-B078  | Removal of Pavement, All Types and Depths               | 41.000    | SY    |  | 56.00                            |             |                             |
| 0050  | 203-EX029 | Borrow Excavation, AH, FME, Class B15                   | 20.000    | CY    |  | 60.00                            |             |                             |
| 0060  | 203-G003  | Excess Excavation, FM, AH                               | 524.000   | CY    |  | 18.00                            |             |                             |
| 0070  | 203-I001  | Site Grading  | 914.000   | SY    |  | 6.00                             |             |                             |
| 0080  | 206-A001  | Structure Excavation                                    | 8.000     | CY    |  | 26.00                            |             |                             |
| 0090  | 209-A004  | Geotextile Stabilization, Type V, Non-Woven             | 889.000   | SY    |  | 4.00                             |             |                             |
| 0100  | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished       | 10.000    | CY    |  | 62.00                            |             |                             |
| 0110  | 213-B001  | Combination Fertilizer, 13-13-13                        | 1.000     | TON   |  | 1,050.00                         |             |                             |
| 0120  | 216-A001  | Solid Sodding   | 914.000   | SY    |  | 4.00                             |             |                             |
| 0130  | 219-A001  | Watering  | 18.000    | KGAL  |  | 20.00                            |             |                             |
| 0140  | 221-A001  | Portland Cement Concrete Paved Ditch                    | 1.000     | CY    |  | 1,050.00                         |             |                             |
| 0150  | 406-A001  | Cold Milling of Bituminous Pavement, All Depths         | 1,460.000 | SY    |  | 4.00                             |             |                             |
| 0160  | 501-D001  | Expansion Joints, With Dowels                           | 341.000   | LF    |  | 12.00                            |             |                             |
| 0170  | 503-B001  | Saw Cut, Longitudinal Joints                            | 535.000   | LF    |  | 10.00                            |             |                             |
| 0180  | 503-C007  | Saw Cut, Full Depth                                     | 891.000   | LF    |  | 14.50                            |             |                             |
| 0190  | 503-E002  | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted | 341.000   | EA    |  | 17.00                            |             |                             |
| 0200  | 602-A001  | Reinforcing Steel                                       | 348.000   | LBS   |  | 2.00                             |             |                             |
| 0210  | 603-CA002 | 18" Reinforced Concrete Pipe, Class III                 | 4.000     | LF    |  | 72.00                            |             |                             |
| 0220  | 604-B001  | Gratings  | 200.000   | LBS   |  | 5.30                             |             |                             |
| 0230  | 618-A001  | Maintenance of Traffic                                  | 1.000     | LS    |  | 19,000.00                        |             |                             |
| 0240  | 620-A001  | Mobilization  | 1.000     | LS    |  | 20,500.00                        |             |                             |
| 0250  | 627-K001  | Red-Clear Reflective High Performance Raised Markers    | 228.000   | EA    |  | 5.23                             |             |                             |
| 0260  | 627-O001  | Yellow-Clear Reflective High Performance Raised Markers | 14.000    | EA    |  | 5.23                             |             |                             |

| HANCOCK (23)   |              |  |           |       | MISSISSIPPI<br>DEPARTMENT OF<br>TRANSPORTATION | Simmons Erosion<br>Control, Inc. | DCD-Lane JV | J. Levens Builders,<br>Inc. |
|--|--------------|--|-----------|-------|--|----------------------------------|-------------|-----------------------------|
| SMALL BUSINESS CONCERN PROJECT - Traffic Signal on US 90 at Bouslog Street, known as Federal Aid<br>Project No. HSIP-0003-01(185) / 106247301 in Hancock County. |              |  |           |       | \$378,389.50                                   | \$455,964.88                     | IRREGULAR   | IRREGULAR                   |
| Ref#   | SM Item      | Item Description   | Item Qty  | Units |  | 1                                | 2           | 3                           |
| 0270   | 635-A001     | Vehicle Loop Assemblies                                      | 942.000   | LF    |  | 12.00                            |             |                             |
| 0280   | 636-A001     | Shielded Cable, AWG #18, 4 Conductor                         | 792.000   | LF    |  | 3.00                             |             |                             |
| 0290   | 638-A005     | Loop Detector Amplifier, Card Rack Mounted, 4 Channel        | 1.000     | EA    |  | 1,100.00                         |             |                             |
| 0300   | 640-A016     | Traffic Signal Heads, Type 1 LED                             | 6.000     | EA    |  | 1,050.00                         |             |                             |
| 0310   | 640-A018     | Traffic Signal Heads, Type 3 LED                             | 2.000     | EA    |  | 1,250.00                         |             |                             |
| 0320   | 640-A046     | Traffic Signal Heads, Type 7L, LED                           | 2.000     | EA    |  | 1,810.00                         |             |                             |
| 0330   | 642-A001     | Solid State Traffic Actuated Controllers, Type 8M            | 1.000     | EA    |  | 14,000.00                        |             |                             |
| 0340   | 644-A001     | Optical Detector   | 4.000     | EA    |  | 975.00                           |             |                             |
| 0350   | 644-B001     | Optical Detector Cable                                       | 538.000   | LF    |  | 1.82                             |             |                             |
| 0360   | 644-C002     | Phase Selector, 4 Channel                                    | 1.000     | EA    |  | 4,135.00                         |             |                             |
| 0370   | 647-A001     | Pullbox, Type 1  | 6.000     | EA    |  | 385.00                           |             |                             |
| 0380   | 647-A002     | Pullbox, Type 3  | 1.000     | EA    |  | 1,375.00                         |             |                             |
| 0390   | 647-A005     | Pullbox, Type 2  | 2.000     | EA    |  | 800.00                           |             |                             |
| 0400   | 666-B004     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 | 164.000   | LF    |  | 5.80                             |             |                             |
| 0410   | 666-B015     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 | 222.000   | LF    |  | 3.42                             |             |                             |
| 0420   | 666-B016     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 | 571.000   | LF    |  | 3.00                             |             |                             |
| 0430   | 666-B032     | Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Cond | 95.000    | LF    |  | 25.50                            |             |                             |
| 0440   | 668-A018     | Traffic Signal Conduit, Underground, Type 4, 2"              | 682.000   | LF    |  | 6.00                             |             |                             |
| 0450   | 668-A020     | Traffic Signal Conduit, Underground, Type 4, 3"              | 20.000    | LF    |  | 20.75                            |             |                             |
| 0460   | 668-B024     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 293.000   | LF    |  | 17.37                            |             |                             |
| 0470   | 668-B025     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 148.000   | LF    |  | 19.80                            |             |                             |
| 0480   | 907-407-A001 | Asphalt for Tack Coat  | 1,971.000 | GAL   |  | 3.92                             |             |                             |
| 0490   | 907-501-B003 | 9" Plain Cement Concrete Pavement, Drag Finish               | 889.000   | SY    |  | 110.00                           |             |                             |
| 0500   | 907-601-B003 | Class "B" Structural Concrete, Minor Structures              | 5.000     | CY    |  | 1,350.00                         |             |                             |
| 0510   | 907-626-A004 | 6" Thermoplastic Traffic Stripe, Skip White                  | 855.000   | LF    |  | 1.31                             |             |                             |
| 0520   | 907-626-G004 | Thermoplastic Detail Stripe, White                           | 5,837.000 | LF    |  | 1.31                             |             |                             |

|  |              |  |           |       |  |                                  |             |                             |
|--|--------------|--|-----------|-------|--|----------------------------------|-------------|-----------------------------|
| HANCOCK (23)   |              |  |           |       | MISSISSIPPI<br>DEPARTMENT OF<br>TRANSPORTATION | Simmons Erosion<br>Control, Inc. | DCD-Lane JV | J. Levens Builders,<br>Inc. |
| SMALL BUSINESS CONCERN PROJECT - Traffic Signal on US 90 at Bouslog Street, known as Federal Aid<br>Project No. HSIP-0003-01(185) / 106247301 in Hancock County. |              |  |           |       | \$378,389.50                                   | \$455,964.88                     | IRREGULAR   | IRREGULAR                   |
| Ref#   | SM Item      | Item Description   | Item Qty  | Units |  | 1                                | 2           | 3                           |
| 0530   | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                          | 1,659.000 | LF    |  | 1.31                             |             |                             |
| 0540   | 907-626-H004 | Thermoplastic Legend, White                                  | 596.000   | LF    |  | 1.96                             |             |                             |
| 0550   | 907-626-H005 | Thermoplastic Legend, White                                  | 363.000   | SF    |  | 6.54                             |             |                             |
| 0560   | 907-639-A006 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm   | 1.000     | EA    |  | 9,200.00                         |             |                             |
| 0570   | 907-639-A016 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm   | 1.000     | EA    |  | 16,000.00                        |             |                             |
| 0580   | 907-639-A027 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 55' | 1.000     | EA    |  | 18,625.00                        |             |                             |
| 0590   | 907-639-C002 | Pole Foundations, 36" Diameter                               | 12.000    | CY    |  | 800.00                           |             |                             |
| 0600   | 907-639-D001 | Slip Casing, 36" Diameter                                    | 45.000    | LF    |  | 105.00                           |             |                             |
| 0610   | 907-648-C001 | Radio Ethernet Interconnect, Local Intersection              | 1.000     | EA    |  | 18,000.00                        |             |                             |
| 0620   | 907-658-A001 | Hardened Network Switch, Type A                              | 1.000     | EA    |  | 4,000.00                         |             |                             |
| 0630   | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture                          | 125.000   | TON   |  | 163.40                           |             |                             |
| 0640   | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture                         | 125.000   | TON   |  |                                  |             |                             |

|   |           |   |           |       |                                      |  |  |  |
|---|-----------|---|-----------|-------|--------------------------------------|--|--|--|
| HANCOCK (23)  |           |   |           |       | Sumrall's<br>Construction<br>Company |  |  |  |
| SMALL BUSINESS CONCERN PROJECT - Traffic Signal on US 90 at Bouslog Street, known as Federal Aid Project No. HSIP-0003-01(185) / 106247301 in Hancock County. |           |   |           |       | IRREGULAR                            |  |  |  |
| Ref#  | SM Item   | Item Description  | Item Qty  | Units | 4                                    |  |  |  |
| 0010  | 201-A001  | Clearing and Grubbing                                   | 1.000     | LS    |                                      |  |  |  |
| 0020  | 202-B038  | Removal of Curb, All Types                              | 933.000   | LF    |                                      |  |  |  |
| 0030  | 202-B076  | Removal of Traffic Stripe                               | 1,100.000 | LF    |                                      |  |  |  |
| 0040  | 202-B078  | Removal of Pavement, All Types and Depths               | 41.000    | SY    |                                      |  |  |  |
| 0050  | 203-EX029 | Borrow Excavation, AH, FME, Class B15                   | 20.000    | CY    |                                      |  |  |  |
| 0060  | 203-G003  | Excess Excavation, FM, AH                               | 524.000   | CY    |                                      |  |  |  |
| 0070  | 203-I001  | Site Grading  | 914.000   | SY    |                                      |  |  |  |
| 0080  | 206-A001  | Structure Excavation                                    | 8.000     | CY    |                                      |  |  |  |
| 0090  | 209-A004  | Geotextile Stabilization, Type V, Non-Woven             | 889.000   | SY    |                                      |  |  |  |
| 0100  | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished       | 10.000    | CY    |                                      |  |  |  |
| 0110  | 213-B001  | Combination Fertilizer, 13-13-13                        | 1.000     | TON   |                                      |  |  |  |
| 0120  | 216-A001  | Solid Sodding   | 914.000   | SY    |                                      |  |  |  |
| 0130  | 219-A001  | Watering  | 18.000    | KGAL  |                                      |  |  |  |
| 0140  | 221-A001  | Portland Cement Concrete Paved Ditch                    | 1.000     | CY    |                                      |  |  |  |
| 0150  | 406-A001  | Cold Milling of Bituminous Pavement, All Depths         | 1,460.000 | SY    |                                      |  |  |  |
| 0160  | 501-D001  | Expansion Joints, With Dowels                           | 341.000   | LF    |                                      |  |  |  |
| 0170  | 503-B001  | Saw Cut, Longitudinal Joints                            | 535.000   | LF    |                                      |  |  |  |
| 0180  | 503-C007  | Saw Cut, Full Depth                                     | 891.000   | LF    |                                      |  |  |  |
| 0190  | 503-E002  | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted | 341.000   | EA    |                                      |  |  |  |
| 0200  | 602-A001  | Reinforcing Steel                                       | 348.000   | LBS   |                                      |  |  |  |
| 0210  | 603-CA002 | 18" Reinforced Concrete Pipe, Class III                 | 4.000     | LF    |                                      |  |  |  |
| 0220  | 604-B001  | Gratings  | 200.000   | LBS   |                                      |  |  |  |
| 0230  | 618-A001  | Maintenance of Traffic                                  | 1.000     | LS    |                                      |  |  |  |
| 0240  | 620-A001  | Mobilization  | 1.000     | LS    |                                      |  |  |  |
| 0250  | 627-K001  | Red-Clear Reflective High Performance Raised Markers    | 228.000   | EA    |                                      |  |  |  |
| 0260  | 627-O001  | Yellow-Clear Reflective High Performance Raised Markers | 14.000    | EA    |                                      |  |  |  |

|   |              |  |           |       |                                      |  |  |  |
|---|--------------|--|-----------|-------|--------------------------------------|--|--|--|
| HANCOCK (23)  |              |  |           |       | Sumrall's<br>Construction<br>Company |  |  |  |
| SMALL BUSINESS CONCERN PROJECT - Traffic Signal on US 90 at Bouslog Street, known as Federal Aid Project No. HSIP-0003-01(185) / 106247301 in Hancock County. |              |  |           |       | IRREGULAR                            |  |  |  |
| Ref#  | SM Item      | Item Description   | Item Qty  | Units | 4                                    |  |  |  |
| 0270  | 635-A001     | Vehicle Loop Assemblies                                      | 942.000   | LF    |                                      |  |  |  |
| 0280  | 636-A001     | Shielded Cable, AWG #18, 4 Conductor                         | 792.000   | LF    |                                      |  |  |  |
| 0290  | 638-A005     | Loop Detector Amplifier, Card Rack Mounted, 4 Channel        | 1.000     | EA    |                                      |  |  |  |
| 0300  | 640-A016     | Traffic Signal Heads, Type 1 LED                             | 6.000     | EA    |                                      |  |  |  |
| 0310  | 640-A018     | Traffic Signal Heads, Type 3 LED                             | 2.000     | EA    |                                      |  |  |  |
| 0320  | 640-A046     | Traffic Signal Heads, Type 7L, LED                           | 2.000     | EA    |                                      |  |  |  |
| 0330  | 642-A001     | Solid State Traffic Actuated Controllers, Type 8M            | 1.000     | EA    |                                      |  |  |  |
| 0340  | 644-A001     | Optical Detector   | 4.000     | EA    |                                      |  |  |  |
| 0350  | 644-B001     | Optical Detector Cable                                       | 538.000   | LF    |                                      |  |  |  |
| 0360  | 644-C002     | Phase Selector, 4 Channel                                    | 1.000     | EA    |                                      |  |  |  |
| 0370  | 647-A001     | Pullbox, Type 1  | 6.000     | EA    |                                      |  |  |  |
| 0380  | 647-A002     | Pullbox, Type 3  | 1.000     | EA    |                                      |  |  |  |
| 0390  | 647-A005     | Pullbox, Type 2  | 2.000     | EA    |                                      |  |  |  |
| 0400  | 666-B004     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 | 164.000   | LF    |                                      |  |  |  |
| 0410  | 666-B015     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 | 222.000   | LF    |                                      |  |  |  |
| 0420  | 666-B016     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 | 571.000   | LF    |                                      |  |  |  |
| 0430  | 666-B032     | Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Cond | 95.000    | LF    |                                      |  |  |  |
| 0440  | 668-A018     | Traffic Signal Conduit, Underground, Type 4, 2"              | 682.000   | LF    |                                      |  |  |  |
| 0450  | 668-A020     | Traffic Signal Conduit, Underground, Type 4, 3"              | 20.000    | LF    |                                      |  |  |  |
| 0460  | 668-B024     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 293.000   | LF    |                                      |  |  |  |
| 0470  | 668-B025     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 148.000   | LF    |                                      |  |  |  |
| 0480  | 907-407-A001 | Asphalt for Tack Coat  | 1,971.000 | GAL   |                                      |  |  |  |
| 0490  | 907-501-B003 | 9" Plain Cement Concrete Pavement, Drag Finish               | 889.000   | SY    |                                      |  |  |  |
| 0500  | 907-601-B003 | Class "B" Structural Concrete, Minor Structures              | 5.000     | CY    |                                      |  |  |  |
| 0510  | 907-626-A004 | 6" Thermoplastic Traffic Stripe, Skip White                  | 855.000   | LF    |                                      |  |  |  |
| 0520  | 907-626-G004 | Thermoplastic Detail Stripe, White                           | 5,837.000 | LF    |                                      |  |  |  |

|  |              |  |           |       |                                      |  |  |  |
|--|--------------|--|-----------|-------|--------------------------------------|--|--|--|
| HANCOCK (23)   |              |  |           |       | Sumrall's<br>Construction<br>Company |  |  |  |
| SMALL BUSINESS CONCERN PROJECT - Traffic Signal on US 90 at Bouslog Street, known as Federal Aid<br>Project No. HSIP-0003-01(185) / 106247301 in Hancock County. |              |  |           |       | IRREGULAR                            |  |  |  |
| Ref#   | SM Item      | Item Description   | Item Qty  | Units | 4                                    |  |  |  |
| 0530   | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                          | 1,659.000 | LF    |                                      |  |  |  |
| 0540   | 907-626-H004 | Thermoplastic Legend, White                                  | 596.000   | LF    |                                      |  |  |  |
| 0550   | 907-626-H005 | Thermoplastic Legend, White                                  | 363.000   | SF    |                                      |  |  |  |
| 0560   | 907-639-A006 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm   | 1.000     | EA    |                                      |  |  |  |
| 0570   | 907-639-A016 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm   | 1.000     | EA    |                                      |  |  |  |
| 0580   | 907-639-A027 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 55' | 1.000     | EA    |                                      |  |  |  |
| 0590   | 907-639-C002 | Pole Foundations, 36" Diameter                               | 12.000    | CY    |                                      |  |  |  |
| 0600   | 907-639-D001 | Slip Casing, 36" Diameter                                    | 45.000    | LF    |                                      |  |  |  |
| 0610   | 907-648-C001 | Radio Ethernet Interconnect, Local Intersection              | 1.000     | EA    |                                      |  |  |  |
| 0620   | 907-658-A001 | Hardened Network Switch, Type A                              | 1.000     | EA    |                                      |  |  |  |
| 0630   | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture                          | 125.000   | TON   |                                      |  |  |  |
| 0640   | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture                         | 125.000   | TON   |                                      |  |  |  |