

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date for November – November 27, 2012



MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS

LETTING DATE FOR NOVEMBER - Tuesday, November 27, 2012

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON NOVEMBER 05, 2012

Proposals must be purchased from:

Contract Administration Engineer MDOT Administration Building

401 North West Street Jackson, MS 39201

(or)

P.O. Box 1850

Jackson, MS 39215-1850 Telephone: (601) 359-7744 FAX: (601) 359-7732 Plans may be purchased from:

MDOT Plans Print Shop

MDOT Shop Complex, Building C, Room 114

2567 North West Street Jackson, MS 39216

(or)

P.O. Box 1850

Jackson, MS 39215-1850 Telephone: (601) 359-7460 or FAX: (601) 359-7461

or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR NOVEMBER

CALL	CONTRACT	COUNTY
01	IM-0010-01(143) / 104520302	Jackson
02	HSIP-0009-06(013) / 106173301	Desoto
03	STP-0014-03(064) / 106419301	Perry
04	STP-0070-04(021) / 106406301	Lafayette
06	MRP-5020-61(102) / 304478302	Rankin

^{*} No plans except Standard Drawings

Call No. 01 for the November 27, 2012 Letting

Caisson Removal at the Pascagoula River on I-10, known as Federal Aid Project No. IM-0010-01(143) / 104520302, in Jackson County.

PROJECT COMPLETION: May 15, 2013

Advance Information Only - Items and Quantities Subject to Change

	Lump Sum	202-A001	Removal of Obstructions
1,995	Pounds	602-A001	Reinforcing Steel
	Lump Sum	618-A001	Maintenance of Traffic
12,200	Ton	815-A010	Loose Riprap, Size 500
34	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures

 $Traffic\ Signal\ Installation\ at\ US\ 61\ and\ Delta\ View\ Road,\ known\ as\ Federal\ Aid\ Project\ No.\ HSIP-0009-06(013)\ /\ 106173301\ in\ DeSoto\ County.$

PROJECT COMPLETION: August 16, 2013

Advance Information Only - Items and Quantities Subject to Change

			210000 1100
47	Square Yard 2	202-B025	Removal of Concrete Paved Ditch
5	Each 2	202-B042	Removal of Flared End Section, All Sizes
1	Each 2	202-B057	Removal of Inlets, All Sizes
513	Linear Feet 2	202-B076	Removal of Traffic Stripe
2,389	Square Yard 2	202-B078	Removal of Pavement, All Types and Depths
645	Linear Feet 2	202-B093	Removal of Curb & Gutter, All Types
16	Linear Feet 2	202-B106	Removal of Pipe, All Sizes
14	Each 2	202-B107	Removal of Sign, Ground Mounted with Posts
1	Each 2	202-B132	Removal of Traffic Signal
158	Square Yard 2	202-B216	Removal of Island Pavement, All Types
1,516	Cubic Yard 2	203-A003	Unclassified Excavation, FM, AH
1,050	Cubic Yard 20	03-EX017	Borrow Excavation, AH, FME, Class B9
20	Cubic Yard 2	206-A001	Structure Excavation
8,953	Square Yard 2	209-A004	Geotextile Stabilization, Type V, Non-Woven
10,180	Square Yard 2	212-B001	Standard Ground Preparation
1	Ton 2	213-B001	Combination Fertilizer, 13-13-13
1	Ton 2	213-C001	Superphosphate
10,180	Square Yard 2	216-A001	Solid Sodding
204	Thousand 2 Gallon	219-A001	Watering
9	Cubic Yard 2	221-A001	Portland Cement Concrete Paved Ditch
1,752	Linear Feet 2	234-A001	Temporary Silt Fence
12,962	Square Yard 4	406-A001	Cold Milling of Bituminous Pavement, All Depths
54	Pounds 6	502-A001	Reinforcing Steel
64	Linear Feet 60	3-CA003	24" Reinforced Concrete Pipe, Class III
96	Linear Feet 60	3-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
5	Each 60	03-CB002	24" Reinforced Concrete End Section
250	Pounds	604-B001	Gratings
914	Linear Feet 6	509-D004	Combination Concrete Curb and Gutter Type 3A Modified
680	Linear Feet 6	509-D007	Combination Concrete Curb and Gutter Type 2 Modified
448	Square Yard 6	516-A001	Concrete Median and/or Island Pavement, 4-inch
36	Square Yard 6	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	518-A001	Maintenance of Traffic
1,523	Linear Feet 61	19-A1001	Temporary Traffic Stripe, Continuous White
960	Linear Feet 61	19-A2001	Temporary Traffic Stripe, Continuous Yellow
2,248	Linear Feet 61	19-A3001	Temporary Traffic Stripe, Skip White
2,028	Linear Feet 61	19-A5001	Temporary Traffic Stripe, Detail
480	Linear Feet 61	19-A6001	Temporary Traffic Stripe, Legend
384	Square Feet 61	19-A6002	Temporary Traffic Stripe, Legend
48	Square Feet 61	19-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
504	Square Feet 61	19-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

Call No. 02 for the November 27, 2012 Letting

```
177 Each
                           619-G5001 Free Standing Plastic Drums
      Lump Sum
                            620-A001 Mobilization
 218 Each
                            627-K001 Red-Clear Reflective High Performance Raised Markers
  66 Each
                            627-L001 Two-Way Yellow Reflective High Performance Raised Markers
                            630-C003 Steel U-Section Posts, 3.0 lb/ft
 173 Linear Feet
 173 Pounds
                            630-E004 Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
 160 Linear Feet
                            630-K003 Welded & Seamless Steel Pipe Posts, 4"
 968 Linear Feet
                            635-A001 Vehicle Loop Assemblies
2.228 Linear Feet
                            636-A001 Shielded Cable, AWG #18, 4 Conductor
   3 Each
                            638-A002 Loop Detector Amplifier, 4 Channel
   8 Each
                            640-A016 Traffic Signal Heads, Type 1 LED
   2 Each
                            640-A022 Traffic Signal Heads, Type 7 LED
   8 Each
                            640-A029 Traffic Signal Heads, Type 12 LED
   1 Each
                            642-A008 Solid State Traffic Actuated Controllers, Type 8A
   8 Each
                            647-A001 Pullbox, Type 1
   7 Each
                            647-A005 Pullbox, Type 2
2.658 Linear Feet
                            666-B013 Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3Conductor
1.217 Linear Feet
                            666-B054 Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
 960 Linear Feet
                            668-A016 Traffic Signal Conduit, Underground, Type 4, 1"
1.215 Linear Feet
                            668-A018 Traffic Signal Conduit, Underground, Type 4, 2"
 696 Linear Feet
                            668-B024 Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
   1 Ton
                        907-225-B001 Agricultural Limestone
   1 Acre
                       907-226-A001 Temporary Grassing
   2 Each
                       907-234-D001 Inlet Siltation Guard
 300 Linear Feet
                       907-237-A002 Wattles, 12"
 300 Linear Feet
                       907-237-A003 Wattles, 20"
1.248 Ton
                        907-304-B009 Granular Material, Class 3, Group D
1.865 Ton
                        907-304-F002 Size 610 Crushed Stone Base
 973 Gallon
                       907-407-A001 Asphalt for Tack Coat
   2 Cubic Yard
                        907-601-B003 Class "B" Structural Concrete, Minor Structures
2.248 Linear Feet
                       907-626-A004 6" Thermoplastic Traffic Stripe, Skip White
1.523 Linear Feet
                        907-626-C008 6" Thermoplastic Edge Stripe, Continuous White
 960 Linear Feet
                        907-626-F008 6" Thermoplastic Edge Stripe, Continuous Yellow
7.898 Linear Feet
                       907-626-G004 Thermoplastic Detail Stripe, White
2.028 Linear Feet
                       907-626-G005 Thermoplastic Detail Stripe, Yellow
 480 Linear Feet
                       907-626-H004 Thermoplastic Legend, White
 384 Square Feet
                       907-626-H005 Thermoplastic Legend, White
                       907-630-PP010 Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground
 175 Square Feet
                                      Mounted
  12 Cubic Yard
                        907-631-B001 Flowable Fill, Non-Excavatable
   2 Each
                       907-639-A007 Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
   2 Each
                       907-639-A019 Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
   7 Cubic Yard
                        907-639-C002 Pole Foundations, 36" Diameter
   4 Cubic Yard
                        907-639-C004 Pole Foundations, 30" Diameter
                       907-699-A002 Roadway Construction Stakes
      Lump Sum
                                  ALTERNATE GROUP AA NO. 1
```

Call No. 02 for the November 27, 2012 Letting

1,054	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
		AL	TERNATE GROUP AA NO. 2
1,054	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
		AL	TERNATE GROUP BB NO. 1
1,387	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
		AL	TERNATE GROUP BB NO. 2
1,387	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
		AL	TERNATE GROUP CC NO. 1
600	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		AL	TERNATE GROUP CC NO. 2
600	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

Call No. 03 for the November 27, 2012 Letting

 $Construction \ of \ a \ Crash \ Wall \ on \ US \ 98 \ over \ SR \ 198, \ known \ as \ Federal \ Aid \ Project \ No. \ STP-0014-03(064) \ / \ 106419301 \ in \ Perry \ County.$

PROJECT COMPLETION: April 15, 2013

Advance Information Only - Items and Quantities Subject to Change

168	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
140	Each	503-E003	Tie Bars, No. 8 Deformed Drilled and Epoxied or Grouted
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
36	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
21,173	Pounds	805-A001	Reinforcement
177	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
	Lump Sum	907-899-A001	Railway-Highway Provisions

Call No. 04 for the November 27, 2012 Letting

Safety Rail Improvements on SR 6 Under Lamar Street in Oxford, known as Federal Aid Project No. STP-0070-04(021) / 106406301 in Lafayette County.

PROJECT COMPLETION: March 15, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum 618-A001 Maintenance of Traffic

Lump Sum 620-A001 Mobilization

454 Linear Feet 813-E010 Pedestrian Railing

Bridge Repair on I-20 Westbound Over KCS RailRoad in the City of Brandon, known as State Project No. MRP-5020-61(102) / 304478302 in Rankin County.

PROJECT COMPLETION: May 17, 2013

Advance Information Only - Items and Quantities Subject to Change

425	Linear Feet	202-B076	Removal of Traffic Stripe
900	Linear Feet	615-B001	Precast Concrete Median Barrier
	Lump Sum	618-A001	Maintenance of Traffic
45	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
396	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
54	Linear Feet	619-G4001	Barricades, Type III, Single Faced
63	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
1	Unit	619-J1003	Impact Attenuator, 60 MPH
1	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
1	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1	Mile	907-626-B006	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
	Lump Sum	907-899-A001	Railway-Highway Provisions
Bridge Items			
	Lump Sum	907-816-A001	Maintenance Painting of Metal Structures
	Lump Sum	907-824-PP093	Bridge Repair, Repair Damaged Bridge Deck and Railing,

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH EXECUTIVE DIRECTOR