


[Proposal & Plan Sales Will Begin on December 3, 2012](#)



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date for January – January 22, 2013**



Two Month Projects  
Have An (\*)

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**NOTICE TO CONTRACTORS**  
**LETTING DATE FOR JANUARY - Tuesday, January 22, 2013**

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at [mdot.ms.gov](http://mdot.ms.gov)

**PROPOSAL AND PLAN SALES WILL BEGIN ON DECEMBER 03, 2012**

Proposals must be purchased from:

Contract Administration Engineer  
MDOT Administration Building  
401 North West Street  
Jackson, MS 39201

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7744  
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop  
MDOT Shop Complex, Building C, Room 114  
2567 North West Street  
Jackson, MS 39216

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7460  
or FAX: (601) 359-7461  
or e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, January 22, 2013; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

**LIST OF CONTRACTS FOR JANUARY**

| CALL | CONTRACT                            | COUNTY   |
|------|-------------------------------------|----------|
| 01   | HSIP-0003-01(185) / 106247301       | Hancock  |
| 02   | BWO-6208-24(001) / 502085301, & 302 | Harrison |

SMALL BUSINESS CONCERN PROJECT - Traffic Signal on US 90 at Bouslog Street, known as Federal Aid Project No. HSIP-0003-01(185) / 106247301 in Hancock County.

PROJECT COMPLETION: October 31, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|       |                    |           |   |
|-------|--------------------|-----------|---|
|       | Lump Sum           | 201-A001  | Clearing and Grubbing                                   |
| 933   | Linear Feet        | 202-B038  | Removal of Curb, All Types                              |
| 1,100 | Linear Feet        | 202-B076  | Removal of Traffic Stripe                               |
| 41    | Square Yard        | 202-B078  | Removal of Pavement, All Types and Depths               |
| 20    | Cubic Yard         | 203-EX029 | Borrow Excavation, AH, FME, Class B15                   |
| 524   | Cubic Yard         | 203-G003  | Excess Excavation, FM, AH                               |
| 914   | Square Yard        | 203-I001  | Site Grading  |
| 8     | Cubic Yard         | 206-A001  | Structure Excavation                                    |
| 889   | Square Yard        | 209-A004  | Geotextile Stabilization, Type V, Non-Woven             |
| 10    | Cubic Yard         | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished       |
| 1     | Ton                | 213-B001  | Combination Fertilizer, 13-13-13                        |
| 914   | Square Yard        | 216-A001  | Solid Sodding   |
| 18    | Thousand<br>Gallon | 219-A001  | Watering  |
| 1     | Cubic Yard         | 221-A001  | Portland Cement Concrete Paved Ditch                    |
| 1,460 | Square Yard        | 406-A001  | Cold Milling of Bituminous Pavement, All Depths         |
| 341   | Linear Feet        | 501-D001  | Expansion Joints, With Dowels                           |
| 535   | Linear Feet        | 503-B001  | Saw Cut, Longitudinal Joints                            |
| 891   | Linear Feet        | 503-C007  | Saw Cut, Full Depth                                     |
| 341   | Each               | 503-E002  | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 348   | Pounds             | 602-A001  | Reinforcing Steel                                       |
| 4     | Linear Feet        | 603-CA002 | 18" Reinforced Concrete Pipe, Class III                 |
| 200   | Pounds             | 604-B001  | Gratings  |
| 941   | Linear Feet        | 609-B001  | Concrete Curb, Header                                   |
|       | Lump Sum           | 618-A001  | Maintenance of Traffic                                  |
|       | Lump Sum           | 620-A001  | Mobilization  |
| 228   | Each               | 627-K001  | Red-Clear Reflective High Performance Raised Markers    |
| 14    | Each               | 627-O001  | Yellow-Clear Reflective High Performance Raised Markers |
| 942   | Linear Feet        | 635-A001  | Vehicle Loop Assemblies                                 |
| 792   | Linear Feet        | 636-A001  | Shielded Cable, AWG #18, 4 Conductor                    |
| 1     | Each               | 638-A005  | Loop Detector Amplifier, Card Rack Mounted, 4 Channel   |
| 6     | Each               | 640-A016  | Traffic Signal Heads, Type 1 LED                        |
| 2     | Each               | 640-A018  | Traffic Signal Heads, Type 3 LED                        |
| 2     | Each               | 640-A046  | Traffic Signal Heads, Type 7L, LED                      |
| 1     | Each               | 642-A001  | Solid State Traffic Actuated Controllers, Type 8M       |
| 4     | Each               | 644-A001  | Optical Detector  |
| 538   | Linear Feet        | 644-B001  | Optical Detector Cable                                  |
| 1     | Each               | 644-C002  | Phase Selector, 4 Channel                               |
| 6     | Each               | 647-A001  | Pullbox, Type 1   |
| 1     | Each               | 647-A002  | Pullbox, Type 3   |
| 2     | Each               | 647-A005  | Pullbox, Type 2   |

CALL No. 01

|                          |             |              |  |
|--------------------------|-------------|--------------|--|
| 164                      | Linear Feet | 666-B004     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor  |
| 222                      | Linear Feet | 666-B015     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor  |
| 571                      | Linear Feet | 666-B016     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor  |
| 95                       | Linear Feet | 666-B032     | Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor      |
| 682                      | Linear Feet | 668-A018     | Traffic Signal Conduit, Underground, Type 4, 2"                        |
| 20                       | Linear Feet | 668-A020     | Traffic Signal Conduit, Underground, Type 4, 3"                        |
| 293                      | Linear Feet | 668-B024     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 148                      | Linear Feet | 668-B025     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 1,971                    | Gallon      | 907-407-A001 | Asphalt for Tack Coat  |
| 889                      | Square Yard | 907-501-B003 | 9" Plain Cement Concrete Pavement, Drag Finish                         |
| 5                        | Cubic Yard  | 907-601-B003 | Class "B" Structural Concrete, Minor Structures                        |
| 855                      | Linear Feet | 907-626-A004 | 6" Thermoplastic Traffic Stripe, Skip White                            |
| 5,837                    | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                                     |
| 1,659                    | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                                    |
| 596                      | Linear Feet | 907-626-H004 | Thermoplastic Legend, White  |
| 363                      | Square Feet | 907-626-H005 | Thermoplastic Legend, White  |
| 1                        | Each        | 907-639-A006 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm             |
| 1                        | Each        | 907-639-A016 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm             |
| 1                        | Each        | 907-639-A027 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 55'Arms       |
| 12                       | Cubic Yard  | 907-639-C002 | Pole Foundations, 36" Diameter   |
| 45                       | Linear Feet | 907-639-D001 | Slip Casing, 36" Diameter  |
| 1                        | Each        | 907-648-C001 | Radio Ethernet Interconnect, Local Intersection                        |
| 1                        | Each        | 907-658-A001 | Hardened Network Switch, Type A  |
| ALTERNATE GROUP AA NO. 1 |             |              |  |
| 125                      | Ton         | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture                                    |
| ALTERNATE GROUP AA NO. 2 |             |              |  |
| 125                      | Ton         | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture                                   |

Construction of Gulf Coast Regional Office/First Responders' Building, known as State Project Nos. BWO-6208-24(001) / 502085301 & 302 in Harrison County.

PROJECT COMPLETION: November 20, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|       |             |               |   |
|-------|-------------|---------------|---|
|       | Lump Sum    | 201-A001      | Clearing and Grubbing   |
| 224   | Cubic Yard  | 203-A004      | Unclassified Excavation, LVM, AH  |
| 3,133 | Cubic Yard  | 203-EX002     | Borrow Excavation, AH, LVM, Class B1  |
| 629   | Linear Feet | 234-A001      | Temporary Silt Fence  |
| 113   | Linear Feet | 607-B043      | 84" Type II Chain Link Fence, Class I   |
| 1     | Each        | 607-G126      | Gate, 4' x 7' Chain Link  |
| 1     | Each        | 607-G129      | Gate, 24' x 7' Double Chain Link  |
| 7     | Each        | 607-P2007     | Brace Post, 7' x 2 1/2" Galvanized Steel  |
| 2     | Each        | 607-P3021     | Gate Post, 7' x 2 1/2" Galvanized Steel   |
| 2     | Each        | 607-P3022     | Gate Post, 7' x 3 1/2" Galvanized Steel   |
| 191   | Linear Feet | 609-D006      | Combination Concrete Curb and Gutter Type 1 Modified                                |
|       | Lump Sum    | 620-A001      | Mobilization  |
| 300   | Linear Feet | 907-237-A003  | Wattles, 20"  |
|       | Lump Sum    | 907-242-A006  | Construction of Gulf Coast Regional Office /First Responders' Building BASE BID     |
|       | Lump Sum    | 907-242-A006  | Construction of Gulf Coast Regional Office/First Responders' Building ALTERNATE BID |
|       | Lump Sum    | 907-242-PP001 | Water and Sewer Improvements, Per Plans   |
| 18    | Each        | 907-258-N001  | Car Stop  |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at [mdot.ms.gov](http://mdot.ms.gov).

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH  
EXECUTIVE DIRECTOR