

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 1/15/2013 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Revised Table of Contents, replace same; Revised Wage Rates, replace same; Revised Supplement to SP 907-403-4, replace same; Add Supplement to SP 907-703-10; Revised Bid Items, replace same; Revised or Added Plan Sheet Nos. 2, 16; Amendment EBS Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

STP-0031-02(003) / 101427301

Desoto County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: STP-0031-02(003) / 101427301 – Desoto County

901--Advertisement

904--Notice to Bidders:

- Governing Specifications - # 1
- Final Cleanup - # 3
- Fiber Reinforced Concrete - # 640
- Payroll Requirements - # 883
- Errata & Modifications to 2004 Standard Specifications - # 1405
- Federal Bridge Formula - # 1928
- Status of ROW w/ attachments - # 2382
- Clearing and/ or Grubbing - # 2418
- DBE Forms, Participation and Payment - # 2596
- Non-Quality Control / Quality Assurance Concrete - # 2818
- Reduced Speed Limit Signs - # 2937
- Alternate Asphalt Mixture Bid Items - # 3039
- Temporary Traffic Paint - # 3131
- Warm Mix Asphalt - # 3242
- DUNS Requirement for Federal Funded Projects - # 3414
- Storm Water Discharge Associated w/ Construction Activities
(≥5 Acres) - # 3581
- Additional Erosion Control Requirements - # 3612
- Type III Barricade Rails - # 3655
- Use of Precast Drainage Units - # 3704
- Petroleum Products Base Price - # 3893
- Questions Regarding Bidding - # 3980
- Disadvantaged Business Enterprise w/ Supplement - # 4103
- Contract Time - # 4147
- Specialty Items - # 4148
- Contract Time Determination - # 4178
- Safety Apparel - # 4214

906- : FHWA 1273, with Supplement, Executive Order, & Wage Rates

907-101-4: Definitions

907-102-8: Bidding Requirements and Conditions, w/ Supplement

907-103-8: Award and Execution of Contract

907-104-1: Partnering Process

907-104-4: Disposal of Materials

907-105-6: Control of Work, w/ Supplement

907-107-9: Legal Relations & Responsibility to Public, w/ Supplement

907-107-10: Contractor's Erosion Control Plan, w/ Supplement

907-108-24: Prosecution and Progress, w/ Supplement

907-109-5: Measurement and Payment, w/ Supplement

907-110-2: Wage Rates

907-225-3: Grassing

- CONTINUED ON NEXT PAGE -

Page 2 - PROJECT: STP-0031-02(003) / 101427301 – Desoto County

- 907-226-2: Temporary Grassing
- 907-227-10: Hydroseeding

- 907-234-5: Siltation Barriers
- 907-237-4: Wattles
- 907-245-2: Triangular Silt Dikes
- 907-246-3: Sandbags & Rockbags
- 907-304-13: Granular Courses
- 907-401-2: Hot Mix Asphalt (HMA), w/ Supplement
- 907-401-6: Warm Mix Asphalt (WMA)
- 907-403-4: Hot Mix Asphalt (HMA), w/ Supplement
- 907-403-12: Warm Mix Asphalt (WMA)
- 907-407-1: Tack Coat
- 907-601-1: Structural Concrete
- 907-603-8: Culverts & Storm Drains
- 907-605-3: Underdrains
- 907-617-2: Right-Of-Way Markers
- 907-618-9: Placement of Temporary Traffic Stripe
- 907-626-25: Thermoplastic Traffic Markings
- 907-639-4: Traffic Signal Equipment Poles
- 907-644-1: Optical Emergency Vehicle Priority Control System
- 907-654-1: Battery Back-Up System
- 907-699-4: Construction Stakes
- 907-701-4: Hydraulic Cement
- 907-702-3: Polyphosphoric Acid (PPA) Modification of petroleum Asphalt Cement
- 907-703-10: Aggregates, w/ Supplement
- 907-708-5: Non Metal Drainage Structures, w/ Supplement
- 907-709-1: Metal Pipe
- 907-710-1: Fast Dry Solvent Traffic Paint
- 907-711-4: Synthetic Structural Fiber Reinforcement
- 907-713-2: Admixtures for Concrete, w/ Supplement
- 907-714-6: Miscellaneous Materials
- 907-715-3: Roadside Development Materials, w/ Supplement
- 907-720-1: Pavement Marking Materials, w/ Supplement
- 907-804-13: Concrete Bridges and Structures, w/ Supplement

SECTION 905 - PROPOSAL, PROPOSAL BID ITEMS
COMBINATION BID PROPOSAL
CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION
SECTION 902- CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS
FORM -- OCR-485

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

>

General Decision Number: MS130168 01/04/2013 MS168

Superseded General Decision Number: MS20120168

State: Mississippi

Construction Type: Highway

County: De Soto County in Mississippi.

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects & railroad construction; bascule, suspension & spandrel arch bridges designed for commercial navigation, bridges involving marine construction; and other major bridges).

Modification Number	Publication Date
0	01/04/2013

* ELEC0474-008 08/01/2011

	Rates	Fringes
ELECTRICIAN.....	\$ 23.90	11.10

SUMS2008-129 09/04/2008		
	Rates	Fringes
CARPENTER, Includes Form Work....	\$ 13.00	0.39
CEMENT MASON/CONCRETE FINISHER...	\$ 12.85	0.39
LABORER: Common or General.....	\$ 9.04	0.90
LABORER: Pipelayer.....	\$ 10.17	0.00
OPERATOR: Backhoe.....	\$ 9.00	0.00
OPERATOR: Broom.....	\$ 8.00	0.00
OPERATOR: Bulldozer.....	\$ 9.00	0.00
OPERATOR: Grader/Blade.....	\$ 11.67	0.00
OPERATOR: Mechanic.....	\$ 13.00	0.00
OPERATOR: Piledriver.....	\$ 12.50	1.23
OPERATOR: Roller.....	\$ 10.00	0.00
OPERATOR: Scraper.....	\$ 10.00	0.00
TRUCK DRIVER.....	\$ 10.00	0.30

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is union or non-union.

Union Identifiers

An identifier enclosed in dotted lines beginning with characters other than "SU" denotes that the union classification and rate have found to be prevailing for that classification. Example: PLUM0198-005 07/01/2011. The first four letters , PLUM, indicate the international union and the four-digit number, 0198, that follows indicates the local union number or district council number where applicable , i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2011, following these characters is the effective date of the most current negotiated rate/collective bargaining agreement which would be July 1, 2011 in the above example.

Union prevailing wage rates will be updated to reflect any changes in the collective bargaining agreements governing the rates.

0000/9999: weighted union wage rates will be published annually each January.

Non-Union Identifiers

Classifications listed under an "SU" identifier were derived from survey data by computing average rates and are not union rates; however, the data used in computing these rates may include both union and non-union data. Example: SULA2004-007 5/13/2010. SU indicates the rates are not union majority rates, LA indicates the State of Louisiana; 2004 is the year of the survey; and 007 is an internal number used in producing the wage determination. A 1993 or later date, 5/13/2010, indicates the classifications and rates under that identifier were issued as a General Wage Determination on that date.

Survey wage rates will remain in effect and will not change until a new survey is conducted.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUPPLEMENT TO SPECIAL PROVISION NO. 907-403-4

DATE: 01/08/2013

SUBJECT: Hot Mix Asphalt (HMA)

Before Subsection 907-403.05.2 on page 1, add the following:

907-403.03--Construction Requirements.

907-403.03.2--Smoothness Tolerances. Delete the fourth paragraph of Subsection 403.03.2 on page 267 and substitute the following.

Where only a surface lift is required, the finished surface lift shall have a profile index of not more than 60.0 inches per mile.

Delete the last paragraph of Subsection 403.03.2 at the bottom of page 268, and the table at the top of page 269 and substitute the following:

Except for a single lift overlay, when the Profile Index for the final surface lift is less than or equal to eighteen inches per mile (18.0 inches / mile) per segment, a unit price increase will be added. The following schedule lists the Profile Index range and the corresponding contract price adjustment:

Profile Index inches / mile / segment	Contract Price Adjustment percent of unit bid price
less than 6.0	108
6.0 to 10.0	106
10.1 to 14.0	104
14.1 to 18.0	102
18.1 to Required P.I.	100
over Required P.I.	100 (with correction to Required P.I.)

For a single lift overlay, when the Profile Index for the final surface lift is less than or equal to eighteen inches per mile (18.0 inches / mile) per segment, a unit price increase will be added. The following schedule lists the Profile Index range and the corresponding contract price adjustment:

Profile Index inches / mile / segment	Contract Price Adjustment percent of unit bid price
less than or equal to 18.0	103
18.1 to Required P.I.	100
over Required P.I.	100 (with correction to Required P.I.)

Delete the first full paragraph of Subsection 403.03.2 on page 269 and substitute the following:

Contract price adjustments for rideability shall only be applicable to the surface lift and furthermore to only the segment(s) or portions of the segments(s) of the surface lift that require smoothness be determined by using a profilograph.

Delete the third full paragraph of Subsection 403.03.2 on page 269 and substitute the following:

Any contract price adjustment for rideability will be applied on a segment to segment basis on the theoretical tonnage based on 12-foot lanes, determined in accordance with Subsections 401.02.6.5 and 403.04, for the segment(s) or portions thereof for which an adjustment is warranted.

Delete Subsection 403.03.5.5 on page 273 and substitute the following:

907-403.03.5.5--Preliminary Leveling. All irregularities of the existing pavement, such as ruts, cross-slope deficiencies, etc., shall be corrected by spot leveling, skin patching, feather edging or a wedge lift in advance of placing the first overall lift.

907-403.04--Method of Measurement. After the first paragraph of Subsection 403.04 on page 274, add the following.

The pay quantities for each individual job mix formula (JMF) will be calculated using the approved JMF maximum specific gravity (Gmm) and the following formulas.

When the composite mixture has a maximum specific gravity of 2.540 or less,

$$T_p = T_w$$

When the composite mixture has a maximum specific gravity greater than 2.540,

$$T_p = T_w((100-(((Gmm*A*B)-C)/(Gmm*A*B))*100))/100$$

Where:

- T_p = Total tonnage for payment
- T_w = Total tonnage weighed, used and accepted

Gmm = Maximum Specific Gravity of the approved composite asphalt mixture

A = 46.725 lbs/yd²/in

B = 0.93 = 93% density

C = 110.374 lbs/yd²/in = Theoretical density at 2.540 Gmm

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUPPLEMENT TO SPECIAL PROVISION NO. 907-703-10

DATE: 1/08/2013

SUBJECT: Aggregates

Before Subsection 907-703.06.1.2 on page 1, add the following.

907-703.06.1--Coarse Aggregates. Delete the third paragraph of Subsection 703.06.1 on page 613, and substitute the following.

When tested in accordance with AASHTO Designation: T 19, the dry rodded unit weight of all aggregates except expanded clay and shale shall not be less than 70 pounds per cubic foot.

5 Lane Construction for approximately 1 mile on SR 305 from US 78 to Goodman Road, known as Federal Aid Project No. STP-0031-02(003) / 101427301 in Desoto County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		1	Acre	Clearing and Grubbing
0030	202-B005		10,386	Square Yard	Removal of Asphalt Pavement, All Depths
0040	202-B038		8,259	Linear Feet	Removal of Curb, All Types
0050	202-B042		2	Each	Removal of Flared End Section, All Sizes
0060	202-B057		13	Each	Removal of Inlets, All Sizes
0070	202-B064		1,587	Linear Feet	Removal of Pipe, 8" And Above
0080	202-B070		35	Each	Removal of Sign Including Post & Footing
0090	202-B076		9,800	Linear Feet	Removal of Traffic Stripe
0100	202-B095		3,258	Square Yard	Removal of Concrete Sidewalks & Driveways, All Depths
0110	202-B239		50	Linear Feet	Removal of Box Culvert, Including Headwalls
0120	203-A003	(E)	4,181	Cubic Yard	Unclassified Excavation, FM, AH
0130	203-EX017	(E)	1,454	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0140	203-G003	(E)	18,876	Cubic Yard	Excess Excavation, FM, AH
0150	206-A001	(S)	6,534	Cubic Yard	Structure Excavation
0160	206-B001	(E)	7	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0170	209-A004		33,034	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0180	212-B001		6,092	Square Yard	Standard Ground Preparation
0190	213-B001		2	Ton	Combination Fertilizer, 13-13-13
0200	213-C001		4	Ton	Superphosphate
0210	216-A001		6,092	Square Yard	Solid Sodding
0220	217-A001		180	Square Yard	Ditch Liner
0230	219-A001		122	Thousand Gallon	Watering [\$20.00]
0240	221-A001	(S)	6	Cubic Yard	Portland Cement Concrete Paved Ditch
0250	223-A001		8	Acre	Mowing [\$40.00]
0260	234-A001		6,200	Linear Feet	Temporary Silt Fence
0270	235-A001		300	Bale	Temporary Erosion Checks
0280	236-A004		5	Each	Silt Basin, Type D
0290	406-A001		22,800	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0300	602-A001	(S)	20,778	Pounds	Reinforcing Steel
0310	603-CA002	(S)	5,188	Linear Feet	18" Reinforced Concrete Pipe, Class III
0320	603-CA003	(S)	808	Linear Feet	24" Reinforced Concrete Pipe, Class III

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	603-CA004	(S)	1,028	Linear Feet	30" Reinforced Concrete Pipe, Class III
0340	603-CA006	(S)	48	Linear Feet	42" Reinforced Concrete Pipe, Class III
0350	603-CA010	(S)	96	Linear Feet	66" Reinforced Concrete Pipe, Class III
0360	603-CB001	(S)	1	Each	18" Reinforced Concrete End Section
0370	603-CB002	(S)	1	Each	24" Reinforced Concrete End Section
0380	603-CB003	(S)	1	Each	30" Reinforced Concrete End Section
0390	603-CB009	(S)	1	Each	66" Reinforced Concrete End Section
0400	603-CE001	(S)	80	Linear Feet	22" x 13" Concrete Arch Pipe, Class A III
0410	603-CE002	(S)	148	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III
0420	603-CE005	(S)	124	Linear Feet	51" x 31" Concrete Arch Pipe, Class A III
0430	603-CE009	(S)	104	Linear Feet	88" x 54" Concrete Arch Pipe, Class A III
0440	603-CF001	(S)	2	Each	22" x 13" Concrete Arch Pipe End Section
0450	603-CF002	(S)	1	Each	29" x 18" Concrete Arch Pipe End Section
0460	603-CF005	(S)	1	Each	51" x 31" Concrete Arch Pipe End Section
0470	603-CF009	(S)	2	Each	88" x 54" Concrete Arch Pipe End Section
0480	603-PA001	(S)	20	Linear Feet	6' x 4' Precast Concrete Box Culvert
0490	603-PB001	(S)	1	Each	6' x 4' Precast Concrete Box Culvert End Section
0500	603-SB020	(S)	1	Each	18" Branch Connections, Stub into Concrete Pipe
0510	603-SB043	(S)	3	Each	18" Branch Connections, Stub into 88" x 54" Concrete Pipe
0520	603-SB059	(S)	1	Each	24" Branch Connections, Stub into 88" x 54" Concrete Pipe
0530	603-SB060	(S)	2	Each	30" Branch Connections, Stub into Concrete Pipe
0540	604-A001		5,235	Pounds	Castings
0550	604-B001		2,144	Pounds	Gratings
0560	605-AA003	(S)	9,485	Square Yard	Geotextile for Subsurface Drainage, Type III
0570	605-W001	(GY)	778	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
0580	605-W002	(GY)	1,483	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
0590	608-A001	(S)	2,308	Square Yard	Concrete Sidewalk, Without Reinforcement
0600	609-B001	(S)	2,670	Linear Feet	Concrete Curb, Header
0610	609-D002	(S)	430	Linear Feet	Combination Concrete Curb and Gutter Type 2
0620	609-D004	(S)	8,770	Linear Feet	Combination Concrete Curb and Gutter Type 3A Modified
0630	614-A001	(S)	370	Square Yard	Concrete Driveway, Without Reinforcement
0640	614-B001	(S)	1,799	Square Yard	Concrete Driveway, With Reinforcement
0650	616-A001	(S)	637	Square Yard	Concrete Median and/or Island Pavement, 4-inch
0660	616-A003	(S)	91	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0670	618-A001		1	Lump Sum	Maintenance of Traffic

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0680	619-A1001		16,867	Linear Feet	Temporary Traffic Stripe, Continuous White
0690	619-A2001		17,703	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
0700	619-A5001		13,213	Linear Feet	Temporary Traffic Stripe, Detail
0710	619-A6001		1,495	Linear Feet	Temporary Traffic Stripe, Legend
0720	619-A6002		192	Square Feet	Temporary Traffic Stripe, Legend
0730	619-C6001		25	Each	Red-Clear Reflective High Performance Raised Marker
0740	619-C7001		1,174	Each	Two-Way Yellow Reflective High Performance Raised Marker
0750	619-D1001		71	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0760	619-D2001		508	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0770	619-F1001		300	Linear Feet	Concrete Median Barrier, Precast
0780	619-F2001		300	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
0790	619-G4005		24	Linear Feet	Barricades, Type III, Double Faced
0800	619-G5001		555	Each	Free Standing Plastic Drums
0810	619-G7001		2	Each	Warning Lights, Type "B"
0820	620-A001		1	Lump Sum	Mobilization
0830	627-K001		322	Each	Red-Clear Reflective High Performance Raised Markers
0840	627-L001		828	Each	Two-Way Yellow Reflective High Performance Raised Markers
0850	630-C003		514	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
0860	630-E004		367	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0870	630-K001		45	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"
0880	630-K002		31	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
0890	630-K003		91	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
0900	635-A001		2,060	Linear Feet	Vehicle Loop Assemblies
0910	636-A001		2,866	Linear Feet	Shielded Cable, AWG #18, 4 Conductor
0920	638-A002		6	Each	Loop Detector Amplifier, 4 Channel
0930	640-A016		16	Each	Traffic Signal Heads, Type 1 LED
0940	640-A022		6	Each	Traffic Signal Heads, Type 7 LED
0950	642-A008		2	Each	Solid State Traffic Actuated Controllers, Type 8A
0960	644-A001		8	Each	Optical Detector
0970	644-B001		1,754	Linear Feet	Optical Detector Cable
0980	644-C002		2	Each	Phase Selector, 4 Channel
0990	647-A001		6	Each	Pullbox, Type 1
1000	647-A005		16	Each	Pullbox, Type 2
1010	648-A001		2	Each	Radio Interconnect, Installed in New Controller Cabinet
1020	666-B016		1,754	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1030	668-A016		640	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 1"
1040	668-A018		518	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"
1050	668-B024		842	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1060	815-A006	(S)	100	Ton	Loose Riprap, Size 100
1070	815-A009	(S)	400	Ton	Loose Riprap, Size 300
1080	815-E001	(S)	100	Square Yard	Geotextile under Riprap
1090	815-F002	(S)	150	Ton	Sediment Control Stone
1100	907-225-A001		8	Acre	Grassing
1110	907-225-B001		21	Ton	Agricultural Limestone
1120	907-225-C001		16	Ton	Mulch, Vegetative Mulch
1130	907-226-A001		8	Acre	Temporary Grassing
1140	907-234-D001		15	Each	Inlet Siltation Guard
1150	907-237-A002		300	Linear Feet	Wattles, 12"
1160	907-237-A003		1,800	Linear Feet	Wattles, 20"
1170	907-245-A001		48	Linear Feet	Triangular Silt Dike
1180	907-246-A002		1,800	Each	Sandbags
1190	907-304-B009	(GT)	2,369	Ton	Granular Material, Class 3, Group D
1200	907-304-F002	(GT)	10,922	Ton	Size 610 Crushed Stone Base
1210	907-407-A001	(A2)	5,276	Gallon	Asphalt for Tack Coat
1220	907-601-B003	(S)	220	Cubic Yard	Class "B" Structural Concrete, Minor Structures
1230	907-603-ALT01	(S)	292	Linear Feet	18" Type A Alternate Pipe
1240	907-605-O001	(S)	200	Linear Feet	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
1250	907-605-P001	(S)	200	Linear Feet	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
1260	907-617-A001		106	Each	Right-of-Way Marker
1270	907-626-A003		2	Mile	6" Thermoplastic Traffic Stripe, Skip White
1280	907-626-C004		2	Mile	6" Thermoplastic Edge Stripe, Continuous White
1290	907-626-D003		1	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
1300	907-626-E004		2	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
1310	907-626-G004		5,632	Linear Feet	Thermoplastic Detail Stripe, White
1320	907-626-G005		224	Linear Feet	Thermoplastic Detail Stripe, Yellow
1330	907-626-H004		6,800	Linear Feet	Thermoplastic Legend, White
1340	907-626-H005		964	Square Feet	Thermoplastic Legend, White
1350	907-630-PP008		155	Square Feet	Roadside Directional Signs, Sheet Aluminum, 0.080" Thickness, Ground Mounted
1360	907-630-PP010		352	Square Feet	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
1370	907-639-A007		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm Olive Branch Old Towne

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1380	907-639-A008		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm Olive Branch Old Towne
1390	907-639-A009		2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm Olive Branch Old Towne
1400	907-639-A059		1	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 55' & 70' Arms
1410	907-639-A106		1	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 45' & 60' Arms
1420	907-639-C002		7	Cubic Yard	Pole Foundations, 36" Diameter
1430	907-639-C004		8	Cubic Yard	Pole Foundations, 30" Diameter
1440	907-644-D001		8	Each	Confirmation Light
	Changed 01/14/2013				
1450	907-644-E001		4	Each	Rotating Beacon
	Changed 01/14/2013				
1460	907-654-A001		2	Each	Battery Back-up System
1470	907-699-A002		1	Lump Sum	Roadway Construction Stakes
	ALTERNATE GROUP AA NUMBER 1				
1480	907-403-A006	(BA1)	9,230	Ton	Hot Mix Asphalt, MT, 12.5-mm mixture
	ALTERNATE GROUP AA NUMBER 2				
1490	907-403-M002	(BA1)	9,230	Ton	Warm Mix Asphalt, MT, 12.5-mm mixture
	ALTERNATE GROUP BB NUMBER 1				
1500	907-403-A010	(BA1)	3,461	Ton	Hot Mix Asphalt, MT, 9.5-mm mixture
	ALTERNATE GROUP BB NUMBER 2				
1510	907-403-M006	(BA1)	3,461	Ton	Warm Mix Asphalt, MT, 9.5-mm mixture
	ALTERNATE GROUP CC NUMBER 1				
1520	907-403-A012	(BA1)	2,581	Ton	Hot Mix Asphalt, ST, 19-mm mixture
	ALTERNATE GROUP CC NUMBER 2				
1530	907-403-M004	(BA1)	2,581	Ton	Warm Mix Asphalt, ST, 19-mm mixture
	ALTERNATE GROUP DD NUMBER 1				
1540	907-403-B004	(BA1)	100	Ton	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
	ALTERNATE GROUP DD NUMBER 2				
1550	907-403-N006	(BA1)	100	Ton	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling