


Proposal & Plan Sales Will Begin on December 31, 2012



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

## ***Notice to Contractors***

**Letting Date for January – January 22, 2013**



Two Month Projects  
Have An (\*)

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**NOTICE TO CONTRACTORS**  
**LETTING DATE FOR JANUARY - Tuesday, January 22, 2013**

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at [mdot.ms.gov](http://mdot.ms.gov)

**PROPOSAL AND PLAN SALES WILL BEGIN ON DECEMBER 31, 2012**

Proposals must be purchased from:

Contract Administration Engineer  
MDOT Administration Building  
401 North West Street  
Jackson, MS 39201

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7744  
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop  
MDOT Shop Complex, Building C, Room 114  
2567 North West Street  
Jackson, MS 39216

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7460  
or FAX: (601) 359-7461  
or e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR JANUARY**

| CALL | CONTRACT                                                    | COUNTY          |
|------|-------------------------------------------------------------|-----------------|
| 01   | HSIP-0003-01(185) / 106247301                               | Hancock         |
| 02   | BWO-6208-24(001) / 502085301 & BWO-6208-24(001) / 502085302 | Harrison        |
| 03   | NH-BR-0002-04(036) / 102090302                              | Lowndes         |
| 04   | STP-0029-02(013) / 102556310                                | Desoto          |
| 05   | IM-0059-02(101) / 105920301                                 | Clarke          |
| 06   | BR-0110-01(028) / 105550302                                 | Harrison        |
| 07   | STP-0008-03(053) / 106426301                                | Rankin          |
| 08   | NH-0009-01(128) / 106434301                                 | Wilkinson       |
| 09   | BR-0019-02(044) / 102454301                                 | Lafayette       |
| 10   | STP-0022-04(043) 101630302                                  | Union           |
| 11   | STP-0023-01(077) / 106265301                                | Marion          |
| 12   | STP-0031-02(003) / 101427301                                | Desoto          |
| 13   | STP-0037-01(052) / 106433301                                | Jefferson Davis |
| 14   | HSIP-0428-00(025) / 100588301                               | Rankin          |
| 15   | BR-2910-00(002) / 103162301                                 | Marshall        |
| 16   | MRP-5020-61(105) / 304611301                                | Rankin          |

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, February 26, 2013; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

**LIST OF CONTRACTS FOR FEBRUARY**

| CALL | CONTRACT                    | COUNTY |
|------|-----------------------------|--------|
| 01   | NH-0055-02(218) / 106023301 | Hinds  |

SMALL BUSINESS CONCERN PROJECT - Traffic Signal on US 90 at Bouslog Street, known as Federal Aid Project No. HSIP-0003-01(185) / 106247301 in Hancock County.

PROJECT COMPLETION: October 31, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

| <b>Roadway Items</b> |           |                                                         |
|----------------------|-----------|---------------------------------------------------------|
| Lump Sum             | 201-A001  | Clearing and Grubbing                                   |
| 933 Linear Feet      | 202-B038  | Removal of Curb, All Types                              |
| 1,100 Linear Feet    | 202-B076  | Removal of Traffic Stripe                               |
| 41 Square Yard       | 202-B078  | Removal of Pavement, All Types and Depths               |
| 20 Cubic Yard        | 203-EX029 | Borrow Excavation, AH, FME, Class B15                   |
| 524 Cubic Yard       | 203-G003  | Excess Excavation, FM, AH                               |
| 914 Square Yard      | 203-I001  | Site Grading                                            |
| 8 Cubic Yard         | 206-A001  | Structure Excavation                                    |
| 889 Square Yard      | 209-A004  | Geotextile Stabilization, Type V, Non-Woven             |
| 10 Cubic Yard        | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished       |
| 1 Ton                | 213-B001  | Combination Fertilizer, 13-13-13                        |
| 914 Square Yard      | 216-A001  | Solid Sodding                                           |
| 18 Thousand Gallon   | 219-A001  | Watering                                                |
| 1 Cubic Yard         | 221-A001  | Portland Cement Concrete Paved Ditch                    |
| 1,460 Square Yard    | 406-A001  | Cold Milling of Bituminous Pavement, All Depths         |
| 341 Linear Feet      | 501-D001  | Expansion Joints, With Dowels                           |
| 535 Linear Feet      | 503-B001  | Saw Cut, Longitudinal Joints                            |
| 891 Linear Feet      | 503-C007  | Saw Cut, Full Depth                                     |
| 341 Each             | 503-E002  | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 348 Pounds           | 602-A001  | Reinforcing Steel                                       |
| 4 Linear Feet        | 603-CA002 | 18" Reinforced Concrete Pipe, Class III                 |
| 200 Pounds           | 604-B001  | Gratings                                                |
| 941 Linear Feet      | 609-B001  | Concrete Curb, Header                                   |
| Lump Sum             | 618-A001  | Maintenance of Traffic                                  |
| Lump Sum             | 620-A001  | Mobilization                                            |
| 228 Each             | 627-K001  | Red-Clear Reflective High Performance Raised Markers    |
| 14 Each              | 627-O001  | Yellow-Clear Reflective High Performance Raised Markers |
| 942 Linear Feet      | 635-A001  | Vehicle Loop Assemblies                                 |
| 792 Linear Feet      | 636-A001  | Shielded Cable, AWG #18, 4 Conductor                    |
| 1 Each               | 638-A005  | Loop Detector Amplifier, Card Rack Mounted, 4 Channel   |
| 6 Each               | 640-A016  | Traffic Signal Heads, Type 1 LED                        |
| 2 Each               | 640-A018  | Traffic Signal Heads, Type 3 LED                        |
| 2 Each               | 640-A046  | Traffic Signal Heads, Type 7L, LED                      |
| 1 Each               | 642-A001  | Solid State Traffic Actuated Controllers, Type 8M       |
| 4 Each               | 644-A001  | Optical Detector                                        |
| 538 Linear Feet      | 644-B001  | Optical Detector Cable                                  |
| 1 Each               | 644-C002  | Phase Selector, 4 Channel                               |
| 6 Each               | 647-A001  | Pullbox, Type 1                                         |
| 1 Each               | 647-A002  | Pullbox, Type 3                                         |
| 2 Each               | 647-A005  | Pullbox, Type 2                                         |

CALL No. 01

|                          |             |              |                                                                        |
|--------------------------|-------------|--------------|------------------------------------------------------------------------|
| 164                      | Linear Feet | 666-B004     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor  |
| 222                      | Linear Feet | 666-B015     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor  |
| 571                      | Linear Feet | 666-B016     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor  |
| 95                       | Linear Feet | 666-B032     | Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor      |
| 682                      | Linear Feet | 668-A018     | Traffic Signal Conduit, Underground, Type 4, 2"                        |
| 20                       | Linear Feet | 668-A020     | Traffic Signal Conduit, Underground, Type 4, 3"                        |
| 293                      | Linear Feet | 668-B024     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 148                      | Linear Feet | 668-B025     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 1,971                    | Gallon      | 907-407-A001 | Asphalt for Tack Coat                                                  |
| 889                      | Square Yard | 907-501-B003 | 9" Plain Cement Concrete Pavement, Drag Finish                         |
| 5                        | Cubic Yard  | 907-601-B003 | Class "B" Structural Concrete, Minor Structures                        |
| 855                      | Linear Feet | 907-626-A004 | 6" Thermoplastic Traffic Stripe, Skip White                            |
| 5,837                    | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                                     |
| 1,659                    | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                                    |
| 596                      | Linear Feet | 907-626-H004 | Thermoplastic Legend, White                                            |
| 363                      | Square Feet | 907-626-H005 | Thermoplastic Legend, White                                            |
| 1                        | Each        | 907-639-A006 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm             |
| 1                        | Each        | 907-639-A016 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm             |
| 1                        | Each        | 907-639-A027 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 55'Arms       |
| 12                       | Cubic Yard  | 907-639-C002 | Pole Foundations, 36" Diameter                                         |
| 45                       | Linear Feet | 907-639-D001 | Slip Casing, 36" Diameter                                              |
| 1                        | Each        | 907-648-C001 | Radio Ethernet Interconnect, Local Intersection                        |
| 1                        | Each        | 907-658-A001 | Hardened Network Switch, Type A                                        |
| ALTERNATE GROUP AA NO. 1 |             |              |                                                                        |
| 125                      | Ton         | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture                                    |
| ALTERNATE GROUP AA NO. 2 |             |              |                                                                        |
| 125                      | Ton         | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture                                   |

Construction of Gulf Coast Regional Office/First Responders' Building, known as State Project Nos. BWO-6208-24(001) / 502085301 & 302 in Harrison County.

PROJECT COMPLETION: November 20, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|       |             |               |                                                                                            |
|-------|-------------|---------------|--------------------------------------------------------------------------------------------|
|       | Lump Sum    | 201-A001      | Clearing and Grubbing                                                                      |
| 224   | Cubic Yard  | 203-A004      | Unclassified Excavation, LVM, AH                                                           |
| 3,133 | Cubic Yard  | 203-EX002     | Borrow Excavation, AH, LVM, Class B1                                                       |
| 629   | Linear Feet | 234-A001      | Temporary Silt Fence                                                                       |
| 113   | Linear Feet | 607-B043      | 84" Type II Chain Link Fence, Class I                                                      |
| 1     | Each        | 607-G126      | Gate, 4' x 7' Chain Link                                                                   |
| 1     | Each        | 607-G129      | Gate, 24' x 7' Double Chain Link                                                           |
| 7     | Each        | 607-P2007     | Brace Post, 7' x 2 1/2" Galvanized Steel                                                   |
| 2     | Each        | 607-P3021     | Gate Post, 7' x 2 1/2" Galvanized Steel                                                    |
| 2     | Each        | 607-P3022     | Gate Post, 7' x 3 1/2" Galvanized Steel                                                    |
| 191   | Linear Feet | 609-D006      | Combination Concrete Curb and Gutter Type 1 Modified                                       |
|       | Lump Sum    | 620-A001      | Mobilization                                                                               |
| 300   | Linear Feet | 907-237-A003  | Wattles, 20"                                                                               |
|       | Lump Sum    | 907-242-A006  | Construction of Gulf Coast Regional Office /First Responder Shelter - BASE BID             |
|       | Lump Sum    | 907-242-A006  | Construction of Gulf Coast Regional Office Building/First Responder Shelter - FEMA UPGRADE |
|       | Lump Sum    | 907-242-PP001 | Water and Sewer Improvements, Per Plans                                                    |
| 18    | Each        | 907-258-N001  | Car Stop                                                                                   |

Reconstruction of US 45 (pave, grade, and bridge replacements) from Carson Road to 4 Miles South of US 82, known as Federal Aid Project No. NH-BR-0002-04(036) / 102090302 in Lowndes County.

PROJECT COMPLETION: April 22, 2015

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

|                    |           | <b>Roadway Items</b>                                      |  |
|--------------------|-----------|-----------------------------------------------------------|--|
| Lump Sum           | 201-A001  | Clearing and Grubbing                                     |  |
| 30,416 Square Yard | 202-B005  | Removal of Asphalt Pavement, All Depths                   |  |
| 7 Each             | 202-B008  | Removal of Box Culvert                                    |  |
| 3 Each             | 202-B009  | Removal of Bridge                                         |  |
| 720 Square Yard    | 202-B033  | Removal of Concrete Pavement w/ Variable Depth Overlay    |  |
| 465 Linear Feet    | 202-B064  | Removal of Pipe, 8" And Above                             |  |
| 1 Each             | 202-B111  | Removal of Bridge Piling                                  |  |
| 2 Mile             | 202-B149  | Removal of Traffic Stripe                                 |  |
| 73,417 Cubic Yard  | 203-A003  | Unclassified Excavation, FM, AH                           |  |
| 99,879 Cubic Yard  | 203-EX035 | Borrow Excavation, AH, FME, Class B9-6                    |  |
| 32,944 Cubic Yard  | 203-G003  | Excess Excavation, FM, AH                                 |  |
| 966 Cubic Yard     | 206-A001  | Structure Excavation                                      |  |
| 316 Cubic Yard     | 206-B001  | Select Material for Undercuts, Contractor Furnished, FM   |  |
| 2,635 Square Yard  | 209-A004  | Geotextile Stabilization, Type V, Non-Woven               |  |
| 21,088 Cubic Yard  | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished         |  |
| 734 Square Yard    | 212-B001  | Standard Ground Preparation                               |  |
| 1 Ton              | 213-B001  | Combination Fertilizer, 13-13-13                          |  |
| 53 Ton             | 213-C001  | Superphosphate                                            |  |
| 704 Square Yard    | 216-A001  | Solid Sodding                                             |  |
| 14,572 Square Yard | 217-A001  | Ditch Liner                                               |  |
| 15 Thousand Gallon | 219-A001  | Watering                                                  |  |
| 85 Cubic Yard      | 221-A001  | Portland Cement Concrete Paved Ditch                      |  |
| 1 Acre             | 223-A001  | Mowing                                                    |  |
| 3,137 Square Yard  | 224-A001  | Soil Reinforcing Mat                                      |  |
| 14,450 Linear Feet | 234-A001  | Temporary Silt Fence                                      |  |
| 984 Bale           | 235-A001  | Temporary Erosion Checks                                  |  |
| 9 Each             | 236-A001  | Silt Basin, Type A                                        |  |
| 29 Each            | 236-A004  | Silt Basin, Type D                                        |  |
| 7 Mile             | 321-A001  | 6" In-Grade Preparation                                   |  |
| 34,108 Square Yard | 406-A001  | Cold Milling of Bituminous Pavement, All Depths           |  |
| 5,601 Gallon       | 408-A003  | Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1 |  |
| 31 Mile            | 423-A001  | Rumble Strips, Ground In                                  |  |
| 296 Linear Feet    | 501-E001  | Expansion Joints, Without Dowels                          |  |
| 663 Square Yard    | 502-A001  | Reinforced Cement Concrete Bridge End Pavement            |  |
| 4,095 Linear Feet  | 503-C007  | Saw Cut, Full Depth                                       |  |
| 146,130 Pounds     | 602-A001  | Reinforcing Steel                                         |  |
| 232 Linear Feet    | 603-CA002 | 18" Reinforced Concrete Pipe, Class III                   |  |
| 260 Linear Feet    | 603-CA003 | 24" Reinforced Concrete Pipe, Class III                   |  |
| 2 Each             | 603-CB001 | 18" Reinforced Concrete End Section                       |  |
| 6 Each             | 603-CB002 | 24" Reinforced Concrete End Section                       |  |

CALL No. 03

|        |             |           |                                                                   |
|--------|-------------|-----------|-------------------------------------------------------------------|
| 108    | Linear Feet | 603-CE003 | 36" x 23" Concrete Arch Pipe, Class A III                         |
| 80     | Linear Feet | 603-CE005 | 51" x 31" Concrete Arch Pipe, Class A III                         |
| 2      | Each        | 603-CF003 | 36" x 23" Concrete Arch Pipe End Section                          |
| 2      | Each        | 603-CF005 | 51" x 31" Concrete Arch Pipe End Section                          |
| 1      | Each        | 603-RB014 | 22" x 13" End Section Removed and Relaid                          |
| 7,000  | Pounds      | 604-B001  | Gratings                                                          |
| 2,100  | Linear Feet | 606-B001  | Guard Rail, Class A, Type 1                                       |
| 12     | Each        | 606-D012  | Guard Rail, Bridge End Section, Type I                            |
| 12     | Each        | 606-E002  | Guard Rail, Terminal End Section, Flared                          |
| 2,183  | Linear Feet | 609-D007  | Combination Concrete Curb and Gutter Type 2 Modified              |
| 100    | Square Yard | 614-A001  | Concrete Driveway, Without Reinforcement                          |
| 120    | Linear Feet | 615-A018  | Concrete Bridge End Barrier, 33.5"                                |
| 186    | Square Yard | 616-A001  | Concrete Median and/or Island Pavement, 4-inch                    |
| 28     | Square Yard | 616-A003  | Concrete Median and/or Island Pavement, 10-inch                   |
|        | Lump Sum    | 618-A001  | Maintenance of Traffic                                            |
| 30     | Mile        | 619-A1002 | Temporary Traffic Stripe, Continuous White                        |
| 3,668  | Linear Feet | 619-A1005 | Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape      |
| 17     | Mile        | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow                       |
| 1,828  | Linear Feet | 619-A2005 | Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape     |
| 1,828  | Linear Feet | 619-A3003 | Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape            |
| 17     | Mile        | 619-A3006 | Temporary Traffic Stripe, Skip White                              |
| 920    | Linear Feet | 619-A4003 | Temporary Traffic Stripe, Skip Yellow, Type 1 or 2 Tape           |
| 6      | Mile        | 619-A4006 | Temporary Traffic Stripe, Skip Yellow                             |
| 75,596 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                                  |
| 9,616  | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend                                  |
| 23     | Each        | 619-C6001 | Red-Clear Reflective High Performance Raised Marker               |
| 697    | Each        | 619-C7001 | Two-Way Yellow Reflective High Performance Raised Marker          |
| 512    | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet    |
| 2,608  | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More      |
| 12     | Each        | 619-F3004 | Delineators, Guard Rail, White                                    |
| 2,532  | Linear Feet | 619-G4001 | Barricades, Type III, Single Faced                                |
| 54     | Linear Feet | 619-G4005 | Barricades, Type III, Double Faced                                |
| 335    | Each        | 619-G5001 | Free Standing Plastic Drums                                       |
| 6      | Each        | 619-K2002 | Installation and Removal of Guard Rail, Type I Bridge End Section |
| 6      | Each        | 619-K4001 | Installation and Removal of Guardrail, Terminal End Section       |
|        | Lump Sum    | 620-A001  | Mobilization                                                      |
| 465    | Each        | 627-J001  | Two-Way Clear Reflective High Performance Raised Markers          |
| 2,314  | Each        | 627-K001  | Red-Clear Reflective High Performance Raised Markers              |
| 227    | Each        | 627-L001  | Two-Way Yellow Reflective High Performance Raised Markers         |
| 153    | Square Feet | 630-A001  | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness         |
| 435    | Square Feet | 630-A002  | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness         |
| 909    | Linear Feet | 630-C004  | Steel U-Section Posts, 3.0 to 3.5 lb/ft                           |
| 118    | Pounds      | 630-E004  | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar           |
| 42     | Each        | 630-F001  | Delineators, Guard Rail, White                                    |
| 42     | Each        | 630-F002  | Delineators, Guard Rail, Yellow                                   |
| 36     | Each        | 630-F003  | Delineators, Flexible Post Mounted, Crossover, Type I, Green      |

CALL No. 03

|                          |             |               |                                                               |
|--------------------------|-------------|---------------|---------------------------------------------------------------|
| 36                       | Each        | 630-F004      | Delineators, Flexible Post Mounted, Crossover, Type I, Yellow |
| 12                       | Each        | 630-G001      | Type 3 Object Markers, OM-3R, Post Mounted                    |
| 93                       | Linear Feet | 630-K003      | Welded & Seamless Steel Pipe Posts, 4"                        |
| 6,131                    | Ton         | 815-A009      | Loose Riprap, Size 300                                        |
| 95                       | Square Yard | 815-E001      | Geotextile under Riprap                                       |
| 992                      | Ton         | 815-F002      | Sediment Control Stone                                        |
| 106                      | Acre        | 907-225-A001  | Grassing                                                      |
| 316                      | Ton         | 907-225-B001  | Agricultural Limestone                                        |
| 211                      | Ton         | 907-225-C001  | Mulch, Vegetative Mulch                                       |
| 106                      | Acre        | 907-226-A001  | Temporary Grassing                                            |
| 3                        | Each        | 907-234-D001  | Inlet Siltation Guard                                         |
| 300                      | Linear Feet | 907-234-F001  | Turbidity Barrier                                             |
| 120                      | Linear Feet | 907-237-A002  | Wattles, 12"                                                  |
| 8,200                    | Linear Feet | 907-237-A003  | Wattles, 20"                                                  |
| 5,904                    | Linear Feet | 907-245-A001  | Triangular Silt Dike                                          |
| 5,979                    | Linear Feet | 907-246-A001  | Sandbags                                                      |
| 9                        | Each        | 907-247-A001  | Temporary Stream Diversion                                    |
| 60                       | Ton         | 907-249-A001  | Riprap for Erosion Control                                    |
| 600                      | Cubic Yard  | 907-249-B001  | Remove and Reset Riprap                                       |
| 79,371                   | Cubic Yard  | 907-304-C005  | Granular Material, AEA, Class 9, Group C                      |
| 48,883                   | Cubic Yard  | 907-304-C007  | Granular Material, AEA, Class 3, Group C                      |
| 824                      | Cubic Yard  | 907-304-H002  | 3/4" and Down Crushed Stone Base, LVM                         |
| 104,791                  | Square Yard | 907-307-C001  | 10" Soil-Lime-Water Mixing, Class C                           |
| 2,358                    | Ton         | 907-307-D001  | Lime                                                          |
| 26,198                   | Gallon      | 907-307-S001  | Bituminous Curing Seal                                        |
| 36,468                   | Gallon      | 907-407-A001  | Asphalt for Tack Coat                                         |
| 336                      | Linear Feet | 907-413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement      |
| 987                      | Cubic Yard  | 907-601-A001  | Class "B" Structural Concrete                                 |
| 11                       | Cubic Yard  | 907-601-B003  | Class "B" Structural Concrete, Minor Structures               |
| 856                      | Linear Feet | 907-603-ALT01 | 18" Type A Alternate Pipe                                     |
| 232                      | Linear Feet | 907-603-ALT02 | 24" Type A Alternate Pipe                                     |
| 15                       | Mile        | 907-626-A003  | 6" Thermoplastic Traffic Stripe, Skip White                   |
| 15                       | Mile        | 907-626-C004  | 6" Thermoplastic Edge Stripe, Continuous White                |
| 2                        | Mile        | 907-626-E004  | 6" Thermoplastic Traffic Stripe, Continuous Yellow            |
| 11                       | Mile        | 907-626-F004  | 6" Thermoplastic Edge Stripe, Continuous Yellow               |
| 23,899                   | Linear Feet | 907-626-G004  | Thermoplastic Detail Stripe, White                            |
| 21,960                   | Linear Feet | 907-626-G005  | Thermoplastic Detail Stripe, Yellow                           |
| 6,552                    | Linear Feet | 907-626-H004  | Thermoplastic Legend, White                                   |
|                          | Lump Sum    | 907-699-A002  | Roadway Construction Stakes                                   |
| 1,040                    | Hours       | 907-906001    | Trainees                                                      |
| ALTERNATE GROUP AA NO. 1 |             |               |                                                               |
| 2,181                    | Ton         | 907-308-A001  | Portland Cement                                               |
| 187,415                  | Square Yard | 907-308-B003  | Soil-Cement-Water Mixing, Multiple Pass Mixers, Base          |
| 46,854                   | Gallon      | 907-308-S001  | Bituminous Curing Seal                                        |
| ALTERNATE GROUP AA NO. 2 |             |               |                                                               |
| 187,415                  | Square Yard | 907-311-A003  | Processing Lime and Fly Ash Treated Course, 6" Thick          |

CALL No. 03

|        |        |              |                        |
|--------|--------|--------------|------------------------|
| 1,266  | Ton    | 907-311-B001 | Lime                   |
| 4,686  | Ton    | 907-311-C001 | Fly Ash, Class C       |
| 46,854 | Gallon | 907-311-S001 | Bituminous Curing Seal |

ALTERNATE GROUP BB NO. 1

|         |             |              |                                                        |
|---------|-------------|--------------|--------------------------------------------------------|
| 1,478   | Ton         | 907-308-A001 | Portland Cement                                        |
| 104,791 | Square Yard | 907-308-B002 | Soil-Cement-Water Mixing, Optional Mixers, Design Soil |
| 26,198  | Gallon      | 907-308-S001 | Bituminous Curing Seal                                 |

ALTERNATE GROUP BB NO. 2

|         |             |              |                                                       |
|---------|-------------|--------------|-------------------------------------------------------|
| 104,791 | Square Yard | 907-311-A001 | Processing Lime and Fly Ash Treated Course, 10" Thick |
| 1,179   | Ton         | 907-311-B001 | Lime                                                  |
| 4,716   | Ton         | 907-311-C001 | Fly Ash, Class C                                      |
| 26,198  | Gallon      | 907-311-S001 | Bituminous Curing Seal                                |

ALTERNATE GROUP CC NO. 1

|        |     |              |                                      |
|--------|-----|--------------|--------------------------------------|
| 29,359 | Ton | 907-403-A006 | Hot Mix Asphalt, MT, 12.5-mm mixture |
|--------|-----|--------------|--------------------------------------|

ALTERNATE GROUP CC NO. 2

|        |     |              |                                       |
|--------|-----|--------------|---------------------------------------|
| 29,359 | Ton | 907-403-M002 | Warm Mix Asphalt, MT, 12.5-mm mixture |
|--------|-----|--------------|---------------------------------------|

ALTERNATE GROUP DD NO. 1

|        |     |              |                                    |
|--------|-----|--------------|------------------------------------|
| 28,344 | Ton | 907-403-A007 | Hot Mix Asphalt, MT, 19-mm mixture |
|--------|-----|--------------|------------------------------------|

ALTERNATE GROUP DD NO. 2

|        |     |              |                                     |
|--------|-----|--------------|-------------------------------------|
| 28,344 | Ton | 907-403-M007 | Warm Mix Asphalt, MT, 19-mm mixture |
|--------|-----|--------------|-------------------------------------|

ALTERNATE GROUP EE NO. 1

|        |     |              |                                     |
|--------|-----|--------------|-------------------------------------|
| 24,325 | Ton | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture |
|--------|-----|--------------|-------------------------------------|

ALTERNATE GROUP EE NO. 2

|        |     |              |                                      |
|--------|-----|--------------|--------------------------------------|
| 24,325 | Ton | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture |
|--------|-----|--------------|--------------------------------------|

ALTERNATE GROUP FF NO. 1

|        |     |              |                                    |
|--------|-----|--------------|------------------------------------|
| 32,755 | Ton | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture |
|--------|-----|--------------|------------------------------------|

ALTERNATE GROUP FF NO. 2

|        |     |              |                                     |
|--------|-----|--------------|-------------------------------------|
| 32,755 | Ton | 907-403-M004 | Warm Mix Asphalt, ST, 19-mm mixture |
|--------|-----|--------------|-------------------------------------|

ALTERNATE GROUP GG NO. 1

|       |             |          |                                                                   |
|-------|-------------|----------|-------------------------------------------------------------------|
| 1,828 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White       |
| 1,828 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite  |
| 1,828 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow |

ALTERNATE GROUP GG NO. 2

|       |             |              |                                                                    |
|-------|-------------|--------------|--------------------------------------------------------------------|
| 1,828 | Linear Feet | 907-626-I003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White       |
| 1,828 | Linear Feet | 907-626-J003 | 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite  |
| 1,828 | Linear Feet | 907-626-L001 | 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow |

**Bridge Items**

|         |             |          |                                    |
|---------|-------------|----------|------------------------------------|
| 3,222   | Square Yard | 501-K001 | Transverse Grooving                |
| 3       | Each        | 803-B002 | Conventional Static Pile Load Test |
| 2,140   | Linear Feet | 803-D002 | HP 12 x 53 Steel Piling            |
| 3,390   | Linear Feet | 803-D003 | HP 14 x 73 Steel Piling            |
| 1,125   | Linear Feet | 803-D007 | HP 14 x 89 Steel Piling            |
| 1,300   | Linear Feet | 803-F009 | 20" Pre-Formed Pile Hole           |
| 6       | Each        | 803-J001 | Pile Restrike                      |
| 210,402 | Pounds      | 805-A001 | Reinforcement                      |
| 1,611   | Linear Feet | 813-A002 | Concrete Railing, 32"              |

CALL No. 03

|       |             |              |                                         |
|-------|-------------|--------------|-----------------------------------------|
| 983   | Ton         | 815-A009     | Loose Riprap, Size 300                  |
| 784   | Square Yard | 815-E001     | Geotextile under Riprap                 |
| 1,495 | Cubic Yard  | 907-804-A001 | Bridge Concrete, Class AA               |
| 3,076 | Linear Feet | 907-804-C016 | 40' Prestressed Concrete Beam, Type I+2 |
| 479   | Linear Feet | 907-804-C030 | 80' Prestressed Concrete Beam, Type III |
| 1,397 | Linear Feet | 907-804-C171 | 100' Prestressed Concrete Beam, Type IV |

Grade, Drain, & Bridge on SR 304/I-269 from I-55 to STA. 240+00, known as Federal Aid Project No. STP-0029-02(013) / 102556310 in DeSoto County.

PROJECT COMPLETION: May 29, 2015

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|                      |           |                                                         |
|----------------------|-----------|---------------------------------------------------------|
| Lump Sum             | 201-A001  | Clearing and Grubbing                                   |
| 1,883 Square Yard    | 202-B002  | Removal of Asphalt Driveways, All Depths                |
| 870 Square Yard      | 202-B018  | Removal of Concrete Driveways, All Depths               |
| 724 Linear Feet      | 202-B064  | Removal of Pipe, 8" And Above                           |
| 27,369 Square Yard   | 202-B078  | Removal of Pavement, All Types and Depths               |
| 2 Each               | 202-B079  | Removal of Headwall                                     |
| 312 Cubic Yard       | 202-B276  | Remove and Reset Riprap                                 |
| 6 Each               | 202-B292  | Removal of Septic Tank, All Sizes                       |
| 1,518,791 Cubic Yard | 203-A003  | Unclassified Excavation, FM, AH                         |
| 788,304 Cubic Yard   | 203-EX035 | Borrow Excavation, AH, FME, Class B9-6                  |
| 1,000 Cubic Yard     | 203-G003  | Excess Excavation, FM, AH                               |
| 25,222 Cubic Yard    | 206-A001  | Structure Excavation                                    |
| 317 Cubic Yard       | 206-B001  | Select Material for Undercuts, Contractor Furnished, FM |
| 3,417 Square Yard    | 209-A004  | Geotextile Stabilization, Type V, Non-Woven             |
| 10,000 Cubic Yard    | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished       |
| 5,084 Square Yard    | 212-B001  | Standard Ground Preparation                             |
| 1 Ton                | 213-B001  | Combination Fertilizer, 13-13-13                        |
| 155 Ton              | 213-C001  | Superphosphate                                          |
| 5,084 Square Yard    | 216-A001  | Solid Sodding                                           |
| 11,367 Square Yard   | 217-A001  | Ditch Liner                                             |
| 102 Thousand Gallon  | 219-A001  | Watering                                                |
| 155 Acre             | 220-A001  | Insect Pest Control                                     |
| 348 Cubic Yard       | 221-A001  | Portland Cement Concrete Paved Ditch                    |
| 310 Acre             | 223-A001  | Mowing                                                  |
| 6,433 Square Yard    | 224-A001  | Soil Reinforcing Mat                                    |
| 505 Linear Feet      | 234-A001  | Temporary Silt Fence                                    |
| 500 Bale             | 235-A001  | Temporary Erosion Checks                                |
| 41 Each              | 236-A004  | Silt Basin, Type D                                      |
| 41 Each              | 236-B004  | Maintenance and Removal of Existing Silt Basins, Type D |
| 11,000 Linear Feet   | 239-A001  | Temporary Slope Drains                                  |
| 3,700 Square Yard    | 406-A001  | Cold Milling of Bituminous Pavement, All Depths         |
| 1 Mile               | 423-A001  | Rumble Strips, Ground In                                |
| 1,015 Linear Feet    | 501-E001  | Expansion Joints, Without Dowels                        |
| 2,254 Square Yard    | 502-A001  | Reinforced Cement Concrete Bridge End Pavement          |
| 307,872 Pounds       | 602-A001  | Reinforcing Steel                                       |
| 3,830 Linear Feet    | 603-CA002 | 18" Reinforced Concrete Pipe, Class III                 |
| 616 Linear Feet      | 603-CA003 | 24" Reinforced Concrete Pipe, Class III                 |
| 68 Linear Feet       | 603-CA004 | 30" Reinforced Concrete Pipe, Class III                 |
| 1,140 Linear Feet    | 603-CA005 | 36" Reinforced Concrete Pipe, Class III                 |
| 400 Linear Feet      | 603-CA007 | 48" Reinforced Concrete Pipe, Class III                 |

CALL No. 04

|        |             |           |                                                          |
|--------|-------------|-----------|----------------------------------------------------------|
| 44     | Linear Feet | 603-CA011 | 72" Reinforced Concrete Pipe, Class III                  |
| 35     | Each        | 603-CB001 | 18" Reinforced Concrete End Section                      |
| 10     | Each        | 603-CB002 | 24" Reinforced Concrete End Section                      |
| 2      | Each        | 603-CB003 | 30" Reinforced Concrete End Section                      |
| 9      | Each        | 603-CB004 | 36" Reinforced Concrete End Section                      |
| 6      | Each        | 603-CB006 | 48" Reinforced Concrete End Section                      |
| 2      | Each        | 603-CB010 | 72" Reinforced Concrete End Section                      |
| 48     | Linear Feet | 603-CE003 | 36" x 23" Concrete Arch Pipe, Class A III                |
| 716    | Linear Feet | 603-CE004 | 44" x 27" Concrete Arch Pipe, Class A III                |
| 116    | Linear Feet | 603-CE006 | 58" x 36" Concrete Arch Pipe, Class A III                |
| 2      | Each        | 603-CF003 | 36" x 23" Concrete Arch Pipe End Section                 |
| 6      | Each        | 603-CF004 | 44" x 27" Concrete Arch Pipe End Section                 |
| 2      | Each        | 603-CF006 | 58" x 36" Concrete Arch Pipe End Section                 |
| 790    | Pounds      | 604-A001  | Castings                                                 |
| 8,750  | Pounds      | 604-B001  | Gratings                                                 |
| 825    | Linear Feet | 606-B001  | Guard Rail, Class A, Type 1                              |
| 4      | Each        | 606-D012  | Guard Rail, Bridge End Section, Type I                   |
| 4      | Each        | 606-E003  | Guard Rail, Terminal End Section, Non-Flared             |
| 32,540 | Linear Feet | 607-A001  | 31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown  |
| 16,826 | Linear Feet | 607-B005  | 60" Type I Chain Link Fence, Class II                    |
| 6      | Each        | 607-G119  | Gate, 3' x 52" Chain Link                                |
| 232    | Each        | 607-P1002 | Line Post, 10' x 4" Timber                               |
| 173    | Each        | 607-P1009 | Line Post, 9' x 2" Galvanized Steel                      |
| 115    | Each        | 607-P1010 | Line Post, 10' x 2" Galvanized Steel                     |
| 1,734  | Each        | 607-P1020 | Line Post, 7' x 4" Timber                                |
| 347    | Each        | 607-P1021 | Line Post, 9' x 4" Timber                                |
| 861    | Each        | 607-P1027 | Line Post, 7' x 2" Galvanized Steel                      |
| 300    | Each        | 607-P2001 | Brace Post, 8' x 6" Timber                               |
| 60     | Each        | 607-P2002 | Brace Post, 10' x 6" Timber                              |
| 40     | Each        | 607-P2003 | Brace Post, 12' x 6" Timber                              |
| 192    | Each        | 607-P2009 | Brace Post, 8' x 2 1/2" Galvanized Steel                 |
| 39     | Each        | 607-P2011 | Brace Post, 10' x 2 1/2" Galvanized Steel                |
| 26     | Each        | 607-P2012 | Brace Post, 12' x 2 1/2" Galvanized Steel                |
| 12     | Each        | 607-P3003 | Gate Post, 8' x 2 1/2" Galvanized Steel                  |
| 1,640  | Square Yard | 608-A001  | Concrete Sidewalk, Without Reinforcement                 |
| 41,151 | Linear Feet | 609-D003  | Combination Concrete Curb and Gutter Type 3              |
| 915    | Square Yard | 614-B001  | Concrete Driveway, With Reinforcement                    |
| 320    | Linear Feet | 615-A018  | Concrete Bridge End Barrier, 33.5"                       |
|        | Lump Sum    | 618-A001  | Maintenance of Traffic                                   |
| 5,442  | Linear Feet | 619-A1003 | Temporary Traffic Stripe, Continuous White, Paint        |
| 5,860  | Linear Feet | 619-A2003 | Temporary Traffic Stripe, Continuous Yellow, Paint       |
| 3,900  | Linear Feet | 619-A2007 | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape |
| 920    | Linear Feet | 619-A3002 | Temporary Traffic Stripe, Skip White, Paint              |
| 15,680 | Linear Feet | 619-A5004 | Temporary Traffic Stripe, Detail, Type 1 Tape            |
| 120    | Linear Feet | 619-A6003 | Temporary Traffic Stripe, Legend, Paint                  |
| 72     | Each        | 619-C6001 | Red-Clear Reflective High Performance Raised Marker      |

CALL No. 04

|        |             |               |                                                                |
|--------|-------------|---------------|----------------------------------------------------------------|
| 188    | Square Feet | 619-D1001     | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 984    | Square Feet | 619-D2001     | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 384    | Linear Feet | 619-G4001     | Barricades, Type III, Single Faced                             |
| 108    | Linear Feet | 619-G4004     | Barricades, Type III, Single Faced, Permanent, Red/White       |
| 86     | Each        | 619-G5001     | Free Standing Plastic Drums                                    |
| 12     | Each        | 619-G7001     | Warning Lights, Type "B"                                       |
|        | Lump Sum    | 620-A001      | Mobilization                                                   |
| 1      | Each        | 621-A001      | Field Laboratory                                               |
| 723    | Each        | 627-L001      | Two-Way Yellow Reflective High Performance Raised Markers      |
| 41     | Square Feet | 630-A001      | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness      |
| 45     | Square Feet | 630-A002      | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness      |
| 112    | Linear Feet | 630-C004      | Steel U-Section Posts, 3.0 to 3.5 lb/ft                        |
| 44     | Each        | 630-F001      | Delineators, Guard Rail, White                                 |
| 8      | Each        | 630-G006      | Type 3 Object Markers, OM-3R or OM-3L                          |
| 2,500  | Ton         | 815-A006      | Loose Riprap, Size 100                                         |
| 19,077 | Ton         | 815-A009      | Loose Riprap, Size 300                                         |
| 3,417  | Square Yard | 815-E001      | Geotextile under Riprap                                        |
| 3,142  | Ton         | 815-F002      | Sediment Control Stone                                         |
| 310    | Acre        | 907-225-A001  | Grassing                                                       |
| 622    | Ton         | 907-225-B001  | Agricultural Limestone                                         |
| 663    | Ton         | 907-225-C001  | Mulch, Vegetative Mulch                                        |
| 310    | Acre        | 907-226-A001  | Temporary Grassing                                             |
| 26     | Each        | 907-234-D001  | Inlet Siltation Guard                                          |
| 400    | Linear Feet | 907-234-F001  | Turbidity Barrier                                              |
| 505    | Linear Feet | 907-237-A002  | Wattles, 12"                                                   |
| 505    | Linear Feet | 907-237-A003  | Wattles, 20"                                                   |
| 500    | Linear Feet | 907-245-A001  | Triangular Silt Dike                                           |
| 505    | Linear Feet | 907-246-A001  | Sandbags                                                       |
| 1      | Each        | 907-247-A001  | Temporary Stream Diversion                                     |
| 500    | Ton         | 907-249-A001  | Riprap for Erosion Control                                     |
| 5,660  | Ton         | 907-304-B009  | Granular Material, Class 3, Group D                            |
| 12,535 | Ton         | 907-304-B011  | Granular Material, Class 9, Group B                            |
| 1,514  | Ton         | 907-304-F002  | Size 610 Crushed Stone Base                                    |
| 650    | Ton         | 907-310-B001  | Size III Stabilizer Aggregate, Coarse                          |
| 12,450 | Gallon      | 907-407-A001  | Asphalt for Tack Coat                                          |
| 483    | Linear Feet | 907-413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement       |
| 2,175  | Cubic Yard  | 907-601-A001  | Class "B" Structural Concrete                                  |
| 70     | Cubic Yard  | 907-601-B003  | Class "B" Structural Concrete, Minor Structures                |
| 376    | Linear Feet | 907-603-ALT01 | 18" Type A Alternate Pipe                                      |
| 232    | Linear Feet | 907-603-ALT02 | 24" Type A Alternate Pipe                                      |
| 100    | Linear Feet | 907-603-ALT04 | 36" Type A Alternate Pipe                                      |
| 1,920  | Linear Feet | 907-605-O002  | 6" Perforated Sewer Pipe for Underdrains, SDR 35               |
| 240    | Each        | 907-617-A001  | Right-of-Way Marker                                            |
| 1      | Mile        | 907-626-A003  | 6" Thermoplastic Traffic Stripe, Skip White                    |
| 1      | Mile        | 907-626-B004  | 6" Thermoplastic Traffic Stripe, Continuous White              |
| 2      | Mile        | 907-626-C004  | 6" Thermoplastic Edge Stripe, Continuous White                 |

CALL No. 04

|                          |              |                                                        |
|--------------------------|--------------|--------------------------------------------------------|
| 1 Mile                   | 907-626-D003 | 6" Thermoplastic Traffic Stripe, Skip Yellow           |
| 2 Mile                   | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow     |
| 9,097 Linear Feet        | 907-626-G004 | Thermoplastic Detail Stripe, White                     |
| 8,841 Linear Feet        | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                    |
| 66 Square Feet           | 907-626-H005 | Thermoplastic Legend, White                            |
| Lump Sum                 | 907-699-A002 | Roadway Construction Stakes                            |
| 2,080 Hours              | 907-906001   | Trainees                                               |
| ALTERNATE GROUP AA NO. 1 |              |                                                        |
| 372 Ton                  | 907-308-A001 | Portland Cement                                        |
| 32,013 Square Yard       | 907-308-B002 | Soil-Cement-Water Mixing, Optional Mixers, Design Soil |
| 7,564 Gallon             | 907-308-S001 | Bituminous Curing Seal                                 |
| ALTERNATE GROUP AA NO. 2 |              |                                                        |
| 32,013 Square Yard       | 907-311-A003 | Processing Lime and Fly Ash Treated Course, 6" Thick   |
| 246 Ton                  | 907-311-B001 | Lime                                                   |
| 985 Ton                  | 907-311-C002 | Fly Ash, Class C or F                                  |
| 7,564 Gallon             | 907-311-S001 | Bituminous Curing Seal                                 |
| ALTERNATE GROUP BB NO. 1 |              |                                                        |
| 2,308 Ton                | 907-403-A006 | Hot Mix Asphalt, MT, 12.5-mm mixture                   |
| ALTERNATE GROUP BB NO. 2 |              |                                                        |
| 2,308 Ton                | 907-403-M002 | Warm Mix Asphalt, MT, 12.5-mm mixture                  |
| ALTERNATE GROUP CC NO. 1 |              |                                                        |
| 2,498 Ton                | 907-403-A007 | Hot Mix Asphalt, MT, 19-mm mixture                     |
| ALTERNATE GROUP CC NO. 2 |              |                                                        |
| 2,498 Ton                | 907-403-M007 | Warm Mix Asphalt, MT, 19-mm mixture                    |
| ALTERNATE GROUP DD NO. 1 |              |                                                        |
| 1,731 Ton                | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture                    |
| ALTERNATE GROUP DD NO. 2 |              |                                                        |
| 1,731 Ton                | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture                   |
| ALTERNATE GROUP EE NO. 1 |              |                                                        |
| 3,044 Ton                | 907-403-A011 | Hot Mix Asphalt, ST, 12.5-mm mixture                   |
| ALTERNATE GROUP EE NO. 2 |              |                                                        |
| 3,044 Ton                | 907-403-M003 | Warm Mix Asphalt, ST, 12.5-mm mixture                  |
| ALTERNATE GROUP FF NO. 1 |              |                                                        |
| 6,768 Ton                | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture                     |
| ALTERNATE GROUP FF NO. 2 |              |                                                        |
| 6,768 Ton                | 907-403-M004 | Warm Mix Asphalt, ST, 19-mm mixture                    |
| ALTERNATE GROUP GG NO. 1 |              |                                                        |
| 2,447 Ton                | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture                    |
| ALTERNATE GROUP GG NO. 2 |              |                                                        |
| 2,447 Ton                | 907-403-M001 | Warm Mix Asphalt, ST, 9.5-mm mixture                   |
| ALTERNATE GROUP HH NO. 1 |              |                                                        |
| 850 Linear Feet          | 628-A001     | 6" Cold Plastic Traffic Stripe, Skip White             |
| 4,031 Linear Feet        | 628-B001     | 6" Cold Plastic Traffic Stripe, Continuous White       |
| 850 Linear Feet          | 628-D001     | 6" Cold Plastic Traffic Stripe, Skip Yellow            |
| 2,915 Linear Feet        | 628-E002     | 6" Cold Plastic Traffic Stripe, Continuous Yellow      |
| ALTERNATE GROUP HH NO. 2 |              |                                                        |

CALL No. 04

|       |             |              |                                                                    |
|-------|-------------|--------------|--------------------------------------------------------------------|
| 850   | Linear Feet | 907-626-I003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White       |
| 4,031 | Linear Feet | 907-626-J003 | 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite  |
| 850   | Linear Feet | 907-626-K003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow      |
| 2,915 | Linear Feet | 907-626-L001 | 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow |

**Bridge Items**

|           |             |              |                                              |
|-----------|-------------|--------------|----------------------------------------------|
| 14,522    | Square Yard | 501-K001     | Transverse Grooving                          |
| 95,106    | Pounds      | 602-A001     | Reinforcing Steel                            |
| 4,449     | Cubic Yard  | 801-A001     | Foundation Excavation for Bridges            |
| 8         | Each        | 803-B002     | Conventional Static Pile Load Test           |
| 18,930    | Linear Feet | 803-C002     | 14" x 14" Prestressed Concrete Piling        |
| 24,600    | Linear Feet | 803-C003     | 16" x 16" Prestressed Concrete Piling        |
| 10,800    | Linear Feet | 803-D007     | HP 14 x 89 Steel Piling                      |
| 300       | Linear Feet | 803-F009     | 20" Pre-Formed Pile Hole                     |
| 500       | Each        | 803-F011     | 23" Pre-Formed Pile Hole                     |
| 21        | Each        | 803-I001     | PDA Test Pile                                |
| 2,117,445 | Pounds      | 805-A001     | Reinforcement                                |
| 4,811     | Linear Feet | 813-A002     | Concrete Railing, 32"                        |
| 1,516     | Linear Feet | 813-E001     | Concrete Pedestrian Sidewalk Railing         |
| 1,315     | Cubic Yard  | 815-D001     | Concrete Slope Paving                        |
| 4,320     | Linear Feet | 907-803-P002 | 30" Steel Pipe Piling, Wall Thickness 0.500" |
| 9,719     | Cubic Yard  | 907-804-A001 | Bridge Concrete, Class AA                    |
| 772       | Cubic Yard  | 907-804-B001 | Box Bridge Concrete, Class B                 |
| 1,276     | Linear Feet | 907-804-C022 | 80' Prestressed Concrete Beam, Type BT-72    |
| 1,436     | Linear Feet | 907-804-C025 | 90' Prestressed Concrete Beam, Type BT-72    |
| 3,057     | Linear Feet | 907-804-C150 | 110' Prestressed Concrete Beam, Type IV      |
| 1,113     | Linear Feet | 907-804-C174 | 80' Prestressed Concrete Beam, Type IV       |
| 1,439     | Linear Feet | 907-804-C193 | 103' Prestressed Concrete Beam, Type IV      |
| 1,197     | Linear Feet | 907-804-C206 | 86' Prestressed Concrete Beam, Type IV       |
| 2,973     | Linear Feet | 907-804-C217 | 107' Prestressed Concrete Beam, Type IV      |
| 837       | Linear Feet | 907-804-C231 | 60' Prestressed Concrete Beam, Type IV       |
| 739       | Linear Feet | 907-804-C234 | 53' Prestressed Concrete Beam, Type IV       |
| 1,057     | Linear Feet | 907-804-C235 | 76' Prestressed Concrete Beam, Type IV       |
| 1,085     | Linear Feet | 907-804-C236 | 78' Prestressed Concrete Beam, Type IV       |
| 1,752     | Linear Feet | 907-804-C237 | 55' Prestressed Concrete Beam, Type BT-72    |
| 1,052     | Linear Feet | 907-804-C238 | 66' Prestressed Concrete Beam, Type BT-72    |
| 4,088     | Linear Feet | 907-804-C239 | 128' Prestressed Concrete Beam, Type BT-72   |

Overlay approximately 7 miles on I-59 from Jasper County Line to 6.5 miles north of Jasper County Line, known as Federal Aid Project No. IM-0059-02(101) / 105920301 in Clarke County.

PROJECT COMPLETION: August 12, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|         |             |              |                                                                    |
|---------|-------------|--------------|--------------------------------------------------------------------|
| 340     | Square Yard | 202-B005     | Removal of Asphalt Pavement, All Depths                            |
| 340     | Square Yard | 202-B081     | Removal of Continuously Reinforced Concrete Pavement, 8-inch Depth |
| 7,450   | Linear Feet | 202-B102     | Removal of Guard Rail                                              |
| 3       | Mile        | 202-B149     | Removal of Traffic Stripe                                          |
| 618     | Square Yard | 202-B262     | Removal of Reinforced Concrete Pavement, 8" Depth                  |
| 239     | Cubic Yard  | 221-A001     | Portland Cement Concrete Paved Ditch                               |
| 2       | Acre        | 223-A001     | Mowing                                                             |
| 10,362  | Square Yard | 406-A001     | Cold Milling of Bituminous Pavement, All Depths                    |
| 2,240   | Square Yard | 406-B001     | Cold Milling of Concrete Pavement, All Depths                      |
| 25      | Mile        | 423-A001     | Rumble Strips, Ground In                                           |
| 214     | Linear Feet | 501-D001     | Expansion Joints, With Dowels                                      |
| 214     | Each        | 501-G001     | Dowels, Drilled and Installed                                      |
| 318     | Linear Feet | 503-B001     | Saw Cut, Longitudinal Joints                                       |
| 670     | Linear Feet | 503-C002     | Saw Cut, 3-inch                                                    |
| 884     | Linear Feet | 503-C005     | Saw Cut, 8-inch                                                    |
| 80      | Cubic Yard  | 503-D001     | Concrete for Base Repair                                           |
| 159     | Each        | 503-E002     | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted            |
| 65,290  | Linear Feet | 605-J001     | Edge Drain & Edge Drain Outlet/Vent Inspection                     |
| 5,799   | Linear Feet | 606-B004     | Guard Rail, Class A, Type 1, Metal Post                            |
| 8       | Each        | 606-C002     | Guard Rail, Cable Anchor Type 1, Metal Post                        |
| 16      | Each        | 606-D001     | Guard Rail, Bridge End Section, Type A                             |
| 2       | Each        | 606-D014     | Guard Rail, Bridge End Section, Type I, Metal Post                 |
| 28      | Each        | 606-E002     | Guard Rail, Terminal End Section, Flared                           |
| 101     | Linear Feet | 615-A014     | Concrete Type IV Cast-in-Place Median Barrier, 42" High            |
|         | Lump Sum    | 618-A001     | Maintenance of Traffic                                             |
| 45      | Mile        | 619-A1002    | Temporary Traffic Stripe, Continuous White                         |
| 45      | Mile        | 619-A2002    | Temporary Traffic Stripe, Continuous Yellow                        |
| 42      | Mile        | 619-A3006    | Temporary Traffic Stripe, Skip White                               |
| 156,930 | Linear Feet | 619-A5001    | Temporary Traffic Stripe, Detail                                   |
| 48      | Square Feet | 619-D1001    | Standard Roadside Construction Signs, Less than 10 Square Feet     |
| 232     | Square Feet | 619-D2001    | Standard Roadside Construction Signs, 10 Square Feet or More       |
| 48      | Linear Feet | 619-G4001    | Barricades, Type III, Single Faced                                 |
|         | Lump Sum    | 620-A001     | Mobilization                                                       |
| 1,403   | Each        | 627-K001     | Red-Clear Reflective High Performance Raised Markers               |
| 26      | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers          |
| 154     | Each        | 630-F001     | Delineators, Guard Rail, White                                     |
| 94      | Each        | 630-F002     | Delineators, Guard Rail, Yellow                                    |
| 16      | Each        | 630-G002     | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted                |
| 1,344   | Linear Feet | 808-A001     | Joint Preparation                                                  |
| 12,544  | Ton         | 907-304-F004 | Size 825B Crushed Stone Base                                       |
| 10,074  | Ton         | 907-402-A002 | Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture        |

CALL No. 05

|                          |             |               |                                                                         |
|--------------------------|-------------|---------------|-------------------------------------------------------------------------|
| 15,990                   | Gallon      | 907-402-B001  | Bituminous Tack Coat                                                    |
| 16,724                   | Ton         | 907-403-AA001 | Stone Matrix Asphalt, 9.5 mm Mixture                                    |
| 22,298                   | Ton         | 907-403-AA002 | Stone Matrix Asphalt, 12.5 mm Mixture                                   |
| 26                       | Mile        | 907-403-S004  | Joint Sealant                                                           |
| 30,002                   | Gallon      | 907-407-A001  | Asphalt for Tack Coat                                                   |
| 2,340                    | Linear Feet | 907-413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement                |
| 340                      | Square Yard | 907-503-A002  | 8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish |
| 618                      | Square Yard | 907-503-A003  | 8" and Variable Jointed Concrete Pavement                               |
| 130,580                  | Linear Feet | 907-605-H001  | Edge Drain                                                              |
| 11,824                   | Linear Feet | 907-605-I001  | Edge Drain Outlets/Vents                                                |
| 14                       | Mile        | 907-626-A005  | 6" Thermoplastic Double Drop Traffic Stripe, Skip White                 |
| 15                       | Mile        | 907-626-C003  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White              |
| 4,000                    | Linear Feet | 907-626-E005  | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow          |
| 15                       | Mile        | 907-626-F003  | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow             |
| 51,798                   | Linear Feet | 907-626-G004  | Thermoplastic Detail Stripe, White                                      |
| 513                      | Linear Feet | 907-626-G005  | Thermoplastic Detail Stripe, Yellow                                     |
| 672                      | Linear Feet | 907-626-H004  | Thermoplastic Legend, White                                             |
| 1,344                    | Linear Feet | 907-824-PP002 | Bridge Repair, Joint Repair, Per Plans                                  |
| 28                       | Linear Feet | 907-824-PP004 | Bridge Repair, Removal of Joint Armor, Per Plans                        |
| 56                       | Linear Feet | 907-824-PP006 | Bridge Repair, Sawcut Joints, Per Plans                                 |
| 1,712                    | Linear Feet | 907-824-PP008 | Bridge Repair, Silicone Sealed Joint, Per Plans                         |
| 720                      | Hours       | 907-906001    | Trainees                                                                |
| ALTERNATE GROUP AA NO. 1 |             |               |                                                                         |
| 13,898                   | Ton         | 907-403-A015  | Hot Mix Asphalt, ST, 9.5-mm mixture                                     |
| ALTERNATE GROUP AA NO. 2 |             |               |                                                                         |
| 13,898                   | Ton         | 907-403-M001  | Warm Mix Asphalt, ST, 9.5-mm mixture                                    |
| ALTERNATE GROUP BB NO. 1 |             |               |                                                                         |
| 2,403                    | Ton         | 907-403-A005  | Hot Mix Asphalt, HT, 9.5-mm mixture                                     |
| ALTERNATE GROUP BB NO. 2 |             |               |                                                                         |
| 2,403                    | Ton         | 907-403-M009  | Warm Mix Asphalt, HT, 9.5-mm mixture                                    |

Rehabilitation of the Bascule Bridge on I-110, known as Federal Aid Project No. BR-0110-01(028) / 105550302 in Harrison County.

PROJECT COMPLETION: June 30, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|     |             |               |                                                                |
|-----|-------------|---------------|----------------------------------------------------------------|
|     | Lump Sum    | 618-A001      | Maintenance of Traffic                                         |
| 28  | Square Feet | 619-D1001     | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 752 | Square Feet | 619-D2001     | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 1   | Each        | 619-E1001     | Flashing Arrow Panel, Type C                                   |
| 120 | Linear Feet | 619-G4005     | Barricades, Type III, Double Faced                             |
| 66  | Each        | 619-G5001     | Free Standing Plastic Drums                                    |
| 11  | Each        | 619-G7001     | Warning Lights, Type "B"                                       |
|     | Lump Sum    | 620-A001      | Mobilization                                                   |
| 10  | Each        | 907-619-E3001 | Changeable Message Sign                                        |

**Bridge Items**

|        |          |              |                                   |
|--------|----------|--------------|-----------------------------------|
| 14,000 | Pounds   | 810-A004     | Structural Steel                  |
|        | Lump Sum | 907-836-A001 | Span Balancing                    |
| 500    | Each     | 907-837-A002 | Balance Plates                    |
|        | Lump Sum | 907-840-A001 | Machinery Room Enclosure          |
|        | Lump Sum | 907-841-A001 | Replace Windows and Doors         |
|        | Lump Sum | 907-842-A001 | Plumbing Work                     |
|        | Lump Sum | 907-844-A001 | Building Amenities                |
|        | Lump Sum | 907-845-A001 | Painting                          |
|        | Lump Sum | 907-850-A001 | Mechanical Work                   |
|        | Lump Sum | 907-851-A002 | Leaf Alignment                    |
|        | Lump Sum | 907-852-A001 | Rear Locks                        |
|        | Lump Sum | 907-853-A001 | Electrical Work                   |
|        | Lump Sum | 907-854-A002 | Electrical Service                |
|        | Lump Sum | 907-855-A001 | Auxiliary Electrical Equipment    |
|        | Lump Sum | 907-856-A001 | Control Console                   |
|        | Lump Sum | 907-857-A001 | Motor Control Center              |
|        | Lump Sum | 907-858-A001 | PLC Cabinet and Programming       |
|        | Lump Sum | 907-859-A001 | Span Drives and Motors            |
|        | Lump Sum | 907-860-A001 | Limits and Sensors                |
|        | Lump Sum | 907-861-A001 | Submarine Cables                  |
|        | Lump Sum | 907-862-A001 | Lightning and Surge Protection    |
|        | Lump Sum | 907-863-A001 | Training, Manuals and Spare Parts |

Traffic Signal Installation on US 49 at Erlich Road, known as Federal Aid Project No. STP-0008-03(053) / 106426301 in Rankin County.

PROJECT COMPLETION: October 14, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|       |             |              |                                                                        |
|-------|-------------|--------------|------------------------------------------------------------------------|
| 5     | Each        | 202-B066     | Removal of Raised Reflective Pavement Marker                           |
| 350   | Linear Feet | 202-B076     | Removal of Traffic Stripe                                              |
|       | Lump Sum    | 618-A001     | Maintenance of Traffic                                                 |
| 24    | Square Feet | 619-D1001    | Standard Roadside Construction Signs, Less than 10 Square Feet         |
| 48    | Square Feet | 619-D2001    | Standard Roadside Construction Signs, 10 Square Feet or More           |
| 30    | Linear Feet | 619-G4001    | Barricades, Type III, Single Faced                                     |
|       | Lump Sum    | 620-A001     | Mobilization                                                           |
| 42    | Square Feet | 630-A001     | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness              |
| 96    | Square Feet | 630-A002     | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness              |
| 41    | Linear Feet | 630-C004     | Steel U-Section Posts, 3.0 to 3.5 lb/ft                                |
| 831   | Linear Feet | 635-A001     | Vehicle Loop Assemblies                                                |
| 3,573 | Linear Feet | 636-A002     | Shielded Cable                                                         |
| 3     | Each        | 638-A002     | Loop Detector Amplifier, 4 Channel                                     |
| 6     | Each        | 640-A016     | Traffic Signal Heads, Type 1 LED                                       |
| 1     | Each        | 640-A017     | Traffic Signal Heads, Type 2 LED                                       |
| 2     | Each        | 640-A018     | Traffic Signal Heads, Type 3 LED                                       |
| 2     | Each        | 640-A022     | Traffic Signal Heads, Type 7 LED                                       |
| 8     | Each        | 640-A054     | Traffic Signal Heads, Type 8A LED, 12" Amber                           |
| 1     | Each        | 642-A008     | Solid State Traffic Actuated Controllers, Type 8A                      |
| 4     | Each        | 644-A001     | Optical Detector                                                       |
| 767   | Linear Feet | 644-B001     | Optical Detector Cable                                                 |
| 1     | Each        | 644-C002     | Phase Selector, 4 Channel                                              |
| 2     | Each        | 645-A001     | Flasher Assembly                                                       |
|       | Lump Sum    | 646-A001     | Removal of Existing Traffic Signal Equipment                           |
| 1     | Each        | 647-A002     | Pullbox, Type 3                                                        |
| 9     | Each        | 647-A005     | Pullbox, Type 2                                                        |
| 2,357 | Linear Feet | 666-B014     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4Conductor  |
| 767   | Linear Feet | 666-B016     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor  |
| 62    | Linear Feet | 666-B028     | Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor      |
| 62    | Linear Feet | 668-A016     | Traffic Signal Conduit, Underground, Type 4, 1"                        |
| 1,720 | Linear Feet | 668-A018     | Traffic Signal Conduit, Underground, Type 4, 2"                        |
| 18    | Linear Feet | 668-A020     | Traffic Signal Conduit, Underground, Type 4, 3"                        |
| 200   | Linear Feet | 668-B024     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 464   | Linear Feet | 668-B025     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 6     | Cubic Yard  | 684-A003     | Pole Foundation, 24" Diameter                                          |
| 11    | Cubic Yard  | 684-A004     | Pole Foundation, 36" Diameter                                          |
| 10    | Linear Feet | 684-B003     | Slip Casing, 24" Diameter                                              |
| 14    | Linear Feet | 684-B004     | Slip Casing, 36" Diameter                                              |
| 50    | Linear Feet | 907-237-A002 | Wattles, 12"                                                           |
| 100   | Linear Feet | 907-626-E005 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow         |
| 112   | Linear Feet | 907-626-G006 | Thermoplastic Double Drop Detail Stripe, White                         |

CALL No. 07

|     |             |              |                                                                    |
|-----|-------------|--------------|--------------------------------------------------------------------|
| 400 | Linear Feet | 907-626-H009 | Thermoplastic Double Drop Legend, White                            |
| 77  | Square Feet | 907-626-H010 | Thermoplastic Double Drop Legend, White                            |
| 1   | Each        | 907-639-A008 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm         |
| 1   | Each        | 907-639-A011 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm         |
| 1   | Each        | 907-639-A014 | Traffic Signal Equipment Pole, Type III, 17' Shaft, 55' & 60' Arms |
| 2   | Each        | 907-639-A047 | Traffic Signal Equipment Pole, Type V, 14' Shaft                   |
| 4   | Each        | 907-639-A048 | Traffic Signal Equipment Pole, Type V, 18' Shaft                   |

Overlay of approximately 7 miles of US 61 from Buffalo Road North, known as Federal Aid Project No. NH-0009-01(128) / 106434301 in Wilkinson County.

PROJECT COMPLETION: July 19, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|                          |             |               |                                                               |
|--------------------------|-------------|---------------|---------------------------------------------------------------|
| 225                      | Linear Feet | 202-B053      | Removal of Guard Rail Including Post, Blockouts & Hardware    |
| 1,404                    | Linear Feet | 202-B076      | Removal of Traffic Stripe                                     |
| 19,540                   | Square Yard | 406-A001      | Cold Milling of Bituminous Pavement, All Depths               |
| 28                       | Mile        | 423-A001      | Rumble Strips, Ground In                                      |
| 6                        | Each        | 606-E002      | Guard Rail, Terminal End Section, Flared                      |
|                          | Lump Sum    | 618-A001      | Maintenance of Traffic                                        |
| 1                        | Square Feet | 618-B001      | Additional Construction Signs                                 |
| 17                       | Mile        | 619-A1002     | Temporary Traffic Stripe, Continuous White                    |
| 17                       | Mile        | 619-A2002     | Temporary Traffic Stripe, Continuous Yellow                   |
| 17                       | Mile        | 619-A3006     | Temporary Traffic Stripe, Skip White                          |
| 40,708                   | Linear Feet | 619-A5001     | Temporary Traffic Stripe, Detail                              |
| 3,168                    | Linear Feet | 619-A6001     | Temporary Traffic Stripe, Legend                              |
| 266                      | Each        | 627-B001      | Two-Way Clear Reflective Raised Markers                       |
| 1,485                    | Each        | 627-C001      | Red-Clear Reflective Raised Markers                           |
| 90                       | Each        | 627-D001      | Two-Way Yellow Reflective Raised Markers                      |
| 21                       | Each        | 630-F001      | Delineators, Guard Rail, White                                |
| 21                       | Each        | 630-F002      | Delineators, Guard Rail, Yellow                               |
| 40                       | Each        | 630-F003      | Delineators, Flexible Post Mounted, Crossover, Type I, Green  |
| 40                       | Each        | 630-F004      | Delineators, Flexible Post Mounted, Crossover, Type I, Yellow |
| 8,951                    | Cubic Yard  | 907-304-A003  | Granular Material, LVM, Class 6, Group D                      |
| 17,577                   | Gallon      | 907-407-A001  | Asphalt for Tack Coat                                         |
| 37,156                   | Linear Feet | 907-413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement      |
| 5,000                    | Pounds      | 907-420-A001  | Undersealing Concrete Pavement                                |
| 182                      | Each        | 907-606-PP001 | Remove and Replace Guard Rail Blockouts                       |
| 15                       | Mile        | 907-626-A003  | 6" Thermoplastic Traffic Stripe, Skip White                   |
| 14                       | Mile        | 907-626-B004  | 6" Thermoplastic Traffic Stripe, Continuous White             |
| 14                       | Mile        | 907-626-E004  | 6" Thermoplastic Traffic Stripe, Continuous Yellow            |
| 19,320                   | Linear Feet | 907-626-G004  | Thermoplastic Detail Stripe, White                            |
| 21,388                   | Linear Feet | 907-626-G005  | Thermoplastic Detail Stripe, Yellow                           |
| 3,168                    | Linear Feet | 907-626-H004  | Thermoplastic Legend, White                                   |
| ALTERNATE GROUP AA NO. 1 |             |               |                                                               |
| 23,373                   | Ton         | 907-403-A010  | Hot Mix Asphalt, MT, 9.5-mm mixture                           |
| ALTERNATE GROUP AA NO. 2 |             |               |                                                               |
| 23,373                   | Ton         | 907-403-M006  | Warm Mix Asphalt, MT, 9.5-mm mixture                          |
| ALTERNATE GROUP BB NO. 1 |             |               |                                                               |
| 2,983                    | Ton         | 907-403-B006  | Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling                 |
| ALTERNATE GROUP BB NO. 2 |             |               |                                                               |
| 2,983                    | Ton         | 907-403-N005  | Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling                |

Bridge Replacement on SR 7 across the Tallahatchie River, known as Federal Aid Project No. BR-0019-02(044) / 102454301 in Lafayette County.

PROJECT COMPLETION: April 30, 2015

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|                    |           |                                                         |
|--------------------|-----------|---------------------------------------------------------|
| Lump Sum           | 201-A001  | Clearing and Grubbing                                   |
| 1 Acre             | 201-B001  | Clearing and Grubbing                                   |
| Lump Sum           | 202-A001  | Removal of Obstructions                                 |
| 9,600 Linear Feet  | 202-B076  | Removal of Traffic Stripe                               |
| 18,780 Square Yard | 202-B078  | Removal of Pavement, All Types and Depths               |
| 599 Linear Feet    | 202-B102  | Removal of Guard Rail                                   |
| 434 Linear Feet    | 202-B106  | Removal of Pipe, All Sizes                              |
| 12 Each            | 202-B107  | Removal of Sign, Ground Mounted with Posts              |
| 14 Each            | 202-B125  | Removal of Signal Pole Including Hardware and Wiring    |
| 2 Each             | 202-B161  | Removal of Existing Sign                                |
| 14 Each            | 202-B195  | Removal of Concrete Foundation                          |
| 22,168 Cubic Yard  | 203-A003  | Unclassified Excavation, FM, AH                         |
| 443,498 Cubic Yard | 203-EX017 | Borrow Excavation, AH, FME, Class B9                    |
| 1,520 Cubic Yard   | 203-G003  | Excess Excavation, FM, AH                               |
| 272 Cubic Yard     | 206-A001  | Structure Excavation                                    |
| 24,359 Square Yard | 209-A004  | Geotextile Stabilization, Type V, Non-Woven             |
| 8,236 Cubic Yard   | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished       |
| 220 Square Yard    | 212-B001  | Standard Ground Preparation                             |
| 1 Ton              | 213-B001  | Combination Fertilizer, 13-13-13                        |
| 11 Ton             | 213-C001  | Superphosphate                                          |
| 220 Square Yard    | 216-A001  | Solid Sodding                                           |
| 3,221 Square Yard  | 217-A001  | Ditch Liner                                             |
| 5 Thousand Gallon  | 219-A001  | Watering                                                |
| 11 Acre            | 220-A001  | Insect Pest Control                                     |
| 26 Cubic Yard      | 221-A001  | Portland Cement Concrete Paved Ditch                    |
| 20 Acre            | 223-A001  | Mowing                                                  |
| 5,344 Square Yard  | 224-A001  | Soil Reinforcing Mat                                    |
| 1,831 Linear Feet  | 234-A001  | Temporary Silt Fence                                    |
| 148 Bale           | 235-A001  | Temporary Erosion Checks                                |
| 1 Each             | 236-A004  | Silt Basin, Type D                                      |
| 1 Each             | 236-B004  | Maintenance and Removal of Existing Silt Basins, Type D |
| 1,845 Square Yard  | 406-A001  | Cold Milling of Bituminous Pavement, All Depths         |
| 3 Mile             | 423-A001  | Rumble Strips, Ground In                                |
| 94 Linear Feet     | 501-E001  | Expansion Joints, Without Dowels                        |
| 205 Square Yard    | 502-A001  | Reinforced Cement Concrete Bridge End Pavement          |
| 1,052 Pounds       | 602-A001  | Reinforcing Steel                                       |
| 4 Linear Feet      | 603-CA002 | 18" Reinforced Concrete Pipe, Class III                 |
| 400 Linear Feet    | 603-CA003 | 24" Reinforced Concrete Pipe, Class III                 |
| 242 Linear Feet    | 603-CA005 | 36" Reinforced Concrete Pipe, Class III                 |
| 952 Linear Feet    | 603-CA015 | 24" Reinforced Concrete Pipe, Class IV                  |

CALL No. 09

|        |             |              |                                                                |
|--------|-------------|--------------|----------------------------------------------------------------|
| 184    | Linear Feet | 603-CA027    | 24" Reinforced Concrete Pipe, Class V                          |
| 1      | Each        | 603-CB001    | 18" Reinforced Concrete End Section                            |
| 11     | Each        | 603-CB002    | 24" Reinforced Concrete End Section                            |
| 3      | Each        | 603-CB004    | 36" Reinforced Concrete End Section                            |
| 2,500  | Pounds      | 604-B001     | Gratings                                                       |
| 1,003  | Linear Feet | 606-B001     | Guard Rail, Class A, Type 1                                    |
| 2      | Each        | 606-C003     | Guard Rail, Cable Anchor, Type 1                               |
| 4      | Each        | 606-D012     | Guard Rail, Bridge End Section, Type I                         |
| 4      | Each        | 606-E002     | Guard Rail, Terminal End Section, Flared                       |
| 40     | Linear Feet | 615-A018     | Concrete Bridge End Barrier, 33.5"                             |
|        | Lump Sum    | 618-A001     | Maintenance of Traffic                                         |
| 14,780 | Linear Feet | 619-A1001    | Temporary Traffic Stripe, Continuous White                     |
| 4,506  | Linear Feet | 619-A1005    | Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape   |
| 8,894  | Linear Feet | 619-A2001    | Temporary Traffic Stripe, Continuous Yellow                    |
| 4,506  | Linear Feet | 619-A2005    | Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape  |
| 3,814  | Linear Feet | 619-A4001    | Temporary Traffic Stripe, Skip Yellow                          |
| 912    | Linear Feet | 619-A5001    | Temporary Traffic Stripe, Detail                               |
| 49     | Linear Feet | 619-A6001    | Temporary Traffic Stripe, Legend                               |
| 61     | Square Feet | 619-D1001    | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 192    | Square Feet | 619-D2001    | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 220    | Linear Feet | 619-F1001    | Concrete Median Barrier, Precast                               |
| 224    | Linear Feet | 619-G4001    | Barricades, Type III, Single Faced                             |
| 24     | Linear Feet | 619-G4005    | Barricades, Type III, Double Faced                             |
| 53     | Each        | 619-G5001    | Free Standing Plastic Drums                                    |
|        | Lump Sum    | 620-A001     | Mobilization                                                   |
| 162    | Each        | 627-D001     | Two-Way Yellow Reflective Raised Markers                       |
| 70     | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers       |
| 18     | Square Feet | 630-A002     | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness      |
| 100    | Linear Feet | 630-C003     | Steel U-Section Posts, 3.0 lb/ft                               |
| 22     | Each        | 630-F001     | Delineators, Guard Rail, White                                 |
| 6      | Each        | 630-G002     | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted            |
| 46     | Ton         | 815-A006     | Loose Riprap, Size 100                                         |
| 8,863  | Ton         | 815-A009     | Loose Riprap, Size 300                                         |
| 4,185  | Ton         | 815-A010     | Loose Riprap, Size 500                                         |
| 13,075 | Square Yard | 815-E001     | Geotextile under Riprap                                        |
| 53     | Ton         | 815-F002     | Sediment Control Stone                                         |
| 20     | Acre        | 907-225-A001 | Grassing                                                       |
| 62     | Ton         | 907-225-B001 | Agricultural Limestone                                         |
| 62     | Ton         | 907-225-C001 | Mulch, Vegetative Mulch                                        |
| 20     | Acre        | 907-226-A001 | Temporary Grassing                                             |
| 2      | Each        | 907-234-D001 | Inlet Siltation Guard                                          |
| 4,424  | Linear Feet | 907-234-F001 | Turbidity Barrier                                              |
| 95     | Linear Feet | 907-237-A002 | Wattles, 12"                                                   |
| 264    | Linear Feet | 907-237-A003 | Wattles, 20"                                                   |
| 264    | Linear Feet | 907-245-A001 | Triangular Silt Dike                                           |
| 315    | Linear Feet | 907-246-A001 | Sandbags                                                       |

CALL No. 09

|                          |             |               |                                                                     |
|--------------------------|-------------|---------------|---------------------------------------------------------------------|
| 264                      | Ton         | 907-249-A001  | Riprap for Erosion Control                                          |
| 12,685                   | Ton         | 907-304-B009  | Granular Material, Class 3, Group D                                 |
| 10,312                   | Ton         | 907-304-F002  | Size 610 Crushed Stone Base                                         |
| 15,979                   | Square Yard | 907-307-C003  | 6" Soil-Lime-Water Mixing, Class C                                  |
| 216                      | Ton         | 907-307-D001  | Lime                                                                |
| 56                       | Cubic Yard  | 907-310-B002  | Size III Stabilizer Aggregate, Coarse                               |
| 2,908                    | Gallon      | 907-407-A001  | Asphalt for Tack Coat                                               |
| 94                       | Linear Feet | 907-413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement            |
| 19                       | Cubic Yard  | 907-601-B003  | Class "B" Structural Concrete, Minor Structures                     |
| 54                       | Linear Feet | 907-603-ALT01 | 18" Type A Alternate Pipe                                           |
| 21                       | Each        | 907-617-A001  | Right-of-Way Marker                                                 |
| 14,778                   | Linear Feet | 907-626-C008  | 6" Thermoplastic Edge Stripe, Continuous White                      |
| 3,814                    | Linear Feet | 907-626-D004  | 6" Thermoplastic Traffic Stripe, Skip Yellow                        |
| 8,892                    | Linear Feet | 907-626-E003  | 6" Thermoplastic Traffic Stripe, Continuous Yellow                  |
| 912                      | Linear Feet | 907-626-G004  | Thermoplastic Detail Stripe, White                                  |
| 49                       | Linear Feet | 907-626-H004  | Thermoplastic Legend, White                                         |
|                          | Lump Sum    | 907-699-A002  | Roadway Construction Stakes                                         |
| 1,040                    | Hours       | 907-906001    | Trainees                                                            |
| ALTERNATE GROUP AA NO. 1 |             |               |                                                                     |
| 136                      | Ton         | 907-308-A001  | Portland Cement                                                     |
| 15,979                   | Square Yard | 907-308-B001  | Soil-Cement-Water Mixing, Optional Mixers, Base                     |
| 3,995                    | Gallon      | 907-308-S001  | Bituminous Curing Seal                                              |
| ALTERNATE GROUP AA NO. 2 |             |               |                                                                     |
| 15,979                   | Square Yard | 907-311-A003  | Processing Lime and Fly Ash Treated Course, 6" Thick                |
| 108                      | Ton         | 907-311-B001  | Lime                                                                |
| 432                      | Ton         | 907-311-C002  | Fly Ash, Class C or F                                               |
| 3,995                    | Gallon      | 907-311-S001  | Bituminous Curing Seal                                              |
| ALTERNATE GROUP BB NO. 1 |             |               |                                                                     |
| 2,008                    | Ton         | 907-403-A010  | Hot Mix Asphalt, MT, 9.5-mm mixture                                 |
| ALTERNATE GROUP BB NO. 2 |             |               |                                                                     |
| 2,008                    | Ton         | 907-403-M006  | Warm Mix Asphalt, MT, 9.5-mm mixture                                |
| ALTERNATE GROUP CC NO. 1 |             |               |                                                                     |
| 2,386                    | Ton         | 907-403-A006  | Hot Mix Asphalt, MT, 12.5-mm mixture                                |
| ALTERNATE GROUP CC NO. 2 |             |               |                                                                     |
| 2,386                    | Ton         | 907-403-M002  | Warm Mix Asphalt, MT, 12.5-mm mixture                               |
| ALTERNATE GROUP DD NO. 1 |             |               |                                                                     |
| 3,252                    | Ton         | 907-403-A007  | Hot Mix Asphalt, MT, 19-mm mixture                                  |
| ALTERNATE GROUP DD NO. 2 |             |               |                                                                     |
| 3,252                    | Ton         | 907-403-M007  | Warm Mix Asphalt, MT, 19-mm mixture                                 |
| ALTERNATE GROUP EE NO. 1 |             |               |                                                                     |
| 4,505                    | Linear Feet | 907-626-J003  | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White  |
| 4,505                    | Linear Feet | 907-626-L001  | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
| ALTERNATE GROUP EE NO. 2 |             |               |                                                                     |
| 4,505                    | Linear Feet | 628-J002      | 6" High Performance Cold Plastic Traffic Stripe, Continuous White   |
| 4,505                    | Linear Feet | 628-M002      | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow  |

**Bridge Items**

CALL No. 09

|           |             |              |                                                              |
|-----------|-------------|--------------|--------------------------------------------------------------|
| 9,822     | Square Yard | 501-K001     | Transverse Grooving                                          |
| 2,200     | Linear Feet | 803-C004     | 18" x 18" Prestressed Concrete Piling                        |
| 2         | Each        | 803-I001     | PDA Test Pile                                                |
| 300       | Linear Feet | 803-O021     | Permanent Casing, 78" Diameter                               |
| 1,050     | Linear Feet | 803-O022     | Permanent Casing, 96" Diameter                               |
| 1,207,470 | Pounds      | 805-A001     | Reinforcement                                                |
| 4,424     | Linear Feet | 813-A002     | Concrete Railing, 32"                                        |
| 4,562     | Ton         | 815-A009     | Loose Riprap, Size 300                                       |
| 5,440     | Ton         | 815-A010     | Loose Riprap, Size 500                                       |
| 1,108     | Square Yard | 815-E001     | Geotextile under Riprap                                      |
| 510       | Linear Feet | 907-803-K011 | Drilled Shaft, 78" Diameter                                  |
| 1,960     | Linear Feet | 907-803-K012 | Drilled Shaft, 96" Diameter                                  |
| 1         | Each        | 907-803-L008 | Test Shaft, 96" Diameter                                     |
| 150       | Linear Feet | 907-803-M009 | Trial Shaft, 96" Diameter                                    |
| 4,877     | Cubic Yard  | 907-804-A001 | Bridge Concrete, Class AA                                    |
| 446       | Cubic Yard  | 907-804-A015 | Bridge Concrete, Class B, Self-Consolidating/Self-Compacting |
| 4,540     | Linear Feet | 907-804-C011 | 130' Prestressed Concrete Beam, Type BT-72                   |
| 4,042,920 | Pounds      | 907-810-A001 | Structural Steel, A 709, Grade 50W                           |
| 326,667   | Pounds      | 907-810-A002 | Structural Steel, A 709, Grade HPS 70W                       |
| 40        | Each        | 907-811-D001 | Disc Bearing Device                                          |
| 93        | Linear Feet | 907-822-A001 | 5 1/2" Neoprene Expansion Joint                              |
| 47        | Linear Feet | 907-822-A002 | 9 1/2" Neoprene Expansion Joint                              |

Reconstruction of SR 15 (Pave, Grade, and Bridge Replacements) from 7 miles south of the Tippah County Line to the Tippah County Line, known as Federal Aid Project No. STP-0022-04(043) / 101630302 in Union County.

PROJECT COMPLETION: November 07, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

|                    |           | <b>Roadway Items</b>                                    |  |
|--------------------|-----------|---------------------------------------------------------|--|
| Lump Sum           | 201-A001  | Clearing and Grubbing                                   |  |
| 7,637 Square Yard  | 202-B005  | Removal of Asphalt Pavement, All Depths                 |  |
| 12 Each            | 202-B008  | Removal of Box Culvert                                  |  |
| 2 Each             | 202-B009  | Removal of Bridge                                       |  |
| 434 Square Yard    | 202-B018  | Removal of Concrete Driveways, All Depths               |  |
| 32 Linear Feet     | 202-B034  | Removal of Concrete Retaining Wall                      |  |
| 206 Linear Feet    | 202-B038  | Removal of Curb, All Types                              |  |
| 2 Each             | 202-B042  | Removal of Flared End Section, All Sizes                |  |
| 5 Each             | 202-B057  | Removal of Inlets, All Sizes                            |  |
| 3,324 Linear Feet  | 202-B064  | Removal of Pipe, 8" And Above                           |  |
| 4,799 Linear Feet  | 202-B076  | Removal of Traffic Stripe                               |  |
| 9 Each             | 202-B079  | Removal of Headwall                                     |  |
| 807 Linear Feet    | 202-B102  | Removal of Guard Rail                                   |  |
| 1 Each             | 202-B160  | Removal of Existing Railroad Crossing                   |  |
| 53,278 Cubic Yard  | 203-A003  | Unclassified Excavation, FM, AH                         |  |
| 64,937 Cubic Yard  | 203-EX017 | Borrow Excavation, AH, FME, Class B9                    |  |
| 2,543 Cubic Yard   | 203-EX035 | Borrow Excavation, AH, FME, Class B9-6                  |  |
| 2,664 Cubic Yard   | 203-G003  | Excess Excavation, FM, AH                               |  |
| 5,006 Cubic Yard   | 206-A001  | Structure Excavation                                    |  |
| 354 Cubic Yard     | 206-B001  | Select Material for Undercuts, Contractor Furnished, FM |  |
| 22,225 Square Yard | 209-A004  | Geotextile Stabilization, Type V, Non-Woven             |  |
| 49,068 Cubic Yard  | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished       |  |
| 1,897 Square Yard  | 212-B001  | Standard Ground Preparation                             |  |
| 1 Ton              | 213-B001  | Combination Fertilizer, 13-13-13                        |  |
| 46 Ton             | 213-C001  | Superphosphate                                          |  |
| 1,897 Square Yard  | 216-A001  | Solid Sodding                                           |  |
| 4,467 Square Yard  | 217-A001  | Ditch Liner                                             |  |
| 38 Thousand Gallon | 219-A001  | Watering                                                |  |
| 46 Acre            | 220-A001  | Insect Pest Control                                     |  |
| 226 Cubic Yard     | 221-A001  | Portland Cement Concrete Paved Ditch                    |  |
| 1 Acre             | 223-A001  | Mowing                                                  |  |
| 4,425 Square Yard  | 224-A001  | Soil Reinforcing Mat                                    |  |
| 5,164 Linear Feet  | 234-A001  | Temporary Silt Fence                                    |  |
| 894 Bale           | 235-A001  | Temporary Erosion Checks                                |  |
| 7 Mile             | 321-A001  | 6" In-Grade Preparation                                 |  |
| 14,125 Square Yard | 406-A001  | Cold Milling of Bituminous Pavement, All Depths         |  |
| 23 Mile            | 423-A001  | Rumble Strips, Ground In                                |  |
| 381 Linear Feet    | 501-E001  | Expansion Joints, Without Dowels                        |  |
| 837 Square Yard    | 502-A001  | Reinforced Cement Concrete Bridge End Pavement          |  |
| 75 Linear Feet     | 503-C007  | Saw Cut, Full Depth                                     |  |

CALL No. 10

|         |             |           |                                                                |
|---------|-------------|-----------|----------------------------------------------------------------|
| 168,841 | Pounds      | 602-A001  | Reinforcing Steel                                              |
| 62      | Linear Feet | 603-CA003 | 24" Reinforced Concrete Pipe, Class III                        |
| 260     | Linear Feet | 603-CA004 | 30" Reinforced Concrete Pipe, Class III                        |
| 320     | Linear Feet | 603-CA005 | 36" Reinforced Concrete Pipe, Class III                        |
| 68      | Linear Feet | 603-CA007 | 48" Reinforced Concrete Pipe, Class III                        |
| 3       | Each        | 603-CB002 | 24" Reinforced Concrete End Section                            |
| 6       | Each        | 603-CB003 | 30" Reinforced Concrete End Section                            |
| 7       | Each        | 603-CB004 | 36" Reinforced Concrete End Section                            |
| 2       | Each        | 603-CB006 | 48" Reinforced Concrete End Section                            |
| 203     | Linear Feet | 603-CE004 | 44" x 27" Concrete Arch Pipe, Class A III                      |
| 163     | Linear Feet | 603-CE005 | 51" x 31" Concrete Arch Pipe, Class A III                      |
| 111     | Linear Feet | 603-CE006 | 58" x 36" Concrete Arch Pipe, Class A III                      |
| 60      | Linear Feet | 603-CE007 | 65" x 40" Concrete Arch Pipe, Class A III                      |
| 276     | Linear Feet | 603-CE009 | 88" x 54" Concrete Arch Pipe, Class A III                      |
| 2       | Each        | 603-CF004 | 44" x 27" Concrete Arch Pipe End Section                       |
| 4       | Each        | 603-CF005 | 51" x 31" Concrete Arch Pipe End Section                       |
| 5       | Each        | 603-CF006 | 58" x 36" Concrete Arch Pipe End Section                       |
| 2       | Each        | 603-CF007 | 65" x 40" Concrete Arch Pipe End Section                       |
| 6       | Each        | 603-CF009 | 88" x 54" Concrete Arch Pipe End Section                       |
| 1,300   | Linear Feet | 606-B001  | Guard Rail, Class A, Type 1                                    |
| 8       | Each        | 606-D012  | Guard Rail, Bridge End Section, Type I                         |
| 8       | Each        | 606-E002  | Guard Rail, Terminal End Section, Flared                       |
| 75      | Linear Feet | 609-B001  | Concrete Curb, Header                                          |
| 1,238   | Linear Feet | 609-D007  | Combination Concrete Curb and Gutter Type 2 Modified           |
| 434     | Square Yard | 614-A001  | Concrete Driveway, Without Reinforcement                       |
| 1,101   | Square Yard | 614-B001  | Concrete Driveway, With Reinforcement                          |
| 160     | Linear Feet | 615-A018  | Concrete Bridge End Barrier, 33.5"                             |
| 418     | Square Yard | 616-A001  | Concrete Median and/or Island Pavement, 4-inch                 |
| 67      | Square Yard | 616-A003  | Concrete Median and/or Island Pavement, 10-inch                |
|         | Lump Sum    | 618-A001  | Maintenance of Traffic                                         |
| 21      | Mile        | 619-A1002 | Temporary Traffic Stripe, Continuous White                     |
| 2,399   | Linear Feet | 619-A1005 | Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape   |
| 12      | Mile        | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow                    |
| 800     | Linear Feet | 619-A2005 | Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape  |
| 800     | Linear Feet | 619-A3003 | Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape         |
| 7       | Mile        | 619-A3006 | Temporary Traffic Stripe, Skip White                           |
| 800     | Linear Feet | 619-A4003 | Temporary Traffic Stripe, Skip Yellow, Type 1 or 2 Tape        |
| 6       | Mile        | 619-A4006 | Temporary Traffic Stripe, Skip Yellow                          |
| 41,938  | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                               |
| 6,648   | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend                               |
| 587     | Each        | 619-C7001 | Two-Way Yellow Reflective High Performance Raised Marker       |
| 52      | Each        | 619-C8001 | One-Way Clear Reflective High Performance Raised Marker        |
| 44      | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 1,760   | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 1,092   | Linear Feet | 619-G4005 | Barricades, Type III, Double Faced                             |
| 24      | Linear Feet | 619-G4008 | Barricades, Type III, Double Faced, Permanent, Red/White       |

CALL No. 10

|         |             |               |                                                                   |
|---------|-------------|---------------|-------------------------------------------------------------------|
| 489     | Each        | 619-G5001     | Free Standing Plastic Drums                                       |
| 4       | Each        | 619-K2002     | Installation and Removal of Guard Rail, Type I Bridge End Section |
| 4       | Each        | 619-K4001     | Installation and Removal of Guardrail, Terminal End Section       |
|         | Lump Sum    | 620-A001      | Mobilization                                                      |
| 312     | Each        | 627-J001      | Two-Way Clear Reflective High Performance Raised Markers          |
| 1,612   | Each        | 627-K001      | Red-Clear Reflective High Performance Raised Markers              |
| 201     | Each        | 627-L001      | Two-Way Yellow Reflective High Performance Raised Markers         |
| 100     | Square Feet | 630-A001      | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness         |
| 905     | Square Feet | 630-A002      | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness         |
| 735     | Linear Feet | 630-C004      | Steel U-Section Posts, 3.0 to 3.5 lb/ft                           |
| 297     | Pounds      | 630-E004      | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar           |
| 64      | Each        | 630-F001      | Delineators, Guard Rail, White                                    |
| 56      | Each        | 630-F002      | Delineators, Guard Rail, Yellow                                   |
| 38      | Each        | 630-F003      | Delineators, Flexible Post Mounted, Crossover, Type I, Green      |
| 38      | Each        | 630-F004      | Delineators, Flexible Post Mounted, Crossover, Type I, Yellow     |
| 8       | Each        | 630-G002      | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted               |
| 243     | Linear Feet | 630-K003      | Welded & Seamless Steel Pipe Posts, 4"                            |
| 1,012   | Ton         | 815-A009      | Loose Riprap, Size 300                                            |
| 1,243   | Square Yard | 815-E001      | Geotextile under Riprap                                           |
| 11      | Ton         | 815-F002      | Sediment Control Stone                                            |
| 91      | Acre        | 907-225-A001  | Grassing                                                          |
| 182     | Ton         | 907-225-C001  | Mulch, Vegetative Mulch                                           |
| 91      | Acre        | 907-226-A001  | Temporary Grassing                                                |
| 2       | Each        | 907-234-D001  | Inlet Siltation Guard                                             |
| 500     | Linear Feet | 907-234-F001  | Turbidity Barrier                                                 |
| 66      | Linear Feet | 907-237-A002  | Wattles, 12"                                                      |
| 4,144   | Linear Feet | 907-237-A003  | Wattles, 20"                                                      |
| 2,960   | Linear Feet | 907-245-A001  | Triangular Silt Dike                                              |
| 2,995   | Linear Feet | 907-246-A001  | Sandbags                                                          |
| 22      | Each        | 907-247-A001  | Temporary Stream Diversion                                        |
| 2,960   | Ton         | 907-249-A001  | Riprap for Erosion Control                                        |
| 450     | Cubic Yard  | 907-249-B001  | Remove and Reset Riprap                                           |
| 24,471  | Cubic Yard  | 907-304-C005  | Granular Material, AEA, Class 9, Group C                          |
| 15,907  | Cubic Yard  | 907-304-C007  | Granular Material, AEA, Class 3, Group C                          |
| 6,947   | Ton         | 907-304-F003  | 3/4" and Down Crushed Stone Base                                  |
| 113,007 | Square Yard | 907-307-C003  | 6" Soil-Lime-Water Mixing, Class C                                |
| 1,526   | Ton         | 907-307-D001  | Lime                                                              |
| 2,826   | Gallon      | 907-307-S001  | Bituminous Curing Seal                                            |
| 24,818  | Gallon      | 907-407-A001  | Asphalt for Tack Coat                                             |
| 381     | Linear Feet | 907-413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement          |
| 1,100   | Cubic Yard  | 907-601-A001  | Class "B" Structural Concrete                                     |
| 7       | Cubic Yard  | 907-601-B003  | Class "B" Structural Concrete, Minor Structures                   |
| 1,364   | Linear Feet | 907-603-ALT01 | 18" Type A Alternate Pipe                                         |
| 696     | Linear Feet | 907-603-ALT02 | 24" Type A Alternate Pipe                                         |
| 14      | Mile        | 907-626-A003  | 6" Thermoplastic Traffic Stripe, Skip White                       |
| 14      | Mile        | 907-626-C004  | 6" Thermoplastic Edge Stripe, Continuous White                    |

CALL No. 10

|                          |             |              |                                                                     |
|--------------------------|-------------|--------------|---------------------------------------------------------------------|
| 1,594                    | Linear Feet | 907-626-D004 | 6" Thermoplastic Traffic Stripe, Skip Yellow                        |
| 9,295                    | Linear Feet | 907-626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow                  |
| 11                       | Mile        | 907-626-F004 | 6" Thermoplastic Edge Stripe, Continuous Yellow                     |
| 16,785                   | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                                  |
| 23,183                   | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                                 |
| 4,442                    | Linear Feet | 907-626-H004 | Thermoplastic Legend, White                                         |
| 212                      | Square Feet | 907-626-H005 | Thermoplastic Legend, White                                         |
|                          | Lump Sum    | 907-699-A002 | Roadway Construction Stakes                                         |
| 1,040                    | Hours       | 907-906001   | Trainees                                                            |
| ALTERNATE GROUP AA NO. 1 |             |              |                                                                     |
| 2,904                    | Ton         | 907-308-A001 | Portland Cement                                                     |
| 280,351                  | Square Yard | 907-308-B001 | Soil-Cement-Water Mixing, Optional Mixers, Base                     |
| 7,009                    | Gallon      | 907-308-S001 | Bituminous Curing Seal                                              |
| ALTERNATE GROUP AA NO. 2 |             |              |                                                                     |
| 280,351                  | Square Yard | 907-311-A003 | Processing Lime and Fly Ash Treated Course, 6" Thick                |
| 2,051                    | Ton         | 907-311-B001 | Lime                                                                |
| 8,203                    | Ton         | 907-311-C002 | Fly Ash, Class C or F                                               |
| 7,009                    | Gallon      | 907-311-S001 | Bituminous Curing Seal                                              |
| ALTERNATE GROUP BB NO. 1 |             |              |                                                                     |
| 29,704                   | Ton         | 907-403-A006 | Hot Mix Asphalt, MT, 12.5-mm mixture                                |
| ALTERNATE GROUP BB NO. 2 |             |              |                                                                     |
| 29,704                   | Ton         | 907-403-M002 | Warm Mix Asphalt, MT, 12.5-mm mixture                               |
| ALTERNATE GROUP CC NO. 1 |             |              |                                                                     |
| 30,583                   | Ton         | 907-403-A007 | Hot Mix Asphalt, MT, 19-mm mixture                                  |
| ALTERNATE GROUP CC NO. 2 |             |              |                                                                     |
| 30,583                   | Ton         | 907-403-M007 | Warm Mix Asphalt, MT, 19-mm mixture                                 |
| ALTERNATE GROUP DD NO. 1 |             |              |                                                                     |
| 22,657                   | Ton         | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture                                 |
| ALTERNATE GROUP DD NO. 2 |             |              |                                                                     |
| 22,657                   | Ton         | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture                                |
| ALTERNATE GROUP EE NO. 1 |             |              |                                                                     |
| 531                      | Ton         | 907-403-B005 | Hot Mix Asphalt, MT, 19-mm mixture, Leveling                        |
| ALTERNATE GROUP EE NO. 2 |             |              |                                                                     |
| 531                      | Ton         | 907-403-N007 | Warm Mix Asphalt, MT, 19-mm mixture, Leveling                       |
| ALTERNATE GROUP FF NO. 1 |             |              |                                                                     |
| 1,973                    | Ton         | 907-403-C003 | Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening                 |
| ALTERNATE GROUP FF NO. 2 |             |              |                                                                     |
| 1,973                    | Ton         | 907-403-O003 | Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening                |
| ALTERNATE GROUP GG NO. 1 |             |              |                                                                     |
| 1,600                    | Linear Feet | 907-626-I003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White        |
| 1,600                    | Linear Feet | 907-626-J003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White  |
| 1,600                    | Linear Feet | 907-626-L001 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
| ALTERNATE GROUP GG NO. 2 |             |              |                                                                     |
| 1,600                    | Linear Feet | 628-I002     | 6" High Performance Cold Plastic Traffic Stripe, Skip White         |
| 1,600                    | Linear Feet | 628-J002     | 6" High Performance Cold Plastic Traffic Stripe, Continuous White   |
| 1,600                    | Linear Feet | 628-M002     | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow  |

**Bridge Items**

|         |             |              |                                         |
|---------|-------------|--------------|-----------------------------------------|
| 2,840   | Square Yard | 501-K001     | Transverse Grooving                     |
| 4       | Each        | 803-B002     | Conventional Static Pile Load Test      |
| 1,320   | Linear Feet | 803-C002     | 14" x 14" Prestressed Concrete Piling   |
| 4,355   | Linear Feet | 803-D003     | HP 14 x 73 Steel Piling                 |
| 4       | Each        | 803-J001     | Pile Restrike                           |
| 10      | Linear Feet | 803-N001     | Exploration                             |
| 210     | Linear Feet | 803-O009     | Temporary Casing, 54" Diameter          |
| 255,711 | Pounds      | 805-A001     | Reinforcement                           |
| 1,429   | Linear Feet | 813-A002     | Concrete Railing, 32"                   |
| 2,300   | Ton         | 815-A009     | Loose Riprap, Size 300                  |
| 3,100   | Square Yard | 815-E001     | Geotextile under Riprap                 |
| 423     | Linear Feet | 907-803-K003 | Drilled Shaft, 54" Diameter             |
| 70      | Linear Feet | 907-803-M003 | Trial Shaft, 54" Diameter               |
| 1,305   | Cubic Yard  | 907-804-A001 | Bridge Concrete, Class AA               |
| 2,596   | Linear Feet | 907-804-C016 | 40' Prestressed Concrete Beam, Type I+2 |
| 957     | Linear Feet | 907-804-C030 | 80' Prestressed Concrete Beam, Type III |
| 768     | Linear Feet | 907-804-C150 | 110' Prestressed Concrete Beam, Type IV |

Widen and Overlay approximately 7 miles of SR 13, from Lamar County Line to SR 43, known as Federal Aid Project No. STP-0023-01(077) / 106265301 in Marion County.

PROJECT COMPLETION: December 10, 2012

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|                          |             |               |                                                                        |
|--------------------------|-------------|---------------|------------------------------------------------------------------------|
| 490                      | Linear Feet | 202-B053      | Removal of Guard Rail Including Post, Blockouts & Hardware             |
| 1,320                    | Linear Feet | 202-B076      | Removal of Traffic Stripe                                              |
| 2,000                    | Square Yard | 406-A001      | Cold Milling of Bituminous Pavement, All Depths                        |
| 14                       | Mile        | 423-A001      | Rumble Strips, Ground In                                               |
| 1,975                    | Linear Feet | 606-B001      | Guard Rail, Class A, Type 1                                            |
| 4                        | Each        | 606-D001      | Guard Rail, Bridge End Section, Type A                                 |
| 4                        | Each        | 606-E002      | Guard Rail, Terminal End Section, Flared                               |
| 8                        | Each        | 606-E003      | Guard Rail, Terminal End Section, Non-Flared                           |
| 4                        | Each        | 606-F002      | Special Sections, Guard Rail Bridge End Connector                      |
|                          | Lump Sum    | 618-A001      | Maintenance of Traffic                                                 |
| 1                        | Square Feet | 618-B001      | Additional Construction Signs                                          |
| 14                       | Mile        | 619-A1002     | Temporary Traffic Stripe, Continuous White                             |
| 6                        | Mile        | 619-A2002     | Temporary Traffic Stripe, Continuous Yellow                            |
| 5                        | Mile        | 619-A4006     | Temporary Traffic Stripe, Skip Yellow                                  |
| 2,900                    | Linear Feet | 619-A5001     | Temporary Traffic Stripe, Detail                                       |
| 700                      | Linear Feet | 619-A6001     | Temporary Traffic Stripe, Legend                                       |
| 261                      | Each        | 627-J001      | Two-Way Clear Reflective High Performance Raised Markers               |
| 660                      | Each        | 627-L001      | Two-Way Yellow Reflective High Performance Raised Markers              |
| 73                       | Each        | 630-F001      | Delineators, Guard Rail, White                                         |
| 800                      | Linear Feet | 808-A001      | Joint Preparation                                                      |
| 4,746                    | Cubic Yard  | 907-304-A003  | Granular Material, LVM, Class 6, Group D                               |
| 8,489                    | Gallon      | 907-407-A001  | Asphalt for Tack Coat                                                  |
| 14                       | Mile        | 907-626-C006  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min |
| 5                        | Mile        | 907-626-D003  | 6" Thermoplastic Traffic Stripe, Skip Yellow                           |
| 6                        | Mile        | 907-626-E004  | 6" Thermoplastic Traffic Stripe, Continuous Yellow                     |
| 2,000                    | Linear Feet | 907-626-G004  | Thermoplastic Detail Stripe, White                                     |
| 900                      | Linear Feet | 907-626-G005  | Thermoplastic Detail Stripe, Yellow                                    |
| 700                      | Linear Feet | 907-626-H004  | Thermoplastic Legend, White                                            |
| 150                      | Linear Feet | 907-824-PP002 | Bridge Repair, Joint Repair, Per Plans                                 |
| 150                      | Linear Feet | 907-824-PP004 | Bridge Repair, Removal of Joint Armor, Per Plans                       |
| 75                       | Linear Feet | 907-824-PP006 | Bridge Repair, Sawcut Joints, Per Plans                                |
| 400                      | Linear Feet | 907-824-PP008 | Bridge Repair, Silicone Sealed Joint, Per Plans                        |
| ALTERNATE GROUP AA NO. 1 |             |               |                                                                        |
| 13,198                   | Ton         | 907-403-A015  | Hot Mix Asphalt, ST, 9.5-mm mixture                                    |
| ALTERNATE GROUP AA NO. 2 |             |               |                                                                        |
| 13,198                   | Ton         | 907-403-M001  | Warm Mix Asphalt, ST, 9.5-mm mixture                                   |
| ALTERNATE GROUP BB NO. 1 |             |               |                                                                        |
| 700                      | Ton         | 907-403-B009  | Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling                          |
| ALTERNATE GROUP BB NO. 2 |             |               |                                                                        |
| 700                      | Ton         | 907-403-N001  | Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling                         |

5 Lane Construction for approximately 1 mile on SR 305 from US 78 to Goodman Road, known as Federal Aid Project No. STP-0031-02(003) / 101427301 in Desoto County.

PROJECT COMPLETION: May 29, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

|        |                 | <b>Roadway Items</b> |                                                         |
|--------|-----------------|----------------------|---------------------------------------------------------|
|        | Lump Sum        | 201-A001             | Clearing and Grubbing                                   |
| 1      | Acre            | 201-B001             | Clearing and Grubbing                                   |
| 10,386 | Square Yard     | 202-B005             | Removal of Asphalt Pavement, All Depths                 |
| 8,259  | Linear Feet     | 202-B038             | Removal of Curb, All Types                              |
| 2      | Each            | 202-B042             | Removal of Flared End Section, All Sizes                |
| 13     | Each            | 202-B057             | Removal of Inlets, All Sizes                            |
| 1,587  | Linear Feet     | 202-B064             | Removal of Pipe, 8" And Above                           |
| 35     | Each            | 202-B070             | Removal of Sign Including Post & Footing                |
| 9,800  | Linear Feet     | 202-B076             | Removal of Traffic Stripe                               |
| 3,258  | Square Yard     | 202-B095             | Removal of Concrete Sidewalks & Driveways, All Depths   |
| 50     | Linear Feet     | 202-B239             | Removal of Box Culvert, Including Headwalls             |
| 4,181  | Cubic Yard      | 203-A003             | Unclassified Excavation, FM, AH                         |
| 1,454  | Cubic Yard      | 203-EX017            | Borrow Excavation, AH, FME, Class B9                    |
| 18,876 | Cubic Yard      | 203-G003             | Excess Excavation, FM, AH                               |
| 6,534  | Cubic Yard      | 206-A001             | Structure Excavation                                    |
| 7      | Cubic Yard      | 206-B001             | Select Material for Undercuts, Contractor Furnished, FM |
| 33,034 | Square Yard     | 209-A004             | Geotextile Stabilization, Type V, Non-Woven             |
| 6,092  | Square Yard     | 212-B001             | Standard Ground Preparation                             |
| 2      | Ton             | 213-B001             | Combination Fertilizer, 13-13-13                        |
| 4      | Ton             | 213-C001             | Superphosphate                                          |
| 6,092  | Square Yard     | 216-A001             | Solid Sodding                                           |
| 180    | Square Yard     | 217-A001             | Ditch Liner                                             |
| 122    | Thousand Gallon | 219-A001             | Watering                                                |
| 6      | Cubic Yard      | 221-A001             | Portland Cement Concrete Paved Ditch                    |
| 8      | Acre            | 223-A001             | Mowing                                                  |
| 6,200  | Linear Feet     | 234-A001             | Temporary Silt Fence                                    |
| 300    | Bale            | 235-A001             | Temporary Erosion Checks                                |
| 5      | Each            | 236-A004             | Silt Basin, Type D                                      |
| 22,800 | Square Yard     | 406-A001             | Cold Milling of Bituminous Pavement, All Depths         |
| 20,778 | Pounds          | 602-A001             | Reinforcing Steel                                       |
| 5,188  | Linear Feet     | 603-CA002            | 18" Reinforced Concrete Pipe, Class III                 |
| 808    | Linear Feet     | 603-CA003            | 24" Reinforced Concrete Pipe, Class III                 |
| 1,028  | Linear Feet     | 603-CA004            | 30" Reinforced Concrete Pipe, Class III                 |
| 48     | Linear Feet     | 603-CA006            | 42" Reinforced Concrete Pipe, Class III                 |
| 96     | Linear Feet     | 603-CA010            | 66" Reinforced Concrete Pipe, Class III                 |
| 1      | Each            | 603-CB001            | 18" Reinforced Concrete End Section                     |
| 1      | Each            | 603-CB002            | 24" Reinforced Concrete End Section                     |
| 1      | Each            | 603-CB003            | 30" Reinforced Concrete End Section                     |
| 1      | Each            | 603-CB009            | 66" Reinforced Concrete End Section                     |
| 80     | Linear Feet     | 603-CE001            | 22" x 13" Concrete Arch Pipe, Class A III               |

CALL No. 12

|        |             |           |                                                                            |
|--------|-------------|-----------|----------------------------------------------------------------------------|
| 148    | Linear Feet | 603-CE002 | 29" x 18" Concrete Arch Pipe, Class A III                                  |
| 124    | Linear Feet | 603-CE005 | 51" x 31" Concrete Arch Pipe, Class A III                                  |
| 104    | Linear Feet | 603-CE009 | 88" x 54" Concrete Arch Pipe, Class A III                                  |
| 2      | Each        | 603-CF001 | 22" x 13" Concrete Arch Pipe End Section                                   |
| 1      | Each        | 603-CF002 | 29" x 18" Concrete Arch Pipe End Section                                   |
| 1      | Each        | 603-CF005 | 51" x 31" Concrete Arch Pipe End Section                                   |
| 2      | Each        | 603-CF009 | 88" x 54" Concrete Arch Pipe End Section                                   |
| 20     | Linear Feet | 603-PA001 | 6' x 4' Precast Concrete Box Culvert                                       |
| 1      | Each        | 603-PB001 | 6' x 4' Precast Concrete Box Culvert End Section                           |
| 1      | Each        | 603-SB020 | 18" Branch Connections, Stub into Concrete Pipe                            |
| 3      | Each        | 603-SB043 | 18" Branch Connections, Stub into 88" x 54" Concrete Pipe                  |
| 1      | Each        | 603-SB059 | 24" Branch Connections, Stub into 88" x 54" Concrete Pipe                  |
| 2      | Each        | 603-SB060 | 30" Branch Connections, Stub into Concrete Pipe                            |
| 5,235  | Pounds      | 604-A001  | Castings                                                                   |
| 2,144  | Pounds      | 604-B001  | Gratings                                                                   |
| 9,485  | Square Yard | 605-AA003 | Geotextile for Subsurface Drainage, Type III                               |
| 778    | Cubic Yard  | 605-W001  | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 1,483  | Cubic Yard  | 605-W002  | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| 2,308  | Square Yard | 608-A001  | Concrete Sidewalk, Without Reinforcement                                   |
| 2,670  | Linear Feet | 609-B001  | Concrete Curb, Header                                                      |
| 430    | Linear Feet | 609-D002  | Combination Concrete Curb and Gutter Type 2                                |
| 8,770  | Linear Feet | 609-D004  | Combination Concrete Curb and Gutter Type 3A Modified                      |
| 370    | Square Yard | 614-A001  | Concrete Driveway, Without Reinforcement                                   |
| 1,799  | Square Yard | 614-B001  | Concrete Driveway, With Reinforcement                                      |
| 637    | Square Yard | 616-A001  | Concrete Median and/or Island Pavement, 4-inch                             |
| 91     | Square Yard | 616-A003  | Concrete Median and/or Island Pavement, 10-inch                            |
|        | Lump Sum    | 618-A001  | Maintenance of Traffic                                                     |
| 16,867 | Linear Feet | 619-A1001 | Temporary Traffic Stripe, Continuous White                                 |
| 17,703 | Linear Feet | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                                |
| 13,213 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                                           |
| 1,495  | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend                                           |
| 192    | Square Feet | 619-A6002 | Temporary Traffic Stripe, Legend                                           |
| 25     | Each        | 619-C6001 | Red-Clear Reflective High Performance Raised Marker                        |
| 1,174  | Each        | 619-C7001 | Two-Way Yellow Reflective High Performance Raised Marker                   |
| 71     | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet             |
| 508    | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More               |
| 300    | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast                                           |
| 300    | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast                          |
| 24     | Linear Feet | 619-G4005 | Barricades, Type III, Double Faced                                         |
| 555    | Each        | 619-G5001 | Free Standing Plastic Drums                                                |
| 2      | Each        | 619-G7001 | Warning Lights, Type "B"                                                   |
|        | Lump Sum    | 620-A001  | Mobilization                                                               |
| 322    | Each        | 627-K001  | Red-Clear Reflective High Performance Raised Markers                       |
| 828    | Each        | 627-L001  | Two-Way Yellow Reflective High Performance Raised Markers                  |
| 514    | Linear Feet | 630-C003  | Steel U-Section Posts, 3.0 lb/ft                                           |
| 367    | Pounds      | 630-E004  | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar                    |

CALL No. 12

|        |             |               |                                                                        |
|--------|-------------|---------------|------------------------------------------------------------------------|
| 45     | Linear Feet | 630-K001      | Welded & Seamless Steel Pipe Posts, 3"                                 |
| 31     | Linear Feet | 630-K002      | Welded & Seamless Steel Pipe Posts, 3 1/2"                             |
| 91     | Linear Feet | 630-K003      | Welded & Seamless Steel Pipe Posts, 4"                                 |
| 2,060  | Linear Feet | 635-A001      | Vehicle Loop Assemblies                                                |
| 2,866  | Linear Feet | 636-A001      | Shielded Cable, AWG #18, 4 Conductor                                   |
| 6      | Each        | 638-A002      | Loop Detector Amplifier, 4 Channel                                     |
| 16     | Each        | 640-A016      | Traffic Signal Heads, Type 1 LED                                       |
| 6      | Each        | 640-A022      | Traffic Signal Heads, Type 7 LED                                       |
| 2      | Each        | 642-A008      | Solid State Traffic Actuated Controllers, Type 8A                      |
| 8      | Each        | 644-A001      | Optical Detector                                                       |
| 1,754  | Linear Feet | 644-B001      | Optical Detector Cable                                                 |
| 2      | Each        | 644-C002      | Phase Selector, 4 Channel                                              |
| 6      | Each        | 647-A001      | Pullbox, Type 1                                                        |
| 16     | Each        | 647-A005      | Pullbox, Type 2                                                        |
| 2      | Each        | 648-A001      | Radio Interconnect, Installed in New Controller Cabinet                |
| 1,754  | Linear Feet | 666-B016      | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor  |
| 640    | Linear Feet | 668-A016      | Traffic Signal Conduit, Underground, Type 4, 1"                        |
| 518    | Linear Feet | 668-A018      | Traffic Signal Conduit, Underground, Type 4, 2"                        |
| 842    | Linear Feet | 668-B024      | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 100    | Ton         | 815-A006      | Loose Riprap, Size 100                                                 |
| 400    | Ton         | 815-A009      | Loose Riprap, Size 300                                                 |
| 100    | Square Yard | 815-E001      | Geotextile under Riprap                                                |
| 150    | Ton         | 815-F002      | Sediment Control Stone                                                 |
| 8      | Acre        | 907-225-A001  | Grassing                                                               |
| 21     | Ton         | 907-225-B001  | Agricultural Limestone                                                 |
| 16     | Ton         | 907-225-C001  | Mulch, Vegetative Mulch                                                |
| 8      | Acre        | 907-226-A001  | Temporary Grassing                                                     |
| 15     | Each        | 907-234-D001  | Inlet Siltation Guard                                                  |
| 300    | Linear Feet | 907-237-A002  | Wattles, 12"                                                           |
| 1,800  | Linear Feet | 907-237-A003  | Wattles, 20"                                                           |
| 48     | Linear Feet | 907-245-A001  | Triangular Silt Dike                                                   |
| 1,800  | Each        | 907-246-A002  | Sandbags                                                               |
| 2,369  | Ton         | 907-304-B009  | Granular Material, Class 3, Group D                                    |
| 10,922 | Ton         | 907-304-F002  | Size 610 Crushed Stone Base                                            |
| 5,276  | Gallon      | 907-407-A001  | Asphalt for Tack Coat                                                  |
| 220    | Cubic Yard  | 907-601-B003  | Class "B" Structural Concrete, Minor Structures                        |
| 292    | Linear Feet | 907-603-ALT01 | 18" Type A Alternate Pipe                                              |
| 200    | Linear Feet | 907-605-O001  | 6" Perforated Sewer Pipe for Underdrains, SDR 23.5                     |
| 200    | Linear Feet | 907-605-P001  | 6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5                 |
| 106    | Each        | 907-617-A001  | Right-of-Way Marker                                                    |
| 2      | Mile        | 907-626-A003  | 6" Thermoplastic Traffic Stripe, Skip White                            |
| 2      | Mile        | 907-626-C004  | 6" Thermoplastic Edge Stripe, Continuous White                         |
| 1      | Mile        | 907-626-D003  | 6" Thermoplastic Traffic Stripe, Skip Yellow                           |
| 2      | Mile        | 907-626-E004  | 6" Thermoplastic Traffic Stripe, Continuous Yellow                     |
| 5,632  | Linear Feet | 907-626-G004  | Thermoplastic Detail Stripe, White                                     |
| 224    | Linear Feet | 907-626-G005  | Thermoplastic Detail Stripe, Yellow                                    |

CALL No. 12

|                          |             |               |                                                                                  |
|--------------------------|-------------|---------------|----------------------------------------------------------------------------------|
| 6,800                    | Linear Feet | 907-626-H004  | Thermoplastic Legend, White                                                      |
| 964                      | Square Feet | 907-626-H005  | Thermoplastic Legend, White                                                      |
| 155                      | Square Feet | 907-630-PP008 | Roadside Directional Signs, Sheet Aluminum, 0.080" Thickness, Ground Mounted     |
| 352                      | Square Feet | 907-630-PP010 | Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted     |
| 1                        | Each        | 907-639-A007  | Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' ArmOlive Branch Old Towne |
| 1                        | Each        | 907-639-A008  | Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' ArmOlive Branch Old Towne |
| 2                        | Each        | 907-639-A009  | Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' ArmOlive Branch Old Towne |
| 1                        | Each        | 907-639-A059  | Traffic Signal Equipment Pole, Type III, 17' Shaft, 55' & 70' Arms               |
| 1                        | Each        | 907-639-A106  | Traffic Signal Equipment Pole, Type III, 17' Shaft, 45' & 60' Arms               |
| 7                        | Cubic Yard  | 907-639-C002  | Pole Foundations, 36" Diameter                                                   |
| 8                        | Cubic Yard  | 907-639-C004  | Pole Foundations, 30" Diameter                                                   |
| 8                        | Each        | 907-645-C001  | Confirmation Light                                                               |
| 4                        | Each        | 907-645-D002  | Blue Rotating Beacon                                                             |
| 2                        | Each        | 907-654-A001  | Battery Back-up System                                                           |
|                          | Lump Sum    | 907-699-A002  | Roadway Construction Stakes                                                      |
| ALTERNATE GROUP AA NO. 1 |             |               |                                                                                  |
| 9,230                    | Ton         | 907-403-A006  | Hot Mix Asphalt, MT, 12.5-mm mixture                                             |
| ALTERNATE GROUP AA NO. 2 |             |               |                                                                                  |
| 9,230                    | Ton         | 907-403-M002  | Warm Mix Asphalt, MT, 12.5-mm mixture                                            |
| ALTERNATE GROUP BB NO. 1 |             |               |                                                                                  |
| 3,461                    | Ton         | 907-403-A010  | Hot Mix Asphalt, MT, 9.5-mm mixture                                              |
| ALTERNATE GROUP BB NO. 2 |             |               |                                                                                  |
| 3,461                    | Ton         | 907-403-M006  | Warm Mix Asphalt, MT, 9.5-mm mixture                                             |
| ALTERNATE GROUP CC NO. 1 |             |               |                                                                                  |
| 2,581                    | Ton         | 907-403-A012  | Hot Mix Asphalt, ST, 19-mm mixture                                               |
| ALTERNATE GROUP CC NO. 2 |             |               |                                                                                  |
| 2,581                    | Ton         | 907-403-M004  | Warm Mix Asphalt, ST, 19-mm mixture                                              |
| ALTERNATE GROUP DD NO. 1 |             |               |                                                                                  |
| 100                      | Ton         | 907-403-B004  | Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling                                   |
| ALTERNATE GROUP DD NO. 2 |             |               |                                                                                  |
| 100                      | Ton         | 907-403-N006  | Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling                                  |

Widen and Overlay approximately 5 miles of SR 13, from Marion County Line to Park Fortenberry Road, known as Federal Aid Project No. STP-0037-01(052) / 106433301 in Jefferson Davis County.

PROJECT COMPLETION: December 10, 2012

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|                          |             |               |                                                                        |
|--------------------------|-------------|---------------|------------------------------------------------------------------------|
| 300                      | Linear Feet | 202-B053      | Removal of Guard Rail Including Post, Blockouts & Hardware             |
| 1,320                    | Linear Feet | 202-B076      | Removal of Traffic Stripe                                              |
| 3,600                    | Square Yard | 406-A001      | Cold Milling of Bituminous Pavement, All Depths                        |
| 9                        | Mile        | 423-A001      | Rumble Strips, Ground In                                               |
| 8                        | Each        | 606-E002      | Guard Rail, Terminal End Section, Flared                               |
|                          | Lump Sum    | 618-A001      | Maintenance of Traffic                                                 |
| 1                        | Square Feet | 618-B001      | Additional Construction Signs                                          |
| 9                        | Mile        | 619-A1002     | Temporary Traffic Stripe, Continuous White                             |
| 3                        | Mile        | 619-A2002     | Temporary Traffic Stripe, Continuous Yellow                            |
| 5                        | Mile        | 619-A4006     | Temporary Traffic Stripe, Skip Yellow                                  |
| 4,150                    | Linear Feet | 619-A5001     | Temporary Traffic Stripe, Detail                                       |
| 2,010                    | Linear Feet | 619-A6001     | Temporary Traffic Stripe, Legend                                       |
| 405                      | Each        | 627-J001      | Two-Way Clear Reflective High Performance Raised Markers               |
| 400                      | Each        | 627-L001      | Two-Way Yellow Reflective High Performance Raised Markers              |
| 48                       | Each        | 630-F001      | Delineators, Guard Rail, White                                         |
| 1,900                    | Cubic Yard  | 907-304-A003  | Granular Material, LVM, Class 6, Group D                               |
| 4,684                    | Gallon      | 907-407-A001  | Asphalt for Tack Coat                                                  |
| 216                      | Each        | 907-606-PP001 | Remove and Replace Guard Rail Blockouts                                |
| 9                        | Mile        | 907-626-C006  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min |
| 5                        | Mile        | 907-626-D003  | 6" Thermoplastic Traffic Stripe, Skip Yellow                           |
| 3                        | Mile        | 907-626-E004  | 6" Thermoplastic Traffic Stripe, Continuous Yellow                     |
| 2,650                    | Linear Feet | 907-626-G004  | Thermoplastic Detail Stripe, White                                     |
| 1,500                    | Linear Feet | 907-626-G005  | Thermoplastic Detail Stripe, Yellow                                    |
| 2,010                    | Linear Feet | 907-626-H004  | Thermoplastic Legend, White                                            |
| ALTERNATE GROUP AA NO. 1 |             |               |                                                                        |
| 8,846                    | Ton         | 907-403-A010  | Hot Mix Asphalt, MT, 9.5-mm mixture                                    |
| ALTERNATE GROUP AA NO. 2 |             |               |                                                                        |
| 8,846                    | Ton         | 907-403-M006  | Warm Mix Asphalt, MT, 9.5-mm mixture                                   |
| ALTERNATE GROUP BB NO. 1 |             |               |                                                                        |
| 500                      | Ton         | 907-403-B006  | Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling                          |
| ALTERNATE GROUP BB NO. 2 |             |               |                                                                        |
| 500                      | Ton         | 907-403-N005  | Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling                         |

Realign SR 43 from Crossroads to I-20, known Federal Aid Project No. HSIP-0428-00(025) / 100588301 in Rankin County.

PROJECT COMPLETION: May 07, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

|         |                 | <b>Roadway Items</b> |                                                                            |
|---------|-----------------|----------------------|----------------------------------------------------------------------------|
|         | Lump Sum        | 201-A001             | Clearing and Grubbing                                                      |
| 11      | Acre            | 201-B001             | Clearing and Grubbing                                                      |
| 48,366  | Square Yard     | 202-B005             | Removal of Asphalt Pavement, All Depths                                    |
| 9,312   | Linear Feet     | 202-B076             | Removal of Traffic Stripe                                                  |
| 2,400   | Linear Feet     | 202-B106             | Removal of Pipe, All Sizes                                                 |
| 232,761 | Cubic Yard      | 203-A003             | Unclassified Excavation, FM, AH                                            |
| 36,257  | Cubic Yard      | 203-EX030            | Borrow Excavation, AH, LVM, Class B15                                      |
| 42,126  | Cubic Yard      | 203-G003             | Excess Excavation, FM, AH                                                  |
| 264     | Cubic Yard      | 206-A001             | Structure Excavation                                                       |
| 9,680   | Square Yard     | 212-B001             | Standard Ground Preparation                                                |
| 1       | Ton             | 213-B001             | Combination Fertilizer, 13-13-13                                           |
| 37      | Ton             | 213-C001             | Superphosphate                                                             |
| 8,169   | Square Yard     | 216-A001             | Solid Sodding                                                              |
| 3,972   | Square Yard     | 217-A001             | Ditch Liner                                                                |
| 165     | Thousand Gallon | 219-A001             | Watering                                                                   |
| 37      | Acre            | 220-A001             | Insect Pest Control                                                        |
| 805     | Cubic Yard      | 221-A001             | Portland Cement Concrete Paved Ditch                                       |
| 1       | Acre            | 223-A001             | Mowing                                                                     |
| 883     | Square Yard     | 224-A001             | Soil Reinforcing Mat                                                       |
| 25,000  | Linear Feet     | 234-A001             | Temporary Silt Fence                                                       |
| 500     | Bale            | 235-A001             | Temporary Erosion Checks                                                   |
| 10      | Each            | 236-A004             | Silt Basin, Type D                                                         |
| 1,300   | Linear Feet     | 239-A001             | Temporary Slope Drains                                                     |
| 1,681   | Ton             | 305-B003             | Size I Stabilizer Aggregate, Coarse                                        |
| 934     | Ton             | 406-A003             | Cold Milling of Bituminous Pavement, All Depths                            |
| 9       | Mile            | 423-A001             | Rumble Strips, Ground In                                                   |
| 38      | Linear Feet     | 503-C007             | Saw Cut, Full Depth                                                        |
| 910     | Linear Feet     | 603-CA003            | 24" Reinforced Concrete Pipe, Class III                                    |
| 168     | Linear Feet     | 603-CA004            | 30" Reinforced Concrete Pipe, Class III                                    |
| 510     | Linear Feet     | 603-CA015            | 24" Reinforced Concrete Pipe, Class IV                                     |
| 52      | Linear Feet     | 603-CA107            | 24" Reinforced Concrete Pipe, Class V, Jacked or Bored                     |
| 32      | Each            | 603-CB002            | 24" Reinforced Concrete End Section                                        |
| 2       | Each            | 603-CB003            | 30" Reinforced Concrete End Section                                        |
| 168     | Linear Feet     | 603-CE002            | 29" x 18" Concrete Arch Pipe, Class A III                                  |
| 4       | Each            | 603-CF002            | 29" x 18" Concrete Arch Pipe End Section                                   |
| 4,293   | Square Yard     | 605-AA004            | Geotextile for Subsurface Drainage, Type V                                 |
| 26      | Cubic Yard      | 605-W001             | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 851     | Cubic Yard      | 605-W002             | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| 1,773   | Linear Feet     | 609-D007             | Combination Concrete Curb and Gutter Type 2 Modified                       |
| 232     | Square Yard     | 614-A002             | Concrete Driveway, Without Reinforcement, 6-inch Thickness                 |
| 231     | Square Yard     | 616-A001             | Concrete Median and/or Island Pavement, 4-inch                             |

CALL No. 14

|        |             |              |                                                                |
|--------|-------------|--------------|----------------------------------------------------------------|
| 216    | Square Yard | 616-A003     | Concrete Median and/or Island Pavement, 10-inch                |
|        | Lump Sum    | 618-A001     | Maintenance of Traffic                                         |
| 12     | Mile        | 619-A1002    | Temporary Traffic Stripe, Continuous White                     |
| 12     | Mile        | 619-A2002    | Temporary Traffic Stripe, Continuous Yellow                    |
| 2      | Mile        | 619-A4006    | Temporary Traffic Stripe, Skip Yellow                          |
| 4,161  | Linear Feet | 619-A5001    | Temporary Traffic Stripe, Detail                               |
| 537    | Square Feet | 619-A6002    | Temporary Traffic Stripe, Legend                               |
| 346    | Each        | 619-C6001    | Red-Clear Reflective High Performance Raised Marker            |
| 173    | Each        | 619-C7001    | Two-Way Yellow Reflective High Performance Raised Marker       |
| 500    | Square Feet | 619-D1001    | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 866    | Square Feet | 619-D2001    | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 1,300  | Linear Feet | 619-F1001    | Concrete Median Barrier, Precast                               |
| 840    | Linear Feet | 619-G4001    | Barricades, Type III, Single Faced                             |
| 24     | Linear Feet | 619-G4005    | Barricades, Type III, Double Faced                             |
| 154    | Each        | 619-G5001    | Free Standing Plastic Drums                                    |
| 15     | Each        | 619-G7001    | Warning Lights, Type "B"                                       |
|        | Lump Sum    | 620-A001     | Mobilization                                                   |
| 185    | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers       |
| 42     | Each        | 627-K001     | Red-Clear Reflective High Performance Raised Markers           |
| 505    | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers      |
| 80     | Square Feet | 630-A001     | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness      |
| 219    | Square Feet | 630-A002     | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness      |
| 336    | Linear Feet | 630-C004     | Steel U-Section Posts, 3.0 to 3.5 lb/ft                        |
| 174    | Pounds      | 630-E004     | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar        |
| 56     | Linear Feet | 630-K002     | Welded & Seamless Steel Pipe Posts, 3 1/2"                     |
| 70     | Linear Feet | 630-K003     | Welded & Seamless Steel Pipe Posts, 4"                         |
| 600    | Ton         | 815-A009     | Loose Riprap, Size 300                                         |
| 143    | Square Yard | 815-E001     | Geotextile under Riprap                                        |
| 300    | Ton         | 815-F002     | Sediment Control Stone                                         |
| 74     | Acre        | 907-225-A001 | Grassing                                                       |
| 221    | Ton         | 907-225-B001 | Agricultural Limestone                                         |
| 184    | Ton         | 907-225-C001 | Mulch, Vegetative Mulch                                        |
| 37     | Acre        | 907-226-A001 | Temporary Grassing                                             |
| 822    | Square Yard | 907-228-A001 | Erosion Control Blanket, Type I                                |
| 3,500  | Linear Feet | 907-237-A003 | Wattles, 20"                                                   |
| 100    | Each        | 907-246-B002 | Rockbags                                                       |
| 2,000  | Ton         | 907-249-A001 | Riprap for Erosion Control                                     |
| 1,000  | Cubic Yard  | 907-249-B001 | Remove and Reset Riprap                                        |
| 11,125 | Cubic Yard  | 907-304-A010 | Granular Material, LVM, Class 5, Group E                       |
| 17,818 | Cubic Yard  | 907-304-C005 | Granular Material, AEA, Class 9, Group C                       |
| 800    | Cubic Yard  | 907-304-H002 | 3/4" and Down Crushed Stone Base, LVM                          |
| 36,173 | Square Yard | 907-307-C003 | 6" Soil-Lime-Water Mixing, Class C                             |
| 489    | Ton         | 907-307-D001 | Lime                                                           |
| 13,559 | Gallon      | 907-307-S001 | Bituminous Curing Seal                                         |
| 7,209  | Gallon      | 907-407-A001 | Asphalt for Tack Coat                                          |
| 6      | Cubic Yard  | 907-601-B003 | Class "B" Structural Concrete, Minor Structures                |

CALL No. 14

|                          |             |               |                                                                |
|--------------------------|-------------|---------------|----------------------------------------------------------------|
| 3,609                    | Linear Feet | 907-603-ALT01 | 18" Type A Alternate Pipe                                      |
| 1,382                    | Linear Feet | 907-603-ALT02 | 24" Type A Alternate Pipe                                      |
| 648                      | Linear Feet | 907-603-ALT03 | 30" Type A Alternate Pipe                                      |
| 176                      | Linear Feet | 907-603-ALT04 | 36" Type A Alternate Pipe                                      |
| 126                      | Linear Feet | 907-603-ALT05 | 42" Type A Alternate Pipe                                      |
| 152                      | Linear Feet | 907-603-ALT12 | 36" x 23" Type A Alternate Pipe                                |
| 200                      | Linear Feet | 907-603-ALT13 | 44" x 27" Type A Alternate Pipe                                |
| 400                      | Linear Feet | 907-605-O002  | 6" Perforated Sewer Pipe for Underdrains, SDR 35               |
| 100                      | Linear Feet | 907-605-P002  | 6" Non-perforated Sewer Pipe for Underdrains, SDR 35           |
| 206                      | Each        | 907-617-A001  | Right-of-Way Marker                                            |
| 3                        | Each        | 907-619-E3001 | Changeable Message Sign                                        |
| 10                       | Mile        | 907-626-C003  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 2                        | Mile        | 907-626-D006  | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow       |
| 10                       | Mile        | 907-626-E006  | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 6,373                    | Linear Feet | 907-626-G006  | Thermoplastic Double Drop Detail Stripe, White                 |
| 416                      | Square Feet | 907-626-H005  | Thermoplastic Legend, White                                    |
|                          | Lump Sum    | 907-699-A002  | Roadway Construction Stakes                                    |
| 520                      | Hours       | 907-906001    | Trainees                                                       |
| ALTERNATE GROUP AA NO. 1 |             |               |                                                                |
| 1,203                    | Ton         | 907-308-A001  | Portland Cement                                                |
| 113,276                  | Square Yard | 907-308-B001  | Soil-Cement-Water Mixing, Optional Mixers, Base                |
| 13,559                   | Gallon      | 907-308-S001  | Bituminous Curing Seal                                         |
| ALTERNATE GROUP AA NO. 2 |             |               |                                                                |
| 113,276                  | Square Yard | 907-311-A003  | Processing Lime and Fly Ash Treated Course, 6" Thick           |
| 838                      | Ton         | 907-311-B001  | Lime                                                           |
| 3,350                    | Ton         | 907-311-C002  | Fly Ash, Class C or F                                          |
| 13,559                   | Gallon      | 907-311-S001  | Bituminous Curing Seal                                         |
| ALTERNATE GROUP BB NO. 1 |             |               |                                                                |
| 13,803                   | Ton         | 907-403-A011  | Hot Mix Asphalt, ST, 12.5-mm mixture                           |
| ALTERNATE GROUP BB NO. 2 |             |               |                                                                |
| 13,803                   | Ton         | 907-403-M003  | Warm Mix Asphalt, ST, 12.5-mm mixture                          |
| ALTERNATE GROUP CC NO. 1 |             |               |                                                                |
| 14,288                   | Ton         | 907-403-A012  | Hot Mix Asphalt, ST, 19-mm mixture                             |
| ALTERNATE GROUP CC NO. 2 |             |               |                                                                |
| 14,288                   | Ton         | 907-403-M004  | Warm Mix Asphalt, ST, 19-mm mixture                            |
| ALTERNATE GROUP DD NO. 1 |             |               |                                                                |
| 7,967                    | Ton         | 907-403-A015  | Hot Mix Asphalt, ST, 9.5-mm mixture                            |
| ALTERNATE GROUP DD NO. 2 |             |               |                                                                |
| 7,967                    | Ton         | 907-403-M001  | Warm Mix Asphalt, ST, 9.5-mm mixture                           |
| ALTERNATE GROUP EE NO. 1 |             |               |                                                                |
| 9,024                    | Ton         | 907-403-B008  | Hot Mix Asphalt, ST, 19-mm mixture, Leveling                   |
| ALTERNATE GROUP EE NO. 2 |             |               |                                                                |
| 9,024                    | Ton         | 907-403-N003  | Warm Mix Asphalt, ST, 19-mm mixture, Leveling                  |
| ALTERNATE GROUP FF NO. 1 |             |               |                                                                |
| 1,886                    | Ton         | 907-403-C005  | Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening            |
| ALTERNATE GROUP FF NO. 2 |             |               |                                                                |

CALL No. 14

1,886 Ton

907-403-O001 Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Replace Bridge Nos. 40.2, 41.2, and 41.4 on SR 178 Over Chewallah Creek and Tippah River, known as Federal Aid Project No. BR-2910-00(002) / 103162301 in Marshall County.

PROJECT COMPLETION: August 12, 2015

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

| <b>Roadway Items</b> |              |                                                              |
|----------------------|--------------|--------------------------------------------------------------|
| Lump Sum             | 201-A001     | Clearing and Grubbing                                        |
| 1 Acre               | 201-B001     | Clearing and Grubbing                                        |
| 1,371 Square Yard    | 202-B005     | Removal of Asphalt Pavement, All Depths                      |
| 3 Each               | 202-B009     | Removal of Bridge                                            |
| 400 Square Yard      | 202-B010     | Removal of Bridge End Pavement                               |
| 6,812 Square Yard    | 202-B033     | Removal of Concrete Pavement w/ Variable Depth Overlay       |
| 1,275 Linear Feet    | 202-B254     | Removal of Guard Rail, Including Rail, Posts & Cable Anchors |
| 11,800 Cubic Yard    | 203-A003     | Unclassified Excavation, FM, AH                              |
| 36,950 Cubic Yard    | 203-EX017    | Borrow Excavation, AH, FME, Class B9                         |
| 11,250 Square Yard   | 209-A004     | Geotextile Stabilization, Type V, Non-Woven                  |
| 3,000 Cubic Yard     | 211-B001     | Topsoil for Slope Treatment, Contractor Furnished            |
| 710 Square Yard      | 212-B001     | Standard Ground Preparation                                  |
| 1 Ton                | 213-B001     | Combination Fertilizer, 13-13-13                             |
| 4 Ton                | 213-C001     | Superphosphate                                               |
| 240 Square Yard      | 216-A001     | Solid Sodding                                                |
| 1 Thousand Gallon    | 219-A001     | Watering                                                     |
| 27 Cubic Yard        | 221-A001     | Portland Cement Concrete Paved Ditch                         |
| 12,000 Linear Feet   | 234-A001     | Temporary Silt Fence                                         |
| 100 Bale             | 235-A001     | Temporary Erosion Checks                                     |
| 7 Each               | 236-A004     | Silt Basin, Type D                                           |
| 200 Linear Feet      | 501-E001     | Expansion Joints, Without Dowels                             |
| 430 Square Yard      | 502-A001     | Reinforced Cement Concrete Bridge End Pavement               |
| 1,275 Linear Feet    | 606-B001     | Guard Rail, Class A, Type 1                                  |
| 12 Each              | 606-D012     | Guard Rail, Bridge End Section, Type I                       |
| 12 Each              | 606-E001     | Guard Rail, Terminal End Section                             |
| 120 Linear Feet      | 615-A018     | Concrete Bridge End Barrier, 33.5"                           |
| 120 Linear Feet      | 615-B001     | Precast Concrete Median Barrier                              |
| 219 Square Feet      | 619-D2001    | Standard Roadside Construction Signs, 10 Square Feet or More |
| 22 Each              | 619-D3001    | Remove and Reset Signs, All Sizes                            |
| 14 Each              | 619-G7001    | Warning Lights, Type "B"                                     |
| Lump Sum             | 620-A001     | Mobilization                                                 |
| 47 Each              | 627-K001     | Red-Clear Reflective High Performance Raised Markers         |
| 35 Each              | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers    |
| 66 Each              | 630-F001     | Delineators, Guard Rail, White                               |
| 6 Each               | 630-G001     | Type 3 Object Markers, OM-3R, Post Mounted                   |
| 6 Each               | 630-G003     | Type 3 Object Markers, OM-3L, Post Mounted                   |
| 2,300 Ton            | 815-A009     | Loose Riprap, Size 300                                       |
| 2,800 Square Yard    | 815-E001     | Geotextile under Riprap                                      |
| 350 Ton              | 815-F002     | Sediment Control Stone                                       |
| 7 Acre               | 907-225-A001 | Grassing                                                     |

CALL No. 15

|                          |             |               |                                                                     |
|--------------------------|-------------|---------------|---------------------------------------------------------------------|
| 22                       | Ton         | 907-225-B001  | Agricultural Limestone                                              |
| 15                       | Ton         | 907-225-C001  | Mulch, Vegetative Mulch                                             |
| 7                        | Acre        | 907-226-A001  | Temporary Grassing                                                  |
| 200                      | Linear Feet | 907-237-A002  | Wattles, 12"                                                        |
| 100                      | Linear Feet | 907-237-A003  | Wattles, 20"                                                        |
| 100                      | Linear Feet | 907-245-A001  | Triangular Silt Dike                                                |
| 200                      | Linear Feet | 907-246-A001  | Sandbags                                                            |
| 1,000                    | Ton         | 907-249-A001  | Riprap for Erosion Control                                          |
| 920                      | Ton         | 907-304-B009  | Granular Material, Class 3, Group D                                 |
| 3,200                    | Ton         | 907-304-F002  | Size 610 Crushed Stone Base                                         |
| 300                      | Ton         | 907-310-B001  | Size III Stabilizer Aggregate, Coarse                               |
| 1,240                    | Gallon      | 907-407-A001  | Asphalt for Tack Coat                                               |
| 200                      | Linear Feet | 907-413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement            |
| 40                       | Linear Feet | 907-603-ALT02 | 24" Type A Alternate Pipe                                           |
| 240                      | Linear Feet | 907-605-O002  | 6" Perforated Sewer Pipe for Underdrains, SDR 35                    |
| 43                       | Each        | 907-617-A001  | Right-of-Way Marker                                                 |
| 7,372                    | Linear Feet | 907-626-C008  | 6" Thermoplastic Edge Stripe, Continuous White                      |
| 794                      | Linear Feet | 907-626-D004  | 6" Thermoplastic Traffic Stripe, Skip Yellow                        |
| 3,408                    | Linear Feet | 907-626-E003  | 6" Thermoplastic Traffic Stripe, Continuous Yellow                  |
|                          | Lump Sum    | 907-699-A002  | Roadway Construction Stakes                                         |
|                          | Lump Sum    | 907-899-A001  | Railway-Highway Provisions                                          |
| 720                      | Hours       | 907-906001    | Trainees                                                            |
| ALTERNATE GROUP AA NO. 1 |             |               |                                                                     |
| 1,026                    | Ton         | 907-403-A015  | Hot Mix Asphalt, ST, 9.5-mm mixture                                 |
| ALTERNATE GROUP AA NO. 2 |             |               |                                                                     |
| 1,026                    | Ton         | 907-403-M001  | Warm Mix Asphalt, ST, 9.5-mm mixture                                |
| ALTERNATE GROUP BB NO. 1 |             |               |                                                                     |
| 877                      | Ton         | 907-403-A011  | Hot Mix Asphalt, ST, 12.5-mm mixture                                |
| ALTERNATE GROUP BB NO. 2 |             |               |                                                                     |
| 877                      | Ton         | 907-403-M003  | Warm Mix Asphalt, ST, 12.5-mm mixture                               |
| ALTERNATE GROUP CC NO. 1 |             |               |                                                                     |
| 986                      | Ton         | 907-403-A012  | Hot Mix Asphalt, ST, 19-mm mixture                                  |
| ALTERNATE GROUP CC NO. 2 |             |               |                                                                     |
| 986                      | Ton         | 907-403-M004  | Warm Mix Asphalt, ST, 19-mm mixture                                 |
| ALTERNATE GROUP DD NO. 1 |             |               |                                                                     |
| 105                      | Ton         | 907-403-C005  | Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening                 |
| ALTERNATE GROUP DD NO. 2 |             |               |                                                                     |
| 105                      | Ton         | 907-403-O001  | Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening                |
| ALTERNATE GROUP EE NO. 1 |             |               |                                                                     |
| 3,409                    | Linear Feet | 907-626-J003  | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White  |
| 650                      | Linear Feet | 907-626-K003  | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow       |
| 1,793                    | Linear Feet | 907-626-L001  | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
| ALTERNATE GROUP EE NO. 2 |             |               |                                                                     |
| 3,409                    | Linear Feet | 628-J002      | 6" High Performance Cold Plastic Traffic Stripe, Continuous White   |
| 650                      | Linear Feet | 628-L002      | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow        |
| 1,793                    | Linear Feet | 628-M002      | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow  |

**Bridge Items**

|         |             |              |                                            |
|---------|-------------|--------------|--------------------------------------------|
| 7,250   | Square Yard | 501-K001     | Transverse Grooving                        |
| 6       | Each        | 803-B002     | Conventional Static Pile Load Test         |
| 18,230  | Linear Feet | 803-D007     | HP 14 x 89 Steel Piling                    |
| 12      | Each        | 803-I001     | PDA Test Pile                              |
| 30      | Linear Feet | 803-N001     | Exploration                                |
| 180     | Linear Feet | 803-O004     | Permanent Casing, 60" Diameter             |
| 480     | Linear Feet | 803-O010     | Temporary Casing, 60" Diameter             |
| 781,773 | Pounds      | 805-A001     | Reinforcement                              |
|         | Lump Sum    | 810-C001     | Miscellaneous Bridge Appurtenances         |
| 5,030   | Linear Feet | 813-A002     | Concrete Railing, 32"                      |
| 2,800   | Ton         | 815-A009     | Loose Riprap, Size 300                     |
| 3,194   | Square Yard | 815-E001     | Geotextile under Riprap                    |
| 970     | Linear Feet | 907-803-K006 | Drilled Shaft, 60" Diameter                |
| 2       | Each        | 907-803-L002 | Test Shaft, 60" Diameter                   |
| 160     | Linear Feet | 907-803-M005 | Trial Shaft, 60" Diameter                  |
| 3,221   | Cubic Yard  | 907-804-A001 | Bridge Concrete, Class AA                  |
| 4,132   | Linear Feet | 907-804-C014 | 138' Prestressed Concrete Beam, Type BT-72 |
| 8,339   | Linear Feet | 907-804-C030 | 80' Prestressed Concrete Beam, Type III    |

Bridge Repair on I-20 Over Old US 49 Bridge No. 47.2B, known as Federal Aid Project No. MRP-5020-61(105) / 304611301 in Rankin County.

PROJECT COMPLETION: May 17, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|     |             |           |                                                                |
|-----|-------------|-----------|----------------------------------------------------------------|
| 630 | Linear Feet | 615-B001  | Precast Concrete Median Barrier                                |
|     | Lump Sum    | 618-A001  | Maintenance of Traffic                                         |
| 54  | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 168 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 36  | Linear Feet | 619-G4001 | Barricades, Type III, Single Faced                             |
| 4   | Each        | 619-G5001 | Free Standing Plastic Drums                                    |
| 2   | Each        | 619-G7001 | Warning Lights, Type "B"                                       |
| 1   | Unit        | 619-J1003 | Impact Attenuator, 60 MPH                                      |
| 1   | Unit        | 619-J2002 | Impact Attenuator, 60 MPH, Replacement Package                 |
|     | Lump Sum    | 620-A001  | Mobilization                                                   |

**Bridge Items**

|          |               |                                                                                                  |
|----------|---------------|--------------------------------------------------------------------------------------------------|
| Lump Sum | 907-824-PP093 | Bridge Repair, Remove & Replace Steel Girder, Railing & Portions of Bridge Deck & Diaphragm, P P |
| Lump Sum | 907-824-PP093 | Bridge Repair, Repair Beam Nos. 1R-11R with Heat Straightening, Per Plans                        |

Widening I-55 from Byram to McDowell Road, known as Federal Aid Project No. NH-0055-02(218) / 106023301 in Hinds County.

## PROJECT COMPLETION: Contractor Determined

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

| <b>Roadway Items</b> |           |                                                                                 |
|----------------------|-----------|---------------------------------------------------------------------------------|
| Lump Sum             | 201-A001  | Clearing and Grubbing                                                           |
| 1 Acre               | 201-B001  | Clearing and Grubbing                                                           |
| 1,300 Square Yard    | 202-B006  | Removal of Asphalt Pavement, Failed Areas                                       |
| 6 Each               | 202-B021  | Removal of Concrete Lug Anchor                                                  |
| 36,199 Linear Feet   | 202-B022  | Removal of Concrete Median Barrier                                              |
| 3,980 Square Yard    | 202-B024  | Removal of Concrete Median & Island Pavement, All Depths                        |
| 1,154 Square Yard    | 202-B025  | Removal of Concrete Paved Ditch                                                 |
| 781 Square Yard      | 202-B036  | Removal of Concrete Slope Paving                                                |
| 6 Each               | 202-B043  | Removal of Guard Rail Bridge End Section                                        |
| 7 Each               | 202-B056  | Removal of High Mast Lighting Foundation                                        |
| 50 Each              | 202-B057  | Removal of Inlets, All Sizes                                                    |
| 4 Each               | 202-B061  | Removal of Low Mast Lighting Foundation                                         |
| 2 Each               | 202-B063  | Removal of Overhead Sign Including Panels, Truss, Supports & Footing            |
| 5,463 Linear Feet    | 202-B064  | Removal of Pipe, 8" And Above                                                   |
| 20 Each              | 202-B069  | Removal of Sign                                                                 |
| 45 Each              | 202-B070  | Removal of Sign Including Post & Footing                                        |
| 455,581 Square Yard  | 202-B078  | Removal of Pavement, All Types and Depths                                       |
| 3,063 Linear Feet    | 202-B087  | Removal of Guard Rail, Including Rails, Posts and Terminal Ends                 |
| 511 Linear Feet      | 202-B093  | Removal of Curb & Gutter, All Types                                             |
| 165 Each             | 202-B099  | Removal of Existing Light and Foundation, With Maintenance Pad And Junction Box |
| 38 Each              | 202-B105  | Removal of Pipe Headwall, All Sizes                                             |
| 55 Each              | 202-B107  | Removal of Sign, Ground Mounted with Posts                                      |
| 5 Each               | 202-B113  | Removal of Box Culvert Wingwall, All Sizes                                      |
| 2 Each               | 202-B132  | Removal of Traffic Signal                                                       |
| 1,166 Linear Feet    | 202-B135  | Removal of Guard Rail Double Faced Rail Including Rail & Posts                  |
| 2 Each               | 202-B137  | Removal of Guard Rail Cable Anchor                                              |
| 2 Each               | 202-B140  | Removal of Box Bridge Headwall                                                  |
| 3 Each               | 202-B142  | Removal of Junction Box                                                         |
| 23 Mile              | 202-B149  | Removal of Traffic Stripe                                                       |
| 1 Each               | 202-B189  | Removal of Impact Attenuator                                                    |
| 21 Each              | 202-B247  | Removal of Pull Box                                                             |
| 1 Each               | 202-B248  | Removal of Manhole                                                              |
| 68,700 Linear Feet   | 202-B252  | Removal of Electrical Conductors                                                |
| 7 Each               | 202-B280  | Remove & Relocate Existing Camera and Equipment                                 |
| 3,110 Linear Feet    | 202-B289  | Removal of Cable Rail                                                           |
| 2,599 Linear Feet    | 202-B295  | Removal of Trench Drain, All Sizes, All Types                                   |
| 1 Each               | 202-B297  | Removal of Existing Demarcation Cabinet and Equipment                           |
| 143,958 Cubic Yard   | 203-A003  | Unclassified Excavation, FM, AH                                                 |
| 264,797 Cubic Yard   | 203-EX029 | Borrow Excavation, AH, FME, Class B15                                           |
| 442,373 Cubic Yard   | 203-G003  | Excess Excavation, FM, AH                                                       |
| 7,087 Cubic Yard     | 206-A001  | Structure Excavation                                                            |

CALL No. 01

|         |                 |           |                                                         |
|---------|-----------------|-----------|---------------------------------------------------------|
| 34      | Cubic Yard      | 206-B001  | Select Material for Undercuts, Contractor Furnished, FM |
| 300,068 | Square Yard     | 209-A004  | Geotextile Stabilization, Type V, Non-Woven             |
| 41,038  | Cubic Yard      | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished       |
| 16,304  | Square Yard     | 212-B001  | Standard Ground Preparation                             |
| 2       | Ton             | 213-B001  | Combination Fertilizer, 13-13-13                        |
| 51      | Ton             | 213-C001  | Superphosphate                                          |
| 16,304  | Square Yard     | 216-A001  | Solid Sodding                                           |
| 8,661   | Square Yard     | 217-A001  | Ditch Liner                                             |
| 327     | Thousand Gallon | 219-A001  | Watering                                                |
| 2,133   | Cubic Yard      | 221-A001  | Portland Cement Concrete Paved Ditch                    |
| 8,117   | Square Yard     | 224-A001  | Soil Reinforcing Mat                                    |
| 48,488  | Linear Feet     | 234-A001  | Temporary Silt Fence                                    |
| 95      | Each            | 236-A001  | Silt Basin, Type A                                      |
| 500     | Linear Feet     | 239-A001  | Temporary Slope Drains                                  |
| 243,362 | Square Yard     | 406-A001  | Cold Milling of Bituminous Pavement, All Depths         |
| 26      | Mile            | 423-A001  | Rumble Strips, Ground In                                |
| 231     | Linear Feet     | 501-E001  | Expansion Joints, Without Dowels                        |
| 528     | Square Yard     | 501-K001  | Transverse Grooving                                     |
| 528     | Square Yard     | 502-A001  | Reinforced Cement Concrete Bridge End Pavement          |
| 88      | Each            | 503-E002  | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 35,171  | Pounds          | 602-A001  | Reinforcing Steel                                       |
| 336     | Linear Feet     | 603-CA001 | 15" Reinforced Concrete Pipe, Class III                 |
| 7,254   | Linear Feet     | 603-CA002 | 18" Reinforced Concrete Pipe, Class III                 |
| 2,468   | Linear Feet     | 603-CA003 | 24" Reinforced Concrete Pipe, Class III                 |
| 1,464   | Linear Feet     | 603-CA004 | 30" Reinforced Concrete Pipe, Class III                 |
| 428     | Linear Feet     | 603-CA005 | 36" Reinforced Concrete Pipe, Class III                 |
| 36      | Linear Feet     | 603-CA006 | 42" Reinforced Concrete Pipe, Class III                 |
| 30      | Each            | 603-CB001 | 18" Reinforced Concrete End Section                     |
| 15      | Each            | 603-CB002 | 24" Reinforced Concrete End Section                     |
| 4       | Each            | 603-CB003 | 30" Reinforced Concrete End Section                     |
| 2       | Each            | 603-CB004 | 36" Reinforced Concrete End Section                     |
| 1       | Each            | 603-CB005 | 42" Reinforced Concrete End Section                     |
| 10      | Each            | 603-CB014 | 15" Reinforced Concrete End Section                     |
| 1,932   | Linear Feet     | 603-CE001 | 22" x 13" Concrete Arch Pipe, Class A III               |
| 296     | Linear Feet     | 603-CE002 | 29" x 18" Concrete Arch Pipe, Class A III               |
| 240     | Linear Feet     | 603-CE003 | 36" x 23" Concrete Arch Pipe, Class A III               |
| 224     | Linear Feet     | 603-CE006 | 58" x 36" Concrete Arch Pipe, Class A III               |
| 17      | Each            | 603-CF001 | 22" x 13" Concrete Arch Pipe End Section                |
| 4       | Each            | 603-CF002 | 29" x 18" Concrete Arch Pipe End Section                |
| 6       | Each            | 603-CF003 | 36" x 23" Concrete Arch Pipe End Section                |
| 2       | Each            | 603-CF006 | 58" x 36" Concrete Arch Pipe End Section                |
| 2       | Each            | 603-SB004 | 24" Branch Connections, Stub into Box Culvert           |
| 2       | Each            | 603-SB034 | 18" Branch Connections, Stub into 60" Concrete Pipe     |
| 2       | Each            | 603-SB035 | 18" Branch Connections, Stub into Box Bridge            |
| 3       | Each            | 603-SB044 | 18" Branch Connections, Stub into Existing Box Culvert  |

CALL No. 01

|                    |           |                                                                            |
|--------------------|-----------|----------------------------------------------------------------------------|
| 2 Each             | 603-SB055 | 30" Branch Connections, Stub into Box Bridge                               |
| 2 Each             | 603-SB056 | 24" Branch Connections, Stub into Box Bridge                               |
| 3 Each             | 603-SB064 | 36" Branch Connections, Stub into Box Bridge                               |
| 21,960 Pounds      | 604-A001  | Castings                                                                   |
| 27,672 Pounds      | 604-B001  | Gratings                                                                   |
| 1,479 Square Yard  | 605-AA005 | Geotextile for Subsurface Drainage, Type V, Non-Woven                      |
| 5,300 Linear Feet  | 605-J001  | Edge Drain & Edge Drain Outlet/Vent Inspection                             |
| 90 Cubic Yard      | 605-W001  | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 100 Cubic Yard     | 605-W002  | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| 175 Cubic Yard     | 605-X001  | Filter Material for Filter Beds, Type A                                    |
| 5,844 Linear Feet  | 606-B007  | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post                          |
| 375 Linear Feet    | 606-B012  | Guard Rail, Class A, Type 1, Double Faced, Metal Post                      |
| 3 Each             | 606-C003  | Guard Rail, Cable Anchor, Type 1                                           |
| 9 Each             | 606-D012  | Guard Rail, Bridge End Section, Type I                                     |
| 9 Each             | 606-E002  | Guard Rail, Terminal End Section, Flared                                   |
| 12 Each            | 606-E003  | Guard Rail, Terminal End Section, Non-Flared                               |
| 137 Linear Feet    | 609-D002  | Combination Concrete Curb and Gutter Type 2                                |
| 474 Linear Feet    | 609-D007  | Combination Concrete Curb and Gutter Type 2 Modified                       |
| 152 Linear Feet    | 609-D008  | Combination Concrete Curb and Gutter Type 3A                               |
| 5 Each             | 613-D004  | Adjustment of Inlet                                                        |
| 125 Linear Feet    | 615-A009  | Concrete Type I Cast-in-Place Median Barrier, 42" High                     |
| 54,225 Linear Feet | 615-A012  | Concrete Type IV Modified, 42" Height, Cast-in-Place Median Barrier        |
| 575 Linear Feet    | 615-A014  | Concrete Type IV Cast-in-Place Median Barrier, 42" High                    |
| 38,143 Linear Feet | 615-A020  | Concrete Type III Modified Cast-in-Place Median Barrier, 42" High          |
| 54 Square Yard     | 616-A001  | Concrete Median and/or Island Pavement, 4-inch                             |
| 14 Square Yard     | 616-A003  | Concrete Median and/or Island Pavement, 10-inch                            |
| Lump Sum           | 618-A001  | Maintenance of Traffic                                                     |
| 35 Mile            | 619-A1002 | Temporary Traffic Stripe, Continuous White                                 |
| 24,000 Linear Feet | 619-A1005 | Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape               |
| 35 Mile            | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow                                |
| 24,000 Linear Feet | 619-A2005 | Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape              |
| 24,000 Linear Feet | 619-A3003 | Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape                     |
| 63 Mile            | 619-A3006 | Temporary Traffic Stripe, Skip White                                       |
| 74,907 Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                                           |
| 1,832 Linear Feet  | 619-A6001 | Temporary Traffic Stripe, Legend                                           |
| 15 Square Feet     | 619-A6002 | Temporary Traffic Stripe, Legend                                           |
| 9,405 Each         | 619-C6001 | Red-Clear Reflective High Performance Raised Marker                        |
| 1,217 Square Feet  | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet             |
| 3,212 Square Feet  | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More               |
| 152 Each           | 619-D3001 | Remove and Reset Signs, All Sizes                                          |
| 1,448 Square Feet  | 619-D4001 | Directional Signs                                                          |
| 30 Each            | 619-E1001 | Flashing Arrow Panel, Type C                                               |
| 83,150 Linear Feet | 619-F1001 | Concrete Median Barrier, Precast                                           |
| 37,244 Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast                          |
| 35 Each            | 619-F3004 | Delineators, Guard Rail, White                                             |
| 1,034 Linear Feet  | 619-G4001 | Barricades, Type III, Single Faced                                         |

CALL No. 01

|       |             |           |                                                                               |
|-------|-------------|-----------|-------------------------------------------------------------------------------|
| 348   | Linear Feet | 619-G4005 | Barricades, Type III, Double Faced                                            |
| 3,282 | Each        | 619-G5001 | Free Standing Plastic Drums                                                   |
| 13    | Unit        | 619-J1003 | Impact Attenuator, 60 MPH                                                     |
| 14    | Unit        | 619-J2002 | Impact Attenuator, 60 MPH, Replacement Package                                |
| 693   | Linear Feet | 619-K1001 | Installation and Removal of Guard Rail, Type I, Class A                       |
| 4     | Each        | 619-K4001 | Installation and Removal of Guardrail, Terminal End Section                   |
|       | Lump Sum    | 620-A001  | Mobilization                                                                  |
| 5,076 | Each        | 627-K001  | Red-Clear Reflective High Performance Raised Markers                          |
| 50    | Each        | 627-L001  | Two-Way Yellow Reflective High Performance Raised Markers                     |
| 30    | Each        | 629-A002  | Vehicular Impact Attenuator, 60 MPH                                           |
| 663   | Square Feet | 630-A001  | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness                     |
| 716   | Square Feet | 630-A002  | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness                     |
| 3,668 | Square Feet | 630-B001  | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 642   | Linear Feet | 630-C003  | Steel U-Section Posts, 3.0 lb/ft                                              |
| 131   | Linear Feet | 630-D002  | Structural Steel Beams, S4 x 7.7                                              |
| 170   | Linear Feet | 630-D003  | Structural Steel Beams, W6 x 9                                                |
| 238   | Pounds      | 630-E001  | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles                         |
| 1,184 | Pounds      | 630-E004  | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar                       |
| 120   | Each        | 630-F001  | Delineators, Guard Rail, White                                                |
| 86    | Each        | 630-F006  | Delineators, Post Mounted, Single White                                       |
| 32    | Each        | 630-F007  | Delineators, Post Mounted, Single Yellow                                      |
| 93    | Each        | 630-F008  | Delineators, Post Mounted, Double White                                       |
| 7     | Each        | 630-F009  | Delineators, Post Mounted, Double Yellow                                      |
| 4     | Each        | 630-G001  | Type 3 Object Markers, OM-3R, Post Mounted                                    |
| 2     | Each        | 630-G003  | Type 3 Object Markers, OM-3L, Post Mounted                                    |
| 117   | Linear Feet | 630-K001  | Welded & Seamless Steel Pipe Posts, 3"                                        |
| 524   | Linear Feet | 630-K003  | Welded & Seamless Steel Pipe Posts, 4"                                        |
| 690   | Linear Feet | 635-A001  | Vehicle Loop Assemblies                                                       |
| 2,027 | Linear Feet | 636-A001  | Shielded Cable, AWG #18, 4 Conductor                                          |
| 4     | Each        | 638-A002  | Loop Detector Amplifier, 4 Channel                                            |
| 13    | Each        | 640-A016  | Traffic Signal Heads, Type 1 LED                                              |
| 1     | Each        | 640-A022  | Traffic Signal Heads, Type 7 LED                                              |
| 5     | Each        | 644-A001  | Optical Detector                                                              |
| 1,528 | Linear Feet | 644-B001  | Optical Detector Cable                                                        |
| 3     | Each        | 647-A001  | Pullbox, Type 1                                                               |
| 14    | Each        | 647-A002  | Pullbox, Type 3                                                               |
| 48    | Each        | 647-A003  | Pullbox, Type 4                                                               |
| 47    | Each        | 647-A004  | Pullbox, Type 5                                                               |
| 45    | Each        | 647-A005  | Pullbox, Type 2                                                               |
| 2     | Each        | 650-A003  | On Street Video Equipment, PTZ Type                                           |
| 2,457 | Linear Feet | 666-B016  | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor         |
| 1,700 | Linear Feet | 666-B028  | Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor             |
| 5,933 | Linear Feet | 666-B032  | Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor             |
| 5,080 | Linear Feet | 666-B038  | Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor             |
| 229   | Linear Feet | 668-A016  | Traffic Signal Conduit, Underground, Type 4, 1"                               |

CALL No. 01

|        |             |              |                                                                        |
|--------|-------------|--------------|------------------------------------------------------------------------|
| 550    | Linear Feet | 668-A018     | Traffic Signal Conduit, Underground, Type 4, 2"                        |
| 56,338 | Linear Feet | 668-A029     | Traffic Signal Conduit, Underground, Rolled Pipe, 2"                   |
| 1,000  | Linear Feet | 668-A030     | Traffic Signal Conduit, Underground, Rolled Pipe, 2 @ 2"               |
| 4,350  | Linear Feet | 668-B024     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 1,017  | Linear Feet | 668-B025     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 1,855  | Linear Feet | 682-A001     | Underground Branch Circuit, AWG 1, 3 Conductor                         |
| 620    | Linear Feet | 682-A004     | Underground Branch Circuit, AWG 1/0, 3 Conductor                       |
| 24,960 | Linear Feet | 682-A015     | Underground Branch Circuit, AWG 2, 3 Conductor                         |
| 1,215  | Linear Feet | 682-A020     | Underground Branch Circuit, AWG 2/0, 3 Conductor                       |
| 3,780  | Linear Feet | 682-A025     | Underground Branch Circuit, AWG 4, 3 Conductor                         |
| 11,705 | Linear Feet | 682-A031     | Underground Branch Circuit, AWG 6, 3 Conductor                         |
| 2,230  | Linear Feet | 682-A036     | Underground Branch Circuit, AWG 8, 3 Conductor                         |
| 80     | Linear Feet | 682-B002     | Underground Branch Circuit, Jacked or Bored, AWG 1, 3 Conductor        |
| 320    | Linear Feet | 682-B005     | Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor      |
| 1,550  | Linear Feet | 682-B016     | Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor        |
| 130    | Linear Feet | 682-B021     | Underground Branch Circuit, Jacked or Bored, AWG 2/0, 3 Conductor      |
| 340    | Linear Feet | 682-B025     | Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor        |
| 620    | Linear Feet | 682-B031     | Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor        |
| 150    | Linear Feet | 682-B036     | Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor        |
| 330    | Linear Feet | 682-C010     | Structure Mounted Branch Circuit, AWG 10, 3 Conductor                  |
| 27     | Each        | 682-D001     | Underground Pull Box                                                   |
| 146    | Each        | 683-B108     | Lighting Assembly, Low Mast, Type 50-1-0-400                           |
| 6      | Each        | 683-C010     | Lighting Assembly, Underpass, Type UP                                  |
| 212    | Cubic Yard  | 684-A003     | Pole Foundation, 24" Diameter                                          |
| 87     | Cubic Yard  | 684-A006     | Pole Foundation, 48" Diameter                                          |
| 12     | Linear Feet | 684-B003     | Slip Casing, 24" Diameter                                              |
| 26     | Linear Feet | 684-B006     | Slip Casing, 48" Diameter                                              |
| 6      | Each        | 685-D001     | Service Pole                                                           |
| 7      | Each        | 686-A001     | Relocation of Existing Lighting Assemblies, High Mast                  |
| 4      | Each        | 686-A001     | Relocation of Existing Lighting Assemblies, Low Mast                   |
| 150    | Ton         | 815-A006     | Loose Riprap, Size 100                                                 |
| 496    | Ton         | 815-A009     | Loose Riprap, Size 300                                                 |
| 1,699  | Square Yard | 815-E001     | Geotextile under Riprap, Type V                                        |
| 339    | Ton         | 815-F002     | Sediment Control Stone                                                 |
| 102    | Acre        | 907-225-A001 | Grassing                                                               |
| 305    | Ton         | 907-225-B001 | Agricultural Limestone                                                 |
| 204    | Ton         | 907-225-C001 | Mulch, Vegetative Mulch                                                |
| 51     | Acre        | 907-226-A001 | Temporary Grassing                                                     |
| 26     | Each        | 907-234-D001 | Inlet Siltation Guard                                                  |
| 26     | Each        | 907-234-E001 | Reset Inlet Siltation Guard                                            |
| 2,614  | Linear Feet | 907-237-A002 | Wattles, 12"                                                           |
| 4,824  | Linear Feet | 907-237-A003 | Wattles, 20"                                                           |
| 1,876  | Linear Feet | 907-245-A001 | Triangular Silt Dike                                                   |
| 2,693  | Linear Feet | 907-246-A001 | Sandbags                                                               |
| 500    | Each        | 907-246-B002 | Rockbags                                                               |
| 1,196  | Ton         | 907-249-A001 | Riprap for Erosion Control                                             |

CALL No. 01

|         |             |               |                                                                                 |
|---------|-------------|---------------|---------------------------------------------------------------------------------|
| 4,666   | Ton         | 907-304-B007  | Granular Material, Class 5, Group E                                             |
| 67,835  | Cubic Yard  | 907-304-C005  | Granular Material, AEA, Class 9, Group C                                        |
| 146,939 | Ton         | 907-304-F003  | 3/4" and Down Crushed Stone Base                                                |
| 162,229 | Square Yard | 907-307-C003  | 6" Soil-Lime-Water Mixing, Class C                                              |
| 2,629   | Ton         | 907-307-D001  | Lime                                                                            |
| 81,115  | Gallon      | 907-307-S001  | Bituminous Curing Seal                                                          |
| 21,779  | Ton         | 907-402-A002  | Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture                     |
| 31,271  | Gallon      | 907-402-B001  | Bituminous Tack Coat                                                            |
| 40,199  | Ton         | 907-403-AA001 | Stone Matrix Asphalt, 9.5 mm Mixture                                            |
| 53,812  | Ton         | 907-403-AA002 | Stone Matrix Asphalt, 12.5 mm Mixture                                           |
| 223,582 | Gallon      | 907-407-A001  | Asphalt for Tack Coat                                                           |
| 206     | Linear Feet | 907-413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement                        |
| 854     | Cubic Yard  | 907-601-A001  | Class "B" Structural Concrete                                                   |
| 216     | Cubic Yard  | 907-601-B003  | Class "B" Structural Concrete, Minor Structures                                 |
| 1,344   | Linear Feet | 907-604-A001  | 8" Trench Drain                                                                 |
| 10,000  | Linear Feet | 907-605-H001  | Edge Drain                                                                      |
| 700     | Linear Feet | 907-605-I001  | Edge Drain Outlets/Vents                                                        |
| 575     | Linear Feet | 907-605-O001  | 6" Perforated Sewer Pipe for Underdrains, SDR 23.5                              |
| 200     | Linear Feet | 907-605-P001  | 6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5                          |
| 2,240   | Linear Feet | 907-606-G001  | Cable Barrier                                                                   |
| 3       | Each        | 907-606-H001  | Cable Barrier Terminal Section                                                  |
|         | Lump Sum    | 907-618-1M001 | Service Patrol                                                                  |
| 37      | Each        | 907-619-E3001 | Changeable Message Sign                                                         |
| 24      | Each        | 907-619-J3001 | Remove and Reset Impact Attenuator                                              |
| 40,200  | Linear Feet | 907-619-P1001 | Glare Paddles                                                                   |
| 1       | Each        | 907-622-A002  | Engineer's Field Office Building, Type 3                                        |
| 161,347 | Linear Feet | 907-626-A006  | 6" Thermoplastic Double Drop Traffic Stripe, Skip White                         |
| 89,957  | Linear Feet | 907-626-C007  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White                      |
| 5,193   | Linear Feet | 907-626-E005  | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow                  |
| 84,808  | Linear Feet | 907-626-F005  | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow                     |
| 25,127  | Linear Feet | 907-626-G006  | Thermoplastic Double Drop Detail Stripe, White                                  |
| 1,672   | Linear Feet | 907-626-G007  | Thermoplastic Double Drop Detail Stripe, Yellow                                 |
| 2       | Each        | 907-626-H007  | Thermoplastic Legend, Interstate Shield                                         |
| 84      | Linear Feet | 907-626-H009  | Thermoplastic Double Drop Legend, White                                         |
| 318     | Square Feet | 907-626-H010  | Thermoplastic Double Drop Legend, White                                         |
| 47      | Mile        | 907-626-U002  | 4" Thermoplastic Traffic Stripe, Skip White, 40-mil min.                        |
| 37      | Mile        | 907-626-V002  | 4" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.                  |
| 46      | Mile        | 907-626-X002  | 4" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.                 |
| 113,764 | Linear Feet | 907-626-Y001  | Thermoplastic Detail Traffic Stripe, White, 4" Equivalent Length, 40-mil. min.  |
| 8,365   | Linear Feet | 907-626-Y003  | Thermoplastic Detail Traffic Stripe, Yellow, 4" Equivalent Length, 40-mil. min. |
| 611     | Square Feet | 907-626-Z002  | Thermoplastic Legend, White, 4" Equivalent Length, 40-mil. min.                 |
|         | Lump Sum    | 907-630-I001  | Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed               |
|         | Lump Sum    | 907-630-I002  | Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed               |
|         | Lump Sum    | 907-630-I003  | Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed               |
|         | Lump Sum    | 907-630-I004  | Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed               |

CALL No. 01

|                    |               |                                                                    |
|--------------------|---------------|--------------------------------------------------------------------|
| Lump Sum           | 907-630-I005  | Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed  |
| Lump Sum           | 907-630-I006  | Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed  |
| Lump Sum           | 907-630-I007  | Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed  |
| Lump Sum           | 907-630-I008  | Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed  |
| Lump Sum           | 907-630-I009  | Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed  |
| Lump Sum           | 907-630-I010  | Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed |
| Lump Sum           | 907-630-I012  | Metal Overhead Sign Supports, Assembly No. 11, Contractor Designed |
| Lump Sum           | 907-630-I013  | Metal Overhead Sign Supports, Assembly No. 12, Contractor Designed |
| Lump Sum           | 907-630-I014  | Metal Overhead Sign Supports, Assembly No. 13, Contractor Designed |
| Lump Sum           | 907-630-I015  | Metal Overhead Sign Supports, Assembly No. 14, Contractor Designed |
| Lump Sum           | 907-630-I016  | Metal Overhead Sign Supports, Assembly No. 15, Contractor Designed |
| Lump Sum           | 907-630-I017  | Metal Overhead Sign Supports, Assembly No. 16, Contractor Designed |
| Lump Sum           | 907-630-I018  | Metal Overhead Sign Supports, Assembly No. 17, Contractor Designed |
| Lump Sum           | 907-630-I019  | Metal Overhead Sign Supports, Assembly No. 18, Contractor Designed |
| Lump Sum           | 907-630-I020  | Metal Overhead Sign Supports, Assembly No. 19, Contractor Designed |
| Lump Sum           | 907-630-I021  | Metal Overhead Sign Supports, Assembly No. 20, Contractor Designed |
| Lump Sum           | 907-630-I022  | Metal Overhead Sign Supports, Assembly No. 21, Contractor Designed |
| Lump Sum           | 907-630-I023  | Metal Overhead Sign Supports, Assembly No. 22, Contractor Designed |
| 125 Each           | 907-630-O003  | Remove and Reset Sign, All Sizes                                   |
| 9 Linear Feet      | 907-630-PP016 | Welded & Seamless Steel Pipe Posts, 3"                             |
| 3 Linear Feet      | 907-630-PP017 | Welded & Seamless Steel Pipe Posts, 4"                             |
| 8 Each             | 907-630-R001  | Changeable Message Sign                                            |
| 60 Cubic Yard      | 907-631-A001  | Flowable Fill, Excavatable                                         |
| 2 Each             | 907-637-A001  | Equipment Cabinet, Type B                                          |
| 2 Each             | 907-637-A002  | Equipment Cabinet, Type C                                          |
| 2 Each             | 907-637-A003  | Equipment Cabinet, Type A                                          |
| 5 Each             | 907-637-C001  | Relocation of Type B Cabinet                                       |
| 4 Each             | 907-639-A002  | Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm         |
| 2 Each             | 907-639-A006  | Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm         |
| 1 Each             | 907-639-A007  | Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm         |
| 1 Each             | 907-639-A009  | Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm         |
| 1 Each             | 907-639-A023  | Traffic Signal Equipment Pole, Type III, 17' Shaft, 40' & 45' Arms |
| 4 Cubic Yard       | 907-639-C002  | Pole Foundations, 36" Diameter                                     |
| 10 Cubic Yard      | 907-639-C004  | Pole Foundations, 30" Diameter                                     |
| 2 Each             | 907-639-E001  | Camera Pole with Foundation, 50' Pole                              |
| 6 Each             | 907-639-F001  | Detector Pole with Foundation, 35' Pole                            |
| 1 Each             | 907-639-R001  | Relocation of Camera Pole                                          |
| 12 Each            | 907-641-A001  | Radar Detection System                                             |
| 2 Each             | 907-656-A001  | Dynamic Message Sign, Type 1                                       |
| Lump Sum           | 907-656-B001  | Dynamic Message Sign Training                                      |
| 2 Each             | 907-656-C001  | Relcoation of Dynamic Message Sign                                 |
| 43,705 Linear Feet | 907-657-A001  | Fiber Optic Cable, 72 SM                                           |
| 3,710 Linear Feet  | 907-657-B001  | Fiber Optic Drop Cable, 12 SM                                      |
| 7 Each             | 907-658-A001  | Hardened Network Switch, Type A                                    |
| 1 Each             | 907-658-A003  | Hardened Network Switch, Type C                                    |
| Lump Sum           | 907-659-A001  | Traffic Management Center Modifications                            |

CALL No. 01

|         |             |                          |                                                                                                        |
|---------|-------------|--------------------------|--------------------------------------------------------------------------------------------------------|
|         | Lump Sum    | 907-659-C001             | Traffic Management Center Modifications - Training                                                     |
| 1       | Each        | 907-660-A001             | OTN Node                                                                                               |
| 1       | Each        | 907-660-B001             | OTN Node Communications Hut                                                                            |
|         | Lump Sum    | 907-660-C001             | OTN Node Training                                                                                      |
| 2       | Each        | 907-662-A001             | Video Encoder, Type A                                                                                  |
| 2       | Each        | 907-662-B001             | Video Decoder, Type A                                                                                  |
| 4       | Each        | 907-682-E001             | Underground Junction Box With Concrete Pad                                                             |
| 1       | Each        | 907-687-A018             | Traffic Recorder Classification Permanent System(Replacement of Wiring Conduit,Pullboxes, and Sensors) |
|         | Lump Sum    | 907-699-A002             | Roadway Construction Stakes                                                                            |
| 2,080   | Hours       | 907-906001               | Trainees                                                                                               |
|         |             | ALTERNATE GROUP AA NO. 1 |                                                                                                        |
| 54,077  | Cubic Yard  | 907-304-C005             | Granular Material, AEA, Class 9, Group C                                                               |
|         |             | ALTERNATE GROUP AA NO. 1 |                                                                                                        |
| 3,775   | Ton         | 907-308-A001             | Portland Cement                                                                                        |
|         |             | ALTERNATE GROUP AA NO. 1 |                                                                                                        |
| 324,457 | Square Yard | 907-308-B003             | Soil-Cement-Water Mixing, Multiple Pass Mixers, Base                                                   |
|         |             | ALTERNATE GROUP AA NO. 1 |                                                                                                        |
| 81,115  | Gallon      | 907-308-S001             | Bituminous Curing Seal                                                                                 |
|         |             | ALTERNATE GROUP AA NO. 2 |                                                                                                        |
| 54,077  | Cubic Yard  | 907-304-C005             | Granular Material, AEA, Class 9, Group C                                                               |
|         |             | ALTERNATE GROUP AA NO. 2 |                                                                                                        |
| 324,457 | Square Yard | 907-311-A003             | Processing Lime and Fly Ash Treated Course, 6" Thick                                                   |
|         |             | ALTERNATE GROUP AA NO. 2 |                                                                                                        |
| 2,629   | Ton         | 907-311-B001             | Lime                                                                                                   |
|         |             | ALTERNATE GROUP AA NO. 2 |                                                                                                        |
| 10,513  | Ton         | 907-311-C001             | Fly Ash, Class C                                                                                       |
|         |             | ALTERNATE GROUP AA NO. 2 |                                                                                                        |
| 81,115  | Gallon      | 907-311-S001             | Bituminous Curing Seal                                                                                 |
|         |             | ALTERNATE GROUP AA NO. 3 |                                                                                                        |
| 147,833 | Ton         | 907-304-D004             | Granular Material, Crushed Concrete                                                                    |
|         |             | ALTERNATE GROUP BB NO. 1 |                                                                                                        |
| 1,373   | Ton         | 907-308-A001             | Portland Cement                                                                                        |
|         |             | ALTERNATE GROUP BB NO. 1 |                                                                                                        |
| 162,229 | Square Yard | 907-308-B002             | Soil-Cement-Water Mixing, Optional Mixers, Design Soil                                                 |
|         |             | ALTERNATE GROUP BB NO. 1 |                                                                                                        |
| 81,115  | Gallon      | 907-308-S001             | Bituminous Curing Seal                                                                                 |
|         |             | ALTERNATE GROUP BB NO. 2 |                                                                                                        |
| 162,229 | Square Yard | 907-311-A003             | Processing Lime and Fly Ash Treated Course, 6" Thick                                                   |
|         |             | ALTERNATE GROUP BB NO. 2 |                                                                                                        |
| 1,315   | Ton         | 907-311-B001             | Lime                                                                                                   |
|         |             | ALTERNATE GROUP BB NO. 2 |                                                                                                        |
| 5,257   | Ton         | 907-311-C001             | Fly Ash, Class C                                                                                       |
|         |             | ALTERNATE GROUP BB NO. 2 |                                                                                                        |
| 81,115  | Gallon      | 907-311-S001             | Bituminous Curing Seal                                                                                 |
|         |             | ALTERNATE GROUP CC NO. 1 |                                                                                                        |

CALL No. 01

|             |                                                                                                  |
|-------------|--------------------------------------------------------------------------------------------------|
| 4,397 Ton   | 907-403-A001 Hot Mix Asphalt, HT, 12.5-mm mixture<br>ALTERNATE GROUP CC NO. 2                    |
| 4,397 Ton   | 907-403-M010 Warm Mix Asphalt, HT, 12.5-mm mixture<br>ALTERNATE GROUP DD NO. 1                   |
| 164,930 Ton | 907-403-A002 Hot Mix Asphalt, HT, 19-mm mixture<br>ALTERNATE GROUP DD NO. 2                      |
| 164,930 Ton | 907-403-M011 Warm Mix Asphalt, HT, 19-mm mixture<br>ALTERNATE GROUP EE NO. 1                     |
| 21,407 Ton  | 907-403-A005 Hot Mix Asphalt, HT, 9.5-mm mixture<br>ALTERNATE GROUP EE NO. 2                     |
| 21,407 Ton  | 907-403-M009 Warm Mix Asphalt, HT, 9.5-mm mixture<br>ALTERNATE GROUP FF NO. 1                    |
| 10,020 Ton  | 907-403-A011 Hot Mix Asphalt, ST, 12.5-mm mixture<br>ALTERNATE GROUP FF NO. 2                    |
| 10,020 Ton  | 907-403-M003 Warm Mix Asphalt, ST, 12.5-mm mixture<br>ALTERNATE GROUP GG NO. 1                   |
| 111,696 Ton | 907-403-A012 Hot Mix Asphalt, ST, 19-mm mixture<br>ALTERNATE GROUP GG NO. 2                      |
| 111,696 Ton | 907-403-M004 Warm Mix Asphalt, ST, 19-mm mixture<br>ALTERNATE GROUP HH NO. 1                     |
| 11,127 Ton  | 907-403-A015 Hot Mix Asphalt, ST, 9.5-mm mixture<br>ALTERNATE GROUP HH NO. 2                     |
| 11,127 Ton  | 907-403-M001 Warm Mix Asphalt, ST, 9.5-mm mixture<br>ALTERNATE GROUP II NO. 1                    |
| 6,063 Ton   | 907-403-D001 Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified<br>ALTERNATE GROUP II NO. 2  |
| 6,063 Ton   | 907-403-P002 Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified<br>ALTERNATE GROUP JJ NO. 1 |
| 10,823 Ton  | 907-403-D002 Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified<br>ALTERNATE GROUP JJ NO. 2    |
| 10,823 Ton  | 907-403-P003 Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified<br>ALTERNATE GROUP KK NO. 1   |
| 1,100 Ton   | 907-403-B001 Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling<br>ALTERNATE GROUP KK NO. 2          |
| 1,100 Ton   | 907-403-N009 Warm Mix Asphalt, HT, 12.5-mm mixture, Leveling<br>ALTERNATE GROUP LL NO. 1         |
| 108 Ton     | 907-403-B002 Hot Mix Asphalt, HT, 19-mm mixture, Leveling<br>ALTERNATE GROUP LL NO. 2            |
| 108 Ton     | 907-403-N010 Warm Mix Asphalt, HT, 19-mm mixture, Leveling                                       |

**Bridge Items**

|                   |                                                |
|-------------------|------------------------------------------------|
| 514 Square Yard   | 202-B010 Removal of Bridge End Pavement        |
| 605 Cubic Yard    | 203-A003 Unclassified Excavation, FM, AH       |
| 7,577 Linear Feet | 803-C002 14" x 14" Prestressed Concrete Piling |
| 6 Each            | 803-I001 PDA Test Pile                         |
| 136,691 Pounds    | 805-A001 Reinforcement                         |
| 104 Linear Feet   | 808-A001 Joint Preparation                     |

CALL No. 01

|     |             |               |                                                                  |
|-----|-------------|---------------|------------------------------------------------------------------|
| 220 | Linear Feet | 813-A003      | Concrete Railing, 42"                                            |
| 935 | Square Yard | 815-A004      | Loose Riprap, Size 300                                           |
| 261 | Cubic Yard  | 815-D001      | Concrete Slope Paving                                            |
| 935 | Square Yard | 815-E001      | Geotextile under Riprap                                          |
| 105 | Cubic Yard  | 907-804-A001  | Bridge Concrete, Class AA                                        |
| 341 | Cubic Yard  | 907-804-B001  | Box Bridge Concrete, Class B                                     |
| 104 | Linear Feet | 907-824-PP002 | Bridge Repair, Joint Repair, Per Plans                           |
| 104 | Linear Feet | 907-824-PP004 | Bridge Repair, Removal of Joint Armor, Per Plans                 |
| 52  | Linear Feet | 907-824-PP006 | Bridge Repair, Sawcut Joints, Per Plans                          |
| 52  | Linear Feet | 907-824-PP008 | Bridge Repair, Silicone Sealed Joint, Per Plans                  |
| 390 | Square Feet | 907-824-PP024 | Bridge Repair, Remove and Replace Concrete Bridge Deck, PerPlans |
|     | Lump Sum    | 907-824-PP093 | Bridge Repair, End Wall Repair                                   |
|     | Lump Sum    | 907-824-PP096 | Bridge Raising                                                   |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at [mdot.ms.gov](http://mdot.ms.gov).

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH  
EXECUTIVE DIRECTOR