

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u>  1  </u>	DATED <u>  1/15/2013  </u>	ADDENDUM NO. <u>          </u>	DATED <u>          </u>
ADDENDUM NO. <u>  2  </u>	DATED <u>  2/12/2013  </u>	ADDENDUM NO. <u>          </u>	DATED <u>          </u>

Number	Description
1	Revised Table of Contents; Deleted NTB #3612; Added NTB #4273 and NTB #4274; Revised Wage Rates; Revised Supplement to S.P. 907-403-4; Added Supplement to S.P. 907-703-10; Revised Bid Items; Amendment EBS Download Required.
2	Revised Table of Contents; Revised Advertisement; Revised NTB #4202; Added NTB #4300; Added NTB #4310; Deleted S.P. 907-413-2; Added 907-413-4; Revised Bid Items; Revised Plan Sheets 2, 13, 19, 77, 78, 79, 80, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, and 1011; Amendment EBS Download Required.

TOTAL ADDENDA:   2    
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_ Contractor

BY \_\_\_\_\_ Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____	President	_____	Address
_____	Secretary	_____	Address
_____	Treasurer	_____	Address

The following is my (our) itemized proposal.

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## TABLE OF CONTENTS

**PROJECT: NH-BR-0002-04(036) / 102090302 – Lowndes County**

901--Advertisement

904--Notice to Bidders:

- Governing Specifications - # 1
- Final Cleanup - # 3
- Procedure for Converting from TLTW to Divided 4-lane - # 5
- Fiber Reinforced Concrete - # 640
- Payroll Requirements - # 883
- Errata & Modifications to 2004 Standard Specifications - # 1405
- Federal Bridge Formula - # 1928
- Status of ROW w/ attachments - # 2382
- DBE Forms, Participation and Payment - # 2596
- Non-Quality Control / Quality Assurance Concrete - # 2818
- Reduced Speed Limit Signs - # 2937
- Alternate Asphalt Mixture Bid Items - # 3039
- Temporary Traffic Paint - # 3131
- Warm Mix Asphalt (WMA) - # 3242
- DUNS Requirement for Federal Funded Projects - # 3414
- Storm Water Discharge Associated with Construction Activities ( $\geq 5$  Acres) - # 3581
- Safety Edge - #3585
- Type III Barricade Rails - #3655
- Use of Precast Drainage Units - # 3704
- Petroleum Products Base Price - # 3893
- Questions Regarding Bidding - # 3980
- Stay-In-Place Metal Forms - # 4084
- Disadvantaged Business Enterprise, w/ Supplement - # 4103
- Rumble Stripe - # 4189
- Contract Time - #4202
- Specialty Items - #4203
- Placement of Fill Material in Federally Regulated Areas - #4204
- Cooperation Between Contractors - #4205
- Special Requirements for Manufactured Class B9-6 Borrow Excavation - #4206
- Safety Apparel - # 4214
- Field Laboratory - # 4273
- Erosion Control Requirements - # 4274
- Exposure to Severe Sulfate Areas Below Ground Level - # 4300
- Removal Item Correction - # 4310

906- : Required Federal Contract Provisions -- FHWA 1273, w/ Supplements

907-101-4: Definitions

907-102-8: Bidding Requirements and Conditions, w/Supplement

907-103-8: Award and Execution of Contract

907-104-1: Partnering Process

907-104-4: Disposal of Materials

907-105-6: Control of Work, w/Supplement

907-107-9: Legal Relations & Responsibility to Public, w/Supplement

907-107-10: Contractor's Erosion Control Plan, w/Supplement

907-108-24: Prosecution and Progress, w/Supplement

- CONTINUED ON NEXT PAGE -

- 907-109-5: Measurement and Payment, w/Supplement
- 907-110-2: Wage Rates
- 907-225-3: Grassing
- 907-226-2: Temporary Grassing
- 907-227-10: Hydroseeding
- 907-234-5: Siltation Barriers
- 907-237-4: Wattles
- 907-245-2: Triangular Silt Dikes
- 907-246-3: Sandbags & Rockbags
- 907-247-1: Temporary Stream Diversion
- 907-249-1: Riprap for Erosion Control
- 907-304-13: Granular Courses
- 907-307-3: Lime Treated Courses, w/Supplement
- 907-308-3: Portland Cement Treated Courses, w/Supplement
- 907-311-2: Lime-Fly Ash Treated Courses, w/Supplement
- 907-401-2: Hot Mix Asphalt (HMA), w/Supplement
- 907-401-6: Warm Mix Asphalt (WMA)
- 907-403-4: Hot Mix Asphalt (HMA), w/Supplement
- 907-403-12: Warm Mix Asphalt (WMA)
- 907-407-1: Tack Coat
- 907-413-4: Sawing & Sealing Transverse Joints in Asphalt Pavement
- 907-601-1: Structural Concrete
- 907-603-8: Culverts & Storm Drains
- 907-618-9: Placement of Temporary Traffic Stripe
- 907-626-5: Inverted Profile Thermoplastic Traffic Stripe
- 907-626-25: Thermoplastic Traffic Markings
- 907-699-4: Construction Staking
- 907-701-4: Hydraulic Cement
- 907-702-3: Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement
- 907-703-10: Aggregates, w/Supplement
- 907-707-3: Joint Material
- 907-708-5: Non-Metal Drainage Structures, w/Supplement
- 907-709-1: Metal Pipe
- 907-710-1: Fast Dry Solvent Traffic Paint
- 907-711-4: Synthetic Structural Fiber Reinforcement
- 907-713-2: Admixtures for Concrete, w/Supplement
- 907-714-6: Miscellaneous Materials
- 907-715-3: Roadside Development Materials, w/ Supplement
- 907-720-1: Pavement Marking Materials, w/Supplement
- 907-804-13: Concrete Bridges and Structures, w/Supplement

906-7: Training Special Provision

SECTION 905 - PROPOSAL, PROPOSAL BID ITEMS

COMBINATION BID PROPOSAL

CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS

CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION

SECTION 902- CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS

PILE DRIVING FORM

FORM -- OCR-485

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## SECTION 901 - ADVERTISEMENT

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, February 26, 2013, and shortly thereafter publicly opened on the Sixth Floor for:

Reconstruction of US 45 (pave, grade, and bridge replacements) from Carson Road to 4 Miles South of US 82, known as Federal Aid Project No. NH-BR-0002-04(036) / 102090302 in Lowndes County.

The attention of bidders is directed to the Contract Provisions governing selection and employment of labor. Minimum wage rates have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the Contract Provisions.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, age, disability, religion or national origin in consideration for an award.

**The award of this contract will be contingent upon the Contractor satisfying the DBE requirements.**

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us) or FAX (601) 359-7461. Plans will be shipped upon receipt of payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified Nonresident Agent, with Power of Attorney attached, a Cashier's check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH  
EXECUTIVE DIRECTOR

(FAPWP)

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 - NOTICE TO BIDDERS NO. 4202**

**CODE: (SP)**

**DATE: 2/12/2013**

**SUBJECT: Contract Time**

**PROJECT: NH-BR-0002-04(036) / 102090302 – Lowndes County**

The calendar date for completion of work to be performed by the Contractor for this project shall be **May 20, 2015** which date or extended date as provided in Subsection 907-108.06 shall be the end of contract time. It is anticipated that the Notice of Award will be issued no later than be **March 12, 2013** and the effective date of the Notice to Proceed / Beginning of Contract Time will be **May 13, 2013**.

Should the Contractor request a Notice to Proceed earlier than **May 13, 2013** and it is agreeable with the Department for an early Notice to Proceed, the requested date will become the new Notice to Proceed / Beginning of Contract Time date. If an erosion control plan is required, the Contractor's erosion control plan will have to be approved prior to issuing an early Notice to Proceed.

## MISSISSIPPI DEPARTMENT OF TRANSPORTATION

| SECTION 904 - NOTICE TO BIDDERS NO. 4300

CODE: (SP)

| DATE: 01/30/2013

**SUBJECT: Exposure to Severe Sulfate Areas Below Ground Level**

Bidders are hereby advised that this project, or portions of this project, is located in areas considered areas of severe sulfate exposure and will require certain restrictions on the cementitious materials. A geotechnical investigation has indicated the presence of severe sulfate soils below the ground surface. Therefore, the cementitious materials used in concrete mixtures for the construction items of work listed below shall conform to the requirements listed in Subsection 907-701.02 for severe sulfate exposure.

Items of work requiring restrictions on the cementitious materials are as follows:

- 1) Drilled Shafts
- 2) Precast/prestressed Piling
- 3) Spread Footings
- | 4) [Box Culverts & Box Bridges](#)

Unless otherwise specified, no other restrictions on the cementitious materials shall apply to other concrete items or structures.

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 - NOTICE TO BIDDERS NO. 4310**

**CODE: (SP)**

**DATE: 2/07/2013**

**SUBJECT: Removal Item Correction**

**PROJECT: NH-BR-0002-04(036) / 102090302 – Lowndes County**

The Bidder's attention is called to the Summary of Quantities in the Contract Plans. Removal of Box Culvert (202-B008) has a quantity of 7 Each. This is in error. Bidders are hereby advised that the correct quantity for Removal of Box Culvert (202-B008) is **9 Each**. The Bid Sheets are correct.

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SPECIAL PROVISION NO. 907-413-4

CODE: (IS)

DATE: 01/22/2013

## SUBJECT: Sawing and Sealing Transverse Joints in Asphalt Pavement

Section 413, Cleaning and Sealing Joints and Cracks, of the 2004 Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows.

**907-413.02--Materials.** Delete the second and third sentence of the second paragraph of Subsection 413.02 on page 294.

### 907-413.03--Construction Requirements.


#### 907-413.03.3-- Sawing and Sealing Transverse Joints in Asphalt Pavement.

**907-413.03.3.1--General.** Delete the first paragraph of Subsection 413.03.3.1 on page 296 and substitute the following.

The Contractor's operation shall be conducted so that sawcutting of transverse joints, cleaning, and sealing is a continuous operation. The entire sawing and sealing operation shall be completed within seven (7) days after the placement of the final wearing course, unless the approved traffic control plan or sequence of operations provide otherwise. Traffic shall not be allowed on sawed unsealed joints in the final wearing course.

When intermediate lifts must be exposed to traffic for over seven (7) days, the Contractor shall be required to make an interim 1/8-inch wide saw cut which is one third (1/3) as deep as the asphalt layer. This interim saw cut does not require sealing. Costs of any interim cut(s) shall be included in the pay item for sawing and sealing transverse joints in asphalt pavement.

The detail for sawing and sealing transverse joints in asphalt pavement shall be as shown below. No sawing and sealing of transverse joints will be required in Open Graded Friction Courses (OGFC). However, the lift under the OGFC will require sawing and sealing.





**907-413.03.3.4--Sealing**. Delete the second paragraph of Subsection 413.03.3.4 on page 297.

**907-413.04--Method of Measurement**. Delete the second sentence of the third paragraph of Subsection 413.04 on page 297, and substitute the following.

Sawing and joint sealant material will not be paid for as separate items but will be included in the unit price per linear foot for sawing and sealing transverse joints in asphalt pavement.

**907-413.05--Basis of Payment**. Delete “Bond Breaker Tape and” from the first sentence of the third paragraph of Subsection 413.05 on page 298.

Add the “907” prefix to pay item no. 413-E on page 298.

Reconstruction of US 45 (pave, grade, and bridge replacements) from Carson Road to 4 Miles South of US 82, known as Federal Aid Project No. NH-BR-0002-04(036) / 102090302 in Lowndes County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
					<b>Roadway Items</b>
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-B005		15,303	Square Yard	Removal of Asphalt Pavement, All Depths
	Changed 02/07/2013				
0030	202-B008		9	Each	Removal of Box Culvert
	Changed 02/07/2013				
0040	202-B009		3	Each	Removal of Bridge
0050	202-B033		26,169	Square Yard	Removal of Concrete Pavement w/ Variable Depth Overlay
	Changed 02/07/2013				
0060	202-B064		465	Linear Feet	Removal of Pipe, 8" And Above
0070	202-B111		1	Each	Removal of Bridge Piling
0080	202-B149		2	Mile	Removal of Traffic Stripe
0090	203-A003	(E)	73,417	Cubic Yard	Unclassified Excavation, FM, AH
0100	203-EX035	(E)	99,879	Cubic Yard	Borrow Excavation, AH, FME, Class B9-6
0110	203-G003	(E)	32,944	Cubic Yard	Excess Excavation, FM, AH
0120	206-A001	(S)	966	Cubic Yard	Structure Excavation
0130	206-B001	(E)	316	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0140	209-A004		2,635	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0150	211-B001	(E)	21,088	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0160	212-B001		734	Square Yard	Standard Ground Preparation
0170	213-B001		1	Ton	Combination Fertilizer, 13-13-13
0180	213-C001		53	Ton	Superphosphate
0190	216-A001		704	Square Yard	Solid Sodding
0200	217-A001		14,572	Square Yard	Ditch Liner
0210	219-A001		15	Thousand Gallon	Watering [\$20.00]
0220	221-A001	(S)	85	Cubic Yard	Portland Cement Concrete Paved Ditch
0230	223-A001		1	Acre	Mowing [\$40.00]
0240	224-A001		3,137	Square Yard	Soil Reinforcing Mat
0250	234-A001		14,450	Linear Feet	Temporary Silt Fence
0260	235-A001		984	Bale	Temporary Erosion Checks
0270	236-A001		9	Each	Silt Basin, Type A
0280	236-A004		29	Each	Silt Basin, Type D
0290	321-A001		7	Mile	6" In-Grade Preparation

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0300	406-A001		34,108	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0310	408-A003	(A3 )	5,601	Gallon	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
0320	423-A001		31	Mile	Rumble Strips, Ground In
0330	501-E001		296	Linear Feet	Expansion Joints, Without Dowels
0340	502-A001	(C )	663	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0350	503-C007		4,095	Linear Feet	Saw Cut, Full Depth
0360	602-A001	(S )	146,130	Pounds	Reinforcing Steel
0370	603-CA002	(S )	232	Linear Feet	18" Reinforced Concrete Pipe, Class III
0380	603-CA003	(S )	260	Linear Feet	24" Reinforced Concrete Pipe, Class III
0390	603-CB001	(S )	2	Each	18" Reinforced Concrete End Section
0400	603-CB002	(S )	6	Each	24" Reinforced Concrete End Section
0410	603-CE003	(S )	108	Linear Feet	36" x 23" Concrete Arch Pipe, Class A III
0420	603-CE005	(S )	80	Linear Feet	51" x 31" Concrete Arch Pipe, Class A III
0430	603-CF003	(S )	2	Each	36" x 23" Concrete Arch Pipe End Section
0440	603-CF005	(S )	2	Each	51" x 31" Concrete Arch Pipe End Section
0450	603-RB014		1	Each	22" x 13" End Section Removed and Relaid
0460	604-B001		7,000	Pounds	Gratings
0470	606-B001		2,100	Linear Feet	Guard Rail, Class A, Type 1
0480	606-D012		12	Each	Guard Rail, Bridge End Section, Type I
0490	606-E002		12	Each	Guard Rail, Terminal End Section, Flared
0500	609-D007	(S )	2,183	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0510	614-A001	(S )	100	Square Yard	Concrete Driveway, Without Reinforcement
0520	615-A018	(S )	120	Linear Feet	Concrete Bridge End Barrier, 33.5"
0530	616-A001	(S )	186	Square Yard	Concrete Median and/or Island Pavement, 4-inch
0540	616-A003	(S )	28	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0550	618-A001		1	Lump Sum	Maintenance of Traffic
0560	619-A1002		30	Mile	Temporary Traffic Stripe, Continuous White
0570	619-A1005		3,668	Linear Feet	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
0580	619-A2002		17	Mile	Temporary Traffic Stripe, Continuous Yellow
0590	619-A2005		1,828	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
0600	619-A3003		1,828	Linear Feet	Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape
0610	619-A3006		17	Mile	Temporary Traffic Stripe, Skip White
0620	619-A4003		920	Linear Feet	Temporary Traffic Stripe, Skip Yellow, Type 1 or 2 Tape
0630	619-A4006		6	Mile	Temporary Traffic Stripe, Skip Yellow
0640	619-A5001		75,596	Linear Feet	Temporary Traffic Stripe, Detail

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0650	619-A6001		9,616	Linear Feet	Temporary Traffic Stripe, Legend
0660	619-C6001		23	Each	Red-Clear Reflective High Performance Raised Marker
0670	619-C7001		697	Each	Two-Way Yellow Reflective High Performance Raised Marker
0680	619-D1001		512	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0690	619-D2001		2,608	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0700	619-F3004		12	Each	Delineators, Guard Rail, White
0710	619-G4001		2,532	Linear Feet	Barricades, Type III, Single Faced
0720	619-G4005		54	Linear Feet	Barricades, Type III, Double Faced
0730	619-G5001		335	Each	Free Standing Plastic Drums
0740	619-K2002		6	Each	Installation and Removal of Guard Rail, Type I Bridge End Section
0750	619-K4001		6	Each	Installation and Removal of Guardrail, Terminal End Section
0760	620-A001		1	Lump Sum	Mobilization
0762	621-A001		1	Each	Field Laboratory
Added 01/15/2013					
0770	627-J001		465	Each	Two-Way Clear Reflective High Performance Raised Markers
0780	627-K001		2,314	Each	Red-Clear Reflective High Performance Raised Markers
0790	627-L001		227	Each	Two-Way Yellow Reflective High Performance Raised Markers
0800	630-A001		153	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0810	630-A002		435	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0820	630-C004		909	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft
0830	630-E004		118	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0840	630-F001		42	Each	Delineators, Guard Rail, White
0850	630-F002		42	Each	Delineators, Guard Rail, Yellow
0860	630-F003		36	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Green
0870	630-F004		36	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
0880	630-G001		12	Each	Type 3 Object Markers, OM-3R, Post Mounted
0890	630-K003		93	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
0900	815-A009	(S)	6,131	Ton	Loose Riprap, Size 300
0910	815-E001	(S)	95	Square Yard	Geotextile under Riprap
0920	815-F002	(S)	992	Ton	Sediment Control Stone
0930	907-225-A001		106	Acre	Grassing
0940	907-225-B001		316	Ton	Agricultural Limestone
0950	907-225-C001		211	Ton	Mulch, Vegetative Mulch
0960	907-226-A001		106	Acre	Temporary Grassing
0970	907-234-D001		3	Each	Inlet Siltation Guard

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0980	907-234-F001		300	Linear Feet	Turbidity Barrier
0990	907-237-A002		120	Linear Feet	Wattles, 12"
1000	907-237-A003		8,200	Linear Feet	Wattles, 20"
1010	907-245-A001		5,904	Linear Feet	Triangular Silt Dike
1020	907-246-A001		5,979	Linear Feet	Sandbags
1030	907-247-A001		9	Each	Temporary Stream Diversion
1040	907-249-A001		60	Ton	Riprap for Erosion Control
1050	907-249-B001		600	Cubic Yard	Remove and Reset Riprap
1060	907-304-C005	(GY )	79,371	Cubic Yard	Granular Material, AEA, Class 9, Group C
1070	907-304-C007	(GY )	48,883	Cubic Yard	Granular Material, AEA, Class 3, Group C
1080	907-304-H002	(GY )	824	Cubic Yard	3/4" and Down Crushed Stone Base, LVM
1090	907-307-C001	(M )	104,791	Square Yard	10" Soil-Lime-Water Mixing, Class C
1100	907-307-D001		2,358	Ton	Lime
1110	907-307-S001	(A3 )	26,198	Gallon	Bituminous Curing Seal
1120	907-407-A001	(A2 )	36,468	Gallon	Asphalt for Tack Coat
1130	907-413-E001		336	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
1140	907-601-A001	(S )	987	Cubic Yard	Class "B" Structural Concrete
1150	907-601-B003	(S )	11	Cubic Yard	Class "B" Structural Concrete, Minor Structures
1160	907-603-ALT01	(S )	856	Linear Feet	18" Type A Alternate Pipe
1170	907-603-ALT02	(S )	232	Linear Feet	24" Type A Alternate Pipe
1180	907-626-A003		15	Mile	6" Thermoplastic Traffic Stripe, Skip White
1190	907-626-C004		15	Mile	6" Thermoplastic Edge Stripe, Continuous White
1200	907-626-E004		2	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
1210	907-626-F004		11	Mile	6" Thermoplastic Edge Stripe, Continuous Yellow
1220	907-626-G004		23,899	Linear Feet	Thermoplastic Detail Stripe, White
1230	907-626-G005		21,960	Linear Feet	Thermoplastic Detail Stripe, Yellow
1240	907-626-H004		6,552	Linear Feet	Thermoplastic Legend, White
1250	907-699-A002		1	Lump Sum	Roadway Construction Stakes
1260	907-906001		1,040	Hours	Trainees [\$5.00]
<b>ALTERNATE GROUP AA NUMBER 1</b>					
1270	907-308-A001		2,181	Ton	Portland Cement
1280	907-308-B003	(M )	187,415	Square Yard	Soil-Cement-Water Mixing, Multiple Pass Mixers, Base
1290	907-308-S001	(A3 )	46,854	Gallon	Bituminous Curing Seal
<b>ALTERNATE GROUP AA NUMBER 2</b>					
1300	907-311-A003	(M )	187,415	Square Yard	Processing Lime and Fly Ash Treated Course, 6" Thick

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1310	907-311-B001		1,266	Ton	Lime
1320	907-311-C001		4,686	Ton	Fly Ash, Class C
1330	907-311-S001	(A3 )	46,854	Gallon	Bituminous Curing Seal
<b>ALTERNATE GROUP BB NUMBER 1</b>					
1340	907-308-A001		1,478	Ton	Portland Cement
1350	907-308-B002	(M )	104,791	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
1360	907-308-S001	(A3 )	26,198	Gallon	Bituminous Curing Seal
<b>ALTERNATE GROUP BB NUMBER 2</b>					
1370	907-311-A001	(M )	104,791	Square Yard	Processing Lime and Fly Ash Treated Course, 10" Thick
1380	907-311-B001		1,179	Ton	Lime
1390	907-311-C001		4,716	Ton	Fly Ash, Class C
1400	907-311-S001	(A3 )	26,198	Gallon	Bituminous Curing Seal
<b>ALTERNATE GROUP CC NUMBER 1</b>					
1410	907-403-A006	(BA1 )	29,359	Ton	Hot Mix Asphalt, MT, 12.5-mm mixture
<b>ALTERNATE GROUP CC NUMBER 2</b>					
1420	907-403-M002	(BA1 )	29,359	Ton	Warm Mix Asphalt, MT, 12.5-mm mixture
<b>ALTERNATE GROUP DD NUMBER 1</b>					
1430	907-403-A007	(BA1 )	28,344	Ton	Hot Mix Asphalt, MT, 19-mm mixture
<b>ALTERNATE GROUP DD NUMBER 2</b>					
1440	907-403-M007	(BA1 )	28,344	Ton	Warm Mix Asphalt, MT, 19-mm mixture
<b>ALTERNATE GROUP EE NUMBER 1</b>					
1450	907-403-A010	(BA1 )	24,325	Ton	Hot Mix Asphalt, MT, 9.5-mm mixture
<b>ALTERNATE GROUP EE NUMBER 2</b>					
1460	907-403-M006	(BA1 )	24,325	Ton	Warm Mix Asphalt, MT, 9.5-mm mixture
<b>ALTERNATE GROUP FF NUMBER 1</b>					
1470	907-403-A012	(BA1 )	32,755	Ton	Hot Mix Asphalt, ST, 19-mm mixture
<b>ALTERNATE GROUP FF NUMBER 2</b>					
1480	907-403-M004	(BA1 )	32,755	Ton	Warm Mix Asphalt, ST, 19-mm mixture
<b>ALTERNATE GROUP GG NUMBER 1</b>					
1490	628-I002		1,828	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White
1500	628-J002		1,828	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1510	628-M002		1,828	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
<b>ALTERNATE GROUP GG NUMBER 2</b>					
1520	907-626-I003		1,828	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1530	907-626-J003		1,828	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1540	907-626-L001		1,828	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
<b>Bridge Items</b>					
1550	501-K001		3,222	Square Yard	Transverse Grooving
1560	803-B002	(S)	3	Each	Conventional Static Pile Load Test [\$5,000.00]
1570	803-D002	(S)	2,140	Linear Feet	HP 12 x 53 Steel Piling
1580	803-D003	(S)	3,390	Linear Feet	HP 14 x 73 Steel Piling
1590	803-D007	(S)	1,125	Linear Feet	HP 14 x 89 Steel Piling
1600	803-F009	(S)	1,300	Linear Feet	20" Pre-Formed Pile Hole
1610	803-J001	(S)	6	Each	Pile Restrike
1620	805-A001	(S)	210,402	Pounds	Reinforcement
1630	813-A002	(S)	1,611	Linear Feet	Concrete Railing, 32"
1640	815-A009	(S)	983	Ton	Loose Riprap, Size 300
1650	815-E001	(S)	784	Square Yard	Geotextile under Riprap
1660	907-804-A001	(S)	1,495	Cubic Yard	Bridge Concrete, Class AA
1670	907-804-C016	(S)	3,076	Linear Feet	40' Prestressed Concrete Beam, Type I+2
1680	907-804-C030	(S)	479	Linear Feet	80' Prestressed Concrete Beam, Type III
1690	907-804-C171	(S)	1,397	Linear Feet	100' Prestressed Concrete Beam, Type IV