

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.   1   DATED   1/15/2013   ADDENDUM NO.            DATED             
 ADDENDUM NO.   2   DATED   02/12/2013   ADDENDUM NO.            DATED           

| Number | Description  |
|--------|--|
| 1      | Table of Contents, replace same; Add NTB Nos. 4284 & 4285; Wage Rates, replace same; Revised Supplement to SP 907-403-4, replaces same; Add Supplement to SP 907-703-10; BidItems, replace same; Revised Plan Sheet Nos. 2 & 14, replace same; Amendment EBS Download Required.  |
| 2      | Revised Table of Contents, replace same; Revised Advertisement, replaces same; Revised NTB Nos. 4163 & 4167, replace same; Delete SP 907-804-12; Revised Biditems, replace same; Revised or Added Plan Sht. Nos. 1, 2, 15, 16, 24, 35, 37, 41, 8001-8005, 8007-8014,8031-8034, 8036-8047, 8064-8066, 8068-8075, 8092-8094, 8120, 8121, 8123-8130, 8143; Amendment EBS Download Required. |

TOTAL ADDENDA:   2    
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_ Contractor

BY \_\_\_\_\_ Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

|       |           |       |         |
|-------|-----------|-------|---------|
| _____ | President | _____ | Address |
| _____ | Secretary | _____ | Address |
| _____ | Treasurer | _____ | Address |

The following is my (our) itemized proposal.

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## TABLE OF CONTENTS

### PROJECT: STP-0029-02(013) / 102556310 – Desoto County

901--Advertisement

904--Notice to Bidders:

- Governing Specs. - # 1
- Final Cleanup - # 3
- Quantity for Fillet Concrete - # 6
- Fiber Reinforced Concrete - # 640
- Payroll Requirements - # 883
- Errata & Modifications to 2004 Standard Specifications - # 1405
- Federal Bridge Formula - # 1928
- Exposure to Moderate Sulfate Areas Below Ground Level - # 2367
- Status of ROW, W/Attachments - # 2382
- Clearing and/or Grubbing - # 2418
- DBE Forms, Participation, and Payment - # 2596
- Non-Quality Control/Quality Assurance Concrete - # 2818
- Reduced Speed Limit Signs - # 2937
- Alternate Asphalt Mixture Bid Items - # 3039
- Temporary Traffic Paint - # 3131
- Warm Mix Asphalt (WMA) - # 3242
- DUNS Requirement for Federal Funded Projects - # 3414
- Storm Water Discharge Associated with Construction Activities ( $\geq 5$  Acres) - # 3581
- Additional Erosion Control Requirements - # 3612
- Type III Barricade Rails - # 3655
- Use of Precast Drainage Units - # 3704
- Petroleum Products Base Price - # 3893
- Questions Regarding Bidding - # 3980
- Stay-In-Place Metal Forms – # 4084
- Temporary Steel Bracing - # 4085
- Disadvantaged Business Enterprise, W/Supplement - # 4103
- Contract Time - # 4163
- Specialty Items - # 4164
- Placement of Fill Material in Federally Regulated Areas - # 4165
- Cooperation Between Contractors - # 4166
- Memphis Stone & Gravel Conveyor - # 4167
- Geotechnical Investigation - # 4168
- Site Access from I-55 - # 4169
- Finish Grades - # 4170
- Seismic Piling - # 4171
- Silt Fence Reinforcement - # 4172
- Contract Time Determination - # 4173
- Steel Pile Grade - # 4185
- Safety Apparel - # 4214
- Class “B” Structural Concrete and Reinforcing - # 4284
- Disturbed Areas - # 4285

906: Required Federal Contract Provisions -- FHWA-1273, W/ Supplements

907-101-4: Definitions  
907-102-8: Bidding Requirements and Conditions, W/ Supplement  
907-103-8: Award and Execution of Contract  
907-104-1: Partnering Process  
907-104-4: Disposal of Materials  
907-105-6: Control of Work, W/ Supplement  
907-107-9: Legal Relations & Responsibility to Public, W/ Supplement  
907-107-10: Contractor's Erosion Control Plan, W/ Supplement  
907-108-24: Prosecution and Progress, W/ Supplement  
907-109-5: Measurement and Payment, W/ Supplement  
907-110-2: Wage Rates  
907-225-3: Grassing  
907-226-2: Temporary Grassing  
907-227-10: Hydroseeding  
907-234-5: Siltation Barriers  
907-237-4: Wattles  
907-245-2: Triangular Silt Dikes  
907-246-3: Sandbags & Rockbags  
907-247-1: Temporary Stream Diversion  
907-249-1: Riprap for Erosion Control  
907-304-13: Granular Courses  
907-308-3: Cement Treated Courses, W/ Supplement  
907-310-1: Stabilizer Aggregate  
907-311-2: Lime-Fly Ash Treated Courses, W/ Supplement  
907-401-2: Hot Mix Asphalt (HMA), W/ Supplement  
907-401-6: Warm Mix Asphalt (WMA)  
907-403-4: Hot Mix Asphalt (HMA), W/ Supplement  
907-403-12: Warm Mix Asphalt (WMA)  
907-407-1: Tack Coat  
907-413-2: Sawing & Sealing Transverse Joints in Asphalt Pavement  
907-601-1: Structural Concrete  
907-603-8: Culverts and Storm Drains  
907-605-3: Underdrains  
907-617-2: Right-Of-Way Markers  
907-618-9: Placement of Temporary Traffic Stripe  
907-626-5: Inverted Profile Thermoplastic Traffic Stripe  
907-626-25: Thermoplastic Traffic Marking  
907-699-4: Construction Stakes  
907-701-4: Hydraulic Cement  
907-702-3: Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement  
907-703-10: Aggregates, W/ Supplement  
907-708-5: Non Metal Drainage Structures, W/ Supplement  
907-709-1: Metal Pipe  
907-710-1: Fast Drying Solvent Traffic Paint  
907-711-4: Synthetic Structural Fiber Reinforcement  
907-713-2: Admixtures for Concrete, W/ Supplement  
907-714-6: Miscellaneous Materials  
907-715-3: Roadside Development Materials, W/ Supplement

**-- CONTINUED ON NEXT PAGE --**

**PAGE 3 - PROJECT: STP-0029-02(013) / 102556310 – Desoto County**

907-720-1: Pavement Marking Materials, W/ Supplement  
907-803-2: Maturity Meters in Drilled Shafts, W/ Supplement  
907-804-13: Concrete Bridges and Structures, W/ Supplement

906-7: Training Special Provision

SECTION 905 - PROPOSAL,  
PROPOSAL BID ITEMS,  
COMBINATION BID PROPOSAL,  
CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS,  
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,  
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS,  
PILE DRIVING FORM,  
OCR-485.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## SECTION 901 - ADVERTISEMENT

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, February 26, 2013, and shortly thereafter publicly opened on the Sixth Floor for:

Grade, Drain, & Bridge on SR 304/I-269 from I-55 to STA. 240+00, known as Federal Aid Project No. STP-0029-02(013) / 102556310 in Desoto County.

The attention of bidders is directed to the Contract Provisions governing selection and employment of labor. Minimum wage rates have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the Contract Provisions.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, age, disability, religion or national origin in consideration for an award.

**The award of this contract will be contingent upon the Contractor satisfying the DBE requirements.**

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us) or FAX (601) 359-7461. Plans will be shipped upon receipt of payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified Nonresident Agent, with Power of Attorney attached, a Cashier's check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH  
EXECUTIVE DIRECTOR

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 - NOTICE TO BIDDERS NO. 4163**

**CODE: (SP)**

**DATE: 02/12/2013**

**SUBJECT: Contract Time**

**PROJECT: STP-0029-02(013) / 102556310 – Desoto County**

The calendar date for completion of work to be performed by the Contractor for this project shall be **June 26, 2015** which date or extended date as provided in Subsection 907-108.06 shall be the end of contract time. It is anticipated that the Notice of Award will be issued no later than be **March 12, 2013** and the effective date of the Notice to Proceed / Beginning of Contract Time will be **May 13, 2013**.

Should the Contractor request a Notice to Proceed earlier than **May 13, 2013** and it is agreeable with the Department for an early Notice to Proceed, the requested date will become the new Notice to Proceed / Beginning of Contract Time date.

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904- NOTICE TO BIDDERS NO. 4167**

**CODE: (SP)**

**DATE: 2/11/2013**

**SUBJECT: Memphis Stone & Gravel Conveyor**

**PROJECT: STP-0029-02(013) / 102556310 –Desoto County**

Bidders are hereby advised that a Memorandum of Understanding exists between the Mississippi Transportation Commission and Memphis Stone and Gravel. The agreement allows for the relocation of an existing conveyor to a new location within the project limits. The conveyor in question is within the proposed eastern embankment of Bridge B, over the future Tchulahoma Road, at approximately Station 118+60.

Memphis Stone and Gravel will relocate the conveyor during the course of construction, onto an area of then complete contract grading work as partially depicted on Plan Sheet WK6.

The Contractor must conduct all contract work so as not to disrupt the continuous conveyor operations, to include both existing operations before agreed upon shutdown and relocated operations once restarted.

The Contractor shall ensure that enough notice is given so that the Engineer can give at least 150 calendar days notice to Memphis Stone & Gravel of the requested shutdown and relocation date. Memphis Stone & Gravel will endeavor to complete the work to relocate the conveyor within approximately 20 calendar days after the requested shutdown and relocation date.

Grade, Drain, & Bridge on SR 304/I-269 from I-55 to STA. 240+00, known as Federal Aid Project No. STP-0029-02(013) / 102556310 in DeSoto County.

| Line No.             | Item Code | Adj Code | Quantity  | Units           | Description [Fixed Unit Price]                          |
|----------------------|-----------|----------|-----------|-----------------|---|
| <b>Roadway Items</b> |           |          |           |                 |   |
| 0010                 | 201-A001  |          | 1         | Lump Sum        | Clearing and Grubbing                                   |
| 0020                 | 202-B002  |          | 1,883     | Square Yard     | Removal of Asphalt Driveways, All Depths                |
| 0030                 | 202-B018  |          | 870       | Square Yard     | Removal of Concrete Driveways, All Depths               |
| 0040                 | 202-B064  |          | 724       | Linear Feet     | Removal of Pipe, 8" And Above                           |
| 0050                 | 202-B078  |          | 27,369    | Square Yard     | Removal of Pavement, All Types and Depths               |
| 0060                 | 202-B079  |          | 2         | Each            | Removal of Headwall                                     |
| 0070                 | 202-B276  |          | 312       | Cubic Yard      | Remove and Reset Riprap                                 |
| 0080                 | 202-B292  |          | 6         | Each            | Removal of Septic Tank, All Sizes                       |
| 0090                 | 203-A003  | (E)      | 1,518,791 | Cubic Yard      | Unclassified Excavation, FM, AH                         |
| 0100                 | 203-EX035 | (E)      | 788,304   | Cubic Yard      | Borrow Excavation, AH, FME, Class B9-6                  |
| 0110                 | 203-G003  | (E)      | 1,000     | Cubic Yard      | Excess Excavation, FM, AH                               |
| 0120                 | 206-A001  | (S)      | 25,222    | Cubic Yard      | Structure Excavation                                    |
| 0130                 | 206-B001  | (E)      | 317       | Cubic Yard      | Select Material for Undercuts, Contractor Furnished, FM |
| 0140                 | 209-A004  |          | 3,417     | Square Yard     | Geotextile Stabilization, Type V, Non-Woven             |
| 0150                 | 211-B001  | (E)      | 10,000    | Cubic Yard      | Topsoil for Slope Treatment, Contractor Furnished       |
| 0160                 | 212-B001  |          | 5,084     | Square Yard     | Standard Ground Preparation                             |
| 0170                 | 213-B001  |          | 1         | Ton             | Combination Fertilizer, 13-13-13                        |
| 0180                 | 213-C001  |          | 155       | Ton             | Superphosphate  |
| 0190                 | 216-A001  |          | 5,084     | Square Yard     | Solid Sodding   |
| 0200                 | 217-A001  |          | 11,367    | Square Yard     | Ditch Liner   |
| 0210                 | 219-A001  |          | 102       | Thousand Gallon | Watering [\$20.00]                                      |
| 0220                 | 220-A001  |          | 155       | Acre            | Insect Pest Control [\$30.00]                           |
| 0230                 | 221-A001  | (S)      | 348       | Cubic Yard      | Portland Cement Concrete Paved Ditch                    |
| 0240                 | 223-A001  |          | 310       | Acre            | Mowing [\$40.00]  |
| 0250                 | 224-A001  |          | 6,433     | Square Yard     | Soil Reinforcing Mat                                    |
| 0260                 | 234-A001  |          | 10,300    | Linear Feet     | Temporary Silt Fence                                    |
| 0270                 | 235-A001  |          | 1,900     | Bale            | Temporary Erosion Checks                                |
| 0280                 | 236-A004  |          | 41        | Each            | Silt Basin, Type D                                      |
| 0290                 | 236-B004  |          | 41        | Each            | Maintenance and Removal of Existing Silt Basins, Type D |
| 0300                 | 239-A001  |          | 11,000    | Linear Feet     | Temporary Slope Drains                                  |



| Line No.           | Item Code | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                          |
|--------------------|-----------|----------|----------|-------------|---|
| 0310               | 406-A001  |          | 3,700    | Square Yard | Cold Milling of Bituminous Pavement, All Depths         |
| 0320               | 423-A001  |          | 1        | Mile        | Rumble Strips, Ground In                                |
| 0330               | 501-E001  |          | 1,015    | Linear Feet | Expansion Joints, Without Dowels                        |
| 0340               | 502-A001  | (C)      | 2,254    | Square Yard | Reinforced Cement Concrete Bridge End Pavement          |
| 0350               | 602-A001  | (S)      | 212,767  | Pounds      | Reinforcing Steel                                       |
| Changed 01/14/2013 |           |          |          |             |   |
| 0360               | 603-CA002 | (S)      | 3,830    | Linear Feet | 18" Reinforced Concrete Pipe, Class III                 |
| 0370               | 603-CA003 | (S)      | 616      | Linear Feet | 24" Reinforced Concrete Pipe, Class III                 |
| 0380               | 603-CA004 | (S)      | 68       | Linear Feet | 30" Reinforced Concrete Pipe, Class III                 |
| 0390               | 603-CA005 | (S)      | 1,140    | Linear Feet | 36" Reinforced Concrete Pipe, Class III                 |
| 0400               | 603-CA007 | (S)      | 400      | Linear Feet | 48" Reinforced Concrete Pipe, Class III                 |
| 0410               | 603-CA011 | (S)      | 44       | Linear Feet | 72" Reinforced Concrete Pipe, Class III                 |
| 0420               | 603-CB001 | (S)      | 35       | Each        | 18" Reinforced Concrete End Section                     |
| 0430               | 603-CB002 | (S)      | 10       | Each        | 24" Reinforced Concrete End Section                     |
| 0440               | 603-CB003 | (S)      | 2        | Each        | 30" Reinforced Concrete End Section                     |
| 0450               | 603-CB004 | (S)      | 9        | Each        | 36" Reinforced Concrete End Section                     |
| 0460               | 603-CB006 | (S)      | 6        | Each        | 48" Reinforced Concrete End Section                     |
| 0470               | 603-CB010 | (S)      | 2        | Each        | 72" Reinforced Concrete End Section                     |
| 0480               | 603-CE003 | (S)      | 48       | Linear Feet | 36" x 23" Concrete Arch Pipe, Class A III               |
| 0490               | 603-CE004 | (S)      | 716      | Linear Feet | 44" x 27" Concrete Arch Pipe, Class A III               |
| 0500               | 603-CE006 | (S)      | 116      | Linear Feet | 58" x 36" Concrete Arch Pipe, Class A III               |
| 0510               | 603-CF003 | (S)      | 2        | Each        | 36" x 23" Concrete Arch Pipe End Section                |
| 0520               | 603-CF004 | (S)      | 6        | Each        | 44" x 27" Concrete Arch Pipe End Section                |
| 0530               | 603-CF006 | (S)      | 2        | Each        | 58" x 36" Concrete Arch Pipe End Section                |
| 0540               | 604-A001  |          | 790      | Pounds      | Castings  |
| 0550               | 604-B001  |          | 8,750    | Pounds      | Gratings  |
| 0560               | 606-B001  |          | 625      | Linear Feet | Guard Rail, Class A, Type 1                             |
| Changed 02/12/2013 |           |          |          |             |   |
| 0570               | 606-D012  |          | 4        | Each        | Guard Rail, Bridge End Section, Type I                  |
| 0580               | 606-E003  |          | 4        | Each        | Guard Rail, Terminal End Section, Non-Flared            |
| 0590               | 607-A001  |          | 32,540   | Linear Feet | 31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown |
| 0600               | 607-B005  |          | 16,826   | Linear Feet | 60" Type I Chain Link Fence, Class II                   |
| 0610               | 607-G119  |          | 6        | Each        | Gate, 3' x 52" Chain Link                               |
| 0620               | 607-P1002 |          | 232      | Each        | Line Post, 10' x 4" Timber                              |
| 0630               | 607-P1009 |          | 173      | Each        | Line Post, 9' x 2" Galvanized Steel                     |

| Line No. | Item Code          | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                                 |
|----------|--------------------|----------|----------|-------------|--|
| 0640     | 607-P1010          |          | 115      | Each        | Line Post, 10' x 2" Galvanized Steel                           |
| 0650     | 607-P1020          |          | 1,734    | Each        | Line Post, 7' x 4" Timber                                      |
| 0660     | 607-P1021          |          | 347      | Each        | Line Post, 9' x 4" Timber                                      |
| 0670     | 607-P1027          |          | 861      | Each        | Line Post, 7' x 2" Galvanized Steel                            |
| 0680     | 607-P2001          |          | 300      | Each        | Brace Post, 8' x 6" Timber                                     |
| 0690     | 607-P2002          |          | 60       | Each        | Brace Post, 10' x 6" Timber                                    |
| 0700     | 607-P2003          |          | 40       | Each        | Brace Post, 12' x 6" Timber                                    |
| 0710     | 607-P2009          |          | 192      | Each        | Brace Post, 8' x 2 1/2" Galvanized Steel                       |
| 0720     | 607-P2011          |          | 39       | Each        | Brace Post, 10' x 2 1/2" Galvanized Steel                      |
| 0730     | 607-P2012          |          | 26       | Each        | Brace Post, 12' x 2 1/2" Galvanized Steel                      |
| 0740     | 607-P3003          |          | 12       | Each        | Gate Post, 8' x 2 1/2" Galvanized Steel                        |
| 0750     | 608-A001           | (S)      | 1,640    | Square Yard | Concrete Sidewalk, Without Reinforcement                       |
| 0760     | 609-D003           | (S)      | 4,151    | Linear Feet | Combination Concrete Curb and Gutter Type 3                    |
|          | Changed 02/12/2013 |          |          |             |  |
| 0770     | 614-B001           | (S)      | 915      | Square Yard | Concrete Driveway, With Reinforcement                          |
| 0780     | 615-A018           | (S)      | 320      | Linear Feet | Concrete Bridge End Barrier, 33.5"                             |
| 0790     | 618-A001           |          | 1        | Lump Sum    | Maintenance of Traffic   |
| 0800     | 619-A1003          |          | 5,442    | Linear Feet | Temporary Traffic Stripe, Continuous White, Paint              |
| 0810     | 619-A2003          |          | 5,860    | Linear Feet | Temporary Traffic Stripe, Continuous Yellow, Paint             |
| 0820     | 619-A2007          |          | 3,900    | Linear Feet | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape       |
| 0830     | 619-A3002          |          | 920      | Linear Feet | Temporary Traffic Stripe, Skip White, Paint                    |
| 0840     | 619-A5004          |          | 15,680   | Linear Feet | Temporary Traffic Stripe, Detail, Type 1 Tape                  |
| 0850     | 619-A6003          |          | 120      | Linear Feet | Temporary Traffic Stripe, Legend, Paint                        |
| 0860     | 619-C6001          |          | 72       | Each        | Red-Clear Reflective High Performance Raised Marker            |
| 0870     | 619-D1001          |          | 188      | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 0880     | 619-D2001          |          | 984      | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 0890     | 619-G4001          |          | 384      | Linear Feet | Barricades, Type III, Single Faced                             |
| 0900     | 619-G4004          |          | 108      | Linear Feet | Barricades, Type III, Single Faced, Permanent, Red/White       |
| 0910     | 619-G5001          |          | 86       | Each        | Free Standing Plastic Drums                                    |
| 0920     | 619-G7001          |          | 12       | Each        | Warning Lights, Type "B"                                       |
| 0930     | 620-A001           |          | 1        | Lump Sum    | Mobilization   |
| 0940     | 621-A001           |          | 1        | Each        | Field Laboratory   |
| 0950     | 627-L001           |          | 723      | Each        | Two-Way Yellow Reflective High Performance Raised Markers      |
| 0960     | 630-A001           |          | 41       | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness      |
| 0970     | 630-A002           |          | 45       | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness      |

| Line No. | Item Code          | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                           |
|----------|--------------------|----------|----------|-------------|--|
| 0980     | 630-C004           |          | 112      | Linear Feet | Steel U-Section Posts, 3.0 to 3.5 lb/ft                  |
| 0990     | 630-F001           |          | 44       | Each        | Delineators, Guard Rail, White                           |
| 1000     | 630-G006           |          | 8        | Each        | Type 3 Object Markers, OM-3R or OM-3L                    |
| 1010     | 815-A006           | (S)      | 2,500    | Ton         | Loose Riprap, Size 100                                   |
| 1020     | 815-A009           | (S)      | 19,077   | Ton         | Loose Riprap, Size 300                                   |
| 1030     | 815-E001           | (S)      | 3,417    | Square Yard | Geotextile under Riprap                                  |
| 1040     | 815-F002           | (S)      | 3,142    | Ton         | Sediment Control Stone                                   |
| 1050     | 907-225-A001       |          | 310      | Acre        | Grassing   |
| 1060     | 907-225-B001       |          | 622      | Ton         | Agricultural Limestone                                   |
| 1070     | 907-225-C001       |          | 663      | Ton         | Mulch, Vegetative Mulch                                  |
| 1080     | 907-226-A001       |          | 310      | Acre        | Temporary Grassing                                       |
| 1090     | 907-234-D001       |          | 26       | Each        | Inlet Siltation Guard                                    |
| 1100     | 907-234-F001       |          | 400      | Linear Feet | Turbidity Barrier  |
| 1110     | 907-237-A002       |          | 600      | Linear Feet | Wattles, 12"   |
|          | Changed 01/14/2013 |          |          |             |  |
| 1120     | 907-237-A003       |          | 2,800    | Linear Feet | Wattles, 20"   |
|          | Changed 01/14/2013 |          |          |             |  |
| 1130     | 907-245-A001       |          | 2,800    | Linear Feet | Triangular Silt Dike                                     |
|          | Changed 01/14/2013 |          |          |             |  |
| 1140     | 907-246-A001       |          | 5,000    | Linear Feet | Sandbags   |
|          | Changed 01/14/2013 |          |          |             |  |
| 1150     | 907-247-A001       |          | 1        | Each        | Temporary Stream Diversion                               |
| 1160     | 907-249-A001       |          | 500      | Ton         | Riprap for Erosion Control                               |
| 1170     | 907-304-B009       | (GT)     | 5,660    | Ton         | Granular Material, Class 3, Group D                      |
| 1180     | 907-304-B011       | (GT)     | 12,535   | Ton         | Granular Material, Class 9, Group B                      |
| 1190     | 907-304-F002       | (GT)     | 1,514    | Ton         | Size 610 Crushed Stone Base                              |
| 1200     | 907-310-B001       | (GT)     | 650      | Ton         | Size III Stabilizer Aggregate, Coarse                    |
| 1210     | 907-407-A001       | (A2)     | 12,450   | Gallon      | Asphalt for Tack Coat                                    |
| 1220     | 907-413-E001       |          | 483      | Linear Feet | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 1230     | 907-601-A001       | (S)      | 1,333    | Cubic Yard  | Class "B" Structural Concrete                            |
|          | Changed 01/14/2013 |          |          |             |  |
| 1240     | 907-601-B003       | (S)      | 70       | Cubic Yard  | Class "B" Structural Concrete, Minor Structures          |
| 1250     | 907-603-ALT01      | (S)      | 376      | Linear Feet | 18" Type A Alternate Pipe                                |
| 1260     | 907-603-ALT02      | (S)      | 232      | Linear Feet | 24" Type A Alternate Pipe                                |
| 1270     | 907-603-ALT04      | (S)      | 100      | Linear Feet | 36" Type A Alternate Pipe                                |

| Line No.                           | Item Code    | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                         |
|------------------------------------|--------------|----------|----------|-------------|--|
| 1280                               | 907-605-O002 | (S )     | 1,920    | Linear Feet | 6" Perforated Sewer Pipe for Underdrains, SDR 35       |
| 1290                               | 907-617-A001 |          | 240      | Each        | Right-of-Way Marker                                    |
| 1300                               | 907-626-A003 |          | 1        | Mile        | 6" Thermoplastic Traffic Stripe, Skip White            |
| 1310                               | 907-626-B004 |          | 1        | Mile        | 6" Thermoplastic Traffic Stripe, Continuous White      |
| 1320                               | 907-626-C004 |          | 2        | Mile        | 6" Thermoplastic Edge Stripe, Continuous White         |
| 1330                               | 907-626-D003 |          | 1        | Mile        | 6" Thermoplastic Traffic Stripe, Skip Yellow           |
| 1340                               | 907-626-E004 |          | 2        | Mile        | 6" Thermoplastic Traffic Stripe, Continuous Yellow     |
| 1350                               | 907-626-G004 |          | 9,097    | Linear Feet | Thermoplastic Detail Stripe, White                     |
| 1360                               | 907-626-G005 |          | 8,841    | Linear Feet | Thermoplastic Detail Stripe, Yellow                    |
| 1370                               | 907-626-H005 |          | 66       | Square Feet | Thermoplastic Legend, White                            |
| 1380                               | 907-699-A002 |          | 1        | Lump Sum    | Roadway Construction Stakes                            |
| 1390                               | 907-906001   |          | 2,080    | Hours       | Trainees [\$5.00]                                      |
| <b>ALTERNATE GROUP AA NUMBER 1</b> |              |          |          |             |  |
| 1400                               | 907-308-A001 |          | 372      | Ton         | Portland Cement  |
| 1410                               | 907-308-B002 | (M )     | 32,013   | Square Yard | Soil-Cement-Water Mixing, Optional Mixers, Design Soil |
| 1420                               | 907-308-S001 | (A3 )    | 7,564    | Gallon      | Bituminous Curing Seal                                 |
| <b>ALTERNATE GROUP AA NUMBER 2</b> |              |          |          |             |  |
| 1430                               | 907-311-A003 | (M )     | 32,013   | Square Yard | Processing Lime and Fly Ash Treated Course, 6" Thick   |
| 1440                               | 907-311-B001 |          | 246      | Ton         | Lime   |
| 1450                               | 907-311-C002 |          | 985      | Ton         | Fly Ash, Class C or F                                  |
| 1460                               | 907-311-S001 | (A3 )    | 7,564    | Gallon      | Bituminous Curing Seal                                 |
| <b>ALTERNATE GROUP BB NUMBER 1</b> |              |          |          |             |  |
| 1470                               | 907-403-A006 | (BA1 )   | 2,308    | Ton         | Hot Mix Asphalt, MT, 12.5-mm mixture                   |
| <b>ALTERNATE GROUP BB NUMBER 2</b> |              |          |          |             |  |
| 1480                               | 907-403-M002 | (BA1 )   | 2,308    | Ton         | Warm Mix Asphalt, MT, 12.5-mm mixture                  |
| <b>ALTERNATE GROUP CC NUMBER 1</b> |              |          |          |             |  |
| 1490                               | 907-403-A007 | (BA1 )   | 2,498    | Ton         | Hot Mix Asphalt, MT, 19-mm mixture                     |
| <b>ALTERNATE GROUP CC NUMBER 2</b> |              |          |          |             |  |
| 1500                               | 907-403-M007 | (BA1 )   | 2,498    | Ton         | Warm Mix Asphalt, MT, 19-mm mixture                    |
| <b>ALTERNATE GROUP DD NUMBER 1</b> |              |          |          |             |  |
| 1510                               | 907-403-A010 | (BA1 )   | 1,731    | Ton         | Hot Mix Asphalt, MT, 9.5-mm mixture                    |
| <b>ALTERNATE GROUP DD NUMBER 2</b> |              |          |          |             |  |
| 1520                               | 907-403-M006 | (BA1 )   | 1,731    | Ton         | Warm Mix Asphalt, MT, 9.5-mm mixture                   |
| <b>ALTERNATE GROUP EE NUMBER 1</b> |              |          |          |             |  |
| 1530                               | 907-403-A011 | (BA1 )   | 3,044    | Ton         | Hot Mix Asphalt, ST, 12.5-mm mixture                   |
| <b>ALTERNATE GROUP EE NUMBER 2</b> |              |          |          |             |  |

| Line No. | Item Code    | Adj Code | Quantity  | Units       | Description [Fixed Unit Price]   |
|----------|--------------|----------|-----------|-------------|--|
| 1540     | 907-403-M003 | (BA1 )   | 3,044     | Ton         | Warm Mix Asphalt, ST, 12.5-mm mixture<br><b>ALTERNATE GROUP FF NUMBER 1</b>                |
| 1550     | 907-403-A012 | (BA1 )   | 6,768     | Ton         | Hot Mix Asphalt, ST, 19-mm mixture<br><b>ALTERNATE GROUP FF NUMBER 2</b>                   |
| 1560     | 907-403-M004 | (BA1 )   | 6,768     | Ton         | Warm Mix Asphalt, ST, 19-mm mixture<br><b>ALTERNATE GROUP GG NUMBER 1</b>                  |
| 1570     | 907-403-A015 | (BA1 )   | 2,447     | Ton         | Hot Mix Asphalt, ST, 9.5-mm mixture<br><b>ALTERNATE GROUP GG NUMBER 2</b>                  |
| 1580     | 907-403-M001 | (BA1 )   | 2,447     | Ton         | Warm Mix Asphalt, ST, 9.5-mm mixture<br><b>ALTERNATE GROUP HH NUMBER 1</b>                 |
| 1590     | 628-A001     |          | 850       | Linear Feet | 6" Cold Plastic Traffic Stripe, Skip White   |
| 1600     | 628-B001     |          | 4,031     | Linear Feet | 6" Cold Plastic Traffic Stripe, Continuous White   |
| 1610     | 628-D001     |          | 850       | Linear Feet | 6" Cold Plastic Traffic Stripe, Skip Yellow  |
| 1620     | 628-E002     |          | 2,915     | Linear Feet | 6" Cold Plastic Traffic Stripe, Continuous Yellow<br><b>ALTERNATE GROUP HH NUMBER 2</b>    |
| 1630     | 907-626-I003 |          | 850       | Linear Feet | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White                               |
| 1640     | 907-626-J003 |          | 4,031     | Linear Feet | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White                         |
| 1650     | 907-626-K003 |          | 850       | Linear Feet | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow                              |
| 1660     | 907-626-L001 |          | 2,915     | Linear Feet | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow<br><b>Bridge Items</b> |
| 1670     | 501-K001     |          | 14,522    | Square Yard | Transverse Grooving  |
| 1680     | 602-A001     | (S )     | 95,106    | Pounds      | Reinforcing Steel  |
| 1690     | 801-A001     | (S )     | 4,449     | Cubic Yard  | Foundation Excavation for Bridges  |
| 1700     | 803-B002     | (S )     | 8         | Each        | Conventional Static Pile Load Test [\$5,000.00]  |
| 1710     | 803-C002     | (S )     | 4,745     | Linear Feet | 14" x 14" Prestressed Concrete Piling<br>Changed 02/12/2013                                |
| 1720     | 803-C003     | (S )     | 24,600    | Linear Feet | 16" x 16" Prestressed Concrete Piling  |
| 1730     | 803-D007     | (S )     | 54,145    | Linear Feet | HP 14 x 89 Steel Piling<br>Changed 02/12/2013  |
| 1740     | 803-F009     | (S )     | 300       | Linear Feet | 20" Pre-Formed Pile Hole   |
| 1750     | 803-F011     | (S )     | 500       | Each        | 23" Pre-Formed Pile Hole   |
| 1760     | 803-I001     | (S )     | 20        | Each        | PDA Test Pile<br>Changed 02/12/2013  |
| 1770     | 805-A001     | (S )     | 2,125,184 | Pounds      | Reinforcement<br>Changed 02/12/2013  |

| Line No. | Item Code          | Adj Code | Quantity | Units       | Description [Fixed Unit Price]               |
|----------|--------------------|----------|----------|-------------|--|
| 1780     | 813-A002           | (S)      | 4,811    | Linear Feet | Concrete Railing, 32"                        |
| 1790     | 813-E001           | (S)      | 1,516    | Linear Feet | Concrete Pedestrian Sidewalk Railing         |
| 1800     | 815-D001           | (S)      | 1,315    | Cubic Yard  | Concrete Slope Paving                        |
| 1810     | 907-803-P002       | (S)      | 3,960    | Linear Feet | 30" Steel Pipe Piling, Wall Thickness 0.500" |
|          | Changed 02/12/2013 |          |          |             |  |
| 1820     | 907-804-A001       | (S)      | 9,782    | Cubic Yard  | Bridge Concrete, Class AA                    |
|          | Changed 02/12/2013 |          |          |             |  |
| 1830     | 907-804-B001       | (S)      | 772      | Cubic Yard  | Box Bridge Concrete, Class B                 |
| 1840     | 907-804-C022       | (S)      | 1,276    | Linear Feet | 80' Prestressed Concrete Beam, Type BT-72    |
| 1850     | 907-804-C025       | (S)      | 1,436    | Linear Feet | 90' Prestressed Concrete Beam, Type BT-72    |
| 1860     | 907-804-C150       | (S)      | 3,057    | Linear Feet | 110' Prestressed Concrete Beam, Type IV      |
| 1870     | 907-804-C174       | (S)      | 1,113    | Linear Feet | 80' Prestressed Concrete Beam, Type IV       |
| 1880     | 907-804-C193       | (S)      | 1,439    | Linear Feet | 103' Prestressed Concrete Beam, Type IV      |
| 1890     | 907-804-C206       | (S)      | 1,197    | Linear Feet | 86' Prestressed Concrete Beam, Type IV       |
| 1900     | 907-804-C217       | (S)      | 2,973    | Linear Feet | 107' Prestressed Concrete Beam, Type IV      |
| 1910     | 907-804-C231       | (S)      | 837      | Linear Feet | 60' Prestressed Concrete Beam, Type IV       |
| 1920     | 907-804-C234       | (S)      | 739      | Linear Feet | 53' Prestressed Concrete Beam, Type IV       |
| 1930     | 907-804-C235       | (S)      | 1,057    | Linear Feet | 76' Prestressed Concrete Beam, Type IV       |
| 1940     | 907-804-C236       | (S)      | 1,085    | Linear Feet | 78' Prestressed Concrete Beam, Type IV       |
| 1950     | 907-804-C237       | (S)      | 1,752    | Linear Feet | 55' Prestressed Concrete Beam, Type BT-72    |
| 1960     | 907-804-C238       | (S)      | 1,052    | Linear Feet | 66' Prestressed Concrete Beam, Type BT-72    |
| 1970     | 907-804-C239       | (S)      | 4,088    | Linear Feet | 128' Prestressed Concrete Beam, Type BT-72   |