


[Proposal & Plan Sales Will Begin on February 4, 2013](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for February – February 26, 2013



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR FEBRUARY - Tuesday, February 26, 2013

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 04, 2013

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
01	NH-0055-02(218) / 106023301	Hinds
02	STP-0002-08(015) / 106519301	Alcorn
03	NH-BR-0002-04(036) / 102090302	Lowndes
04	STP-0029-02(013) / 102556310	Desoto
05	NH-0010-01(045) / 104273301	Jackson
* 06	STP-0011-01(065) / 106515301	Washington
* 07	NH-0014-03(066) / 106562301	Forrest
* 08	STP-0022-01(077) / 106563301	Jones
09	STP-0048-00(037) / 106350301	Monroe
* 10	STP-0231-00(037) / 106564301	George
* 11	STP-2170-00(025) / 106561301	Jones
12	STP-2920-00(011) / 100285302	Tate
* 13	MP-2182-49(001) / 304557301	Montgomery
14	HSIP-0428-00(025) / 100588301	Rankin

Widening I-55 from Byram to McDowell Road, known as Federal Aid Project No. NH-0055-02(218) / 106023301 in Hinds County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
1,300 Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
6 Each	202-B021	Removal of Concrete Lug Anchor
36,199 Linear Feet	202-B022	Removal of Concrete Median Barrier
3,980 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1,154 Square Yard	202-B025	Removal of Concrete Paved Ditch
781 Square Yard	202-B036	Removal of Concrete Slope Paving
6 Each	202-B043	Removal of Guard Rail Bridge End Section
7 Each	202-B056	Removal of High Mast Lighting Foundation
50 Each	202-B057	Removal of Inlets, All Sizes
4 Each	202-B061	Removal of Low Mast Lighting Foundation
2 Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
5,463 Linear Feet	202-B064	Removal of Pipe, 8" And Above
20 Each	202-B069	Removal of Sign
45 Each	202-B070	Removal of Sign Including Post & Footing
455,581 Square Yard	202-B078	Removal of Pavement, All Types and Depths
3,063 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
511 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
165 Each	202-B099	Removal of Existing Light and Foundation, With Maintenance Pad And Junction Box
38 Each	202-B105	Removal of Pipe Headwall, All Sizes
55 Each	202-B107	Removal of Sign, Ground Mounted with Posts
5 Each	202-B113	Removal of Box Culvert Wingwall, All Sizes
2 Each	202-B132	Removal of Traffic Signal
1,166 Linear Feet	202-B135	Removal of Guard Rail Double Faced Rail Including Rail & Posts
2 Each	202-B137	Removal of Guard Rail Cable Anchor
2 Each	202-B140	Removal of Box Bridge Headwall
3 Each	202-B142	Removal of Junction Box
23 Mile	202-B149	Removal of Traffic Stripe
1 Each	202-B189	Removal of Impact Attenuator
21 Each	202-B247	Removal of Pull Box
1 Each	202-B248	Removal of Manhole
68,700 Linear Feet	202-B252	Removal of Electrical Conductors
7 Each	202-B280	Remove & Relocate Existing Camera and Equipment
3,110 Linear Feet	202-B289	Removal of Cable Rail
2,599 Linear Feet	202-B295	Removal of Trench Drain, All Sizes, All Types
1 Each	202-B297	Removal of Existing Demarcation Cabinet and Equipment
143,958 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
264,797 Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
442,373 Cubic Yard	203-G003	Excess Excavation, FM, AH
7,087 Cubic Yard	206-A001	Structure Excavation

CALL No. 01

34	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
300,068	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
41,038	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
16,304	Square Yard	212-B001	Standard Ground Preparation
2	Ton	213-B001	Combination Fertilizer, 13-13-13
51	Ton	213-C001	Superphosphate
16,304	Square Yard	216-A001	Solid Sodding
8,661	Square Yard	217-A001	Ditch Liner
327	Thousand Gallon	219-A001	Watering
2,133	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
8,117	Square Yard	224-A001	Soil Reinforcing Mat
48,488	Linear Feet	234-A001	Temporary Silt Fence
95	Each	236-A001	Silt Basin, Type A
500	Linear Feet	239-A001	Temporary Slope Drains
243,362	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
26	Mile	423-A001	Rumble Strips, Ground In
231	Linear Feet	501-E001	Expansion Joints, Without Dowels
528	Square Yard	501-K001	Transverse Grooving
528	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
88	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
35,171	Pounds	602-A001	Reinforcing Steel
336	Linear Feet	603-CA001	15" Reinforced Concrete Pipe, Class III
7,254	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2,468	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1,464	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
428	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
36	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
30	Each	603-CB001	18" Reinforced Concrete End Section
15	Each	603-CB002	24" Reinforced Concrete End Section
4	Each	603-CB003	30" Reinforced Concrete End Section
2	Each	603-CB004	36" Reinforced Concrete End Section
1	Each	603-CB005	42" Reinforced Concrete End Section
10	Each	603-CB014	15" Reinforced Concrete End Section
1,932	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
296	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
240	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
224	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
17	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
4	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
6	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
2	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
2	Each	603-SB004	24" Branch Connections, Stub into Box Culvert
2	Each	603-SB034	18" Branch Connections, Stub into 60" Concrete Pipe
2	Each	603-SB035	18" Branch Connections, Stub into Box Bridge
3	Each	603-SB044	18" Branch Connections, Stub into Existing Box Culvert

CALL No. 01

2	Each	603-SB055	30" Branch Connections, Stub into Box Bridge
2	Each	603-SB056	24" Branch Connections, Stub into Box Bridge
3	Each	603-SB064	36" Branch Connections, Stub into Box Bridge
21,960	Pounds	604-A001	Castings
27,672	Pounds	604-B001	Gratings
1,479	Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
5,300	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
90	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
100	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
175	Cubic Yard	605-X001	Filter Material for Filter Beds, Type A
5,844	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
375	Linear Feet	606-B012	Guard Rail, Class A, Type 1, Double Faced, Metal Post
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
9	Each	606-D012	Guard Rail, Bridge End Section, Type I
9	Each	606-E002	Guard Rail, Terminal End Section, Flared
12	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
137	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
474	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
152	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
5	Each	613-D004	Adjustment of Inlet
125	Linear Feet	615-A009	Concrete Type I Cast-in-Place Median Barrier, 42" High
54,225	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place Median Barrier
575	Linear Feet	615-A014	Concrete Type IV Cast-in-Place Median Barrier, 42" High
38,143	Linear Feet	615-A020	Concrete Type III Modified Cast-in-Place Median Barrier, 42" High
54	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
14	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
35	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
24,000	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
35	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
24,000	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
24,000	Linear Feet	619-A3003	Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape
63	Mile	619-A3006	Temporary Traffic Stripe, Skip White
74,907	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,832	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
15	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
9,405	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
1,217	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,212	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
152	Each	619-D3001	Remove and Reset Signs, All Sizes
1,448	Square Feet	619-D4001	Directional Signs
30	Each	619-E1001	Flashing Arrow Panel, Type C
83,150	Linear Feet	619-F1001	Concrete Median Barrier, Precast
37,244	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
35	Each	619-F3004	Delineators, Guard Rail, White
1,034	Linear Feet	619-G4001	Barricades, Type III, Single Faced

CALL No. 01

348	Linear Feet	619-G4005	Barricades, Type III, Double Faced
3,282	Each	619-G5001	Free Standing Plastic Drums
13	Unit	619-J1003	Impact Attenuator, 60 MPH
14	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
693	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
5,076	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
50	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
30	Each	629-A002	Vehicular Impact Attenuator, 60 MPH
663	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
716	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
3,668	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
642	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
131	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
170	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
238	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1,184	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
120	Each	630-F001	Delineators, Guard Rail, White
86	Each	630-F006	Delineators, Post Mounted, Single White
32	Each	630-F007	Delineators, Post Mounted, Single Yellow
93	Each	630-F008	Delineators, Post Mounted, Double White
7	Each	630-F009	Delineators, Post Mounted, Double Yellow
4	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
117	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
524	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
690	Linear Feet	635-A001	Vehicle Loop Assemblies
2,027	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
4	Each	638-A002	Loop Detector Amplifier, 4 Channel
13	Each	640-A016	Traffic Signal Heads, Type 1 LED
1	Each	640-A022	Traffic Signal Heads, Type 7 LED
5	Each	644-A001	Optical Detector
1,528	Linear Feet	644-B001	Optical Detector Cable
3	Each	647-A001	Pullbox, Type 1
14	Each	647-A002	Pullbox, Type 3
48	Each	647-A003	Pullbox, Type 4
47	Each	647-A004	Pullbox, Type 5
45	Each	647-A005	Pullbox, Type 2
2	Each	650-A003	On Street Video Equipment, PTZ Type
2,457	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
1,700	Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
5,933	Linear Feet	666-B032	Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor
5,080	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
229	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"

CALL No. 01

550	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
56,338	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
1,000	Linear Feet	668-A030	Traffic Signal Conduit, Underground, Rolled Pipe, 2 @ 2"
4,350	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1,017	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1,855	Linear Feet	682-A001	Underground Branch Circuit, AWG 1, 3 Conductor
620	Linear Feet	682-A004	Underground Branch Circuit, AWG 1/0, 3 Conductor
24,960	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
1,215	Linear Feet	682-A020	Underground Branch Circuit, AWG 2/0, 3 Conductor
3,780	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
11,705	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
2,230	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
80	Linear Feet	682-B002	Underground Branch Circuit, Jacked or Bored, AWG 1, 3 Conductor
320	Linear Feet	682-B005	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
1,550	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
130	Linear Feet	682-B021	Underground Branch Circuit, Jacked or Bored, AWG 2/0, 3 Conductor
340	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
620	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
150	Linear Feet	682-B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
330	Linear Feet	682-C010	Structure Mounted Branch Circuit, AWG 10, 3 Conductor
27	Each	682-D001	Underground Pull Box
146	Each	683-B108	Lighting Assembly, Low Mast, Type 50-1-0-400
6	Each	683-C010	Lighting Assembly, Underpass, Type UP
212	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
87	Cubic Yard	684-A006	Pole Foundation, 48" Diameter
12	Linear Feet	684-B003	Slip Casing, 24" Diameter
26	Linear Feet	684-B006	Slip Casing, 48" Diameter
6	Each	685-D001	Service Pole
7	Each	686-A001	Relocation of Existing Lighting Assemblies, High Mast
4	Each	686-A001	Relocation of Existing Lighting Assemblies, Low Mast
150	Ton	815-A006	Loose Riprap, Size 100
496	Ton	815-A009	Loose Riprap, Size 300
1,699	Square Yard	815-E001	Geotextile under Riprap, Type V
339	Ton	815-F002	Sediment Control Stone
102	Acre	907-225-A001	Grassing
305	Ton	907-225-B001	Agricultural Limestone
204	Ton	907-225-C001	Mulch, Vegetative Mulch
51	Acre	907-226-A001	Temporary Grassing
26	Each	907-234-D001	Inlet Siltation Guard
26	Each	907-234-E001	Reset Inlet Siltation Guard
2,614	Linear Feet	907-237-A002	Wattles, 12"
4,824	Linear Feet	907-237-A003	Wattles, 20"
1,876	Linear Feet	907-245-A001	Triangular Silt Dike
2,693	Linear Feet	907-246-A001	Sandbags
500	Each	907-246-B002	Rockbags
1,196	Ton	907-249-A001	Riprap for Erosion Control

CALL No. 01

4,666	Ton	907-304-B007	Granular Material, Class 5, Group E
67,835	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
146,939	Ton	907-304-F003	3/4" and Down Crushed Stone Base
162,229	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
2,629	Ton	907-307-D001	Lime
81,115	Gallon	907-307-S001	Bituminous Curing Seal
21,779	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
31,271	Gallon	907-402-B001	Bituminous Tack Coat
40,199	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
53,812	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
223,582	Gallon	907-407-A001	Asphalt for Tack Coat
206	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
854	Cubic Yard	907-601-A001	Class "B" Structural Concrete
216	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,344	Linear Feet	907-604-A001	8" Trench Drain
10,000	Linear Feet	907-605-H001	Edge Drain
700	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
575	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
2,240	Linear Feet	907-606-G001	Cable Barrier
3	Each	907-606-H001	Cable Barrier Terminal Section
	Lump Sum	907-618-1M001	Service Patrol
37	Each	907-619-E3001	Changeable Message Sign
24	Each	907-619-J3001	Remove and Reset Impact Attenuator
40,200	Linear Feet	907-619-P1001	Glare Paddles
1	Each	907-622-A002	Engineer's Field Office Building, Type 3
161,347	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
89,957	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,193	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
84,808	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
25,127	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,672	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2	Each	907-626-H007	Thermoplastic Legend, Interstate Shield
84	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
318	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
47	Mile	907-626-U002	4" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
37	Mile	907-626-V002	4" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
46	Mile	907-626-X002	4" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
113,764	Linear Feet	907-626-Y001	Thermoplastic Detail Traffic Stripe, White, 4" Equivalent Length, 40-mil. min.
8,365	Linear Feet	907-626-Y003	Thermoplastic Detail Traffic Stripe, Yellow, 4" Equivalent Length, 40-mil. min.
611	Square Feet	907-626-Z002	Thermoplastic Legend, White, 4" Equivalent Length, 40-mil. min.
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
	Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed

CALL No. 01

	Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
	Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed
	Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed
	Lump Sum	907-630-I008	Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed
	Lump Sum	907-630-I009	Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed
	Lump Sum	907-630-I010	Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed
	Lump Sum	907-630-I012	Metal Overhead Sign Supports, Assembly No. 11, Contractor Designed
	Lump Sum	907-630-I013	Metal Overhead Sign Supports, Assembly No. 12, Contractor Designed
	Lump Sum	907-630-I014	Metal Overhead Sign Supports, Assembly No. 13, Contractor Designed
	Lump Sum	907-630-I015	Metal Overhead Sign Supports, Assembly No. 14, Contractor Designed
	Lump Sum	907-630-I016	Metal Overhead Sign Supports, Assembly No. 15, Contractor Designed
	Lump Sum	907-630-I017	Metal Overhead Sign Supports, Assembly No. 16, Contractor Designed
	Lump Sum	907-630-I018	Metal Overhead Sign Supports, Assembly No. 17, Contractor Designed
	Lump Sum	907-630-I019	Metal Overhead Sign Supports, Assembly No. 18, Contractor Designed
	Lump Sum	907-630-I020	Metal Overhead Sign Supports, Assembly No. 19, Contractor Designed
	Lump Sum	907-630-I021	Metal Overhead Sign Supports, Assembly No. 20, Contractor Designed
	Lump Sum	907-630-I022	Metal Overhead Sign Supports, Assembly No. 21, Contractor Designed
	Lump Sum	907-630-I023	Metal Overhead Sign Supports, Assembly No. 22, Contractor Designed
125	Each	907-630-O003	Remove and Reset Sign, All Sizes
9	Linear Feet	907-630-PP016	Welded & Seamless Steel Pipe Posts, 3"
3	Linear Feet	907-630-PP017	Welded & Seamless Steel Pipe Posts, 4"
8	Each	907-630-R001	Changeable Message Sign
60	Cubic Yard	907-631-A001	Flowable Fill, Excavatable
2	Each	907-637-A001	Equipment Cabinet, Type B
2	Each	907-637-A002	Equipment Cabinet, Type C
2	Each	907-637-A003	Equipment Cabinet, Type A
5	Each	907-637-C001	Relocation of Type B Cabinet
4	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
1	Each	907-639-A023	Traffic Signal Equipment Pole, Type III, 17' Shaft, 40' & 45' Arms
4	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
10	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
2	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
6	Each	907-639-F001	Detector Pole with Foundation, 35' Pole
1	Each	907-639-R001	Relocation of Camera Pole
12	Each	907-641-A001	Radar Detection System
2	Each	907-656-A001	Dynamic Message Sign, Type 1
	Lump Sum	907-656-B001	Dynamic Message Sign Training
2	Each	907-656-C001	Relcoation of Dynamic Message Sign
43,705	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
3,710	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
7	Each	907-658-A001	Hardened Network Switch, Type A
1	Each	907-658-A003	Hardened Network Switch, Type C
	Lump Sum	907-659-A001	Traffic Management Center Modifications

CALL No. 01

Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
1 Each	907-660-A001	OTN Node
1 Each	907-660-B001	OTN Node Communications Hut
Lump Sum	907-660-C001	OTN Node Training
2 Each	907-662-A001	Video Encoder, Type A
2 Each	907-662-B001	Video Decoder, Type A
4 Each	907-682-E001	Underground Junction Box With Concrete Pad
1 Each	907-687-A018	Traffic Recorder Classification Permanent System(Replacement of Wiring Conduit,Pullboxes, and Sensors)
Lump Sum	907-699-A002	Roadway Construction Stakes
2,080 Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1		
54,077 Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
3,775 Ton	907-308-A001	Portland Cement
324,457 Square Yard	907-308-B003	Soil-Cement-Water Mixing, Multiple Pass Mixers, Base
81,115 Gallon	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP AA NO. 2		
54,077 Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
324,457 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
2,629 Ton	907-311-B001	Lime
10,513 Ton	907-311-C001	Fly Ash, Class C
81,115 Gallon	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP AA NO. 3		
147,833 Ton	907-304-D004	Granular Material, Crushed Concrete
ALTERNATE GROUP BB NO. 1		
1,373 Ton	907-308-A001	Portland Cement
162,229 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
81,115 Gallon	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NO. 2		
162,229 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
1,315 Ton	907-311-B001	Lime
5,257 Ton	907-311-C001	Fly Ash, Class C
81,115 Gallon	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP CC NO. 1		
4,397 Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
ALTERNATE GROUP CC NO. 2		
4,397 Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
ALTERNATE GROUP DD NO. 1		
164,930 Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP DD NO. 2		
164,930 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP EE NO. 1		
21,407 Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
ALTERNATE GROUP EE NO. 2		
21,407 Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
ALTERNATE GROUP FF NO. 1		

CALL No. 01

10,020	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP FF NO. 2
10,020	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP GG NO. 1
111,696	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP GG NO. 2
111,696	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP HH NO. 1
11,127	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP HH NO. 2
11,127	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP II NO. 1
6,063	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP II NO. 2
6,063	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP JJ NO. 1
10,823	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified ALTERNATE GROUP JJ NO. 2
10,823	Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified ALTERNATE GROUP KK NO. 1
1,100	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling ALTERNATE GROUP KK NO. 2
1,100	Ton	907-403-N009	Warm Mix Asphalt, HT, 12.5-mm mixture, Leveling ALTERNATE GROUP LL NO. 1
108	Ton	907-403-B002	Hot Mix Asphalt, HT, 19-mm mixture, Leveling ALTERNATE GROUP LL NO. 2
108	Ton	907-403-N010	Warm Mix Asphalt, HT, 19-mm mixture, Leveling
Bridge Items			
514	Square Yard	202-B010	Removal of Bridge End Pavement
605	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
7,577	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
6	Each	803-I001	PDA Test Pile
136,691	Pounds	805-A001	Reinforcement
104	Linear Feet	808-A001	Joint Preparation
220	Linear Feet	813-A003	Concrete Railing, 42"
935	Square Yard	815-A004	Loose Riprap, Size 300
261	Cubic Yard	815-D001	Concrete Slope Paving
935	Square Yard	815-E001	Geotextile under Riprap
105	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
341	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
104	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
104	Linear Feet	907-824-PP004	Bridge Repair, Removal of Joint Armor, Per Plans
52	Linear Feet	907-824-PP006	Bridge Repair, Sawcut Joints, Per Plans
52	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
390	Square Feet	907-824-PP024	Bridge Repair, Remove and Replace Concrete Bridge Deck, PerPlans
	Lump Sum	907-824-PP093	Bridge Repair, End Wall Repair

Lump Sum 907-824-PP096 Bridge Raising

Mill & Overlay approximately 7 miles of US 45 from Harper Road to the Tennessee State Line, known as Federal Aid Project No. STP-0002-08(015) / 106519301 in Alcorn County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**Roadway Items**

200	Square Yard	202-B004	Removal of Asphalt Paved Shoulders, All Depths
2	Each	202-B049	Removal of Guard Rail Cable Anchor, Type 1 Including Post, Rail, Anchor & Hardware
305	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
11,630	Linear Feet	202-B076	Removal of Traffic Stripe
19	Each	202-B082	Removal of Guard Rail, Terminal Section, MELT
138	Linear Feet	202-B102	Removal of Guard Rail
630	Cubic Yard	203-G003	Excess Excavation, FM, AH
345,200	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
37,900	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
1,100	Cubic Yard	410-C003	Seal Aggregate Cover Material, Size 7, Stone
23	Mile	423-A001	Rumble Strips, Ground In
488	Linear Feet	606-B001	Guard Rail, Class A, Type 1
50	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
4	Each	606-B017	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
2	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
20	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A3006	Temporary Traffic Stripe, Skip White
73,980	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,735	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,260	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
2,120	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,700	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
208	Each	630-F001	Delineators, Guard Rail, White
142	Each	630-F002	Delineators, Guard Rail, Yellow
5,500	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
800	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
225	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
15	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1,275	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
18	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8,265	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
18	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
46,770	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
27,200	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,735	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,260	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 02

ALTERNATE GROUP AA NO. 1

31,100 Ton 907-403-D004 Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

ALTERNATE GROUP AA NO. 2

31,100 Ton 907-403-P001 Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

ALTERNATE GROUP BB NO. 1

2,305 Linear Feet 907-626-I003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

3,905 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite

2,805 Linear Feet 907-626-L001 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

120 Linear Feet 907-626-M001 Inverted Profile Thermoplastic Detail Traffic Stripe, White

2,505 Linear Feet 907-626-M002 Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

ALTERNATE GROUP BB NO. 2

2,305 Linear Feet 628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip White

3,905 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite

2,805 Linear Feet 628-M002 6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

120 Linear Feet 628-O001 High Performance Cold Plastic Detail Stripe, White

2,505 Linear Feet 628-O002 High Performance Cold Plastic Detail Stripe, Yellow

Reconstruction of US 45 (pave, grade, and bridge replacements) from Carson Road to 4 Miles South of US 82, known as Federal Aid Project No. NH-BR-0002-04(036) / 102090302 in Lowndes County.

PROJECT COMPLETION: April 22, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
15,303 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
9 Each	202-B008	Removal of Box Culvert
3 Each	202-B009	Removal of Bridge
26,169 Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
465 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1 Each	202-B111	Removal of Bridge Piling
2 Mile	202-B149	Removal of Traffic Stripe
73,417 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
99,879 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
32,944 Cubic Yard	203-G003	Excess Excavation, FM, AH
966 Cubic Yard	206-A001	Structure Excavation
316 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
2,635 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
21,088 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
734 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
53 Ton	213-C001	Superphosphate
704 Square Yard	216-A001	Solid Sodding
14,572 Square Yard	217-A001	Ditch Liner
15 Thousand Gallon	219-A001	Watering
85 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
3,137 Square Yard	224-A001	Soil Reinforcing Mat
14,450 Linear Feet	234-A001	Temporary Silt Fence
984 Bale	235-A001	Temporary Erosion Checks
9 Each	236-A001	Silt Basin, Type A
29 Each	236-A004	Silt Basin, Type D
7 Mile	321-A001	6" In-Grade Preparation
34,108 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5,601 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
31 Mile	423-A001	Rumble Strips, Ground In
296 Linear Feet	501-E001	Expansion Joints, Without Dowels
663 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
4,095 Linear Feet	503-C007	Saw Cut, Full Depth
146,130 Pounds	602-A001	Reinforcing Steel
232 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
260 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
2 Each	603-CB001	18" Reinforced Concrete End Section
6 Each	603-CB002	24" Reinforced Concrete End Section

CALL No. 03

108	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
80	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
2	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
2	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
1	Each	603-RB014	22" x 13" End Section Removed and Relaid
7,000	Pounds	604-B001	Gratings
2,100	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D012	Guard Rail, Bridge End Section, Type I
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
2,183	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
100	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
120	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
186	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
28	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
30	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3,668	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
17	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,828	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
1,828	Linear Feet	619-A3003	Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape
17	Mile	619-A3006	Temporary Traffic Stripe, Skip White
920	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Type 1 or 2 Tape
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
75,596	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
9,616	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
23	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
697	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
512	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,608	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Each	619-F3004	Delineators, Guard Rail, White
2,532	Linear Feet	619-G4001	Barricades, Type III, Single Faced
54	Linear Feet	619-G4005	Barricades, Type III, Double Faced
335	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
6	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
465	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,314	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
227	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
153	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
435	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
909	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
118	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
42	Each	630-F001	Delineators, Guard Rail, White
42	Each	630-F002	Delineators, Guard Rail, Yellow

CALL No. 03

36	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
36	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
12	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
93	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
6,131	Ton	815-A009	Loose Riprap, Size 300
95	Square Yard	815-E001	Geotextile under Riprap
992	Ton	815-F002	Sediment Control Stone
106	Acre	907-225-A001	Grassing
316	Ton	907-225-B001	Agricultural Limestone
211	Ton	907-225-C001	Mulch, Vegetative Mulch
106	Acre	907-226-A001	Temporary Grassing
3	Each	907-234-D001	Inlet Siltation Guard
300	Linear Feet	907-234-F001	Turbidity Barrier
120	Linear Feet	907-237-A002	Wattles, 12"
8,200	Linear Feet	907-237-A003	Wattles, 20"
5,904	Linear Feet	907-245-A001	Triangular Silt Dike
5,979	Linear Feet	907-246-A001	Sandbags
9	Each	907-247-A001	Temporary Stream Diversion
60	Ton	907-249-A001	Riprap for Erosion Control
600	Cubic Yard	907-249-B001	Remove and Reset Riprap
79,371	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
48,883	Cubic Yard	907-304-C007	Granular Material, AEA, Class 3, Group C
824	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
104,791	Square Yard	907-307-C001	10" Soil-Lime-Water Mixing, Class C
2,358	Ton	907-307-D001	Lime
26,198	Gallon	907-307-S001	Bituminous Curing Seal
36,468	Gallon	907-407-A001	Asphalt for Tack Coat
336	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
987	Cubic Yard	907-601-A001	Class "B" Structural Concrete
11	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
856	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
232	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
15	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
15	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
11	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
23,899	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
21,960	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
6,552	Linear Feet	907-626-H004	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NO. 1

2,181	Ton	907-308-A001	Portland Cement
187,415	Square Yard	907-308-B003	Soil-Cement-Water Mixing, Multiple Pass Mixers, Base
46,854	Gallon	907-308-S001	Bituminous Curing Seal

ALTERNATE GROUP AA NO. 2

CALL No. 03

187,415	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
1,266	Ton	907-311-B001	Lime
4,686	Ton	907-311-C001	Fly Ash, Class C
46,854	Gallon	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NO. 1			
1,478	Ton	907-308-A001	Portland Cement
104,791	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
26,198	Gallon	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NO. 2			
104,791	Square Yard	907-311-A001	Processing Lime and Fly Ash Treated Course, 10" Thick
1,179	Ton	907-311-B001	Lime
4,716	Ton	907-311-C001	Fly Ash, Class C
26,198	Gallon	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP CC NO. 1			
29,359	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP CC NO. 2			
29,359	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP DD NO. 1			
28,344	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP DD NO. 2			
28,344	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP EE NO. 1			
24,325	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP EE NO. 2			
24,325	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP FF NO. 1			
32,755	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP FF NO. 2			
32,755	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP GG NO. 1			
1,828	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,828	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1,828	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
ALTERNATE GROUP GG NO. 2			
1,828	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,828	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
1,828	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
Bridge Items			
3,222	Square Yard	501-K001	Transverse Grooving
3	Each	803-B002	Conventional Static Pile Load Test
2,140	Linear Feet	803-D002	HP 12 x 53 Steel Piling
3,390	Linear Feet	803-D003	HP 14 x 73 Steel Piling
1,125	Linear Feet	803-D007	HP 14 x 89 Steel Piling
1,300	Linear Feet	803-F009	20" Pre-Formed Pile Hole
6	Each	803-J001	Pile Restrike
210,402	Pounds	805-A001	Reinforcement

CALL No. 03

1,611	Linear Feet	813-A002	Concrete Railing, 32"
983	Ton	815-A009	Loose Riprap, Size 300
784	Square Yard	815-E001	Geotextile under Riprap
1,495	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
3,076	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
479	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
1,397	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Grade, Drain, & Bridge on SR 304/I-269 from I-55 to STA. 240+00, known as Federal Aid Project No. STP-0029-02(013) / 102556310 in DeSoto County.

PROJECT COMPLETION: May 29, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1,883 Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
870 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
724 Linear Feet	202-B064	Removal of Pipe, 8" And Above
27,369 Square Yard	202-B078	Removal of Pavement, All Types and Depths
2 Each	202-B079	Removal of Headwall
312 Cubic Yard	202-B276	Remove and Reset Riprap
6 Each	202-B292	Removal of Septic Tank, All Sizes
1,518,791 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
788,304 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
1,000 Cubic Yard	203-G003	Excess Excavation, FM, AH
25,222 Cubic Yard	206-A001	Structure Excavation
317 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
3,417 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
10,000 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5,084 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
155 Ton	213-C001	Superphosphate
5,084 Square Yard	216-A001	Solid Sodding
11,367 Square Yard	217-A001	Ditch Liner
102 Thousand Gallon	219-A001	Watering
155 Acre	220-A001	Insect Pest Control
348 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
310 Acre	223-A001	Mowing
6,433 Square Yard	224-A001	Soil Reinforcing Mat
10,300 Linear Feet	234-A001	Temporary Silt Fence
1,900 Bale	235-A001	Temporary Erosion Checks
41 Each	236-A004	Silt Basin, Type D
41 Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
11,000 Linear Feet	239-A001	Temporary Slope Drains
3,700 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1 Mile	423-A001	Rumble Strips, Ground In
1,015 Linear Feet	501-E001	Expansion Joints, Without Dowels
2,254 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
212,767 Pounds	602-A001	Reinforcing Steel
3,830 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
616 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
68 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
1,140 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
400 Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III

CALL No. 04

44	Linear Feet	603-CA011	72" Reinforced Concrete Pipe, Class III
35	Each	603-CB001	18" Reinforced Concrete End Section
10	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
9	Each	603-CB004	36" Reinforced Concrete End Section
6	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-CB010	72" Reinforced Concrete End Section
48	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
716	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
116	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
2	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
6	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
2	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
790	Pounds	604-A001	Castings
8,750	Pounds	604-B001	Gratings
825	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
32,540	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
16,826	Linear Feet	607-B005	60" Type I Chain Link Fence, Class II
6	Each	607-G119	Gate, 3' x 52" Chain Link
232	Each	607-P1002	Line Post, 10' x 4" Timber
173	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
115	Each	607-P1010	Line Post, 10' x 2" Galvanized Steel
1,734	Each	607-P1020	Line Post, 7' x 4" Timber
347	Each	607-P1021	Line Post, 9' x 4" Timber
861	Each	607-P1027	Line Post, 7' x 2" Galvanized Steel
300	Each	607-P2001	Brace Post, 8' x 6" Timber
60	Each	607-P2002	Brace Post, 10' x 6" Timber
40	Each	607-P2003	Brace Post, 12' x 6" Timber
192	Each	607-P2009	Brace Post, 8' x 2 1/2" Galvanized Steel
39	Each	607-P2011	Brace Post, 10' x 2 1/2" Galvanized Steel
26	Each	607-P2012	Brace Post, 12' x 2 1/2" Galvanized Steel
12	Each	607-P3003	Gate Post, 8' x 2 1/2" Galvanized Steel
1,640	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
41,151	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 3
915	Square Yard	614-B001	Concrete Driveway, With Reinforcement
320	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
5,442	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
5,860	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
3,900	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
920	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White, Paint
15,680	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
120	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
72	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker

CALL No. 04

188	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
984	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
384	Linear Feet	619-G4001	Barricades, Type III, Single Faced
108	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
86	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
723	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
41	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
45	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
112	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
44	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L
2,500	Ton	815-A006	Loose Riprap, Size 100
19,077	Ton	815-A009	Loose Riprap, Size 300
3,417	Square Yard	815-E001	Geotextile under Riprap
3,142	Ton	815-F002	Sediment Control Stone
310	Acre	907-225-A001	Grassing
622	Ton	907-225-B001	Agricultural Limestone
663	Ton	907-225-C001	Mulch, Vegetative Mulch
310	Acre	907-226-A001	Temporary Grassing
26	Each	907-234-D001	Inlet Siltation Guard
400	Linear Feet	907-234-F001	Turbidity Barrier
600	Linear Feet	907-237-A002	Wattles, 12"
2,800	Linear Feet	907-237-A003	Wattles, 20"
2,800	Linear Feet	907-245-A001	Triangular Silt Dike
5,000	Linear Feet	907-246-A001	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
500	Ton	907-249-A001	Riprap for Erosion Control
5,660	Ton	907-304-B009	Granular Material, Class 3, Group D
12,535	Ton	907-304-B011	Granular Material, Class 9, Group B
1,514	Ton	907-304-F002	Size 610 Crushed Stone Base
650	Ton	907-310-B001	Size III Stabilizer Aggregate, Coarse
12,450	Gallon	907-407-A001	Asphalt for Tack Coat
483	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1,333	Cubic Yard	907-601-A001	Class "B" Structural Concrete
70	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
376	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
232	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
100	Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
1,920	Linear Feet	907-605-O002	6" Perforated Sewer Pipe for Underdrains, SDR 35
240	Each	907-617-A001	Right-of-Way Marker
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White

CALL No. 04

1 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,097 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
8,841 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
66 Square Feet	907-626-H005	Thermoplastic Legend, White
Lump Sum	907-699-A002	Roadway Construction Stakes
2,080 Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1		
372 Ton	907-308-A001	Portland Cement
32,013 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
7,564 Gallon	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP AA NO. 2		
32,013 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
246 Ton	907-311-B001	Lime
985 Ton	907-311-C002	Fly Ash, Class C or F
7,564 Gallon	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NO. 1		
2,308 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 2		
2,308 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP CC NO. 1		
2,498 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP CC NO. 2		
2,498 Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP DD NO. 1		
1,731 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP DD NO. 2		
1,731 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP EE NO. 1		
3,044 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP EE NO. 2		
3,044 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP FF NO. 1		
6,768 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP FF NO. 2		
6,768 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP GG NO. 1		
2,447 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP GG NO. 2		
2,447 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP HH NO. 1		
850 Linear Feet	628-A001	6" Cold Plastic Traffic Stripe, Skip White
4,031 Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
850 Linear Feet	628-D001	6" Cold Plastic Traffic Stripe, Skip Yellow
2,915 Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP HH NO. 2		

CALL No. 04

850	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
4,031	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
850	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,915	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Bridge Items

14,522	Square Yard	501-K001	Transverse Grooving
95,106	Pounds	602-A001	Reinforcing Steel
4,449	Cubic Yard	801-A001	Foundation Excavation for Bridges
8	Each	803-B002	Conventional Static Pile Load Test
54,745	Linear Feet	803-D007	HP 14 x 89 Steel Piling
300	Linear Feet	803-F009	20" Pre-Formed Pile Hole
500	Each	803-F011	23" Pre-Formed Pile Hole
21	Each	803-I001	PDA Test Pile
2,117,445	Pounds	805-A001	Reinforcement
4,811	Linear Feet	813-A002	Concrete Railing, 32"
1,516	Linear Feet	813-E001	Concrete Pedestrian Sidewalk Railing
1,315	Cubic Yard	815-D001	Concrete Slope Paving
4,320	Linear Feet	907-803-P002	30" Steel Pipe Piling, Wall Thickness 0.500"
9,719	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
772	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
1,276	Linear Feet	907-804-C022	80' Prestressed Concrete Beam, Type BT-72
1,436	Linear Feet	907-804-C025	90' Prestressed Concrete Beam, Type BT-72
3,057	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
1,113	Linear Feet	907-804-C174	80' Prestressed Concrete Beam, Type IV
1,439	Linear Feet	907-804-C193	103' Prestressed Concrete Beam, Type IV
1,197	Linear Feet	907-804-C206	86' Prestressed Concrete Beam, Type IV
2,973	Linear Feet	907-804-C217	107' Prestressed Concrete Beam, Type IV
837	Linear Feet	907-804-C231	60' Prestressed Concrete Beam, Type IV
739	Linear Feet	907-804-C234	53' Prestressed Concrete Beam, Type IV
1,057	Linear Feet	907-804-C235	76' Prestressed Concrete Beam, Type IV
1,085	Linear Feet	907-804-C236	78' Prestressed Concrete Beam, Type IV
1,752	Linear Feet	907-804-C237	55' Prestressed Concrete Beam, Type BT-72
1,052	Linear Feet	907-804-C238	66' Prestressed Concrete Beam, Type BT-72
4,088	Linear Feet	907-804-C239	128' Prestressed Concrete Beam, Type BT-72

Interchange Improvements at I-10 and Gautier/Vancleave Road, known as Federal Aid Project No. NH-0010-01(045) / 104273301 in Jackson County.

PROJECT COMPLETION: January 10, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2	Each	202-B042	Removal of Flared End Section, All Sizes
3	Each	202-B057	Removal of Inlets, All Sizes
60	Linear Feet	202-B064	Removal of Pipe, 8" And Above
500	Linear Feet	202-B076	Removal of Traffic Stripe
2,923	Square Yard	202-B078	Removal of Pavement, All Types and Depths
700	Linear Feet	202-B134	Removal of Guard Rail, Including Rails & Posts
1,992	Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
1,012	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1	Cubic Yard	206-A001	Structure Excavation
1	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
3,678	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
7,219	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
1	Ton	213-C001	Superphosphate
9	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2,000	Linear Feet	234-A001	Temporary Silt Fence
2,170	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
690	Linear Feet	503-C007	Saw Cut, Full Depth
44	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
28	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB001	18" Reinforced Concrete End Section
1	Each	603-CB002	24" Reinforced Concrete End Section
323	Linear Feet	609-B001	Concrete Curb, Header
497	Linear Feet	615-A004	Concrete Special Design Median Barrier
2,045	Linear Feet	615-B001	Precast Concrete Median Barrier
34	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
55	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
62	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
144	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
36	Linear Feet	619-G4005	Barricades, Type III, Double Faced
120	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
6	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
135	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	629-A005	Vehicular Impact Attenuator, 55 MPH
1,398	Linear Feet	635-A001	Vehicle Loop Assemblies
7,113	Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor
6	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
14	Each	640-A016	Traffic Signal Heads, Type 1 LED
1	Each	640-A019	Traffic Signal Heads, Type 5 LED

CALL No. 05

3	Each	640-A022	Traffic Signal Heads, Type 7 LED
3	Each	640-A045	Traffic Signal Heads, Type 3L, LED
2	Each	642-A001	Solid State Traffic Actuated Controllers, Type 8M
1	Each	643-A001	Closed Loop On-Street Master System
9	Each	644-A001	Optical Detector
2,826	Linear Feet	644-B001	Optical Detector Cable
3	Each	644-C002	Phase Selector, 4 Channel
7	Each	647-A001	Pullbox, Type 1
2	Each	647-A002	Pullbox, Type 3
10	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
892	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
2,309	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
310	Linear Feet	666-B025	Electric Cable, Underground in Conduit, IMSA 26-3, AWG 6, 2Conductor
436	Linear Feet	666-B026	Electric Cable, Underground in Conduit, IMSA 26-3, AWG 8, 2Conductor
2,074	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
285	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
503	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
314	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1,540	Linear Feet	682-A001	Underground Branch Circuit, AWG 1, 3 Conductor
225	Linear Feet	682-A005	Underground Branch Circuit, AWG 1/0, 4 Conductor
2,510	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
335	Linear Feet	682-A016	Underground Branch Circuit, AWG 2, 4 Conductor
3,375	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
12	Each	682-D001	Underground Pull Box
1	Each	682-F001	Secondary Power Controllers
1	Each	683-A014	Lighting Assembly, High Mast, Type 100-6-A
1	Each	683-A032	Lighting Assembly, High Mast, Type 110-6-A
4	Each	683-A051	Lighting Assembly, High Mast, Type 120-6-S
2	Each	683-A072	Lighting Assembly, High Mast, Type 130-8-S
9	Each	683-B051	Lighting Assembly, Low Mast, Type 40-1-10-400
2	Each	683-B058	Lighting Assembly, Low Mast, Type 40-1-20-400
1	Each	683-D001	Portable Electric Power Units
8	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
48	Cubic Yard	684-A006	Pole Foundation, 48" Diameter
14	Cubic Yard	684-A007	Pole Foundation, 30" Diameter
14	Linear Feet	684-B004	Slip Casing, 36" Diameter
17	Linear Feet	684-B006	Slip Casing, 48" Diameter
7	Linear Feet	684-B007	Slip Casing, 30" Diameter
2	Acre	907-225-A001	Grassing
4	Ton	907-225-B001	Agricultural Limestone
4	Ton	907-225-C001	Mulch, Vegetative Mulch
200	Linear Feet	907-237-A003	Wattles, 20"
55	Ton	907-304-F004	Size 825B Crushed Stone Base
640	Gallon	907-407-A001	Asphalt for Tack Coat
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures

CALL No. 05

727	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
1,875	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,886	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
235	Linear Feet	907-626-H004	Thermoplastic Legend, White
511	Square Feet	907-626-H005	Thermoplastic Legend, White
13	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1	Each	907-637-A001	Equipment Cabinet, Type B
2	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-639-A048	Traffic Signal Equipment Pole, Type V, 18' Shaft
1	Each	907-639-A062	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 40' Arms
1	Each	907-639-A065	Traffic Signal Equipment Pole, Type III, 17' Shaft, 35' & 40' Arms
1	Each	907-639-A096	Traffic Signal Equipment Pole, Type III, 17' Shaft, 35' & 50' Arms
13	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
45	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
5	Linear Feet	907-639-D003	Slip Casing, 24" Diameter
1	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
2	Each	907-650-A002	On Street Video Equipment, Fixed Type
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
205	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
1	Each	907-658-A001	Hardened Network Switch, Type A
1	Each	907-658-B001	Terminal Server
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
436	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
436	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
582	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
582	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1
1,473	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP CC NO. 2
1,473	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture

Widen and overlay approximately 2 miles of SR 1 heading North from the intersection of SR 454, known as Federal Aid Project No. STP-0011-01(065) / 106515301 in Washington County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

125	Cubic Yard	203-G003	Excess Excavation, FM, AH
16,800	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A3006	Temporary Traffic Stripe, Skip White
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
9,450	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,009	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
350	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
125	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,100	Ton	907-304-B002	Granular Material, Class 5, Group D
4,772	Gallon	907-407-A001	Asphalt for Tack Coat
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,636	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,798	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,009	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,400	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
8,250	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
8,250	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
1,200	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 2
1,200	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 1
500	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
			ALTERNATE GROUP CC NO. 2
500	Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified
			ALTERNATE GROUP DD NO. 1
250	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			ALTERNATE GROUP DD NO. 2
250	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			ALTERNATE GROUP EE NO. 1

CALL No. 06

260	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
260	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
260	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
260	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP EE NO. 2

260	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
260	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
260	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
260	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

Overlay approximately 4 miles of US 98 from I-59 East, known as Federal Aid Project No. NH-0014-03(066) / 106562301 in Forrest County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**Roadway Items**

36,450	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
3	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4,350	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
534	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
50	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,381	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
563	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
15	Each	630-F001	Delineators, Guard Rail, White
2,800	Ton	907-304-F001	Size 825 Crushed Stone Base
8,225	Gallon	907-407-A001	Asphalt for Tack Coat
9	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
34,176	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
18,087	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,068	Linear Feet	907-626-H004	Thermoplastic Legend, White
77	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
6,710	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
6,710	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
8,862	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 2
8,862	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 1
11,100	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			ALTERNATE GROUP CC NO. 2
11,100	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Mill & Overlay approximately 6 miles of SR 15 beginning 1.6 miles North of Bogue Homa Creek, known as Federal Aid Project No. STP-0022-01(077) / 106563301 in Jones County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**Roadway Items**

3,544	Linear Feet	202-B076	Removal of Traffic Stripe
1,500	Square Yard	202-B078	Removal of Pavement, All Types and Depths
5,300	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
10,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,400	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
800	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
250	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,350	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,900	Ton	907-304-F001	Size 825 Crushed Stone Base
8,000	Gallon	907-407-A001	Asphalt for Tack Coat
10,800	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2,500	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
11,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
14,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,700	Linear Feet	907-626-H004	Thermoplastic Legend, White
181	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
400	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP AA NO. 2
400	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP BB NO. 1
10,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
10,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
6,300	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 2
6,300	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Mill & Overlay approximately 5 miles of SR 41 from US 45 to Chickasaw County Line, known as Federal Aid Project No. STP-0048-00(037) / 106350301 in Monroe County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,336	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
700	Cubic Yard	203-G003	Excess Excavation, FM, AH
96,019	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
9	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3006	Temporary Traffic Stripe, Skip White
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
61,776	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,184	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
108	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,000	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
8,000	Gallon	907-407-A001	Asphalt for Tack Coat
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
8,830	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
11,770	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
528	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
13,600	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
13,600	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
1,700	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
		ALTERNATE GROUP BB NO. 2	
1,700	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

Mill & Overlay approximately 3 miles of SR 613 from Evanston Road to SR 198, known as Federal Aid Project No. STP-0231-00(037) / 106564301 in George County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

8,217	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5	Mile	423-A001	Rumble Strips, Ground In
20	Each	613-D007	Adjustment of Utility Appurtenance
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
480	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
473	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
995	Cubic Yard	907-304-H001	Size 825 Crushed Stone Base, LVM
4,210	Gallon	907-407-A001	Asphalt for Tack Coat
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,485	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
690	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,348	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
3,940	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
3,940	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
2,417	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
		ALTERNATE GROUP BB NO. 2	
2,417	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

CALL No. 11

Overlay approximately 10 miles of US 11 from the Forrest County Line north to Industrial Park Road, known as Federal Aid Project No. STP-2170-00(025) / 106561301 in Jones County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,150	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
220	Square Yard	202-B078	Removal of Pavement, All Types and Depths
6,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
2,100	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
28	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
40	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
17	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
10	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
700	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
860	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
100	Each	630-F001	Delineators, Guard Rail, White
12	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
12	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
3,500	Ton	907-304-F001	Size 825 Crushed Stone Base
13,000	Gallon	907-407-A001	Asphalt for Tack Coat
20,100	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
20	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,100	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,200	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,900	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
80	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
		ALTERNATE GROUP AA NO. 2	
80	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
		ALTERNATE GROUP BB NO. 1	
16,600	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 2	
16,600	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP CC NO. 1	
7,600	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
		ALTERNATE GROUP CC NO. 2	
7,600	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Paving approximately 3 miles of US 51 between Coldwater and Senatobia, known as Federal Aid Project No. STP-2920-00(011) / 100285302 in Tate County.

PROJECT COMPLETION: August 28, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
870 Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
6 Each	202-B009	Removal of Bridge
31,000 Square Meter	202-B098	Removal of Concrete Overlaid w/ Asphalt Pavement (All Depths)
62 Meter	202-B107	Removal of Pipe (All Sizes)
44 Each	202-B109	Removal of Sign, Ground Mounted with Posts
1 Each	202-B137	Removal of Box Culvert (Including Headwalls)
1,003 Meter	202-B140	Removal of Guard Rail (Including Rails & Posts)
1 Kilometer	202-B156	Removal of Traffic Stripe
24 Each	202-B211	Removal of Guard Rail End Section, All Types
2,000 Cubic Meter	203-G003	Excess Excavation (FM) (AH)
2,000 Cubic Meter	206-B001	Select Material for Undercuts (Contractor Furnished) (FM)
2,000 Square Meter	212-B001	Standard Ground Preparation
18 Metric Ton	213-B001	Combination Fertilizer (13-13-13)
18 Metric Ton	213-C001	Superphosphate
2,000 Square Meter	216-A001	Solid Sodding
45 thousand liter	219-A001	Watering
8 Hectare	220-A001	Insect Pest Control
100 Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
200 Bale	235-A001	Temporary Erosion Checks
1,000 Square Meter	406-A001	Cold Milling of Bituminous Pavement (All Depths)
170 Meter	501-E001	Expansion Joints (Without Dowels)
583 Square Meter	502-A002	Reinforced Cement Concrete Bridge End Pavement (225 mm)
1,229 Meter	606-B001	Guard Rail (Class A, Type 1)
24 Each	606-D012	Guard Rail, Bridge End Section, Type I
215 Meter	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
72 Meter	615-A015	Concrete Bridge End Barrier, 810-mm
141 Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
40 Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
Lump Sum	618-A001	Maintenance of Traffic
3 Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
26 Square Meter	619-D1002	Standard Roadside Construction Signs (< 0.9 square meter)(Permanent)
45 Meter	619-G4005	Barricades (Type III) (Double Faced)
50 Each	619-G5001	Free Standing Plastic Drums
50 Each	619-G7001	Warning Lights (Type "B")
Lump Sum	620-A001	Mobilization
2 Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
35 Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
165 Meter	630-C004	Steel U-Section Posts (4.46 to 5.20 kg/m)
138 Each	630-F001	Delineators (Guard Rail)(White)
8,193 Metric Ton	815-A007	Loose Riprap, (Size 136 kg)

CALL No. 12

12,112	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
69,143	Cubic Meter	907-203-EX004	Borrow Excavation (AH)(FME) (Class B9)
39,000	Square Meter	907-209-A004	Geotextile Fabric Stabilization (Type V Non-Woven)
1,764	Square Meter	907-217-A001	Ditch Liner
16	Hectare	907-223-A001	Mowing
16	Hectare	907-225-A002	Grassing
110	Metric Ton	907-225-B001	Agricultural Limestone
72	Metric Ton	907-225-C001	Mulch, Vegetative Mulch
16	Hectare	907-226-A002	Temporary Grassing
16	Hectare	907-227-A001	Hydroseeding
2,700	Meter	907-234-A002	Temporary Silt Fence
2,000	Meter	907-234-F001	Turbidity Barrier
2	Each	907-236-B004	Maintenance and Removal of Existing Silt Basins (Type D)
2,000	Meter	907-237-A002	Wattles, 500-mm
2,000	Meter	907-237-A003	Wattles, 300-mm
2,000	Meter	907-245-A001	Triangular Silt Dike
2,000	Cubic Meter	907-249-B001	Remove and Reset Riprap
21,694	Metric Ton	907-304-B001	Granular Material (Class 3, Group D)
20,506	Metric Ton	907-304-D001	20-mm and Down Crushed Stone
200	Metric Ton	907-310-B002	Size III Stabilizer Aggregate, Coarse
4	Kilometer	907-321-A001	150-mm In-Grade Preparation
26,145	Liter	907-407-A001	Asphalt for Tack Coat
100	Meter	907-413-H001	Sawing and Sealing Transverse Joints in Asphalt Pavment
9	Kilometer	907-423-A001	Rumble Strips (Ground In)
583	Square Meter	907-501-K001	Transverse Grooving
12	Each	907-606-E001	Guard Rail, Terminal End Section
2,000	Meter	907-619-A1001	Temporary Traffic Stripe (Continuous White) (Paint)
1,000	Meter	907-619-A2001	Temporary Traffic Stripe (Continuous Yellow) (Paint)
2	Each	907-619-E3001	Changeable Message Sign
75	Meter	907-626-AA002	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)
8,969	Meter	907-626-CC002	150-mm Thermoplastic Edge Stripe (Continuous White) (1.50-mmmin)
4,175	Meter	907-626-DD002	150-mm Thermoplastic Traffic Stripe (Skip Yellow) (2.25-mm min)
3,651	Meter	907-626-EE003	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
716	Meter	907-626-GG001	Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)
2,199	Meter	907-626-GG002	Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.)
10	Square Meter	907-626-H001	Thermoplastic Legend (White)(3.00-mm min.)
88	Meter	907-626-H002	Thermoplastic Legend (White)(3.00-mm min.)
7	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
490	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
	Lump Sum	907-699-A001	Roadway Construction Stakes
2,000	Metric Ton	907-815-A001	Loose Riprap, (Size 45 kg)
9,667	Square Meter	907-815-E001	Geotextile Fabric under Riprap
1,000	Metric Ton	907-815-F002	Sediment Control Stone
ALTERNATE GROUP AA NO. 1			
440	Metric Ton	907-308-A001	Portland Cement

CALL No. 12

24,333	Square Meter	907-308-B002	Soil-Cement-Water Mixing, (Optional Mixers) (Base)
55,080	Liter	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP AA NO. 2			
24,333	Square Meter	907-311-A002	Processing Lime and Fly Ash Treated Course, 150 mm Thick
1,214	Metric Ton	907-311-B001	Lime
1,404	Metric Ton	907-311-C003	Fly Ash, Class C or F
55,080	Liter	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NO. 1			
4,800	Metric Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 2			
4,800	Metric Ton	907-403-M004	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP CC NO. 1			
12,500	Metric Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP CC NO. 2			
12,500	Metric Ton	907-403-M002	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP DD NO. 1			
900	Meter	907-628-KK001	150-mm High Performance Cold Plastic Edge Stripe (Continuous White)
450	Meter	907-628-LL001	150-mm High Performance Cold Plastic Traffic Stripe (Skip Yellow)
250	Meter	907-628-MM001	150-mm High Performance Cold Plastic Traffic Stripe (Continuous Yellow)
ALTERNATE GROUP DD NO. 2			
900	Meter	907-626-J003	150-mm Inverted Profile Thermoplastic Traffic Stripe, Continuous White
450	Meter	907-626-K003	150-mm Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
250	Meter	907-626-L003	150-mm Inverted Profile Thermoplastic Traffic Stripe (Continuous Yellow)

Mill and Overlay approximately 1 mile of SR 182 from US 82 to US 51, known as State Project No. MP-2182-49(001) / 304557301 in Montgomery County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

75	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
150	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
75	Cubic Yard	203-G003	Excess Excavation, FM, AH
29,487	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Mile	423-A001	Rumble Strips, Ground In
1,200	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,520	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,624	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
110	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
360	Ton	907-304-B009	Granular Material, Class 3, Group D
6,930	Linear Feet	907-403-S003	Joint Sealant
3,800	Gallon	907-407-A001	Asphalt for Tack Coat
1,920	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
630	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
906	Linear Feet	907-626-H004	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
1,375	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
1,375	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
1,550	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
1,550	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1
750	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 2
750	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP DD NO. 1
350	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
			ALTERNATE GROUP DD NO. 2
350	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Realign SR 43 from Crossroads to I-20, known Federal Aid Project No. HSIP-0428-00(025) / 100588301 in Rankin County.

PROJECT COMPLETION: May 07, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
11 Acre	201-B001	Clearing and Grubbing
48,366 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
9,312 Linear Feet	202-B076	Removal of Traffic Stripe
2,400 Linear Feet	202-B106	Removal of Pipe, All Sizes
232,761 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
36,257 Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
42,126 Cubic Yard	203-G003	Excess Excavation, FM, AH
264 Cubic Yard	206-A001	Structure Excavation
9,680 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
37 Ton	213-C001	Superphosphate
8,169 Square Yard	216-A001	Solid Sodding
3,972 Square Yard	217-A001	Ditch Liner
165 Thousand Gallon	219-A001	Watering
37 Acre	220-A001	Insect Pest Control
805 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
883 Square Yard	224-A001	Soil Reinforcing Mat
25,000 Linear Feet	234-A001	Temporary Silt Fence
500 Bale	235-A001	Temporary Erosion Checks
10 Each	236-A004	Silt Basin, Type D
1,300 Linear Feet	239-A001	Temporary Slope Drains
1,681 Ton	305-B003	Size I Stabilizer Aggregate, Coarse
934 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
9 Mile	423-A001	Rumble Strips, Ground In
38 Linear Feet	503-C007	Saw Cut, Full Depth
910 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
168 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
510 Linear Feet	603-CA015	24" Reinforced Concrete Pipe, Class IV
52 Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
32 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB003	30" Reinforced Concrete End Section
168 Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
4 Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
4,293 Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
26 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
851 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,773 Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
232 Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
231 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch

CALL No. 14

216	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
12	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,161	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
537	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
346	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
173	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
500	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
866	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,300	Linear Feet	619-F1001	Concrete Median Barrier, Precast
840	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
154	Each	619-G5001	Free Standing Plastic Drums
15	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
185	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
42	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
505	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
80	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
219	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
336	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
174	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
56	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
70	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
600	Ton	815-A009	Loose Riprap, Size 300
143	Square Yard	815-E001	Geotextile under Riprap
300	Ton	815-F002	Sediment Control Stone
74	Acre	907-225-A001	Grassing
221	Ton	907-225-B001	Agricultural Limestone
184	Ton	907-225-C001	Mulch, Vegetative Mulch
37	Acre	907-226-A001	Temporary Grassing
822	Square Yard	907-228-A001	Erosion Control Blanket, Type I
3,500	Linear Feet	907-237-A003	Wattles, 20"
100	Each	907-246-B002	Rockbags
2,000	Ton	907-249-A001	Riprap for Erosion Control
1,000	Cubic Yard	907-249-B001	Remove and Reset Riprap
11,125	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
17,818	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
800	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
36,173	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
489	Ton	907-307-D001	Lime
13,559	Gallon	907-307-S001	Bituminous Curing Seal
7,209	Gallon	907-407-A001	Asphalt for Tack Coat
6	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures

CALL No. 14

3,609	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1,382	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
648	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
176	Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
126	Linear Feet	907-603-ALT05	42" Type A Alternate Pipe
152	Linear Feet	907-603-ALT12	36" x 23" Type A Alternate Pipe
200	Linear Feet	907-603-ALT13	44" x 27" Type A Alternate Pipe
400	Linear Feet	907-605-O002	6" Perforated Sewer Pipe for Underdrains, SDR 35
100	Linear Feet	907-605-P002	6" Non-perforated Sewer Pipe for Underdrains, SDR 35
206	Each	907-617-A001	Right-of-Way Marker
3	Each	907-619-E3001	Changeable Message Sign
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,373	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
416	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
520	Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1			
1,203	Ton	907-308-A001	Portland Cement
113,276	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
13,559	Gallon	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP AA NO. 2			
113,276	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
838	Ton	907-311-B001	Lime
3,350	Ton	907-311-C002	Fly Ash, Class C or F
13,559	Gallon	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NO. 1			
13,803	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP BB NO. 2			
13,803	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP CC NO. 1			
14,288	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP CC NO. 2			
14,288	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP DD NO. 1			
7,967	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP DD NO. 2			
7,967	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP EE NO. 1			
9,024	Ton	907-403-B008	Hot Mix Asphalt, ST, 19-mm mixture, Leveling
ALTERNATE GROUP EE NO. 2			
9,024	Ton	907-403-N003	Warm Mix Asphalt, ST, 19-mm mixture, Leveling
ALTERNATE GROUP FF NO. 1			
1,886	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP FF NO. 2			

CALL No. 14

1,886 Ton

907-403-0001 Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at mdot.ms.gov.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR