


[Proposal & Plan Sales Will Begin on March 4, 2013](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for March – March 26, 2013



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR MARCH - Tuesday, March 26, 2013

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 04, 2013

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MARCH

CALL	CONTRACT	COUNTY
01	IM-0055-04(095) / 104524301	Panola
* 03	BR-0015-01(112) / 105416301	Adams
04	LWO-6032-24(006) / 502517301	Harrison

Mill and Overlay approximately 10 miles of I-55 from the Yalobusha County Line to SR 6, known as Federal Aid Project No. IM-0055-04(095) / 104524301 in Panola County.

PROJECT COMPLETION: June 19, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

974	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
300	Linear Feet	202-B022	Removal of Concrete Median Barrier
6,102	Linear Feet	202-B076	Removal of Traffic Stripe
24	Each	202-B086	Removal of Guard Post
17,917	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
50	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
162	Cubic Yard	203-G003	Excess Excavation, FM, AH
5	Acre	223-A001	Mowing
100	Linear Feet	234-A001	Temporary Silt Fence
486,780	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
42	Mile	423-A001	Rumble Strips, Ground In
86	Each	606-A001	Guard Posts
16,455	Linear Feet	606-B001	Guard Rail, Class A, Type 1
27	Each	606-C003	Guard Rail, Cable Anchor, Type 1
22	Each	606-D001	Guard Rail, Bridge End Section, Type A
5	Each	606-D012	Guard Rail, Bridge End Section, Type I
46	Each	606-E002	Guard Rail, Terminal End Section, Flared
7	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
274	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place MedianBarrier
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
78	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
81	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
80	Mile	619-A3006	Temporary Traffic Stripe, Skip White
8,035	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
504	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
572	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
20	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
2,266	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
53	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
799	Each	630-F001	Delineators, Guard Rail, White
208	Each	630-F002	Delineators, Guard Rail, Yellow
40	Each	630-F006	Delineators, Post Mounted, Single White
32	Each	630-F007	Delineators, Post Mounted, Single Yellow
116	Each	630-F008	Delineators, Post Mounted, Double White
44	Each	630-F009	Delineators, Post Mounted, Double Yellow
26	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

CALL No. 01

3,280	Linear Feet	808-A001	Joint Preparation
1	Acre	907-225-A001	Grassing
3	Ton	907-225-B001	Agricultural Limestone
2	Ton	907-225-C001	Mulch, Vegetative Mulch
1	Acre	907-226-A001	Temporary Grassing
50	Linear Feet	907-237-A003	Wattles, 20"
9,898	Ton	907-304-B009	Granular Material, Class 3, Group D
307	Ton	907-304-F002	Size 610 Crushed Stone Base
18,170	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
26,369	Gallon	907-402-B001	Bituminous Tack Coat
29,137	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
37,088	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
40	Mile	907-403-S004	Joint Sealant
94,421	Gallon	907-407-A001	Asphalt for Tack Coat
2	Each	907-606-PP002	Guard Rail, Bridge Connector, Per Plans
840	Linear Feet	907-619-A5001	Temporary Traffic Stripe, Detail Blue ADA
4	Each	907-619-A6002	Temporary Traffic Stripe, Legend Blue ADA
2	Each	907-619-E3001	Changeable Message Sign
4	Square Feet	907-625-F003	Legend, Blue-ADA
20	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
20	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
20	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
420	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
8,035	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
588	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
504	Linear Feet	907-626-H004	Thermoplastic Legend, White
3,280	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
1,835	Linear Feet	907-824-PP004	Bridge Repair, Removal of Joint Armor, Per Plans
1,642	Linear Feet	907-824-PP006	Bridge Repair, Sawcut Joints, Per Plans
1,642	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
1,040	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NO. 1
9,988	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
9,988	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
12,978	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
12,978	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1
407	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP CC NO. 2
407	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
2,588	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling

CALL No. 01

ALTERNATE GROUP DD NO. 2

2,588 Ton 907-403-N008 Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling

ALTERNATE GROUP EE NO. 1

81 Ton 907-403-C005 Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening

ALTERNATE GROUP EE NO. 2

81 Ton 907-403-O001 Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

ALTERNATE GROUP FF NO. 1

2,712 Linear Feet 907-626-I003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

2,712 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite

2,712 Linear Feet 907-626-L001 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP FF NO. 2

2,712 Linear Feet 628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip White

2,712 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite

2,712 Linear Feet 628-M002 6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Bridge Maintenance on the Mississippi River Bridge at Natchez, known as Federal Aid Project No. BR-0015-01(112) / 105416301 in Adams County.

PROJECT COMPLETION: November 08, 2013

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization

Bridge Items

13 Square Feet	907-804-S001	Repairing Concrete Spalls
2,651 Each	907-810-B001	Replace Deteriorated Rivets with High Strength Bolts
60 Each	907-810-C001	Replace Loose and Defective Bolts
40 Each	907-810-D001	Repairs to Knee Braces at Truss Contraction Joints
Lump Sum	907-810-E001	Repairs to Gusset Plates
24 Linear Feet	907-813-F001	Replace Steel Lower Curbs
88 Linear Feet	907-813-G001	Replace Steel Upper Curbs
25 Linear Feet	907-813-H001	Replace Steel Top Rail
137 Linear Feet	907-813-I001	Replace Steel Middle Rail
9 Each	907-813-J002	Replace Steel Posts

Site Improvements at Lyman Site - Utility Mainline Installation, known as State Project No. LWO-6032-24(006) / 502517301 in Harrison County.

PROJECT COMPLETION: October 10, 2013

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
150	Square Yard	202-B078	Removal of Pavement, All Types and Depths
50	Cubic Yard	203-EX005	Borrow Excavation, AH, FME, Class B3
5	Acre	220-A001	Insect Pest Control
1,850	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
5	Acre	907-225-A001	Grassing
12	Ton	907-225-B001	Agricultural Limestone
10	Ton	907-225-C001	Mulch, Vegetative Mulch
800	Linear Feet	907-237-A003	Wattles, 20"
	Lump Sum	907-260-A002	Lift Station
5,290	Linear Feet	907-263-A005	4" Diameter PVC Force Main Pipe, SDR 26
480	Linear Feet	907-263-A008	4" Diameter Ductile Iron Force Main Pipe
5	Each	907-263-C001	Air Release Valve
205	Linear Feet	907-265-A008	8" PVC Pipe, Water
6,040	Linear Feet	907-265-A009	12" PVC Pipe, Water
400	Linear Feet	907-265-A010	12" Ductile Iron Pipe, Water
5,500	Pounds	907-265-C001	Ductile Iron MJ Fittings
3	Each	907-265-D002	8" Gate Valve and Value Box
3	Each	907-265-D018	12" Gate Valve and Value Box
15	Each	907-265-F001	Fire Hydrant Assembly
1	Each	907-265-H001	Initial Testing
1	Each	907-265-I001	Initial Disinfection Testing
1	Each	907-265-J005	Connection to Existing 12" Water Main
1	Each	907-265-L004	Flushing Valve
1	Each	907-265-L005	Automatic Flushing Assembly
20	Cubic Yard	907-304-H001	Size 825 Crushed Stone Base, LVM
25	Square Yard	907-501-B001	6" Plain Cement Concrete Pavement, Drag Finish
290	Linear Feet	907-603-A002	8" Steel Pipe, Jacked or Bored
160	Linear Feet	907-603-A003	16" Steel Pipe, Jacked or Bored
240	Linear Feet	907-603-A004	20" Steel Pipe, Jacked or Bored
940	Linear Feet	907-603-DD004	Directional Drilling, 4" HDPE Pipe, SDR 11
640	Linear Feet	907-603-DD005	Directional Drilling, 12" HDPE Pipe, SDR 11
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
18	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP AA NO. 2
18	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR