

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.   1   DATED   4/15/2013   ADDENDUM NO.            DATED             
 ADDENDUM NO.            DATED            ADDENDUM NO.            DATED           

Number	Description
1	Revise Table of Contents, replace same; Add Supplement to NTB No. 2596; Revise Supplement to NTB No. 4103, replace same; Add NTB No. 4473; Add Supplement to SP No. 907-714-6; Revise Bid Items, replace same; Revise or added Plan Sheet Nos. 1-3, 6-7, 10-15, 18-19, 21-26, 28-29; Amendment EBS Download Required.

TOTAL ADDENDA:   1    
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
 Contractor

BY \_\_\_\_\_  
 Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

BR-0339-00(007) / 102492302

Jasper County(ies)

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## TABLE OF CONTENTS

### PROJECT: BR-0339-00(007) / 102492302 – Jasper County

901--Advertisement

904--Notice to Bidders:

- Governing Specifications - # 1
- Gopher Tortoises - # 151
- Fiber Reinforced Concrete - # 640
- Payroll Requirements - # 883
- Non-Use of Precast Drainage Units - # 1322
- Errata & Modifications to 2004 Standard Specifications - # 1405
- Federal Bridge Formula - # 1928
- Status of ROW w/ attachments - # 2382
- DBE Forms, Participation and Payment, w/Supplement - # 2596
- Non-Quality Control / Quality Assurance Concrete - # 2818
- Reduced Speed Limit Signs - # 2937
- Alternate Asphalt Mixture Bid Items - # 3039
- Temporary Traffic Paint - # 3131
- Warm Mix Asphalt (WMA) - # 3242
- Detour Bridge Railing - # 3404
- DUNS Requirement for Federal Funded Projects - # 3414
- Storm Water Discharge Associated w/ Construction Activities ( $\geq 5$  Acres) - # 3581
- Additional Erosion Control Requirements - # 3612
- Type III Barricade Rails - #3655
- Petroleum Products Base Price - # 3893
- Questions Regarding Bidding - # 3980
- Stay-In-Place Metal Forms - # 4084
- Disadvantaged Business Enterprise, w/Supplement - # 4103
- Rumble Stripe - # 4189
- Safety Apparel - # 4214
- Contract Time - # 4354
- Specialty Items - # 4355
- Placement of Fill Material in Federally Regulated Areas - # 4357
- Prestressed Concrete Beam Quantities - # 4358
- Alternate Crushed Stone Base Bid Items - # 4473

906: Required Federal Contract Provisions – FHWA-1273, w/Supplements

907-101-4: Definitions

907-102-8: Bidding Requirements and Conditions, w/Supplement

907-103-8: Award and Execution of Contract

907-104-1: Partnering Process

907-104-4: Disposal of Materials

907-105-6: Control of Work, w/Supplement

907-107-9: Legal Relations & Responsibility to Public, w/Supplement

907-107-10: Contractor's Erosion Control Plan, w/Supplement

907-108-24: Prosecution and Progress, w/Supplement

907-109-5: Measurement and Payment, w/Supplement

907-110-2: Wage Rates

- CONTINUED ON NEXT PAGE -

- 907-225-3: Grassing
- 907-226-2: Temporary Grassing
- 907-234-5: Siltation Barriers
- 907-237-4: Wattles
- 907-240-1: Interlocking Flexible Block Erosion Control System
- 907-245-2: Triangular Silt Dikes
- 907-246-3: Sandbags & Rockbags
- 907-247-1: Temporary Stream Diversion
- 907-249-1: Riprap for Erosion Control
- 907-304-13: Granular Courses
- 907-307-3: Lime Treated Courses, w/Supplement
- 907-308-3: Portland Cement Treated Courses, w/Supplement
- 907-311-2: Lime-Fly Ash Treated Courses, w/Supplement
- 907-401-2: Hot Mix Asphalt (HMA), w/Supplement
- 907-401-5: Stone Matrix Asphalt
- 907-401-6: Warm Mix Asphalt (WMA)
- 907-403-4: Hot Mix Asphalt (HMA), w/Supplement
- 907-403-11: Stone Matrix Asphalt (SMA)
- 907-403-12: Warm Mix Asphalt (WMA)
- 907-407-1: Tack Coat
- 907-413-4: Sawing and Sealing Transverse Joints in Asphalt Pavement, w/Supplement
- 907-601-1: Structural Concrete
- 907-603-8: Culverts & Storm Drains
- 907-617-2: Right-Of-Way Markers
- 907-618-9: Placement of Temporary Traffic Stripe
- 907-626-25: Thermoplastic Traffic Markings
- 907-699-4: Roadway Construction Stakes
- 907-701-4: Hydraulic Cement
- 907-702-3: Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement
- 907-703-10: Aggregates, w/Supplement
- 907-708-5: Non-Metal Drainage Structures, w/Supplement
- 907-709-1: Metal Pipe
- 907-710-1: Fast Dry Solvent Traffic Paint
- 907-711-4: Synthetic Structural Fiber Reinforcement
- 907-713-2: Admixtures for Concrete, w/Supplement
- 907-714-6: Miscellaneous Materials, w/Supplement
- 907-715-3: Roadside Development Materials, w/Supplement
- 907-720-1: Pavement Marking Materials, w/Supplement
- 907-804-13: Concrete Bridges and Structures, w/Supplement

SECTION 905 - PROPOSAL, PROPOSAL BID ITEMS  
COMBINATION BID PROPOSAL  
CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS  
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION  
SECTION 902- CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS  
PILE DRIVE FORM  
FORM -- OCR-485

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SUPPLEMENT TO NOTICE TO BIDDERS NO. 2596**

**DATE: 04/09/2013**

Delete the fourth paragraph on page 1, and substitute the following.

Bidders are also advised that Form OCR-485 will be completed by **ALL BIDDERS** submitting a bid proposal and **must be signed and included in the bid proposal package**. If at least one copy of this form is not signed and included as part of bid proposal, your bid will be deemed irregular.

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## SUPPLEMENT TO NOTICE TO BIDDERS NO. 4103

**DATE: 04/09/2013**

The goal is 5 percent for the Disadvantaged Business Enterprise. The low bidder is required to submit Form OCR-481 for all DBEs. Bidders are advised to check the bid tabulation link for this project on the MDOT website at:

<http://sp.gomdot.com/Contract%20Administration/BidSystems/Pages/letting%20calendar.aspx>

Bid tabulations are usually posted by 3:00 pm on Letting Day.

Delete subparagraph (3) under AWARD on page 7, and substitute the following.

- (3) Bidder must submit an OCR-485 listing all firms that submitted quotes for material supplies or items to be subcontracted. Please make and add copies of this form when needed or attach additional sheets containing the information required by the form and add these sheets to the bid proposal. Form OCR-485 must be signed and submitted with the bid proposal. If at least one copy of this form is not signed and included as part of bid proposal, your bid will be deemed irregular.

Delete subparagraph (5) under DBE REPORTS on page 8, and substitute the following.

- (5) OCR-485: Bidder must submit **signed form with bid proposal** of all firms that submitted quotes for material supplies or items to be subcontracted. Please make and add copies of this form when needed or attach additional sheets containing the information required by the form and add these sheets to the bid proposal. If at least one copy of this form is not signed and included as part of bid proposal, your bid will be deemed irregular.

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904- NOTICE TO BIDDERS NO. 4473**

**CODE: (SP)**

**DATE: 04/08/2013**

**SUBJECT: Alternate Crushed Stone Base Bid Items**

Bidders are advised that the Crushed Stone Base used on this project will be bid as an alternate pay item: ¾" and Down Crushed Stone Base, Size 825B Crushed Stone Base, or Size 610 Crushed Stone Base. Bidders must select one of the alternates at the time of bid. **The Contractor must use the selected crushed stone base throughout the entire project.**

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SUPPLEMENT TO SPECIAL PROVISION NO. 907-714-6**

**DATE: 04/11/2013**

**SUBJECT: Miscellaneous Materials**

In the fifth paragraph of Subsection 907-714.05.1 on page 1, change “6.0%” to “8.0%”.

Replace Bridge Nos. 19.0, 19.1, 19.3, & 21.5 on SR 513 Over Souinlovey Creek, known as Federal Aid Project No. BR-0339-00(007) / 102492302 in Jasper County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
					<b>Roadway Items</b>
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		1	Acre	Clearing and Grubbing
0030	202-B007		1	Each	Removal of Box Bridge
0040	202-B009		4	Each	Removal of Bridge
0050	202-B076		1,800	Linear Feet	Removal of Traffic Stripe
0060	202-B078		17,868	Square Yard	Removal of Pavement, All Types and Depths
0070	202-B102		350	Linear Feet	Removal of Guard Rail
0080	203-A003	(E)	6,928	Cubic Yard	Unclassified Excavation, FM, AH
0090	203-EX038	(E)	144,355	Cubic Yard	Borrow Excavation, AH, FME, Class B7-6
0100	203-F001	(E)	6,071	Cubic Yard	Channel Excavation, FM
0110	203-G003	(E)	34,316	Cubic Yard	Excess Excavation, FM, AH
0120	206-A001	(S)	218	Cubic Yard	Structure Excavation
0130	206-B001	(E)	50	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0140	209-A004		20,871	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0150	212-B001		342	Square Yard	Standard Ground Preparation
0160	213-B001		1	Ton	Combination Fertilizer, 13-13-13
0170	213-C001		24	Ton	Superphosphate
0180	216-A001		342	Square Yard	Solid Sodding
0190	217-A001		3,259	Square Yard	Ditch Liner
0200	219-A001		7	Thousand Gallon	Watering [\$20.00]
0210	220-A001		24	Acre	Insect Pest Control [\$30.00]
0220	221-A001	(S)	38	Cubic Yard	Portland Cement Concrete Paved Ditch
0230	223-A001		1	Acre	Mowing [\$40.00]
0240	224-A001		3,259	Square Yard	Soil Reinforcing Mat
0250	234-A001		15,000	Linear Feet	Temporary Silt Fence
0260	235-A001		2,000	Bale	Temporary Erosion Checks
0270	239-A001		750	Linear Feet	Temporary Slope Drains
0280	406-A001		8,120	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0290	423-A001		3	Mile	Rumble Strips, Ground In
0300	501-E001		348	Linear Feet	Expansion Joints, Without Dowels
0310	502-A001	(C)	752	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0320	602-A001	(S)	37,857	Pounds	Reinforcing Steel



Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	606-B001		1,450	Linear Feet	Guard Rail, Class A, Type 1
0340	606-D012		16	Each	Guard Rail, Bridge End Section, Type I
0350	606-E002		16	Each	Guard Rail, Terminal End Section, Flared
0360	609-D007	(S)	222	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0370	615-A018	(S)	160	Linear Feet	Concrete Bridge End Barrier, 33.5"
0380	618-A001		1	Lump Sum	Maintenance of Traffic
0390	618-C001		1	Lump Sum	Construction & Removal of Detour Bridge
0400	619-A1001		1,770	Linear Feet	Temporary Traffic Stripe, Continuous White
0410	619-A2001		1,660	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
0420	619-A2007		4,718	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
0430	619-A5004		780	Linear Feet	Temporary Traffic Stripe, Detail, Type 1 Tape
0440	619-D1001		68	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0450	619-D2001		408	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
	Changed 04/15/2013				
0460	619-G4001		168	Linear Feet	Barricades, Type III, Single Faced
	Changed 04/15/2013				
0470	619-G4005		48	Linear Feet	Barricades, Type III, Double Faced
0480	619-G5001		11	Each	Free Standing Plastic Drums
0490	619-G7001		4	Each	Warning Lights, Type "B"
0500	619-G8001		11	Each	Warning Lights, Type "C"
0510	620-A001		1	Lump Sum	Mobilization
0520	622-A001		1	Each	Engineer's Field Office Building, Type 1
0530	627-J001		68	Each	Two-Way Clear Reflective High Performance Raised Markers
0540	627-L001		161	Each	Two-Way Yellow Reflective High Performance Raised Markers
0550	630-A001		106	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0560	630-C003		196	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
0570	630-F001		80	Each	Delineators, Guard Rail, White
0580	815-A009	(S)	1,472	Ton	Loose Riprap, Size 300
0590	815-E001	(S)	1,272	Square Yard	Geotextile under Riprap
0600	815-F002	(S)	150	Ton	Sediment Control Stone
0610	907-225-A001		48	Acre	Grassing
0620	907-225-B001		144	Ton	Agricultural Limestone
0630	907-225-C001		96	Ton	Mulch, Vegetative Mulch
0640	907-226-A001		48	Acre	Temporary Grassing
0650	907-234-C002		7,110	Linear Feet	Super Silt Fence

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0660	907-237-A003		1,000	Linear Feet	Wattles, 20"
0670	907-240-A001		1,111	Square Yard	Interlocking Flexible Block Erosion Control System
0680	907-245-A001		220	Linear Feet	Triangular Silt Dike
0690	907-246-A001		200	Linear Feet	Sandbags
0700	907-247-A001		1	Each	Temporary Stream Diversion
0710	907-249-A001		250	Ton	Riprap for Erosion Control
0720	907-304-A005	(GY )	4,537	Cubic Yard	Granular Material, LVM, Class 9, Group C Changed 04/15/2013
0740	907-307-C003	(M )	9,432	Square Yard	6" Soil-Lime-Water Mixing, Class C
0750	907-307-D001		128	Ton	Lime
0752	907-307-S001	(A3 )	2,358	Gallon	Bituminous Curing Seal Added 04/15/2013
0760	907-407-A001	(A2 )	2,854	Gallon	Asphalt for Tack Coat
0770	907-413-E001		56	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0780	907-601-A001	(S )	215	Cubic Yard	Class "B" Structural Concrete
0790	907-603-ALT01	(S )	760	Linear Feet	18" Type A Alternate Pipe Changed 04/15/2013
0800	907-617-A001		60	Each	Right-of-Way Marker
0810	907-626-C003		4	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0820	907-626-D006		2	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
0830	907-626-E006		2	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0840	907-626-G006		1,005	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
0850	907-626-G007		220	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
0860	907-626-H009		294	Linear Feet	Thermoplastic Double Drop Legend, White
0870	907-699-A002		1	Lump Sum	Roadway Construction Stakes
<b>ALTERNATE GROUP AA NUMBER 1</b>					
0874	907-304-F002	(GT )	7,098	Ton	Size 610 Crushed Stone Base Added 04/15/2013
<b>ALTERNATE GROUP AA NUMBER 2</b>					
0876	907-304-F003	(GT )	7,098	Ton	3/4" and Down Crushed Stone Base Added 04/15/2013
<b>ALTERNATE GROUP AA NUMBER 3</b>					
0878	907-304-F004	(GT )	7,098	Ton	Size 825B Crushed Stone Base Changed 04/15/2013
<b>ALTERNATE GROUP BB NUMBER 1</b>					

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0880	907-308-A001		80	Ton	Portland Cement
Changed 04/15/2013					
0890	907-308-B002	(M )	9,432	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
Changed 04/15/2013					
0892	907-307-S001	(A3 )	2,358	Gallon	Bituminous Curing Seal
Added 04/15/2013					
<b>ALTERNATE GROUP BB NUMBER 2</b>					
0900	907-311-A003	(M )	9,432	Square Yard	Processing Lime and Fly Ash Treated Course, 6" Thick
Changed 04/15/2013					
0910	907-311-B001		64	Ton	Lime
Changed 04/15/2013					
0920	907-311-C002		255	Ton	Fly Ash, Class C or F
Changed 04/15/2013					
0922	907-311-S001	(A3 )	2,358	Gallon	Bituminous Curing Seal
Added 04/15/2013					
<b>ALTERNATE GROUP CC NUMBER 1</b>					
0930	907-403-A015	(BA1 )	2,481	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
Changed 04/15/2013					
<b>ALTERNATE GROUP CC NUMBER 2</b>					
0940	907-403-M001	(BA1 )	2,481	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture
Changed 04/15/2013					
<b>ALTERNATE GROUP DD NUMBER 1</b>					
0950	907-403-A011	(BA1 )	3,289	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture
Changed 04/15/2013					
<b>ALTERNATE GROUP DD NUMBER 2</b>					
0960	907-403-M003	(BA1 )	3,289	Ton	Warm Mix Asphalt, ST, 12.5-mm mixture
Changed 04/15/2013					
<b>ALTERNATE GROUP EE NUMBER 1</b>					
0970	907-403-A012	(BA1 )	2,966	Ton	Hot Mix Asphalt, ST, 19-mm mixture
Changed 04/15/2013					
<b>ALTERNATE GROUP EE NUMBER 2</b>					
0980	907-403-M004	(BA1 )	2,966	Ton	Warm Mix Asphalt, ST, 19-mm mixture
Changed 04/15/2013					
<b>ALTERNATE GROUP FF NUMBER 1</b>					
0990	907-403-C005	(BA1 )	450	Ton	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
Changed 04/15/2013					
<b>ALTERNATE GROUP FF NUMBER 2</b>					

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1000	907-403-O001	(BA1 )	450	Ton	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
Changed 04/15/2013					
<b>Bridge Items</b>					
1010	501-K001		3,228	Square Yard	Transverse Grooving
1020	803-B002	(S )	8	Each	Conventional Static Pile Load Test [\$5,000.00]
1030	803-D002	(S )	3,280	Linear Feet	HP 12 x 53 Steel Piling
1040	803-D003	(S )	4,500	Linear Feet	HP 14 x 73 Steel Piling
1050	803-D007	(S )	405	Linear Feet	HP 14 x 89 Steel Piling
1060	803-I001	(S )	10	Each	PDA Test Pile
1070	803-J001	(S )	8	Each	Pile Restrike
1080	805-A001	(S )	248,972	Pounds	Reinforcement
1090	813-A001	(S )	1,816	Linear Feet	Concrete Railing
1100	815-A009	(S )	3,240	Ton	Loose Riprap, Size 300
1110	815-E001	(S )	2,745	Square Yard	Geotextile under Riprap
1120	907-804-A001	(S )	1,491	Cubic Yard	Bridge Concrete, Class AA
1130	907-804-C016	(S )	2,368	Linear Feet	40' Prestressed Concrete Beam, Type I+2
1140	907-804-C030	(S )	1,595	Linear Feet	80' Prestressed Concrete Beam, Type III
1150	907-804-C171	(S )	499	Linear Feet	100' Prestressed Concrete Beam, Type IV