

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u>1</u>	DATED <u>4/12/2013</u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. _____	DATED _____	ADDENDUM NO. _____	DATED _____

Number	Description
1	Table of Contents, replace same; Revised Advertisement, replaces same; Add Supplement to NTB 2596; Revised Supplement to NTB 4103, replaces same; Add NTB No. 4473; Add Supplement to SP 907-714-6; BidItems, replace same; Amendment EBS Download Required.

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

STP-0029-02(015) / 102556311

Desoto County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: STP-0029-02(015) / 102556311 – Desoto County

901--Advertisement

904--Notice to Bidders:

- Governing Specs. - # 1
- Final Cleanup - # 3
- Quantity for Fillet Concrete - # 6
- Fiber Reinforced Concrete - # 640
- Payroll Requirements - # 883
- Errata & Modifications to 2004 Standard Specifications - # 1405
- Federal Bridge Formula - # 1928
- Exposure to Moderate Sulfate Areas Below Ground Level - # 2367
- Status of ROW, W/Attachments - # 2382
- Clearing and/or Grubbing - # 2418
- DBE Forms, Participation, and Payment, W/ Supplement - # 2596
- Non-Quality Control/Quality Assurance Concrete - # 2818
- Reduced Speed Limit Signs - # 2937
- Alternate Asphalt Mixture Bid Items - # 3039
- Temporary Traffic Paint - # 3131
- Warm Mix Asphalt (WMA) - # 3242
- DUNS Requirement for Federal Funded Projects - # 3414
- Storm Water Discharge Associated with Construction Activities (≥ 5 Acres) - # 3581
- Additional Erosion Control Requirements - # 3612
- Type III Barricade Rails - # 3655
- Use of Precast Drainage Units - # 3704
- Petroleum Products Base Price - # 3893
- Questions Regarding Bidding - # 3980
- Stay-In-Place Metal Forms – # 4084
- Temporary Steel Bracing - # 4085
- Disadvantaged Business Enterprise, W/Supplement - # 4103
- Rumble Stripe - # 4189
- Safety Apparel - # 4214
- Contract Time - # 4366
- Specialty Items - # 4367
- Placement of Fill Material in Federally Regulated Areas - # 4368
- Cooperation Between Contractors - # 4369
- Geotechnical Investigation - # 4370
- Finish Grades - # 4371
- Seismic Piling - # 4372
- Silt Fence Reinforcement - # 4373
- Contract Time Determination - # 4374
- Steel Pile Grade - # 4375
- Self-Consolidating Concrete for Drilled Shafts - # 4396
- Drill Shaft and Column Spiral Reinforcing Grade - # 4397
- Disturbed Areas - # 4398
- Construction Access for Adjacent Project - # 4439
- Alternate Crushed Stone Base Bid Items - # 4473

906: Required Federal Contract Provisions -- FHWA-1273, W/ Supplements

-- CONTINUED ON NEXT PAGE --

907-101-4: Definitions
907-102-8: Bidding Requirements and Conditions, W/ Supplement
907-103-8: Award and Execution of Contract
907-104-1: Partnering Process
907-104-4: Disposal of Materials
907-105-6: Control of Work, W/ Supplement
907-107-9: Legal Relations & Responsibility to Public, W/ Supplement
907-107-10: Contractor's Erosion Control Plan, W/ Supplement
907-108-24: Prosecution and Progress, W/ Supplement
907-109-5: Measurement and Payment, W/ Supplement
907-110-2: Wage Rates
907-225-3: Grassing
907-226-2: Temporary Grassing
907-227-10: Hydroseeding
907-234-5: Siltation Barriers
907-237-4: Wattles
907-245-2: Triangular Silt Dikes
907-246-3: Sandbags & Rockbags
907-247-1: Temporary Stream Diversion
907-249-1: Riprap for Erosion Control
907-304-13: Granular Courses
907-308-3: Cement Treated Courses, W/ Supplement
907-310-1: Stabilizer Aggregate
907-311-2: Lime-Fly Ash Treated Courses, W/ Supplement
907-401-2: Hot Mix Asphalt (HMA), W/ Supplement
907-401-6: Warm Mix Asphalt (WMA)
907-403-4: Hot Mix Asphalt (HMA), W/ Supplement
907-403-12: Warm Mix Asphalt (WMA)
907-407-1: Tack Coat
907-413-4: Sawing & Sealing Transverse Joints in Asphalt Pavement, W/ Supplement
907-601-1: Structural Concrete
907-603-8: Culverts and Storm Drains
907-605-3: Underdrains
907-617-2: Right-Of-Way Markers
907-618-9: Placement of Temporary Traffic Stripe
907-619-5: Changeable Message Signs
907-626-5: Inverted Profile Thermoplastic Traffic Stripe
907-626-25: Thermoplastic Traffic Marking
907-630-7: Remove and Reset Signs
907-699-4: Construction Stakes
907-701-4: Hydraulic Cement
907-702-3: Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement
907-703-10: Aggregates, W/ Supplement
907-708-5: Non Metal Drainage Structures, W/ Supplement
907-709-1: Metal Pipe
907-710-1: Fast Drying Solvent Traffic Paint
907-711-4: Synthetic Structural Fiber Reinforcement
907-713-2: Admixtures for Concrete, W/ Supplement

-- CONTINUED ON NEXT PAGE --

PAGE 3 - PROJECT: STP-0029-02(015) / 102556311 – Desoto County

907-714-6: Miscellaneous Materials, W/ Supplement
907-715-3: Roadside Development Materials, W/ Supplement
907-720-1: Pavement Marking Materials, W/ Supplement
907-803-2: Maturity Meters in Drilled Shafts, W/ Supplement
907-804-13: Concrete Bridges and Structures, W/ Supplement
907-811-4: Disc Bearing

906-7: Training Special Provision

SECTION 905 - PROPOSAL,
PROPOSAL BID ITEMS,
COMBINATION BID PROPOSAL,
CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS,
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS,
PILE DRIVING FORM,
OCR-485.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 901 - ADVERTISEMENT

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, April 23, 2013, and shortly thereafter publicly opened on the Sixth Floor for:

SR 304 Relocation/I-269 from STA. 240+00 (east of Malone Road) to Station 525+00 (east of SR 305), known as Federal Aid Project No. STP-0029-02(015) / 102556311 in Desoto County.

The attention of bidders is directed to the Contract Provisions governing selection and employment of labor. Minimum wage rates have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the Contract Provisions.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, age, disability, religion or national origin in consideration for an award.

The award of this contract will be contingent upon the Contractor satisfying the DBE requirements.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a per sheet basis plus a small convenience fee. If you have any questions, you can contact the MDOT Plans Print Shop at (601) 359-7460, or e-mail at plans@mdot.state.ms.us. Plans will be shipped upon receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified Nonresident Agent, with Power of Attorney attached, a Cashier's check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR

(FAPWP)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUPPLEMENT TO NOTICE TO BIDDERS NO. 2596

DATE: 04/09/2013

Delete the fourth paragraph on page 1, and substitute the following.

Bidders are also advised that Form OCR-485 will be completed by **ALL BIDDERS** submitting a bid proposal and **must be signed and included in the bid proposal package**. If at least one copy of this form is not signed and included as part of bid proposal, your bid will be deemed irregular.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUPPLEMENT TO NOTICE TO BIDDERS NO. 4103

DATE: 04/09/2013

The goal is 10 percent for the Disadvantaged Business Enterprise. The low bidder is required to submit Form OCR-481 for all DBEs. Bidders are advised to check the bid tabulation link for this project on the MDOT website at:

<http://sp.gomdot.com/Contract%20Administration/BidSystems/Pages/letting%20calendar.aspx>

Bid tabulations are usually posted by 3:00 pm on Letting Day.

Delete subparagraph (3) under AWARD on page 7, and substitute the following.

- (3) Bidder must submit an OCR-485 listing all firms that submitted quotes for material supplies or items to be subcontracted. Please make and add copies of this form when needed or attach additional sheets containing the information required by the form and add these sheets to the bid proposal. Form OCR-485 must be signed and submitted with the bid proposal. If at least one copy of this form is not signed and included as part of bid proposal, your bid will be deemed irregular.

Delete subparagraph (5) under DBE REPORTS on page 8, and substitute the following.

- (5) OCR-485: Bidder must submit **signed form with bid proposal** of all firms that submitted quotes for material supplies or items to be subcontracted. Please make and add copies of this form when needed or attach additional sheets containing the information required by the form and add these sheets to the bid proposal. If at least one copy of this form is not signed and included as part of bid proposal, your bid will be deemed irregular.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904- NOTICE TO BIDDERS NO. 4473

CODE: (SP)

DATE: 04/08/2013

SUBJECT: Alternate Crushed Stone Base Bid Items

Bidders are advised that the Crushed Stone Base used on this project will be bid as an alternate pay item: ¾" and Down Crushed Stone Base, Size 825B Crushed Stone Base, or Size 610 Crushed Stone Base. Bidders must select one of the alternates at the time of bid. **The Contractor must use the selected crushed stone base throughout the entire project.**

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUPPLEMENT TO SPECIAL PROVISION NO. 907-714-6

DATE: 04/11/2013

SUBJECT: Miscellaneous Materials

In the fifth paragraph of Subsection 907-714.05.1 on page 1, change “6.0%” to “8.0%”.

SR 304 Relocation/I-269 from STA. 240+00 (east of Malone Road) to Station 525+00 (east of SR 305), known as Federal Aid Project No. STP-0029-02(015) / 102556311 in Desoto County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-B002		880	Square Yard	Removal of Asphalt Driveways, All Depths
0030	202-B005		84,951	Square Yard	Removal of Asphalt Pavement, All Depths
0040	202-B008		1	Each	Removal of Box Culvert
0050	202-B042		6	Each	Removal of Flared End Section, All Sizes
0060	202-B064		1,285	Linear Feet	Removal of Pipe, 8" And Above
0070	202-B070		17	Each	Removal of Sign Including Post & Footing
0080	202-B076		6,966	Linear Feet	Removal of Traffic Stripe
0090	202-B079		2	Each	Removal of Headwall
0100	202-B292		2	Each	Removal of Septic Tank, All Sizes
0110	203-A003	(E)	2,482,969	Cubic Yard	Unclassified Excavation, FM, AH
0120	203-EX017	(E)	397,579	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0130	203-EX035	(E)	154,022	Cubic Yard	Borrow Excavation, AH, FME, Class B9-6
0140	203-G003	(E)	2,208,549	Cubic Yard	Excess Excavation, FM, AH
0150	206-A001	(S)	15,582	Cubic Yard	Structure Excavation
0160	206-B001	(E)	625	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0170	209-A004		1,340	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0180	211-B001	(E)	107,500	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0190	212-B001		5,236	Square Yard	Standard Ground Preparation
0200	213-B001		1	Ton	Combination Fertilizer, 13-13-13
0210	213-C001		267	Ton	Superphosphate
0220	216-A001		5,236	Square Yard	Solid Sodding
0230	217-A001		5,565	Square Yard	Ditch Liner
0240	219-A001		105	Thousand Gallon	Watering [\$20.00]
0250	220-A001		267	Acre	Insect Pest Control [\$30.00]
0260	221-A001	(S)	1,288	Cubic Yard	Portland Cement Concrete Paved Ditch
0270	223-A001		267	Acre	Mowing [\$40.00]
0280	224-A001		2,520	Square Yard	Soil Reinforcing Mat
0290	234-A001		96,000	Linear Feet	Temporary Silt Fence
0300	235-A001		6,000	Bale	Temporary Erosion Checks
0310	236-A004		57	Each	Silt Basin, Type D
0320	236-B004		57	Each	Maintenance and Removal of Existing Silt Basins, Type D

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	239-A001		1,188	Linear Feet	Temporary Slope Drains
0340	406-A001		2,933	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0350	423-A001		5	Mile	Rumble Strips, Ground In
0360	501-E001		410	Linear Feet	Expansion Joints, Without Dowels
0370	502-A001	(C)	875	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0380	602-A001	(S)	447,629	Pounds	Reinforcing Steel
0390	603-CA002	(S)	4,220	Linear Feet	18" Reinforced Concrete Pipe, Class III
0400	603-CA003	(S)	440	Linear Feet	24" Reinforced Concrete Pipe, Class III
0410	603-CA004	(S)	512	Linear Feet	30" Reinforced Concrete Pipe, Class III
0420	603-CA005	(S)	808	Linear Feet	36" Reinforced Concrete Pipe, Class III
0430	603-CA006	(S)	424	Linear Feet	42" Reinforced Concrete Pipe, Class III
0440	603-CA007	(S)	812	Linear Feet	48" Reinforced Concrete Pipe, Class III
0450	603-CA008	(S)	692	Linear Feet	54" Reinforced Concrete Pipe, Class III
0460	603-CA009	(S)	1,144	Linear Feet	60" Reinforced Concrete Pipe, Class III
0470	603-CA038	(S)	612	Linear Feet	18" Reinforced Concrete Pipe, Class IV, Class B Bedding
0480	603-CA039	(S)	520	Linear Feet	24" Reinforced Concrete Pipe, Class IV, Class B Bedding
0490	603-CA041	(S)	492	Linear Feet	36" Reinforced Concrete Pipe, Class IV, Class B Bedding
0500	603-CA042	(S)	452	Linear Feet	42" Reinforced Concrete Pipe, Class IV, Class B Bedding
0510	603-CA045	(S)	252	Linear Feet	60" Reinforced Concrete Pipe, Class IV, Class B Bedding
0520	603-CB001	(S)	34	Each	18" Reinforced Concrete End Section
0530	603-CB002	(S)	9	Each	24" Reinforced Concrete End Section
0540	603-CB003	(S)	6	Each	30" Reinforced Concrete End Section
0550	603-CB004	(S)	10	Each	36" Reinforced Concrete End Section
0560	603-CB005	(S)	6	Each	42" Reinforced Concrete End Section
0570	603-CB006	(S)	10	Each	48" Reinforced Concrete End Section
0580	603-CB007	(S)	6	Each	54" Reinforced Concrete End Section
0590	603-CB008	(S)	6	Each	60" Reinforced Concrete End Section
0600	603-CE004	(S)	184	Linear Feet	44" x 27" Concrete Arch Pipe, Class A III
0610	603-CE006	(S)	84	Linear Feet	58" x 36" Concrete Arch Pipe, Class A III
0620	603-CE009	(S)	880	Linear Feet	88" x 54" Concrete Arch Pipe, Class A III
0630	603-CF004	(S)	4	Each	44" x 27" Concrete Arch Pipe End Section
0640	603-CF006	(S)	2	Each	58" x 36" Concrete Arch Pipe End Section
0650	603-CF009	(S)	12	Each	88" x 54" Concrete Arch Pipe End Section
0660	603-SB028	(S)	2	Each	30" Branch Connections, Stub into Box Culvert
0670	603-SB043	(S)	1	Each	18" Branch Connections, Stub into 88" x 54" Concrete Pipe

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0680	604-B001		16,500	Pounds	Gratings
0690	605-AA004	(S)	1,900	Square Yard	Geotextile for Subsurface Drainage, Type V
0700	605-W001	(GY)	160	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains,Type A, FM
0710	605-W002	(GY)	175	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains,Type B, FM
0720	606-B001		1,111	Linear Feet	Guard Rail, Class A, Type 1
0730	606-D012		12	Each	Guard Rail, Bridge End Section, Type I
0740	606-E002		8	Each	Guard Rail, Terminal End Section, Flared
0750	606-E003		4	Each	Guard Rail, Terminal End Section, Non-Flared
0760	607-A002		22,812	Linear Feet	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
0770	607-B005		41,566	Linear Feet	60" Type I Chain Link Fence, Class II
0780	607-E001		4,200	Linear Feet	Barbed Wire Fence, Single Strand
0790	607-G119		8	Each	Gate, 3' x 52" Chain Link
0800	607-P1007		2,515	Each	Line Post, 7' x 1 1/2" Galvanized Steel
0810	607-P1013		1,294	Each	Line Post, 7' Tee Post Steel
0820	607-P1014		259	Each	Line Post, 9' Tee Post Steel
0830	607-P1015		173	Each	Line Post, 10' Tee Post Steel
0840	607-P1025		335	Each	Line Post, 10' x 1 1/2" Galvanized Steel
0850	607-P1026		503	Each	Line Post, 9' x 1 1/2" Galvanized Steel
0860	607-P2001		132	Each	Brace Post, 8' x 6" Timber
0870	607-P2002		26	Each	Brace Post, 10' x 6" Timber
0880	607-P2003		18	Each	Brace Post, 12' x 6" Timber
0890	607-P2019		26	Each	Brace Post, 10' x 2" Galvanized Steel
0900	607-P2022		18	Each	Brace Post, 12' x 2" Galvanized Steel
0910	607-P2023		132	Each	Brace Post, 8' x 2" Galvanized Steel
0920	607-P3006		8	Each	Gate Post, 12' x 2 1/2" Galvanized Steel
0930	607-Z001		176	Each	Concrete Anchors
0940	608-A001	(S)	563	Square Yard	Concrete Sidewalk, Without Reinforcement
0950	609-D002	(S)	306	Linear Feet	Combination Concrete Curb and Gutter Type 2
0960	609-D004	(S)	1,401	Linear Feet	Combination Concrete Curb and Gutter Type 3A Modified
0970	615-A018	(S)	40	Linear Feet	Concrete Bridge End Barrier, 33.5"
0980	615-A019	(S)	80	Linear Feet	Concrete Bridge End Barrier, 43.5"
0990	616-A001	(S)	204	Square Yard	Concrete Median and/or Island Pavement, 4-inch
1000	616-A003	(S)	60	Square Yard	Concrete Median and/or Island Pavement, 10-inch
1010	618-A001		1	Lump Sum	Maintenance of Traffic
1020	619-A1004		10	Mile	Temporary Traffic Stripe, Continuous White, Paint

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1030	619-A2004		7	Mile	Temporary Traffic Stripe, Continuous Yellow, Paint
1040	619-A4002		2,806	Linear Feet	Temporary Traffic Stripe, Skip Yellow, Paint
1050	619-A5002		51,880	Linear Feet	Temporary Traffic Stripe, Detail, Paint
1060	619-A5004		17,908	Linear Feet	Temporary Traffic Stripe, Detail, Type 1 Tape
1070	619-A6003		442	Linear Feet	Temporary Traffic Stripe, Legend, Paint
1080	619-A6004		789	Square Feet	Temporary Traffic Stripe, Legend, Paint
1090	619-C6001		110	Each	Red-Clear Reflective High Performance Raised Marker
1100	619-C7001		2,653	Each	Two-Way Yellow Reflective High Performance Raised Marker
1110	619-D1001		702	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
1120	619-D2001		682	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
1130	619-F1001		1,890	Linear Feet	Concrete Median Barrier, Precast
1140	619-F2001		550	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
1150	619-G4001		989	Linear Feet	Barricades, Type III, Single Faced
1160	619-G4004		396	Linear Feet	Barricades, Type III, Single Faced, Permanent, Red/White
1170	619-G4005		126	Linear Feet	Barricades, Type III, Double Faced
1180	619-G5001		399	Each	Free Standing Plastic Drums
1190	619-G7001		26	Each	Warning Lights, Type "B"
1200	620-A001		1	Lump Sum	Mobilization
1210	621-A001		1	Each	Field Laboratory
1220	627-K001		110	Each	Red-Clear Reflective High Performance Raised Markers
1230	627-L001		2,170	Each	Two-Way Yellow Reflective High Performance Raised Markers
1240	630-A001		20	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1250	630-A002		297	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1260	630-C004		325	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft
1270	630-E004		152	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
1280	630-F001		66	Each	Delineators, Guard Rail, White
1290	630-G002		12	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1300	630-K001		15	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"
1310	630-K003		107	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
1320	815-A006	(S)	2,500	Ton	Loose Riprap, Size 100
1330	815-A009	(S)	34,010	Ton	Loose Riprap, Size 300
1340	815-E001	(S)	32,925	Square Yard	Geotextile under Riprap ,Type V, Non-Woven
1350	815-F002	(S)	2,252	Ton	Sediment Control Stone
1360	907-225-A001		570	Acre	Grassing
1370	907-225-B001		1,601	Ton	Agricultural Limestone

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1380	907-225-C001		1,111	Ton	Mulch, Vegetative Mulch
1390	907-226-A001		570	Acre	Temporary Grassing
1400	907-234-C002		3,543	Linear Feet	Super Silt Fence
1410	907-234-D001		45	Each	Inlet Siltation Guard
1420	907-234-F001		1,000	Linear Feet	Turbidity Barrier
1430	907-237-A002		4,000	Linear Feet	Wattles, 12"
1440	907-237-A003		12,000	Linear Feet	Wattles, 20"
1450	907-245-A001		7,500	Linear Feet	Triangular Silt Dike
1460	907-246-A001		3,600	Linear Feet	Sandbags
1470	907-247-A001		7	Each	Temporary Stream Diversion
1480	907-249-A001		500	Ton	Riprap for Erosion Control
1490	907-249-B001		500	Cubic Yard	Remove and Reset Riprap
1500	907-304-B009	(GT)	49,957	Ton	Granular Material, Class 3, Group D
1510	907-304-C008	(GY)	52,765	Cubic Yard	Granular Material, AEA, Class 9, Group B
1520	907-304-F002 Deleted 04/12/2013	(GT)			
1530	907-310-B001	(GT)	100	Ton	Size III Stabilizer Aggregate, Coarse
1540	907-407-A001	(A2)	25,265	Gallon	Asphalt for Tack Coat
1550	907-413-E001		352	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
1560	907-601-A001	(S)	1,849	Cubic Yard	Class "B" Structural Concrete
1570	907-601-B003	(S)	68	Cubic Yard	Class "B" Structural Concrete, Minor Structures
1580	907-603-ALT01	(S)	908	Linear Feet	18" Type A Alternate Pipe
1590	907-603-ALT02	(S)	920	Linear Feet	24" Type A Alternate Pipe
1600	907-605-O001	(S)	2,500	Linear Feet	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
1610	907-605-P001	(S)	100	Linear Feet	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
1620	907-617-A001		239	Each	Right-of-Way Marker
1630	907-619-E3001		5	Each	Changeable Message Sign
1640	907-626-B003		1,856	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous White
1650	907-626-C008		30,569	Linear Feet	6" Thermoplastic Edge Stripe, Continuous White
1660	907-626-D004		2,806	Linear Feet	6" Thermoplastic Traffic Stripe, Skip Yellow
1670	907-626-E003		17,118	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow
1680	907-626-G004		3,479	Linear Feet	Thermoplastic Detail Stripe, White
1690	907-626-G005		44,986	Linear Feet	Thermoplastic Detail Stripe, Yellow
1700	907-626-H004		442	Linear Feet	Thermoplastic Legend, White
1710	907-626-H005		702	Square Feet	Thermoplastic Legend, White

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1720	907-630-O002		1	Each	Remove and Reset Sign Assembly
1730	907-699-A002		1	Lump Sum	Roadway Construction Stakes
1740	907-804-B001	(S)	566	Cubic Yard	Box Bridge Concrete, Class B
1750	907-906001		2,080	Hours	Trainees [\$5.00]
ALTERNATE GROUP AA NUMBER 1					
1760	907-308-A001		713	Ton	Portland Cement
1770	907-308-B002	(M)	61,265	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
1780	907-308-S001	(A3)	15,316	Gallon	Bituminous Curing Seal
ALTERNATE GROUP AA NUMBER 2					
1790	907-311-A003	(M)	61,265	Square Yard	Processing Lime and Fly Ash Treated Course, 6" Thick
1800	907-311-B001		472	Ton	Lime
1810	907-311-C002		1,885	Ton	Fly Ash, Class C or F
1820	907-311-S001	(A3)	15,316	Gallon	Bituminous Curing Seal
ALTERNATE GROUP BB NUMBER 1					
1830	907-403-A006	(BA1)	5,034	Ton	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NUMBER 2					
1840	907-403-M002	(BA1)	5,034	Ton	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP CC NUMBER 1					
1850	907-403-A007	(BA1)	5,564	Ton	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP CC NUMBER 2					
1860	907-403-M007	(BA1)	5,564	Ton	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP DD NUMBER 1					
1870	907-403-A010	(BA1)	4,221	Ton	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP DD NUMBER 2					
1880	907-403-M006	(BA1)	4,221	Ton	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP EE NUMBER 1					
1890	907-403-A011	(BA1)	12,356	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP EE NUMBER 2					
1900	907-403-M003	(BA1)	12,356	Ton	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP FF NUMBER 1					
1910	907-403-A012	(BA1)	10,483	Ton	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP FF NUMBER 2					
1920	907-403-M004	(BA1)	10,483	Ton	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP GG NUMBER 1					
1930	907-403-A015	(BA1)	9,267	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP GG NUMBER 2					

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1940	907-403-M001	(BA1)	9,267	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP HH NUMBER 1					
1950	907-626-J003		2,540	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1960	907-626-L001		877	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
1970	907-626-M002		4,922	Linear Feet	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow
ALTERNATE GROUP HH NUMBER 2					
1980	628-J002		2,540	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1990	628-M002		877	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
2000	628-O002		4,922	Linear Feet	High Performance Cold Plastic Detail Stripe, Yellow
ALTERNATE GROUP II NUMBER 1					
2001	907-304-F002	(GT)	605	Ton	Size 610 Crushed Stone Base
Added 04/12/2013					
ALTERNATE GROUP II NUMBER 2					
2002	907-304-F004	(GT)	605	Ton	Size 825B Crushed Stone Base
Added 04/12/2013					
ALTERNATE GROUP II NUMBER 3					
2003	907-304-F003	(GT)	605	Ton	3/4" and Down Crushed Stone Base
Added 04/12/2013					
Bridge Items					
2010	501-K001		33,370	Square Yard	Transverse Grooving
2020	801-A001	(S)	3,384	Cubic Yard	Foundation Excavation for Bridges
2030	803-B002	(S)	11	Each	Conventional Static Pile Load Test [\$5,000.00]
2040	803-C002	(S)	5,780	Linear Feet	14" x 14" Prestressed Concrete Piling
2050	803-C004	(S)	12,980	Linear Feet	18" x 18" Prestressed Concrete Piling
2060	803-D007	(S)	46,965	Linear Feet	HP 14 x 89 Steel Piling
2070	803-F009	(S)	700	Linear Feet	20" Pre-Formed Pile Hole
2080	803-I001	(S)	36	Each	PDA Test Pile
2090	803-J001	(S)	11	Each	Pile Restrike
2100	805-A001	(S)	3,865,211	Pounds	Reinforcement
2110	810-A003	(S)	2,608,132	Pounds	Structural Steel, A 709, Grade 50
2120	813-A002	(S)	11,301	Linear Feet	Concrete Railing, 32"
2130	813-A003	(S)	1,549	Linear Feet	Concrete Railing, 42"
2140	813-E001	(S)	744	Linear Feet	Concrete Pedestrian Sidewalk Railing
2150	815-A009	(S)	26,907	Ton	Loose Riprap, Size 300
2160	815-D001	(S)	727	Cubic Yard	Concrete Slope Paving

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
2170	815-E001	(S)	38,465	Square Yard	Geotextile under Riprap
2180	907-803-K003	(S)	660	Linear Feet	Drilled Shaft, 54" Diameter
2190	907-803-K005	(S)	660	Linear Feet	Drilled Shaft, 66" Diameter
2200	907-803-K010	(S)	2,316	Linear Feet	Drilled Shaft, 72" Diameter
2210	907-803-L001	(S)	1	Each	Test Shaft, 66" Diameter
2220	907-803-L006	(S)	1	Each	Test Shaft, 72" Diameter
2230	907-803-M004	(S)	73	Linear Feet	Trial Shaft, 66" Diameter
2240	907-803-M008	(S)	78	Linear Feet	Trial Shaft, 72" Diameter
2250	907-804-A001	(S)	17,985	Cubic Yard	Bridge Concrete, Class AA
2260	907-804-C011	(S)	2,076	Linear Feet	130' Prestressed Concrete Beam, Type BT-72
2270	907-804-C016	(S)	9,374	Linear Feet	40' Prestressed Concrete Beam, Type I+2
2280	907-804-C019	(S)	3,322	Linear Feet	60' Prestressed Concrete Beam, Type II+2
2290	907-804-C021	(S)	972	Linear Feet	70' Prestressed Concrete Beam, Type III
2300	907-804-C030	(S)	2,538	Linear Feet	80' Prestressed Concrete Beam, Type III
2310	907-804-C145	(S)	1,385	Linear Feet	50' Prestressed Concrete Beam, Type II + 2
2320	907-804-C146	(S)	612	Linear Feet	88' Prestressed Concrete Beam, Type IV
2330	907-804-C148	(S)	1,042	Linear Feet	75' Prestressed Concrete Beam, Type IV
2340	907-804-C150	(S)	3,503	Linear Feet	110' Prestressed Concrete Beam, Type IV
2350	907-804-C171	(S)	3,192	Linear Feet	100' Prestressed Concrete Beam, Type IV
2360	907-804-C178	(S)	579	Linear Feet	73' Prestressed Concrete Beam, Type IV
2370	907-804-C206	(S)	598	Linear Feet	86' Prestressed Concrete Beam, Type IV
2380	907-804-C217	(S)	4,671	Linear Feet	107' Prestressed Concrete Beam, Type IV
2390	907-804-C239	(S)	2,035	Linear Feet	128' Prestressed Concrete Beam, Type BT-72
2400	907-804-C242	(S)	1,126	Linear Feet	81' Prestressed Concrete Beam, Type IV
2410	907-804-C248	(S)	1,015	Linear Feet	64' Prestressed Concrete Beam, Type BT-72
2420	907-804-C249	(S)	1,079	Linear Feet	68' Prestressed Concrete Beam, Type BT-72
2430	907-804-C250	(S)	691	Linear Feet	87' Prestressed Concrete Beam, Type IV
2440	907-804-C251	(S)	1,542	Linear Feet	111' Prestressed Concrete Beam, Type IV
2450	907-811-D001	(S)	40	Each	Disc Bearing Device