

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 4/16/2013 ADDENDUM NO. DATED
 ADDENDUM NO. 2 DATED 4/17/2013 ADDENDUM NO. DATED

| Number | Description |
|--------|--|
| 1 | Revise Table of Contents, replace same; Add NTB No. 2596 with Supplement; Replace NTB No 4121 with NTB No. 4103 with Supplement; Revise NTB Nos. 4322 & 4403, replace same; Add NTB No. 4473; Revise SP Nos. 907-262-9 & 907-403-11, replace same; Add Supplement to SP No. 907-714-6; Revise Bid Items, replace same; Add Form--OCR-485; Revise or Add Plan Sheet Nos. 2-5, 28, 30-33, 36, 43, 45, 49, 52, 60, 75, 115-116, 118-119, 126, 129, 193, 1007, 1009, 1017, 2004, 4003-4004, 4006, 4009-4010, 4012-4021; Amendment EBS Download Required. |
| 2 | Revise NTB No. 4403, replace same; Revise Bid Items, replace same; Amendment EBS Download Required. |

TOTAL ADDENDA: 2
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

_____ Contractor

BY _____ Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

| | | | |
|-------|-----------|-------|---------|
| _____ | President | _____ | Address |
| _____ | Secretary | _____ | Address |
| _____ | Treasurer | _____ | Address |

The following is my (our) itemized proposal.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 4403

CODE: (SP)

DATE: 4/17/13

SUBJECT: Corrected Pay Items

PROJECT: NHS-0010-01(144) / 105281301 -- Harrison County

Bidders are hereby advised that the pay item 907-603-PE 8" HDPE Force Main, Directional Bore shown on plan sheet 5001 is in error. The correct pay item is 907-603-DD006 Directional Bore, 8" HDPE Force Main, The pay items have been corrected in the proposal and bid documents.

The Contractor is hereby advised that the pay item number for 907-202-B (Removal of Sewage) as shown in the plans is incorrect. The correct pay item number is 202 -B300 (Removal of Sewage) and has been corrected in the Proposal bid items.

The Contractor is hereby advised that the pay item for Metal Overhead Sign Supports, Assembly No 1 is incorrect in the plans, on Sheet 1017. The correct Assembly No. should be 12, as shown in the Proposal bid items.

Bidder are hereby advised that the pay items 907-403-B007 & 907-403-N002 (ST ,12.5 Leveling) is wrong in Summary of Quantities Sheets and the correct is 907-403-B001 & 907-403-N009 (HT, 12.5 Leveling).

Interchange Construction of the I-10 / I-110 Interchange Including - CD Roads, Leg Ramps, Loop Ramps and the D'lberville Road Interchange, known as State Project No. NHS-0010-01(144) / 105281301 in Harrison County.

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|--------------------|----------|----------|-------------|--|
| | | | | | Roadway Items |
| 0010 | 201-A001 | | 1 | Lump Sum | Clearing and Grubbing |
| 0020 | 202-A001 | | 1 | Lump Sum | Removal of Obstructions |
| 0030 | 202-B005 | | 5,902 | Square Yard | Removal of Asphalt Pavement, All Depths |
| 0040 | 202-B008 | | 1 | Each | Removal of Box Culvert |
| 0050 | 202-B009 | | 1 | Each | Removal of Bridge |
| 0060 | 202-B030 | | 20 | Square Yard | Removal of Concrete Pavement, All Depths |
| 0070 | 202-B036 | | 51 | Square Yard | Removal of Concrete Slope Paving |
| 0080 | 202-B041 | | 13,272 | Linear Feet | Removal of Fence, All Types |
| 0090 | 202-B055 | | 6 | Each | Removal of High Mast Lighting Assembly |
| | Changed 04/15/2013 | | | | |
| 0100 | 202-B056 | | 4 | Each | Removal of High Mast Lighting Foundation |
| 0110 | 202-B057 | | 19 | Each | Removal of Inlets, All Sizes |
| 0120 | 202-B060 | | 43 | Each | Removal of Low Mast Lighting Assembly |
| | Changed 04/15/2013 | | | | |
| 0130 | 202-B061 | | 43 | Each | Removal of Low Mast Lighting Foundation |
| | Changed 04/15/2013 | | | | |
| 0140 | 202-B063 | | 3 | Each | Removal of Overhead Sign Including Panels, Truss, Supports & Footing |
| 0150 | 202-B064 | | 4,454 | Linear Feet | Removal of Pipe, 8" And Above |
| 0160 | 202-B071 | | 740 | Square Feet | Removal of Sign Panels Including Hardware |
| 0170 | 202-B078 | | 19,618 | Square Yard | Removal of Pavement, All Types and Depths |
| 0180 | 202-B087 | | 1,799 | Linear Feet | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 0190 | 202-B093 | | 200 | Linear Feet | Removal of Curb & Gutter, All Types |
| 0200 | 202-B094 | | 2,877 | Linear Feet | Removal of Curb &/or Curb and Gutter, All Types |
| 0210 | 202-B100 | | 1 | Each | Removal of Existing Lighting Controllers |
| | Changed 04/15/2013 | | | | |
| 0220 | 202-B102 | | 80 | Linear Feet | Removal of Guard Rail |
| 0230 | 202-B105 | | 40 | Each | Removal of Pipe Headwall, All Sizes |
| 0240 | 202-B106 | | 14,177 | Linear Feet | Removal of Pipe, All Sizes |
| 0250 | 202-B107 | | 10 | Each | Removal of Sign, Ground Mounted with Posts |
| 0260 | 202-B146 | | 19,635 | Linear Feet | Removal of Existing Wiring |
| | Changed 04/15/2013 | | | | |
| 0270 | 202-B185 | | 7 | Each | Removal of Structure, Every Item In Each Phase |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|--------------------|----------|----------|-----------------|---|
| 0280 | 202-B231 | | 10 | Each | Removal of Fire Hydrant |
| 0290 | 202-B235 | | 2 | Each | Removal of Lift Station |
| 0292 | 202-B247 | | 21 | Each | Removal of Pull Box |
| | Added 04/15/2013 | | | | |
| 0300 | 202-B248 | | 14 | Each | Removal of Manhole |
| 0310 | 202-B290 | | 2 | Each | Removal of Power/Light Pole |
| 0320 | 202-B300 | | 49,813 | Gallon | Removal of Sewage |
| 0330 | 203-A003 | (E) | 85,093 | Cubic Yard | Unclassified Excavation, FM, AH |
| 0340 | 203-EX005 | (E) | | | |
| | Deleted 04/15/2013 | | | | |
| 0341 | 203-EX005 | (E) | 800 | Cubic Yard | Borrow Excavation, AH, FME, Class B3 |
| | Added 04/17/2013 | | | | |
| 0350 | 203-EX013 | (E) | 105,155 | Cubic Yard | Borrow Excavation, AH, FME, Class B7 |
| 0360 | 203-G003 | (E) | 3,307 | Cubic Yard | Excess Excavation, FM, AH |
| 0370 | 203-I001 | | 3,650 | Square Yard | Site Grading |
| 0380 | 206-A001 | (S) | 14,932 | Cubic Yard | Structure Excavation |
| 0390 | 206-B001 | (E) | 66 | Cubic Yard | Select Material for Undercuts, Contractor Furnished, FM |
| 0400 | 209-A004 | | 147,195 | Square Yard | Geotextile Stabilization, Type V, Non-Woven |
| 0410 | 211-A001 | | 306,556 | Square Yard | Topsoil for Slope Treatment, From Right-of-Way |
| 0420 | 212-B001 | | 408,742 | Square Yard | Standard Ground Preparation |
| 0430 | 213-B001 | | 43 | Ton | Combination Fertilizer, 13-13-13 |
| 0440 | 213-C001 | | 43 | Ton | Superphosphate |
| 0450 | 216-A001 | | 50,664 | Square Yard | Solid Sodding |
| 0460 | 217-A001 | | 14,723 | Square Yard | Ditch Liner |
| 0470 | 219-A001 | | 113 | Thousand Gallon | Watering [\$20.00] |
| 0480 | 220-A001 | | 43 | Acre | Insect Pest Control [\$30.00] |
| 0490 | 221-A001 | (S) | 5 | Cubic Yard | Portland Cement Concrete Paved Ditch |
| 0500 | 234-A001 | | 35,475 | Linear Feet | Temporary Silt Fence |
| 0510 | 236-A004 | | 3 | Each | Silt Basin, Type D |
| 0520 | 239-A001 | | 968 | Linear Feet | Temporary Slope Drains |
| 0530 | 406-A001 | | 152,841 | Square Yard | Cold Milling of Bituminous Pavement, All Depths |
| 0540 | 423-A001 | | 9 | Mile | Rumble Strips, Ground In |
| 0550 | 501-E001 | | 164 | Linear Feet | Expansion Joints, Without Dowels |
| 0560 | 502-A001 | (C) | 354 | Square Yard | Reinforced Cement Concrete Bridge End Pavement |
| 0570 | 503-C007 | | | | |
| | Deleted 04/15/2013 | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|------------------|----------|----------|-------------|---|
| 0571 | 503-C007 | | 3,967 | Linear Feet | Saw Cut, Full Depth |
| | Added 04/17/2013 | | | | |
| 0580 | 602-A001 | (S) | 51,680 | Pounds | Reinforcing Steel |
| 0590 | 603-A048 | (S) | 76 | Linear Feet | 6" Steel Pipe, Wall Thickness 0.188" |
| 0600 | 603-A049 | (S) | 80 | Linear Feet | 6" Steel Pipe, Jacked or Bored, Wall Thickness 0.188" |
| 0610 | 603-A050 | (S) | 152 | Linear Feet | 12" Steel Pipe, Wall Thickness 0.188" |
| 0620 | 603-A051 | (S) | 1,181 | Linear Feet | 20" Steel Pipe, Wall Thickness 0.250" |
| 0630 | 603-A052 | (S) | 390 | Linear Feet | 20" Steel Pipe, Jacked or Bored, Wall Thickness 0.250" |
| 0640 | 603-A053 | (S) | 1,299 | Linear Feet | 24" Steel Pipe, Wall Thickness 0.281" |
| 0650 | 603-A054 | (S) | 554 | Linear Feet | 24" Steel Pipe, Jacked or Bored, Wall Thickness 0.281" |
| 0660 | 603-A055 | (S) | 80 | Linear Feet | 32" Steel Pipe, Wall Thickness 0.500" |
| 0670 | 603-A056 | (S) | 721 | Linear Feet | 36" Steel Pipe, Wall Thickness 0.500" |
| 0680 | 603-A057 | (S) | 484 | Linear Feet | 36" Steel Pipe, Jacked or Bored, Wall Thickness 0.500" |
| 0690 | 603-CA001 | (S) | 120 | Linear Feet | 15" Reinforced Concrete Pipe, Class III |
| 0700 | 603-CA002 | (S) | 66 | Linear Feet | 18" Reinforced Concrete Pipe, Class III |
| 0710 | 603-CA088 | (S) | 3,841 | Linear Feet | 18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 0720 | 603-CA089 | (S) | 2,170 | Linear Feet | 24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 0730 | 603-CA090 | (S) | 919 | Linear Feet | 30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 0740 | 603-CA091 | (S) | 804 | Linear Feet | 36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 0750 | 603-CA093 | (S) | 207 | Linear Feet | 48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 0760 | 603-CA104 | (S) | 63 | Linear Feet | 60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket |
| 0770 | 603-CB001 | (S) | 10 | Each | 18" Reinforced Concrete End Section |
| 0780 | 603-CB002 | (S) | 4 | Each | 24" Reinforced Concrete End Section |
| 0790 | 603-CB003 | (S) | 4 | Each | 30" Reinforced Concrete End Section |
| 0800 | 603-CB004 | (S) | 4 | Each | 36" Reinforced Concrete End Section |
| 0810 | 603-CB006 | (S) | 4 | Each | 48" Reinforced Concrete End Section |
| 0820 | 603-CB008 | (S) | 2 | Each | 60" Reinforced Concrete End Section |
| 0830 | 603-CE014 | (S) | 364 | Linear Feet | 51" x 31" Concrete Arch Pipe, Class A IV |
| 0840 | 603-CE016 | (S) | 132 | Linear Feet | 65" x 40" Concrete Arch Pipe, Class A IV |
| 0850 | 603-CE037 | (S) | 114 | Linear Feet | 65" x 40" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets |
| 0860 | 603-CE038 | (S) | 2,190 | Linear Feet | 88" x 54" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets |
| 0870 | 603-CE040 | (S) | 434 | Linear Feet | 51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets |
| 0880 | 603-CE041 | (S) | 530 | Linear Feet | 29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets |
| 0890 | 603-CE042 | (S) | 12 | Linear Feet | 44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets |
| 0900 | 603-CE043 | (S) | 114 | Linear Feet | 58" x 36" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|-----------|----------|----------|-------------|---|
| 0910 | 603-CE044 | (S) | 74 | Linear Feet | 73" x 45" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets |
| 0920 | 603-CE045 | (S) | 854 | Linear Feet | 36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets |
| 0930 | 603-CF002 | (S) | 6 | Each | 29" x 18" Concrete Arch Pipe End Section |
| 0940 | 603-CF003 | (S) | 14 | Each | 36" x 23" Concrete Arch Pipe End Section |
| 0950 | 603-CF004 | (S) | 2 | Each | 44" x 27" Concrete Arch Pipe End Section |
| 0960 | 603-CF005 | (S) | 10 | Each | 51" x 31" Concrete Arch Pipe End Section |
| 0970 | 603-CF006 | (S) | 2 | Each | 58" x 36" Concrete Arch Pipe End Section |
| 0980 | 603-CF007 | (S) | 2 | Each | 65" x 40" Concrete Arch Pipe End Section |
| 0990 | 603-CF009 | (S) | 2 | Each | 88" x 54" Concrete Arch Pipe End Section |
| 1000 | 604-A001 | | 21,649 | Pounds | Castings |
| 1010 | 604-B001 | | 6,650 | Pounds | Gratings |
| 1020 | 606-B001 | | 3,952 | Linear Feet | Guard Rail, Class A, Type 1 |
| 1030 | 606-C001 | | 7 | Each | Guard Rail, Cable Anchor Type 1, Wood Post |
| 1040 | 606-D008 | | 11 | Each | Guard Rail, Bridge End Section, Type H |
| 1050 | 606-D012 | | 5 | Each | Guard Rail, Bridge End Section, Type I |
| 1060 | 606-E001 | | 22 | Each | Guard Rail, Terminal End Section |
| 1070 | 607-B006 | | 15,924 | Linear Feet | 60" Type II Chain Link Fence, Class II |
| 1080 | 607-E001 | | 600 | Linear Feet | Barbed Wire Fence, Single Strand |
| 1090 | 607-P1007 | | 863 | Each | Line Post, 7' x 1 1/2" Galvanized Steel |
| 1100 | 607-P1009 | | 172 | Each | Line Post, 9' x 2" Galvanized Steel |
| 1110 | 607-P1010 | | 115 | Each | Line Post, 10' x 2" Galvanized Steel |
| 1120 | 607-P2019 | | 25 | Each | Brace Post, 10' x 2" Galvanized Steel |
| 1130 | 607-P2022 | | 17 | Each | Brace Post, 12' x 2" Galvanized Steel |
| 1140 | 607-P2023 | | 123 | Each | Brace Post, 8' x 2" Galvanized Steel |
| 1150 | 608-A001 | (S) | 40 | Square Yard | Concrete Sidewalk, Without Reinforcement |
| 1160 | 609-B001 | (S) | 1,057 | Linear Feet | Concrete Curb, Header |
| 1170 | 609-D001 | (S) | 190 | Linear Feet | Combination Concrete Curb and Gutter Type 1 |
| 1180 | 609-D005 | (S) | 3,012 | Linear Feet | Combination Concrete Curb and Gutter Type 3B Modified |
| 1190 | 609-D006 | (S) | 4,791 | Linear Feet | Combination Concrete Curb and Gutter Type 1 Modified |
| 1200 | 609-D007 | (S) | 1,370 | Linear Feet | Combination Concrete Curb and Gutter Type 2 Modified |
| 1210 | 614-A002 | (S) | 59 | Square Yard | Concrete Driveway, Without Reinforcement, 6-inch Thickness |
| 1220 | 615-A003 | (S) | 2,981 | Linear Feet | Concrete Type IV Cast-in-Place Median Barrier |
| 1230 | 615-A018 | (S) | 40 | Linear Feet | Concrete Bridge End Barrier, 33.5" |
| 1240 | 616-A001 | (S) | 2,096 | Square Yard | Concrete Median and/or Island Pavement, 4-inch |
| 1250 | 616-A003 | (S) | 57 | Square Yard | Concrete Median and/or Island Pavement, 10-inch |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|-----------|----------|----------|-------------|---|
| 1260 | 618-A001 | | 1 | Lump Sum | Maintenance of Traffic |
| 1270 | 618-B001 | | 64 | Square Feet | Additional Construction Signs [\$10.00] |
| 1280 | 619-A1001 | | 1,875 | Linear Feet | Temporary Traffic Stripe, Continuous White |
| 1290 | 619-A1004 | | 22 | Mile | Temporary Traffic Stripe, Continuous White, Paint |
| 1300 | 619-A2001 | | 2,500 | Linear Feet | Temporary Traffic Stripe, Continuous Yellow |
| 1310 | 619-A2004 | | 16 | Mile | Temporary Traffic Stripe, Continuous Yellow, Paint |
| 1320 | 619-A3007 | | 16 | Mile | Temporary Traffic Stripe, Skip White, Paint |
| 1330 | 619-A4007 | | 1 | Mile | Temporary Traffic Stripe, Skip Yellow, Paint |
| 1340 | 619-A6002 | | 144 | Square Feet | Temporary Traffic Stripe, Legend |
| 1350 | 619-D1001 | | 1,045 | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 1360 | 619-D2001 | | 1,508 | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More |
| 1370 | 619-D3001 | | 28 | Each | Remove and Reset Signs, All Sizes |
| 1380 | 619-E1001 | | 4 | Each | Flashing Arrow Panel, Type C |
| 1390 | 619-F1001 | | 941 | Linear Feet | Concrete Median Barrier, Precast |
| 1400 | 619-F2001 | | 941 | Linear Feet | Remove and Reset Concrete Median Barrier, Precast |
| 1410 | 619-G4001 | | 816 | Linear Feet | Barricades, Type III, Single Faced |
| 1420 | 619-G4004 | | 24 | Linear Feet | Barricades, Type III, Single Faced, Permanent, Red/White |
| 1430 | 619-G5001 | | 487 | Each | Free Standing Plastic Drums |
| 1440 | 619-G7001 | | 13 | Each | Warning Lights, Type "B" |
| 1450 | 619-J1003 | | 2 | Unit | Impact Attenuator, 60 MPH |
| 1460 | 619-J2002 | | 2 | Unit | Impact Attenuator, 60 MPH, Replacement Package |
| 1470 | 620-A001 | | 1 | Lump Sum | Mobilization |
| 1480 | 627-K001 | | 3,006 | Each | Red-Clear Reflective High Performance Raised Markers |
| 1490 | 627-L001 | | 823 | Each | Two-Way Yellow Reflective High Performance Raised Markers |
| 1500 | 627-M001 | | 19 | Each | One-Way Clear Reflective High Performance Raised Markers |
| 1510 | 630-A001 | | 83 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 1520 | 630-A002 | | 454 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 1530 | 630-B001 | | 660 | Square Feet | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 1540 | 630-B002 | | 8,080 | Square Feet | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted |
| 1550 | 630-C003 | | 659 | Linear Feet | Steel U-Section Posts, 3.0 lb/ft |
| 1560 | 630-D004 | | 37 | Linear Feet | Structural Steel Beams, W6 x 12 |
| 1570 | 630-D010 | | 86 | Linear Feet | Structural Steel Beams, W12 x 26 |
| 1580 | 630-E001 | | 101 | Pounds | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles |
| 1590 | 630-E004 | | 466 | Pounds | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 1600 | 630-F001 | | 112 | Each | Delineators, Guard Rail, White |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|--------------------|----------|----------|-------------|--|
| 1610 | 630-F002 | | 51 | Each | Delineators, Guard Rail, Yellow |
| 1620 | 630-F006 | | 64 | Each | Delineators, Post Mounted, Single White |
| 1630 | 630-F007 | | 45 | Each | Delineators, Post Mounted, Single Yellow |
| 1640 | 630-F008 | | 222 | Each | Delineators, Post Mounted, Double White |
| 1650 | 630-F009 | | 91 | Each | Delineators, Post Mounted, Double Yellow |
| 1660 | 630-K002 | | 420 | Linear Feet | Welded & Seamless Steel Pipe Posts, 3 1/2" |
| 1670 | 630-K003 | | 83 | Linear Feet | Welded & Seamless Steel Pipe Posts, 4" |
| 1680 | 640-A001 | | 5 | Each | Traffic Signal Heads, Type 1 |
| 1690 | 640-A006 | | 1 | Each | Traffic Signal Heads, Type 3 |
| 1700 | 640-A016 | | 9 | Each | Traffic Signal Heads, Type 1 LED |
| 1710 | 640-A027 | | 12 | Each | Traffic Signal Head, Type 5T LED |
| 1720 | 640-A036 | | 2 | Each | Traffic Signal Heads, Type 5L, LED |
| 1730 | 640-A045 | | 1 | Each | Traffic Signal Heads, Type 3L, LED |
| 1740 | 640-A046 | | 1 | Each | Traffic Signal Heads, Type 7L, LED |
| 1750 | 642-A001 | | 4 | Each | Solid State Traffic Actuated Controllers, Type 8M |
| 1760 | 644-A001 | | 10 | Each | Optical Detector |
| 1770 | 644-B001 | | 767 | Linear Feet | Optical Detector Cable |
| 1780 | 644-C002 | | 4 | Each | Phase Selector, 4 Channel |
| 1790 | 647-A002 | | 4 | Each | Pullbox, Type 3 |
| 1800 | 647-A005 | | 5 | Each | Pullbox, Type 2 |
| 1810 | 648-A001 | | 4 | Each | Radio Interconnect, Installed in New Controller Cabinet |
| 1820 | 653-A001 | | 96 | Square Feet | Traffic Sign, Encapsulated Lens |
| 1830 | 666-B054 | | 678 | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor |
| 1840 | 666-C017 | | 426 | Linear Feet | Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor |
| 1850 | 668-A018 | | 327 | Linear Feet | Traffic Signal Conduit, Underground, Type 4, 2" |
| 1860 | 668-A020 | | 50 | Linear Feet | Traffic Signal Conduit, Underground, Type 4, 3" |
| 1870 | 668-B025 | | 328 | Linear Feet | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 1880 | 682-A003 | | | | Deleted 04/15/2013 |
| 1890 | 682-A015 | | 15,855 | Linear Feet | Underground Branch Circuit, AWG 2, 3 Conductor |
| | Changed 04/15/2013 | | | | |
| 1900 | 682-A025 | | 7,995 | Linear Feet | Underground Branch Circuit, AWG 4, 3 Conductor |
| | Changed 04/15/2013 | | | | |
| 1910 | 682-A031 | | 5,655 | Linear Feet | Underground Branch Circuit, AWG 6, 3 Conductor |
| | Changed 04/15/2013 | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|-----------|----------|----------|-------------|---|
| 1920 | 682-B001 | | | | Deleted 04/15/2013 |
| 1922 | 682-B016 | | 2,160 | Linear Feet | Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor Added 04/15/2013 |
| 1924 | 682-B025 | | 720 | Linear Feet | Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor Added 04/15/2013 |
| 1926 | 682-B031 | | 1,310 | Linear Feet | Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor Added 04/15/2013 |
| 1930 | 682-D001 | | 43 | Each | Underground Pull Box Changed 04/15/2013 |
| 1940 | 682-F001 | | 6 | Each | Secondary Power Controllers Changed 04/15/2013 |
| 1950 | 683-A025 | | 9 | Each | Lighting Assembly, High Mast, Type 110-4 |
| 1960 | 683-A028 | | 3 | Each | Lighting Assembly, High Mast, Type 110-5 |
| 1970 | 683-A031 | | 1 | Each | Lighting Assembly, High Mast, Type 110-6 |
| 1980 | 683-A043 | | 14 | Each | Lighting Assembly, High Mast, Type 120-4 |
| 1990 | 683-A046 | | 3 | Each | Lighting Assembly, High Mast, Type 120-5 |
| 2000 | 683-A049 | | 2 | Each | Lighting Assembly, High Mast, Type 120-6 |
| 2010 | 683-A052 | | 2 | Each | Lighting Assembly, High Mast, Type 120-8 |
| 2012 | 683-B113 | | 19 | Each | Lighting Assembly, Low Mast, Type 50-1-15-250 Added 04/15/2013 |
| 2020 | 683-B115 | | | | Deleted 04/15/2013 |
| 2022 | 684-A004 | | 35 | Cubic Yard | Pole Foundation, 36" Diameter Changed 04/15/2013 |
| 2024 | 684-A006 | | 335 | Cubic Yard | Pole Foundation, 48" Diameter Changed 04/15/2013 |
| 2026 | 684-B004 | | 7 | Linear Feet | Slip Casing, 36" Diameter Added 04/15/2013 |
| 2028 | 684-B006 | | 20 | Linear Feet | Slip Casing, 48" Diameter Added 04/15/2013 |
| 2030 | 685-D001 | | 3 | Each | Service Pole |
| 2040 | 686-A001 | | 2 | Each | Relocation of Existing Lighting Assemblies |
| 2050 | 809-A004 | (S) | 24,174 | Square Feet | Mechanically Stabilized Earth Wall System |
| 2060 | 815-A009 | (S) | 1,181 | Ton | Loose Riprap, Size 300 Changed 04/15/2013 |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|--------------|----------|----------|-------------|---------------------------------------|
| 2070 | 815-D001 | (S) | 90 | Cubic Yard | Concrete Slope Paving |
| 2080 | 815-F002 | (S) | 272 | Ton | Sediment Control Stone |
| 2090 | 907-225-A001 | | 90 | Acre | Grassing |
| 2100 | 907-225-B001 | | 169 | Ton | Agricultural Limestone |
| 2110 | 907-225-C001 | | 174 | Ton | Mulch, Vegetative Mulch |
| 2120 | 907-226-A001 | | 86 | Acre | Temporary Grassing |
| 2130 | 907-234-D001 | | 73 | Each | Inlet Siltation Guard |
| 2140 | 907-237-A003 | | 7,380 | Linear Feet | Wattles, 20" |
| 2150 | 907-246-A002 | | 500 | Each | Sandbags |
| 2160 | 907-249-A001 | | 1,893 | Ton | Riprap for Erosion Control |
| 2170 | 907-249-B001 | | 50 | Cubic Yard | Remove and Reset Riprap |
| 2180 | 907-260-A004 | | 1 | Lump Sum | Sewage Pumping Station, DD |
| 2190 | 907-260-A005 | | 1 | Lump Sum | Sewage Pumping Station, UU |
| 2200 | 907-262-A007 | (S) | 2,526 | Linear Feet | 8" PVC SDR 26 Sanitary Sewer Main |
| 2210 | 907-262-A008 | (S) | 1,188 | Linear Feet | 10" PVC SDR 26 Sanitary Sewer Main |
| 2220 | 907-262-A009 | (S) | 404 | Linear Feet | 12" PVC SDR 26 Sanitary Sewer Main |
| 2230 | 907-262-C002 | | 115 | Each | 6" PVC SDR-26 Sanitary Sewer Service |
| 2240 | 907-262-D002 | (S) | 782 | Linear Feet | 16" HDPE Casing Pipe |
| 2250 | 907-262-D002 | (S) | 560 | Linear Feet | 16" HDPE Casing Pipe Directional Bore |
| 2260 | 907-262-L001 | (S) | 135 | Linear Feet | 2" PVC Sanitary Sewer Force Main |
| 2270 | 907-262-L002 | (S) | 230 | Linear Feet | 4" PVC Sanitary Sewer Force Main |
| 2280 | 907-262-L003 | (S) | 2,554 | Linear Feet | 6" PVC Sanitary Sewer Force Main |
| 2290 | 907-262-L004 | (S) | 975 | Linear Feet | 8" PVC Sanitary Sewer Force Main |
| 2300 | 907-262-L005 | (S) | 1,308 | Linear Feet | 20" PVC Sanitary Sewer Force Main |
| 2310 | 907-262-L006 | (S) | 1,343 | Linear Feet | 6" HDPE Sanitary Sewer Force Main |
| 2320 | 907-262-L007 | (S) | 1,250 | Linear Feet | 20" HDPE Sanitary Sewer Force Main |
| 2330 | 907-265-A001 | (S) | 819 | Linear Feet | 6" PVC Pipe |
| 2340 | 907-265-A002 | (S) | 2,614 | Linear Feet | 8" PVC Pipe, C-900 |
| 2350 | 907-265-A005 | (S) | 1,077 | Linear Feet | 10" C900 PVC Water Main |
| 2360 | 907-265-A007 | (S) | 6,205 | Linear Feet | 12" C900 PVC Water Main |
| 2370 | 907-265-D008 | | 4 | Each | 10" Gate Valve |
| 2380 | 907-265-D009 | | 16 | Each | 12" Gate Valve |
| 2390 | 907-265-D013 | | 6 | Each | 8" Water Valve |
| 2400 | 907-265-D014 | | 7 | Each | 6" Water Valve |
| 2410 | 907-265-D015 | | 2 | Each | 12" Insertion Valve |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|---------------|----------|----------|-------------|---|
| 2420 | 907-265-D016 | | 2 | Each | 10" Insertion Valve |
| 2430 | 907-265-D017 | | 3 | Each | 8" Insertion Valve |
| 2440 | 907-265-F001 | | 14 | Each | Fire Hydrant Assembly |
| 2450 | 907-265-I003 | | 6 | Each | Water Meter Installation |
| 2460 | 907-265-J006 | | 1 | Each | Relocate Fire Hydrant |
| 2470 | 907-265-K003 | | 1 | Each | Cap Existing 6" Water Main |
| 2480 | 907-265-K004 | | 3 | Each | Cap Existing 8" Water Main |
| 2490 | 907-265-K005 | | 2 | Each | 12" Line Stop |
| 2500 | 907-265-K006 | | 4 | Each | 20" Line Stop |
| 2510 | 907-265-K007 | | 2 | Each | 10" Line Stop |
| 2520 | 907-265-L002 | (S) | 57 | Linear Feet | 3/4" Diameter Water Service Line |
| 2530 | 907-265-L003 | (S) | 150 | Linear Feet | 2" Diameter Water Service |
| 2540 | 907-265-M003 | | 5 | Each | 3/4" Water Meter |
| 2550 | 907-265-O001 | | 1 | Each | 12"x12" Tapping Sleeve & 12" Valve |
| 2560 | 907-265-O002 | | 1 | Each | 10"x10" Tapping Sleeve & 10" Valve |
| 2570 | 907-265-O003 | | 3 | Each | 8"x8" Tapping Sleeve & 8" Valve |
| 2580 | 907-265-O004 | | 1 | Each | 8"x6" Tapping Sleeve & 6" Valve |
| 2590 | 907-265-O005 | | 2 | Each | 6"x6" Tapping Sleeve & 6" Valve |
| 2600 | 907-266-A001 | | 1 | Lump Sum | Duplex Pump Control Panel, UU |
| 2610 | 907-266-A002 | | 1 | Lump Sum | Duplex Pump Control Panel, DD |
| 2620 | 907-267-A001 | | 1 | Lump Sum | Wireless Monitoring and Control System, Station UU |
| 2630 | 907-267-A002 | | 1 | Lump Sum | Wireless Monitoring and Control System, Station DD |
| 2640 | 907-267-A003 | | 1 | Lump Sum | Wireless Monitoring and Control System, Station WWTF |
| 2650 | 907-304-A004 | (GY) | 818 | Cubic Yard | Granular Material, LVM, Class 6, Group C |
| 2670 | 907-402-A002 | (BA1) | 5,311 | Ton | Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture |
| 2680 | 907-402-B001 | (A3) | 14,162 | Gallon | Bituminous Tack Coat |
| 2690 | 907-403-AA001 | (BA1) | 13,640 | Ton | Stone Matrix Asphalt, 9.5 mm Mixture |
| 2700 | 907-403-S004 | | 53 | Mile | Joint Sealant |
| 2710 | 907-407-A001 | (A2) | 17,581 | Gallon | Asphalt for Tack Coat |
| 2720 | 907-601-A001 | (S) | 223 | Cubic Yard | Class "B" Structural Concrete |
| 2730 | 907-601-B001 | (S) | 288 | Cubic Yard | Class "B" Structural Concrete, Minor Structures, Per Plans |
| 2740 | 907-603-ALT01 | (S) | 173 | Linear Feet | 18" Type A Alternate Pipe |
| 2750 | 907-603-DD006 | (S) | 780 | Linear Feet | 8" HDPE Force Main Pipe, Directional Bore |
| 2760 | 907-604-C001 | (S) | 5 | Each | Precast Manhole, 48-inch Diameter 4' Dia. Precast Concrete Manhole(0-6') |
| 2770 | 907-604-C001 | (S) | 7 | Each | Precast Manhole, 48-inch Diameter 4' Dia. Precast Concrete Manhole(10'-12') |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|---------------|----------|----------|-------------|--|
| 2780 | 907-604-C001 | (S) | 1 | Each | Precast Manhole, 48-inch Diameter 4' Dia. Precast Concrete Manhole(12'-14) |
| 2790 | 907-604-C001 | (S) | 1 | Each | Precast Manhole, 48-inch Diameter 4' Dia. Precast Concrete Manhole(14'-16' |
| 2800 | 907-604-C001 | (S) | 5 | Each | Precast Manhole, 48-inch Diameter 4' Dia. Precast Concrete Manhole(6'-8') |
| 2810 | 907-604-C001 | (S) | 8 | Each | Precast Manhole, 48-inch Diameter 4 Dia. Precast Concrete Manhole(8'-10') |
| 2820 | 907-604-D001 | (S) | 32,926 | Pounds | Ductile Iron Fittings |
| 2830 | 907-604-E001 | (S) | 1,911 | Square Feet | 100% Solid Polymer Liner |
| 2840 | 907-617-A001 | | 124 | Each | Right-of-Way Marker |
| 2850 | 907-619-E3001 | | 6 | Each | Changeable Message Sign |
| 2860 | 907-619-L001 | | 500 | Linear Feet | Construction Safety Fence |
| 2870 | 907-626-A003 | | 13 | Mile | 6" Thermoplastic Traffic Stripe, Skip White |
| 2880 | 907-626-C003 | | 9 | Mile | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 2890 | 907-626-D004 | | 1,127 | Linear Feet | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 2900 | 907-626-E004 | | 3 | Mile | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 2910 | 907-626-F003 | | 8 | Mile | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 2920 | 907-626-G004 | | 22,286 | Linear Feet | Thermoplastic Detail Stripe, White |
| 2930 | 907-626-G005 | | 4,147 | Linear Feet | Thermoplastic Detail Stripe, Yellow |
| 2940 | 907-626-H005 | | 2,264 | Square Feet | Thermoplastic Legend, White |
| 2950 | 907-627-P001 | | 14 | Each | Two-Way Blue Reflective High Performance Raised Markers |
| 2960 | 907-630-I001 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed |
| 2970 | 907-630-I002 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed |
| 2980 | 907-630-I003 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed |
| 2990 | 907-630-I004 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed |
| 3000 | 907-630-I005 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed |
| 3010 | 907-630-I007 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed |
| 3020 | 907-630-I008 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed |
| 3030 | 907-630-I009 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed |
| 3040 | 907-630-I010 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed |
| 3050 | 907-630-I012 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 11, Contractor Designed |
| 3052 | 907-630-I013 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 12, Contractor Designed |
| | | | | | Added 04/15/2013 |
| 3060 | 907-630-J001 | | | | Deleted 04/15/2013 |
| 3070 | 907-630-J002 | | | | Deleted 04/15/2013 |
| 3080 | 907-630-J004 | | | | Deleted 04/15/2013 |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|------------------------------------|------------------------------------|----------|----------|-------------|---|
| 3090 | 907-631-B001 | | 509 | Cubic Yard | Flowable Fill, Non-Excavatable |
| 3100 | 907-639-A001 | | 2 | Each | Traffic Signal Equipment Pole, Type 1, Wood |
| 3110 | 907-639-A010 | | 1 | Each | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' Arm |
| 3120 | 907-639-A011 | | 4 | Each | Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm |
| 3130 | 907-639-A012 | | 1 | Each | Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm |
| 3140 | 907-639-A033 | | 1 | Each | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 35' Arms |
| 3150 | 907-639-A035 | | 1 | Each | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' & 30' Arms |
| 3160 | 907-639-A048 | | 1 | Each | Traffic Signal Equipment Pole, Type V, 18' Shaft |
| 3170 | 907-639-A060 | | 3 | Each | Traffic Signal Equipment Pole, Type V, 8' Shaft |
| 3180 | 907-639-C002 | | 28 | Cubic Yard | Pole Foundations, 36" Diameter |
| 3190 | 907-639-C003 | | 4 | Cubic Yard | Pole Foundations, 24" Diameter |
| 3200 | 907-639-D001 | | 100 | Linear Feet | Slip Casing, 36" Diameter |
| 3210 | 907-639-D003 | | 25 | Linear Feet | Slip Casing, 24" Diameter |
| 3220 | 907-649-A004 | | 10 | Each | Video Detection System, 1 Sensor, Type 2 |
| 3222 | 907-682-E001 Added 04/15/2013 | | 19 | Each | Underground Junction Box With Concrete Pad |
| 3230 | 907-683-G1004 | | 2 | Each | Repair of High Mast Lighting Assembly, Type 130-4-S |
| 3240 | 907-683-G1005 | | 2 | Each | Repair of High Mast Lighting Assembly, Type 130-5-S |
| 3250 | 907-683-G1026 | | 1 | Each | Repair of High Mast Lighting Assembly, Type 130-6-S |
| 3280 | 907-699-A002 | | 1 | Lump Sum | Roadway Construction Stakes |
| 3290 | 907-825-A001 | (S) | 4,341 | Square Feet | Soil Nail Retaining Walls |
| 3300 | 907-825-B001 | (S) | 3 | Each | Soil Nail Verification Tests |
| 3310 | 907-825-C001 | (S) | 20 | Each | Soil Nail Proof Tests |
| ALTERNATE GROUP AA NUMBER 1 | | | | | |
| 3314 | 907-304-F002 Added 04/15/2013 | (GT) | 36,450 | Ton | Size 610 Crushed Stone Base |
| ALTERNATE GROUP AA NUMBER 2 | | | | | |
| 3316 | 907-304-F003 Added 04/15/2013 | (GT) | 36,450 | Ton | 3/4" and Down Crushed Stone Base |
| ALTERNATE GROUP AA NUMBER 3 | | | | | |
| 3318 | 907-304-F004 Changed 04/15/2013 | (GT) | 36,450 | Ton | Size 825B Crushed Stone Base |
| ALTERNATE GROUP BB NUMBER 1 | | | | | |
| 3320 | 907-403-A002 Changed 04/15/2013 | (BA1) | 45,996 | Ton | Hot Mix Asphalt, HT, 19-mm mixture |
| ALTERNATE GROUP BB NUMBER 2 | | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|------------------------------------|--------------|----------|----------|-------|---|
| 3330 | 907-403-M011 | (BA1) | 45,996 | Ton | Warm Mix Asphalt, HT, 19-mm mixture |
| Changed 04/15/2013 | | | | | |
| ALTERNATE GROUP CC NUMBER 1 | | | | | |
| 3340 | 907-403-A012 | (BA1) | 19,492 | Ton | Hot Mix Asphalt, ST, 19-mm mixture |
| Changed 04/15/2013 | | | | | |
| ALTERNATE GROUP CC NUMBER 2 | | | | | |
| 3350 | 907-403-M004 | (BA1) | 19,492 | Ton | Warm Mix Asphalt, ST, 19-mm mixture |
| Changed 04/15/2013 | | | | | |
| ALTERNATE GROUP DD NUMBER 1 | | | | | |
| 3360 | 907-403-B001 | (BA1) | 867 | Ton | Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling |
| Changed 04/17/2013 | | | | | |
| ALTERNATE GROUP DD NUMBER 2 | | | | | |
| 3370 | 907-403-N009 | (BA1) | 867 | Ton | Warm Mix Asphalt, HT, 12.5-mm mixture, Leveling |
| Changed 04/17/2013 | | | | | |
| ALTERNATE GROUP EE NUMBER 1 | | | | | |
| 3380 | 907-403-D001 | (BA1) | 13,028 | Ton | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified |
| Changed 04/15/2013 | | | | | |
| ALTERNATE GROUP EE NUMBER 2 | | | | | |
| 3390 | 907-403-P002 | (BA1) | 13,028 | Ton | Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified |
| Changed 04/15/2013 | | | | | |
| ALTERNATE GROUP FF NUMBER 1 | | | | | |
| 3400 | 907-403-D004 | (BA1) | 9,667 | Ton | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| Changed 04/15/2013 | | | | | |
| ALTERNATE GROUP FF NUMBER 2 | | | | | |
| 3410 | 907-403-P001 | (BA1) | 9,667 | Ton | Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| Changed 04/15/2013 | | | | | |
| ALTERNATE GROUP GG NUMBER 1 | | | | | |
| 3420 | 907-403-A011 | (BA1) | 714 | Ton | Hot Mix Asphalt, ST, 12.5-mm mixture |
| Changed 04/15/2013 | | | | | |
| ALTERNATE GROUP GG NUMBER 2 | | | | | |
| 3430 | 907-403-M003 | (BA1) | 714 | Ton | Warm Mix Asphalt, ST, 12.5-mm mixture |
| Changed 04/15/2013 | | | | | |
| ALTERNATE GROUP HH NUMBER 1 | | | | | |
| 3440 | 907-403-A015 | (BA1) | 714 | Ton | Hot Mix Asphalt, ST, 9.5-mm mixture |
| Changed 04/15/2013 | | | | | |
| ALTERNATE GROUP HH NUMBER 2 | | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|---------------------|--------------|----------|----------|-------------|---|
| 3450 | 907-403-M001 | (BA1) | 714 | Ton | Warm Mix Asphalt, ST, 9.5-mm mixture |
| Changed 04/15/2013 | | | | | |
| Bridge Items | | | | | |
| 3460 | 501-K001 | | 4,000 | Square Yard | Transverse Grooving |
| 3470 | 803-B002 | (S) | 2 | Each | Conventional Static Pile Load Test [\$5,000.00] |
| 3480 | 803-C003 | (S) | 2,160 | Linear Feet | 16" x 16" Prestressed Concrete Piling |
| 3490 | 803-I001 | (S) | 2 | Each | PDA Test Pile |
| 3500 | 803-J001 | (S) | 2 | Each | Pile Restrike |
| 3510 | 803-N001 | (S) | 82 | Linear Feet | Exploration |
| 3520 | 803-O009 | (S) | 720 | Linear Feet | Temporary Casing, 54" Diameter |
| 3530 | 805-A001 | (S) | 395,594 | Pounds | Reinforcement |
| 3540 | 813-A002 | (S) | 1,005 | Linear Feet | Concrete Railing, 32" |
| 3550 | 815-D001 | (S) | 140 | Cubic Yard | Concrete Slope Paving |
| 3560 | 907-803-K003 | (S) | 1,476 | Linear Feet | Drilled Shaft, 54" Diameter |
| 3570 | 907-803-L005 | (S) | 1 | Each | Test Shaft, 54" Diameter |
| 3580 | 907-803-M003 | (S) | 92 | Linear Feet | Trial Shaft, 54" Diameter |
| 3590 | 907-804-A001 | (S) | 1,736 | Cubic Yard | Bridge Concrete, Class AA |
| 3600 | 907-804-C010 | (S) | 5,470 | Linear Feet | 125' Prestressed Concrete Beam, Type BT-72 |