

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 4/16/2013 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Revise Table of Contents with same; Add Supplement to NTB 2596; Revised Supplement to NTB 4103 with same; Revise NTB 4386 with same; Add NTB 4473; Add NTB 4482; Add Supplement to 907-714-6; Revise Bid Items with same; Amendment EBS Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

ITS-9999-09(029) / 106397303 & 304

Washington and Coahoma County(ies)

Revised 09/21/2005

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: ITS-9999-09(029) / 106397303 & 304 -- Washington & Coahoma Counties

901--Advertisement

904--Notice to Bidders: Governing Specs. - # 1
Fiber Reinforced Concrete - # 640
Payroll Requirements - # 883
Errata & Modifications to 2004 Standard Specifications - # 1405
Federal Bridge Formula - # 1928
Status of ROW, W/Attachments - # 2382
DBE Forms, Participation, and Payment - # 2596, W/Supplement
Non-Quality Control / Quality Assurance Concrete - # 2818
Reduced Speed Limit Signs - # 2937
Alternate Asphalt Mixture Bid Items - # 3039
Warm Mix Asphalt (WMA) - # 3242
DUNS Requirement for Federal Funded Projects - # 3414
Wage Rates - # 3512
Type III Barricade Rails - # 3655
Petroleum Products Base Price - # 3893
Questions Regarding Bidding - # 3980
Disadvantaged Business Enterprise, W/Supplement - # 4103
Safety Apparel - # 4214
Add Option Bidding - # 4348
Contract Time - # 4386
Cooperation Between Contractors - # 4387
Applicable State Taxes - # 4389
Form W-9 Requirements - # 4390
Preconstruction Conference - # 4391
Submittals - # 4392
Construction Operations on the River - # 4393
On-Street Video Equipment - # 4394
Communication Nodes - # 4395
Specialty Items - # 4408
Roadway Weather Information System - # 4413
Alternate Crushed Stone Base Bid Items - # 4473
Burn-in Period - # 4482

906 FHWA 1273, w/Supplement, Executive Order, & Wage Rates

907-101-4: Definitions

907-102-8: Bidding Requirements and Conditions, W/ Supplement

907-103-8: Award and Execution of Contract

907-104-4: Disposal of Materials

-- CONTINUED ON NEXT PAGE --

- 907-105-6: Control of Work, W/ Supplement
- 907-107-9: Legal Relations & Responsibility to Public, W/ Supplement
- 907-108-29: Prosecution and Progress
- 907-109-5: Measurement and Payment, W/ Supplement
- 907-110-2: Wage Rates
- 907-237-4: Wattles
- 907-304-13: Granular Courses
- 907-401-2: Hot Mix Asphalt (HMA), W/ Supplement
- 907-401-6: Warm Mix Asphalt (WMA)
- 907-403-4: Hot Mix Asphalt (HMA), W/ Supplement
- 907-403-12: Warm Mix Asphalt (WMA)
- 907-407-1: Tack Coat
- 907-601-1: Structural Concrete
- 907-619-5: Changeable Message Signs
- 907-630-10: Contractor Designed Sign Supports
- 907-637-5: ITS Equipment Cabinets
- 907-639-6: ITS Equipment Poles
- 907-641-4: Radar Detection System (RDS), W/ Supplement
- 907-648-4: Wireless Communications
- 907-650-7: On-Street Video Equipment
- 907-655-2: Highway Advisory Radio
- 907-656-5: Dynamic Message Sign
- 907-657-9: Fiber Optic Cable (OSP)
- 907-658-7: Networking Equipment, W/ Supplement
- 907-659-3: Traffic Management Center (TMC) Modifications
- 907-660-5: Communications Node
- 907-664-2: Roadway Weather Information System
- 907-668-1: Traffic Signal Conduit
- 907-668-2: Traffic Signal Conduit Bank, Aerial Support, Type FRP
- 907-669-1: Real Time River Current (RTRC) System
- 907-701-4: Hydraulic Cement
- 907-702-3: Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement
- 907-703-10: Aggregates, W/ Supplement
- 907-711-4: Synthetic Structural Fiber Reinforcement
- 907-713-2: Admixtures for Concrete, W/ Supplement
- 907-714-6: Miscellaneous Materials, W/ Supplement
- 907-804-13: Concrete Bridges and Structures, W/ Supplement

SECTION 905 - PROPOSAL,
PROPOSAL BID ITEMS,
COMBINATION BID PROPOSAL,
CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS,
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS,
OCR-485.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUPPLEMENT TO NOTICE TO BIDDERS NO. 2596

DATE: 04/09/2013

Delete the fourth paragraph on page 1, and substitute the following.

Bidders are also advised that Form OCR-485 will be completed by **ALL BIDDERS** submitting a bid proposal and **must be signed and included in the bid proposal package**. If at least one copy of this form is not signed and included as part of bid proposal, your bid will be deemed irregular.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUPPLEMENT TO NOTICE TO BIDDERS NO. 4103

DATE: 04/09/2013

The goal is 1 percent for the Disadvantaged Business Enterprise. The low bidder is required to submit Form OCR-481 for all DBEs. Bidders are advised to check the bid tabulation link for this project on the MDOT website at:

<http://sp.gomdot.com/Contract%20Administration/BidSystems/Pages/letting%20calendar.aspx>

Bid tabulations are usually posted by 3:00 pm on Letting Day.

Delete subparagraph (3) under AWARD on page 7, and substitute the following.

- (3) Bidder must submit an OCR-485 listing all firms that submitted quotes for material supplies or items to be subcontracted. Please make and add copies of this form when needed or attach additional sheets containing the information required by the form and add these sheets to the bid proposal. Form OCR-485 must be signed and submitted with the bid proposal. If at least one copy of this form is not signed and included as part of bid proposal, your bid will be deemed irregular.

Delete subparagraph (5) under DBE REPORTS on page 8, and substitute the following.

- (5) OCR-485: Bidder must submit **signed form with bid proposal** of all firms that submitted quotes for material supplies or items to be subcontracted. Please make and add copies of this form when needed or attach additional sheets containing the information required by the form and add these sheets to the bid proposal. If at least one copy of this form is not signed and included as part of bid proposal, your bid will be deemed irregular.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 4386

CODE: (SP)

DATE: 04/05/2013

SUBJECT: Contract Time

PROJECT: ITS-9999-09(029) / 106397303 & 304 – Washington and Coahoma Counties

The calendar date for completion of work to be performed by the Contractor for this project shall be **August 25, 2014** which date shall be the end of contract time. It is anticipated that the Notice of Award will be issued no later than be **May 14, 2013**, and the effective date of the Notice to Proceed / Beginning of Contract Time will be **May 30, 2013**.

The specified Completion Date above includes all required burn-in periods specified in the contract.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904- NOTICE TO BIDDERS NO. 4473

CODE: (SP)

DATE: 04/08/2013

SUBJECT: Alternate Crushed Stone Base Bid Items

Bidders are advised that the Crushed Stone Base used on this project will be bid as an alternate pay item: ¾" and Down Crushed Stone Base, Size 825B Crushed Stone Base, or Size 610 Crushed Stone Base. Bidders must select one of the alternates at the time of bid. **The Contractor must use the selected crushed stone base throughout the entire project.**

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904- NOTICE TO BIDDERS NO. 4482

CODE: (SP)

DATE: 04/16/2013

SUBJECT: Burn-in Period

Bidders are advised that any reference to a burn-in period of more than 60 days for devices on this project shall be disregarded. The burn-in period for all devices on this project shall not exceed **60 calendar days**.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUPPLEMENT TO SPECIAL PROVISION NO. 907-714-6

DATE: 04/11/2013

SUBJECT: Miscellaneous Materials

In the fifth paragraph of Subsection 907-714.05.1 on page 1, change “6.0%” to “8.0%”.

Installing ITS equipment on U.S. Highway 82 and U.S. Highway 49 at the Mississippi River Bridges, known as Federal Aid Project No. ITS-9999-09(029) / 106397303 & 106397304 in Washington and Coahoma Counties of Mississippi & Chicot and Phillips Counties of Arkansas.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
					Roadway Items
0010	203-EX018	(E)	1,250	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
0020	234-A001		2,650	Linear Feet	Temporary Silt Fence
0030	606-B001		1,875	Linear Feet	Guard Rail, Class A, Type 1
0040	606-C003		3	Each	Guard Rail, Cable Anchor, Type 1
0050	606-E003		7	Each	Guard Rail, Terminal End Section, Non-Flared
0060	618-A001		1	Lump Sum	Maintenance of Traffic
0070	618-B001		2	Square Feet	Additional Construction Signs [\$10.00]
0080	619-E1001		4	Each	Flashing Arrow Panel, Type C
0090	620-A001		1	Lump Sum	Mobilization
0100	630-F001		70	Each	Delineators, Guard Rail, White
0110	647-A003		11	Each	Pullbox, Type 4
0120	647-A004		5	Each	Pullbox, Type 5
0130	647-A005		36	Each	Pullbox, Type 2
0140	666-B027		180	Linear Feet	Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor
0150	666-B043		2,005	Linear Feet	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor
0160	666-D018		1,365	Linear Feet	Electric Cable, Aerial Supported in Conduit, THHN, AWG #2, 3 Conductor
0170	666-D019		380	Linear Feet	Electric Cable, Aerial Supported in Conduit, THHN, AWG #6, 3 Conductor
0180	668-A029		1,970	Linear Feet	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
0190	668-B024		1,875	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
0200	668-C005		640	Linear Feet	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
0210	907-237-A003		1,400	Linear Feet	Wattles, 20"
0220	907-304-F002	(GT)			Deleted 04/09/2013
0230	907-619-E3001		4	Each	Changeable Message Sign
0240	907-630-M001		1	Lump Sum	Pedestal Sign Support, Assembly No 1, Contractor Designed
0250	907-630-M003		1	Lump Sum	Pedestal Sign Support, Assembly No 5, Contractor Designed
0260	907-630-M008		1	Lump Sum	Pedestal Sign Support, Assembly No 6, Contractor Designed
0270	907-630-M009		1	Lump Sum	Pedestal Sign Support, Assembly No 7, Contractor Designed
0280	907-637-A001		8	Each	Equipment Cabinet, Type B
0290	907-639-E001		6	Each	Camera Pole with Foundation, 50' Pole
0300	907-639-E003		3	Each	Camera Pole with Foundation, 70' Pole
0310	907-641-A001		8	Each	Radar Detection System

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0320	907-648-H001		14	Each	Wireless Communications, Microwave, Short Range
0330	907-650-A002		8	Each	On Street Video Equipment, Fixed Type
0340	907-650-A003		18	Each	On Street Video Equipment, PTZ Type
0350	907-655-A001		4	Each	Highway Advisory Radio System
0360	907-655-B001		6	Each	Highway Advisory Radio Flashing Beacon , Type 1
0370	907-655-B001		4	Each	Highway Advisory Radio Flashing Beacon , Type 2
0380	907-655-C001		1	Lump Sum	Highway Advisory Radio System Software and Server
0390	907-656-A002		4	Each	Dynamic Message Sign, Type 2
0400	907-656-B001		1	Lump Sum	Dynamic Message Sign Training
0410	907-657-A002		640	Linear Feet	Fiber Optic Cable, 12 SM
0420	907-658-A001		8	Each	Hardened Network Switch, Type A
0430	907-658-A004		6	Each	Hardened Network Switch, Type D
0440	907-658-B001		8	Each	Terminal Server
0450	907-659-A001		1	Lump Sum	Traffic Management Center Modifications
0460	907-659-C001		1	Lump Sum	Traffic Management Center Modifications - Training
0470	907-660-B002		2	Each	Communications Hut
0480	907-664-A002		2	Each	Roadway Weather Information System
0490	907-668-E002		1,460	Linear Feet	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
0500	907-668-G003		2,570	Linear Feet	Traffic Signal Conduit Bank, Aerial Supported, Type FRP, 2@ 2"
0510	907-669-A001		1	Each	Real-Time River Current System , Greenville Bridge
0520	907-669-A001		1	Each	Real-Time River Current System , Helena Bridge
ALTERNATE GROUP AA NUMBER 1					
0530	907-403-A015	(BA1)	440	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NUMBER 2					
0540	907-403-M001	(BA1)	440	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP FF NUMBER 1					
0543	907-304-F002	(GT)	800	Ton	Size 610 Crushed Stone Base
Added 04/09/2013					
ALTERNATE GROUP FF NUMBER 2					
0544	907-304-F003	(GT)	800	Ton	3/4" and Down Crushed Stone Base
Added 04/09/2013					
ALTERNATE GROUP FF NUMBER 3					
0545	907-304-F004	(GT)	800	Ton	Size 825B Crushed Stone Base
Added 04/09/2013					

Add Option 1 Items

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0550	203-EX018	(E)	225	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
0560	234-A001		600	Linear Feet	Temporary Silt Fence
0570	606-B001		425	Linear Feet	Guard Rail, Class A, Type 1
0580	606-C003		1	Each	Guard Rail, Cable Anchor, Type 1
0590	606-E003		1	Each	Guard Rail, Terminal End Section, Non-Flared
0600	618-A001		1	Lump Sum	Maintenance of Traffic
0610	620-A001		1	Lump Sum	Mobilization
0620	630-F001		14	Each	Delineators, Guard Rail, White
0630	647-A003		2	Each	Pullbox, Type 4
0640	647-A004		1	Each	Pullbox, Type 5
0650	647-A005		5	Each	Pullbox, Type 2
0660	666-B037		750	Linear Feet	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 4 Conductor
0670	668-A029		750	Linear Feet	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
0680	907-237-A003		240	Linear Feet	Wattles, 20"
0690	907-304-F002 Deleted 04/09/2013	(GT)			
0700	907-630-Q001		1	Lump Sum	Post Sign Support, Assembly No. 2, Contractor Designed
0710	907-639-E001		1	Each	Camera Pole with Foundation, 50' Pole
0720	907-641-A001		1	Each	Radar Detection System
0730	907-648-H001		2	Each	Wireless Communications, Microwave, Short Range
0740	907-650-A003		1	Each	On Street Video Equipment, PTZ Type
0750	907-656-A004		1	Each	Dynamic Message Sign, Type 3
0760	907-658-A001		1	Each	Hardened Network Switch, Type A
0770	907-658-B001		1	Each	Terminal Server
0780	907-668-E002		300	Linear Feet	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
ALTERNATE GROUP BB NUMBER 1					
0790	907-403-A015	(BA1)	120	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NUMBER 2					
0800	907-403-M001	(BA1)	120	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP GG NUMBER 1					
0803	907-304-F002 Added 04/09/2013	(GT)	200	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP GG NUMBER 2					
0804	907-304-F003 Added 04/09/2013	(GT)	200	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP GG NUMBER 3					

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0805	907-304-F004	(GT)	200	Ton	Size 825B Crushed Stone Base
Added 04/09/2013					
Add Option 2 Items					
0810	203-EX018	(E)	350	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
0820	234-A001		650	Linear Feet	Temporary Silt Fence
0830	606-B001		450	Linear Feet	Guard Rail, Class A, Type 1
0840	606-E003		2	Each	Guard Rail, Terminal End Section, Non-Flared
0850	618-A001		1	Lump Sum	Maintenance of Traffic
0860	620-A001		1	Lump Sum	Mobilization
0870	630-F001		18	Each	Delineators, Guard Rail, White
0880	647-A003		2	Each	Pullbox, Type 4
0890	647-A004		1	Each	Pullbox, Type 5
0900	647-A005		4	Each	Pullbox, Type 2
0910	666-B043		150	Linear Feet	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor
0920	668-A029		150	Linear Feet	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
0930	907-237-A003		240	Linear Feet	Wattles, 20"
0940	907-304-F002	(GT)			
Deleted 04/09/2013					
0950	907-630-Q002		1	Lump Sum	Post Sign Support, Assembly No. 3, Contractor Designed
0960	907-639-E001		1	Each	Camera Pole with Foundation, 50' Pole
0970	907-641-A001		1	Each	Radar Detection System
0980	907-648-H001		2	Each	Wireless Communications, Microwave, Short Range
0990	907-650-A003		1	Each	On Street Video Equipment, PTZ Type
1000	907-656-A004		1	Each	Dynamic Message Sign, Type 3
1010	907-658-A001		1	Each	Hardened Network Switch, Type A
1020	907-658-B001		1	Each	Terminal Server
1030	907-668-E002		300	Linear Feet	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
ALTERNATE GROUP CC NUMBER 1					
1040	907-403-A015	(BA1)	75	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP CC NUMBER 2					
1050	907-403-M001	(BA1)	75	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP HH NUMBER 1					
1053	907-304-F002	(GT)	150	Ton	Size 610 Crushed Stone Base
Added 04/09/2013					
ALTERNATE GROUP HH NUMBER 2					

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1054	907-304-F003	(GT)	150	Ton	3/4" and Down Crushed Stone Base
Added 04/09/2013					
ALTERNATE GROUP HH NUMBER 3					
1055	907-304-F004	(GT)	150	Ton	Size 825B Crushed Stone Base
Added 04/09/2013					
Add Option 3 Items					
1060	203-EX018	(E)	350	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
1070	234-A001		650	Linear Feet	Temporary Silt Fence
1080	606-B001		450	Linear Feet	Guard Rail, Class A, Type 1
1090	606-E003		2	Each	Guard Rail, Terminal End Section, Non-Flared
1100	618-A001		1	Lump Sum	Maintenance of Traffic
1110	620-A001		1	Lump Sum	Mobilization
1120	630-F001		18	Each	Delineators, Guard Rail, White
1130	647-A003		2	Each	Pullbox, Type 4
1140	647-A004		1	Each	Pullbox, Type 5
1150	647-A005		4	Each	Pullbox, Type 2
1160	666-B043		100	Linear Feet	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor
1170	668-A029		100	Linear Feet	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
1180	907-237-A003		240	Linear Feet	Wattles, 20"
1190	907-304-F002	(GT)			
Deleted 04/09/2013					
1200	907-630-Q003		1	Lump Sum	Post Sign Support, Assembly No. 4, Contractor Designed
1210	907-639-E003		1	Each	Camera Pole with Foundation, 70' Pole
1220	907-641-A001		1	Each	Radar Detection System
1230	907-648-H001		2	Each	Wireless Communications, Microwave, Short Range
1240	907-650-A003		1	Each	On Street Video Equipment, PTZ Type
1250	907-656-A004		1	Each	Dynamic Message Sign, Type 3
1260	907-658-A001		1	Each	Hardened Network Switch, Type A
1270	907-658-B001		1	Each	Terminal Server
1280	907-668-E002		300	Linear Feet	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
ALTERNATE GROUP DD NUMBER 1					
1290	907-403-A015	(BA1)	75	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP DD NUMBER 2					
1300	907-403-M001	(BA1)	75	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP II NUMBER 1					

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1303	907-304-F002	(GT)	150	Ton	Size 610 Crushed Stone Base
Added 04/09/2013					
ALTERNATE GROUP II NUMBER 2					
1304	907-304-F003	(GT)	150	Ton	3/4" and Down Crushed Stone Base
Added 04/09/2013					
ALTERNATE GROUP II NUMBER 3					
1305	907-304-F004	(GT)	150	Ton	Size 825B Crushed Stone Base
Added 04/09/2013					
Add Option 4 Items					
1310	203-EX018	(E)	350	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
1320	234-A001		650	Linear Feet	Temporary Silt Fence
1330	606-B001		450	Linear Feet	Guard Rail, Class A, Type 1
1340	606-E003		2	Each	Guard Rail, Terminal End Section, Non-Flared
1350	618-A001		1	Lump Sum	Maintenance of Traffic
1360	620-A001		1	Lump Sum	Mobilization
1370	630-F001		18	Each	Delineators, Guard Rail, White
1380	647-A003		2	Each	Pullbox, Type 4
1390	647-A004		1	Each	Pullbox, Type 5
1400	647-A005		4	Each	Pullbox, Type 2
1410	666-B043		300	Linear Feet	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor
1420	668-A029		300	Linear Feet	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
1430	907-237-A003		240	Linear Feet	Wattles, 20"
1440	907-304-F002	(GT)			
Deleted 04/09/2013					
1450	907-630-Q004		1	Lump Sum	Post Sign Support, Assembly No. 8, Contractor Designed
1460	907-639-E001		1	Each	Camera Pole with Foundation, 50' Pole
1470	907-641-A001		1	Each	Radar Detection System
1480	907-648-H001		2	Each	Wireless Communications, Microwave, Short Range
1490	907-650-A003		1	Each	On Street Video Equipment, PTZ Type
1500	907-656-A004		1	Each	Dynamic Message Sign, Type 3
1510	907-658-A001		1	Each	Hardened Network Switch, Type A
1520	907-658-B001		1	Each	Terminal Server
1530	907-668-E002		300	Linear Feet	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
ALTERNATE GROUP EE NUMBER 1					
1540	907-403-A015	(BA1)	75	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP EE NUMBER 2					

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1550	907-403-M001	(BA1)	75	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP JJ NUMBER 1					
1555	907-304-F002	(GT)	150	Ton	Size 610 Crushed Stone Base
Added 04/09/2013					
ALTERNATE GROUP JJ NUMBER 2					
1560	907-304-F003	(GT)	150	Ton	3/4" and Down Crushed Stone Base
Added 04/09/2013					
ALTERNATE GROUP JJ NUMBER 3					
1565	907-304-F004	(GT)	150	Ton	Size 825B Crushed Stone Base
Added 04/09/2013					