# $S \ E \ C \ T \ I \ O \ N \quad 9 \ 0 \ 5 \ -- \ P \ R \ O \ P \ O \ S \ A \ L \quad (CONTINUED)$

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for <u>five percent (5%) of total bid</u> and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDI	ENDUM NO.	1	DATED	4/12/20	<b>13</b> A	ADDENDUM NO	). <u> </u>	TED	
ADDI	ENDUM NO		DATED			ADDENDUM NO	D DA	TED	
Number 1	Description Revised Table of Contents, replace same; Add Supplement to NTB 2596; Revised Supplement to NTB 4103, replaces same; Add NTB No. 4308; Revised Wage Rates; Amendment EBS Download Required.			plement o. 4308;	(Must ag Respectf DATE _	ADDENDA: gree with total add fully Submitted,	Contractor		
					BY		Signature		
					TITLE		C		
						SS			
						TATE, ZIP			
					PHONE				
					E-MAIL				
(To be f	illed in if a cor	poration)							
titles and	Our corporation of the second					f		and	the names,
	Pre	esident					Address		
	Sec	cretary					Address		
	Tre	easurer					Address		
The foll	owing is my (o	ur) itemiz	ed proposal.						
D : 100/01/2005					STP-0672-00(006) / 106513301 Noxubee County(ies)				

Revised 09/21/2005

### **TABLE OF CONTENTS**

#### **PROJECT:** STP-0672-00(006) / 106513301 - Noxubee County

901--Advertisement

- 904--Notice to Bidders: Governing Specs. - #1 Final Cleanup - #3 Payroll Requirements - # 883 Errata & Modifications to 2004 Standard Specifications - # 1405 Federal Bridge Formula - # 1928 Status of ROW, W/Attachments - # 2382 DBE Forms, Participation, and Payment, W/Supplement - # 2596 Reduced Speed Limit Signs - # 2937 Alternate Asphalt Mixture Bid Items - # 3039 Temporary Traffic Paint - # 3131 Warm Mix Asphalt (WMA) - # 3242 DUNS Requirement for Federal Funded Projects - # 3414 Type III Barricade Rails - # 3655 Petroleum Products Base Price - # 3893 Questions Regarding Bidding - # 3980 Standard Drawings - # 4100 Disadvantaged Business Enterprise, W/Supplement - # 4103 Rumble Stripe - # 4189 Safety Apparel - # 4214 Contract Time - # 4242 Specialty Items - # 4243 Scope of Work - # 4244 Terminal End Section - # 4308 906: Required Federal Contract Provisions -- FHWA-1273, W/ Supplements 907-101-4: Definitions 907-102-8: Bidding Requirements and Conditions, W/ Supplement Award and Execution of Contract 907-103-8: **Disposal of Materials** 907-104-4: 907-105-6: Control of Work, W/ Supplement Legal Relations & Responsibility to Public, W/ Supplement 907-107-9: 907-108-24: Prosecution and Progress, W/ Supplement Measurement and Payment, W/ Supplement 907-109-5: Wage Rates 907-110-2: Granular Courses 907-304-13: 907-401-2: Hot Mix Asphalt (HMA), W/ Supplement 907-401-6: Warm Mix Asphalt (WMA) Hot Mix Asphalt (HMA), W/ Supplement 907-403-4: Warm Mix Asphalt (WMA) 907-403-12: Tack Coat 907-407-1: 907-618-9: Placement of Temporary Traffic Stripe 907-626-25:
- Thermoplastic Traffic Marking
- 907-702-3: Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement
- 907-703-10: Aggregates, W/ Supplement

- 907-707-3: Joint Material
- 907-710-1: Fast Drying Solvent Traffic Paint
- 907-720-1: Pavement Marking Materials, <u>W/ Supplement</u>

SECTION 905 - PROPOSAL, PROPOSAL BID ITEMS, COMBINATION BID PROPOSAL, CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS, CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION, SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS, OCR-485.

#### (REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)

# SUPPLEMENT TO NOTICE TO BIDDERS NO. 2596

# DATE: 04/09/2013

Delete the fourth paragraph on page 1, and substitute the following.

Bidders are also advised that Form OCR-485 will be completed by <u>ALL BIDDERS</u> submitting a bid proposal and <u>must be signed and included in the bid proposal package</u>. If at least one copy of this form is not signed and included as part of bid proposal, your bid will be deemed irregular.

# SUPPLEMENT TO NOTICE TO BIDDERS NO. 4103

# DATE: 04/09/2013

The goal is <u>4</u> percent for the Disadvantaged Business Enterprise. The low bidder is required to submit Form OCR-481 for all DBEs. Bidders are advised to check the bid tabulation link for this project on the MDOT website at:

http://sp.gomdot.com/Contract%20Administration/BidSystems/Pages/letting%20calendar.aspx

Bid tabulations are usually posted by 3:00 pm on Letting Day.

Delete subparagraph (3) under AWARD on page 7, and substitute the following.

(3) Bidder must submit an OCR-485 listing all firms that submitted quotes for material supplies or items to be subcontracted. Please make and add copies of this form when needed or attach additional sheets containing the information required by the form and add these sheets to the bid proposal. Form OCR-485 must be signed and submitted with the bid proposal. If at least one copy of this form is not signed and included as part of bid proposal, your bid will be deemed irregular.

Delete subparagraph (5) under DBE REPORTS on page 8, and substitute the following.

(5) OCR-485: Bidder must submit **signed form with bid proposal** of all firms that submitted quotes for material supplies or items to be subcontracted. Please make and add copies of this form when needed or attach additional sheets containing the information required by the form and add these sheets to the bid proposal. If at least one copy of this form is not signed and included as part of bid proposal, your bid will be deemed irregular.

### **NOTICE TO BIDDERS NO. 4308**

CODE: (SP)

DATE: 02/07/2013

## **SUBJECT:** Terminal End Sections

Guard rail terminal end sections shall be construction in accordance with the plans, specifications, and the following.

### Flared.

Flared terminal end sections shall be FLEAT-350, REGENT, SRT-350, ROSS-350 or approved flared equal and installed in accordance with the manufacturer's recommendation. The Contractor shall provide two copies of the manufacturer's installation details to the Project Engineer. The Project Engineer will keep one copy in the project file and provide one copy to the District Maintenance Engineer. The installation details shall be engineering drawings, a minimum of 11" X 17" in size. Reflective adhesive sheeting with alternating black and yellow stripes (sloping downward at an angle of 45 degrees in the direction traffic is to pass) shall be required on the end of the terminal section. The type of terminal section installed shall be written on the device with a Permanent Marking Stick or some other means of permanent identification.

## Non-Flared.

Non-Flared terminal end sections shall be ET-2000, SKT-350, or approved non-flared equal and installed in accordance with the manufacturer's recommendation. The Contractor shall provide two copies of the manufacturer's installation details to the Project Engineer. The Project Engineer will keep one copy in the project file and provide one copy to the District Maintenance Engineer. The installation details shall be engineering drawings, a minimum of 11" X 17" in size. Reflective adhesive sheeting with alternating black and yellow stripes (sloping downward at an angle of 45 degrees in the direction traffic is to pass) shall be required on the end of the terminal section. The type of terminal section installed shall be written on the device with a Permanent Marking Stick or some other means of permanent identification.

Likewise, impact attenuators shall be construction in accordance with the plans, specifications, and the following.

Approved impact attenuator systems shall meet standardized testing defined in Manual for Assessing Safety Hardware (MASH) or NCHRP Report 350. In addition, these devices shall have an acceptance letter from FHWA that documents the device meets the appropriate crash test criteria and can be used on the National Highway System (NHS). The Contractor shall provide two copies of the manufacturer's installation details to the Project Engineer. The Project Engineer shall keep one copy in project file and provide one copy to District Maintenance Engineer. The installation details shall be engineering drawings, a minimum of 11"x17" in size. Reflective adhesive sheeting with alternating black and yellow stripes (sloping downward at an angle of 45 degrees in the direction traffic is to pass) shall be required on the end of the attenuator section. The type of system installed shall be written on the device with a Permanent Marking Stick or some other means of permanent identification.

General Decision Number: MS130148 04/12/2013 MS148 Superseded General Decision Number: MS20120148 State: Mississippi Construction Type: Highway County: Noxubee County in Mississippi. HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects & railroad construction; bascule, suspension & spandrel arch bridges designed for commercial navigation, bridges involving marine construction; and other major bridges). Modification Number Publication Date 0 01/04/2013 1 04/12/2013 \* ELEC0917-003 12/01/2012 Rates Fringes ELECTRICIAN.....\$ 23.05 8.62 \_\_\_\_\_ \* SUMS2008-109 09/04/2008 Rates Fringes CARPENTER.....\$ 12.42 0.87 CEMENT MASON/CONCRETE FINISHER...\$ 10.75 0.00 IRONWORKER, REINFORCING.....\$ 9.67 0.00 LABORER: Common or General.....\$ 8.23 0.00 LABORER: Pipelayer.....\$ 9.75 0.00 LABORER: Asphalt Raker and Asphalt Shoveler.....\$ 7.50 0.00 OPERATOR: Backhoe/Excavator....\$ 12.36 0.00 OPERATOR: Broom/Sweeper.....\$ 10.17 0.00 OPERATOR: Bulldozer.....\$ 12.18 0.00 0.00 OPERATOR: Crane.....\$ 15.04 OPERATOR: Grader/Blade.....\$ 13.00 0.00 OPERATOR: Loader.....\$ 10.48 0.00 OPERATOR: Mechanic.....\$ 10.60 0.00 OPERATOR: Oiler.....\$ 12.33 0.48 OPERATOR: Roller.....\$ 9.65 0.00 0.00 OPERATOR: Scraper.....\$ 11.15

OPERATOR: Tractor\$ 10.71	0.00
OPERATOR: Asphalt Paver and Asphalt Spreader\$ 10.00	0.00
TRUCK DRIVER\$ 9.68	0.00

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

\_\_\_\_\_

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

-----

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is union or non-union.

#### Union Identifiers

An identifier enclosed in dotted lines beginning with characters other than "SU" denotes that the union classification and rate have found to be prevailing for that classification. Example: PLUM0198-005 07/01/2011. The first four letters , PLUM, indicate the international union and the four-digit number, 0198, that follows indicates the local union number or district council number where applicable , i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2011, following these characters is the effective date of the most current negotiated rate/collective bargaining agreement which would be July 1, 2011 in the above example.

Union prevailing wage rates will be updated to reflect any changes in the collective bargaining agreements governing the rates.

0000/9999: weighted union wage rates will be published annually each January.

#### Non-Union Identifiers

Classifications listed under an "SU" identifier were derived from survey data by computing average rates and are not union rates; however, the data used in computing these rates may include both union and non-union data. Example: SULA2004-007 5/13/2010. SU indicates the rates are not union majority rates, LA indicates the State of Louisiana; 2004 is the year of the survey; and 007 is an internal number used in producing the wage determination. A 1993 or later date, 5/13/2010, indicates the classifications and rates under that identifier were issued as a General Wage Determination on that date.

Survey wage rates will remain in effect and will not change until a new survey is conducted.

\_\_\_\_\_

#### WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- \* an existing published wage determination
- \* a survey underlying a wage determination
- \* a Wage and Hour Division letter setting forth a position on a wage determination matter
- \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION