


[Proposal & Plan Sales Will Begin on April 1, 2013](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for April – April 23, 2013



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR APRIL - Tuesday, April 23, 2013

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 01, 2013

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
01	IM-0010-01(143) / 104520302	Jackson
02	STP-0029-02(015) / 102556311	Desoto
03	NHS-0010-01(144) / 105281301	Harrison
04	IM-0020-01(199) / 106175301	Warren
* 05	STP-0043-01(032) / 106517301	Issaquena
06	ER-0049-01(040) / 106623301	Wilkinson
* 07	STP-0073-02(002) / 106599301	Lafayette
08	BR-0339-00(007) / 102492302	Jasper
* 09	STP-0456-00(005) / 106493301	Lauderdale
* 10	STP-0672-00(006) / 106513301	Noxubee
* 11	STP-2904-00(012) / 105458301	Rankin
12	ITS-9999-09(028) / 106397301 & ITS-9999-09(028) / 106397302	Warren & Adams
13	ITS-9999-09(029) / 106397303 & ITS-9999-09(029) / 106397304	Coahoma & Washington
14	MDA-1125-00(003) / 105425301 & MDA-1125-00(003) / 105425302	Hancock & Pearl River
* 15	MP-2035-08(006) / 304602301 & MP-2035-22(002) / 304602302	Carroll & Grenada
16	MP-7037-16(005) / 304698301	Covington
17	MP-7048-57(015) / 304697301	Pike
18	LWO-9023-25(002) / 502350303	Hinds

Caisson Removal at the Pascagoula River on I-10, known as Federal Aid Project No. IM-0010-01(143) / 104520302 in Jackson County.

PROJECT COMPLETION: October 11, 2013

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	202-A001	Removal of Obstructions
1,995	Pounds	602-A001	Reinforcing Steel
	Lump Sum	618-A001	Maintenance of Traffic
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
616	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
12,200	Ton	815-A010	Loose Riprap, Size 500
126,504	Pounds	907-420-A002	Undersealing
34	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
496	Linear Feet	907-603-D001	18" Cured-In-Place Pipe
2,746	Linear Feet	907-603-D002	24" Cured-In-Place Pipe
620	Linear Feet	907-603-D004	30" Cured-In-Place Pipe
724	Linear Feet	907-603-D005	48" Cured-In-Place Pipe
728	Linear Feet	907-603-D006	54" Cured-In-Place Pipe
676	Linear Feet	907-603-D007	60" Cured-In-Place Pipe
838	Linear Feet	907-603-D009	22" X 13" Cured-In-Place Pipe

SR 304 Relocation/I-269 from STA. 240+00 (east of Malone Road) to Station 525+00 (east of SR 305), known as Federal Aid Project No. STP-0029-02(015) / 102556311 in Desoto County.

PROJECT COMPLETION: November 06, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
880 Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
84,951 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B008	Removal of Box Culvert
6 Each	202-B042	Removal of Flared End Section, All Sizes
1,285 Linear Feet	202-B064	Removal of Pipe, 8" And Above
17 Each	202-B070	Removal of Sign Including Post & Footing
6,966 Linear Feet	202-B076	Removal of Traffic Stripe
2 Each	202-B079	Removal of Headwall
2 Each	202-B292	Removal of Septic Tank, All Sizes
2,482,969 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
397,579 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
154,022 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
2,208,549 Cubic Yard	203-G003	Excess Excavation, FM, AH
15,582 Cubic Yard	206-A001	Structure Excavation
625 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1,340 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
107,500 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5,236 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
267 Ton	213-C001	Superphosphate
5,236 Square Yard	216-A001	Solid Sodding
5,565 Square Yard	217-A001	Ditch Liner
105 Thousand Gallon	219-A001	Watering
267 Acre	220-A001	Insect Pest Control
1,288 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
267 Acre	223-A001	Mowing
2,520 Square Yard	224-A001	Soil Reinforcing Mat
96,000 Linear Feet	234-A001	Temporary Silt Fence
6,000 Bale	235-A001	Temporary Erosion Checks
57 Each	236-A004	Silt Basin, Type D
57 Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
1,188 Linear Feet	239-A001	Temporary Slope Drains
2,933 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5 Mile	423-A001	Rumble Strips, Ground In
410 Linear Feet	501-E001	Expansion Joints, Without Dowels
875 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
447,629 Pounds	602-A001	Reinforcing Steel
4,220 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
440 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III

CALL No. 02

512	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
808	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
424	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
812	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
692	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
1,144	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
612	Linear Feet	603-CA038	18" Reinforced Concrete Pipe, Class IV, Class B Bedding
520	Linear Feet	603-CA039	24" Reinforced Concrete Pipe, Class IV, Class B Bedding
492	Linear Feet	603-CA041	36" Reinforced Concrete Pipe, Class IV, Class B Bedding
452	Linear Feet	603-CA042	42" Reinforced Concrete Pipe, Class IV, Class B Bedding
252	Linear Feet	603-CA045	60" Reinforced Concrete Pipe, Class IV, Class B Bedding
34	Each	603-CB001	18" Reinforced Concrete End Section
9	Each	603-CB002	24" Reinforced Concrete End Section
6	Each	603-CB003	30" Reinforced Concrete End Section
10	Each	603-CB004	36" Reinforced Concrete End Section
6	Each	603-CB005	42" Reinforced Concrete End Section
10	Each	603-CB006	48" Reinforced Concrete End Section
6	Each	603-CB007	54" Reinforced Concrete End Section
6	Each	603-CB008	60" Reinforced Concrete End Section
184	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
84	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
880	Linear Feet	603-CE009	88" x 54" Concrete Arch Pipe, Class A III
4	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
2	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
12	Each	603-CF009	88" x 54" Concrete Arch Pipe End Section
2	Each	603-SB028	30" Branch Connections, Stub into Box Culvert
1	Each	603-SB043	18" Branch Connections, Stub into 88" x 54" Concrete Pipe
16,500	Pounds	604-B001	Gratings
1,900	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
160	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
175	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,111	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D012	Guard Rail, Bridge End Section, Type I
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
22,812	Linear Feet	607-A002	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
41,566	Linear Feet	607-B005	60" Type I Chain Link Fence, Class II
4,200	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
8	Each	607-G119	Gate, 3' x 52" Chain Link
2,515	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
1,294	Each	607-P1013	Line Post, 7' Tee Post Steel
259	Each	607-P1014	Line Post, 9' Tee Post Steel
173	Each	607-P1015	Line Post, 10' Tee Post Steel
335	Each	607-P1025	Line Post, 10' x 1 1/2" Galvanized Steel
503	Each	607-P1026	Line Post, 9' x 1 1/2" Galvanized Steel
132	Each	607-P2001	Brace Post, 8' x 6" Timber

CALL No. 02

26	Each	607-P2002	Brace Post, 10' x 6" Timber
18	Each	607-P2003	Brace Post, 12' x 6" Timber
26	Each	607-P2019	Brace Post, 10' x 2" Galvanized Steel
18	Each	607-P2022	Brace Post, 12' x 2" Galvanized Steel
132	Each	607-P2023	Brace Post, 8' x 2" Galvanized Steel
8	Each	607-P3006	Gate Post, 12' x 2 1/2" Galvanized Steel
176	Each	607-Z001	Concrete Anchors
563	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
306	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
1,401	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
80	Linear Feet	615-A019	Concrete Bridge End Barrier, 43.5"
204	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
60	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
10	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
7	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2,806	Linear Feet	619-A4002	Temporary Traffic Stripe, Skip Yellow, Paint
51,880	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
17,908	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
442	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
789	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
110	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
2,653	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
702	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
682	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,890	Linear Feet	619-F1001	Concrete Median Barrier, Precast
550	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
989	Linear Feet	619-G4001	Barricades, Type III, Single Faced
396	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
126	Linear Feet	619-G4005	Barricades, Type III, Double Faced
399	Each	619-G5001	Free Standing Plastic Drums
26	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
110	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,170	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
297	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
325	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
152	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
66	Each	630-F001	Delineators, Guard Rail, White
12	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
15	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
107	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
2,500	Ton	815-A006	Loose Riprap, Size 100

CALL No. 02

34,010	Ton	815-A009	Loose Riprap, Size 300
32,925	Square Yard	815-E001	Geotextile under Riprap, Type V, Non-Woven
2,252	Ton	815-F002	Sediment Control Stone
570	Acre	907-225-A001	Grassing
1,601	Ton	907-225-B001	Agricultural Limestone
1,111	Ton	907-225-C001	Mulch, Vegetative Mulch
570	Acre	907-226-A001	Temporary Grassing
3,543	Linear Feet	907-234-C002	Super Silt Fence
45	Each	907-234-D001	Inlet Siltation Guard
1,000	Linear Feet	907-234-F001	Turbidity Barrier
4,000	Linear Feet	907-237-A002	Wattles, 12"
12,000	Linear Feet	907-237-A003	Wattles, 20"
7,500	Linear Feet	907-245-A001	Triangular Silt Dike
3,600	Linear Feet	907-246-A001	Sandbags
7	Each	907-247-A001	Temporary Stream Diversion
500	Ton	907-249-A001	Riprap for Erosion Control
500	Cubic Yard	907-249-B001	Remove and Reset Riprap
49,957	Ton	907-304-B009	Granular Material, Class 3, Group D
52,765	Cubic Yard	907-304-C008	Granular Material, AEA, Class 9, Group B
605	Ton	907-304-F002	Size 610 Crushed Stone Base
100	Ton	907-310-B001	Size III Stabilizer Aggregate, Coarse
25,265	Gallon	907-407-A001	Asphalt for Tack Coat
352	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1,849	Cubic Yard	907-601-A001	Class "B" Structural Concrete
68	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
908	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
920	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
2,500	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
100	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
239	Each	907-617-A001	Right-of-Way Marker
5	Each	907-619-E3001	Changeable Message Sign
1,856	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
30,569	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
2,806	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
17,118	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,479	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
44,986	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
442	Linear Feet	907-626-H004	Thermoplastic Legend, White
702	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-630-O002	Remove and Reset Sign Assembly
	Lump Sum	907-699-A002	Roadway Construction Stakes
566	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
2,080	Hours	907-906001	Trainees

ALTERNATE GROUP AA NO. 1

713	Ton	907-308-A001	Portland Cement
61,265	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil

CALL No. 02

15,316	Gallon	907-308-S001	Bituminous Curing Seal
		ALTERNATE GROUP AA NO. 2	
61,265	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
472	Ton	907-311-B001	Lime
1,885	Ton	907-311-C002	Fly Ash, Class C or F
15,316	Gallon	907-311-S001	Bituminous Curing Seal
		ALTERNATE GROUP BB NO. 1	
5,034	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
		ALTERNATE GROUP BB NO. 2	
5,034	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
		ALTERNATE GROUP CC NO. 1	
5,564	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
		ALTERNATE GROUP CC NO. 2	
5,564	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
		ALTERNATE GROUP DD NO. 1	
4,221	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP DD NO. 2	
4,221	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP EE NO. 1	
12,356	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP EE NO. 2	
12,356	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP FF NO. 1	
10,483	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP FF NO. 2	
10,483	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP GG NO. 1	
9,267	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP GG NO. 2	
9,267	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP HH NO. 1	
2,540	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
877	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
4,922	Linear Feet	907-626-M002	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow
		ALTERNATE GROUP HH NO. 2	
2,540	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
877	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
4,922	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
Bridge Items			
33,370	Square Yard	501-K001	Transverse Grooving
3,384	Cubic Yard	801-A001	Foundation Excavation for Bridges
11	Each	803-B002	Conventional Static Pile Load Test
5,780	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
12,980	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
46,965	Linear Feet	803-D007	HP 14 x 89 Steel Piling
700	Linear Feet	803-F009	20" Pre-Formed Pile Hole

CALL No. 02

36	Each	803-I001	PDA Test Pile
11	Each	803-J001	Pile Restrike
3,865,211	Pounds	805-A001	Reinforcement
2,608,132	Pounds	810-A003	Structural Steel, A 709, Grade 50
11,301	Linear Feet	813-A002	Concrete Railing, 32"
1,549	Linear Feet	813-A003	Concrete Railing, 42"
744	Linear Feet	813-E001	Concrete Pedestrian Sidewalk Railing
26,907	Ton	815-A009	Loose Riprap, Size 300
727	Cubic Yard	815-D001	Concrete Slope Paving
38,465	Square Yard	815-E001	Geotextile under Riprap
660	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
660	Linear Feet	907-803-K005	Drilled Shaft, 66" Diameter
2,316	Linear Feet	907-803-K010	Drilled Shaft, 72" Diameter
1	Each	907-803-L001	Test Shaft, 66" Diameter
1	Each	907-803-L006	Test Shaft, 72" Diameter
73	Linear Feet	907-803-M004	Trial Shaft, 66" Diameter
78	Linear Feet	907-803-M008	Trial Shaft, 72" Diameter
17,985	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,076	Linear Feet	907-804-C011	130' Prestressed Concrete Beam, Type BT-72
9,374	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
3,322	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
972	Linear Feet	907-804-C021	70' Prestressed Concrete Beam, Type III
2,538	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
1,385	Linear Feet	907-804-C145	50' Prestressed Concrete Beam, Type II + 2
612	Linear Feet	907-804-C146	88' Prestressed Concrete Beam, Type IV
1,042	Linear Feet	907-804-C148	75' Prestressed Concrete Beam, Type IV
3,503	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
3,192	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV
579	Linear Feet	907-804-C178	73' Prestressed Concrete Beam, Type IV
598	Linear Feet	907-804-C206	86' Prestressed Concrete Beam, Type IV
4,671	Linear Feet	907-804-C217	107' Prestressed Concrete Beam, Type IV
2,035	Linear Feet	907-804-C239	128' Prestressed Concrete Beam, Type BT-72
1,126	Linear Feet	907-804-C242	81' Prestressed Concrete Beam, Type IV
1,015	Linear Feet	907-804-C248	64' Prestressed Concrete Beam, Type BT-72
1,079	Linear Feet	907-804-C249	68' Prestressed Concrete Beam, Type BT-72
691	Linear Feet	907-804-C250	87' Prestressed Concrete Beam, Type IV
1,542	Linear Feet	907-804-C251	111' Prestressed Concrete Beam, Type IV
40	Each	907-811-D001	Disc Bearing Device

Interchange Construction of the I-10 / I-110 Interchange Including - CD Roads, Leg Ramps, Loop Ramps and the D'Iberville Road Interchange, known as State Project No. NHS-0010-01(144) / 105281301 in Harrison County.

PROJECT COMPLETION: August 24, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items		
Lump Sum	201-A001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
5,902 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B008	Removal of Box Culvert
1 Each	202-B009	Removal of Bridge
20 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
51 Square Yard	202-B036	Removal of Concrete Slope Paving
13,272 Linear Feet	202-B041	Removal of Fence, All Types
4 Each	202-B055	Removal of High Mast Lighting Assembly
4 Each	202-B056	Removal of High Mast Lighting Foundation
19 Each	202-B057	Removal of Inlets, All Sizes
38 Each	202-B060	Removal of Low Mast Lighting Assembly
38 Each	202-B061	Removal of Low Mast Lighting Foundation
3 Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
4,454 Linear Feet	202-B064	Removal of Pipe, 8" And Above
740 Square Feet	202-B071	Removal of Sign Panels Including Hardware
19,618 Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,799 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
200 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
2,877 Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
3 Each	202-B100	Removal of Existing Lighting Controllers
80 Linear Feet	202-B102	Removal of Guard Rail
40 Each	202-B105	Removal of Pipe Headwall, All Sizes
14,177 Linear Feet	202-B106	Removal of Pipe, All Sizes
10 Each	202-B107	Removal of Sign, Ground Mounted with Posts
20,770 Linear Feet	202-B146	Removal of Existing Wiring
7 Each	202-B185	Removal of Structure, Every Item In Each Phase
10 Each	202-B231	Removal of Fire Hydrant
2 Each	202-B235	Removal of Lift Station
14 Each	202-B248	Removal of Manhole
2 Each	202-B290	Removal of Power/Light Pole
49,813 Gallon	202-B300	Removal of Sewage
85,093 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
800 Cubic Yard	203-EX005	Borrow Excavation, AH, FME, Class B3
105,155 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
3,307 Cubic Yard	203-G003	Excess Excavation, FM, AH
3,650 Square Yard	203-I001	Site Grading
14,932 Cubic Yard	206-A001	Structure Excavation
66 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
147,195 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
306,556 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way

CALL No. 03

408,742	Square Yard	212-B001	Standard Ground Preparation
43	Ton	213-B001	Combination Fertilizer, 13-13-13
43	Ton	213-C001	Superphosphate
50,664	Square Yard	216-A001	Solid Sodding
14,723	Square Yard	217-A001	Ditch Liner
113	Thousand Gallon	219-A001	Watering
43	Acre	220-A001	Insect Pest Control
5	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
35,475	Linear Feet	234-A001	Temporary Silt Fence
3	Each	236-A004	Silt Basin, Type D
968	Linear Feet	239-A001	Temporary Slope Drains
152,841	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
9	Mile	423-A001	Rumble Strips, Ground In
164	Linear Feet	501-E001	Expansion Joints, Without Dowels
354	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
3,967	Linear Feet	503-C007	Saw Cut, Full Depth
51,680	Pounds	602-A001	Reinforcing Steel
76	Linear Feet	603-A048	6" Steel Pipe, Wall Thickness 0.188"
80	Linear Feet	603-A049	6" Steel Pipe, Jacked or Bored, Wall Thickness 0.188"
152	Linear Feet	603-A050	12" Steel Pipe, Wall Thickness 0.188"
1,181	Linear Feet	603-A051	20" Steel Pipe, Wall Thickness 0.250"
390	Linear Feet	603-A052	20" Steel Pipe, Jacked or Bored, Wall Thickness 0.250"
1,299	Linear Feet	603-A053	24" Steel Pipe, Wall Thickness 0.281"
554	Linear Feet	603-A054	24" Steel Pipe, Jacked or Bored, Wall Thickness 0.281"
80	Linear Feet	603-A055	32" Steel Pipe, Wall Thickness 0.500"
721	Linear Feet	603-A056	36" Steel Pipe, Wall Thickness 0.500"
484	Linear Feet	603-A057	36" Steel Pipe, Jacked or Bored, Wall Thickness 0.500"
120	Linear Feet	603-CA001	15" Reinforced Concrete Pipe, Class III
66	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
3,841	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2,170	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
919	Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
804	Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
207	Linear Feet	603-CA093	48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
63	Linear Feet	603-CA104	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket
10	Each	603-CB001	18" Reinforced Concrete End Section
4	Each	603-CB002	24" Reinforced Concrete End Section
4	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
4	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-CB008	60" Reinforced Concrete End Section
364	Linear Feet	603-CE014	51" x 31" Concrete Arch Pipe, Class A IV
132	Linear Feet	603-CE016	65" x 40" Concrete Arch Pipe, Class A IV
114	Linear Feet	603-CE037	65" x 40" Concrete Arch Pipe, Class A III, Flexible PlasticGaskets
2,190	Linear Feet	603-CE038	88" x 54" Concrete Arch Pipe, Class A III, Flexible PlasticGaskets

CALL No. 03

434	Linear Feet	603-CE040	51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
530	Linear Feet	603-CE041	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
12	Linear Feet	603-CE042	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
114	Linear Feet	603-CE043	58" x 36" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
74	Linear Feet	603-CE044	73" x 45" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
854	Linear Feet	603-CE045	36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
6	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
14	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
2	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
10	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
2	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
2	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
2	Each	603-CF009	88" x 54" Concrete Arch Pipe End Section
21,649	Pounds	604-A001	Castings
6,650	Pounds	604-B001	Gratings
3,952	Linear Feet	606-B001	Guard Rail, Class A, Type 1
7	Each	606-C001	Guard Rail, Cable Anchor Type 1, Wood Post
11	Each	606-D008	Guard Rail, Bridge End Section, Type H
5	Each	606-D012	Guard Rail, Bridge End Section, Type I
22	Each	606-E001	Guard Rail, Terminal End Section
15,924	Linear Feet	607-B006	60" Type II Chain Link Fence, Class II
600	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
863	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
172	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
115	Each	607-P1010	Line Post, 10' x 2" Galvanized Steel
25	Each	607-P2019	Brace Post, 10' x 2" Galvanized Steel
17	Each	607-P2022	Brace Post, 12' x 2" Galvanized Steel
123	Each	607-P2023	Brace Post, 8' x 2" Galvanized Steel
40	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
1,057	Linear Feet	609-B001	Concrete Curb, Header
190	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
3,012	Linear Feet	609-D005	Combination Concrete Curb and Gutter Type 3B Modified
4,791	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
1,370	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
59	Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
2,981	Linear Feet	615-A003	Concrete Type IV Cast-in-Place Median Barrier
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
2,096	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
57	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
64	Square Feet	618-B001	Additional Construction Signs
1,875	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
22	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2,500	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
16	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint

CALL No. 03

1 Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
144 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1,045 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,508 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
28 Each	619-D3001	Remove and Reset Signs, All Sizes
4 Each	619-E1001	Flashing Arrow Panel, Type C
941 Linear Feet	619-F1001	Concrete Median Barrier, Precast
941 Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
816 Linear Feet	619-G4001	Barricades, Type III, Single Faced
24 Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
487 Each	619-G5001	Free Standing Plastic Drums
13 Each	619-G7001	Warning Lights, Type "B"
2 Unit	619-J1003	Impact Attenuator, 60 MPH
2 Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
Lump Sum	620-A001	Mobilization
3,006 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
823 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
19 Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
83 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
454 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
660 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
8,080 Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
659 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
37 Linear Feet	630-D004	Structural Steel Beams, W6 x 12
86 Linear Feet	630-D010	Structural Steel Beams, W12 x 26
101 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
466 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
112 Each	630-F001	Delineators, Guard Rail, White
51 Each	630-F002	Delineators, Guard Rail, Yellow
64 Each	630-F006	Delineators, Post Mounted, Single White
45 Each	630-F007	Delineators, Post Mounted, Single Yellow
222 Each	630-F008	Delineators, Post Mounted, Double White
91 Each	630-F009	Delineators, Post Mounted, Double Yellow
420 Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
83 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
5 Each	640-A001	Traffic Signal Heads, Type 1
1 Each	640-A006	Traffic Signal Heads, Type 3
9 Each	640-A016	Traffic Signal Heads, Type 1 LED
12 Each	640-A027	Traffic Signal Head, Type 5T LED
2 Each	640-A036	Traffic Signal Heads, Type 5L, LED
1 Each	640-A045	Traffic Signal Heads, Type 3L, LED
1 Each	640-A046	Traffic Signal Heads, Type 7L, LED
4 Each	642-A001	Solid State Traffic Actuated Controllers, Type 8M
10 Each	644-A001	Optical Detector
767 Linear Feet	644-B001	Optical Detector Cable

CALL No. 03

4	Each	644-C002	Phase Selector, 4 Channel
4	Each	647-A002	Pullbox, Type 3
5	Each	647-A005	Pullbox, Type 2
4	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
96	Square Feet	653-A001	Traffic Sign, Encapsulated Lens
678	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
426	Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
327	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
50	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
328	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
34,300	Linear Feet	682-A003	Underground Branch Circuit, AWG 1/0, 2 Conductor
19,215	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
8,415	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
6,670	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
3,860	Linear Feet	682-B001	Underground Branch Circuit, Jacked or Bored, 4" Conduit Only
44	Each	682-D001	Underground Pull Box
5	Each	682-F001	Secondary Power Controllers
9	Each	683-A025	Lighting Assembly, High Mast, Type 110-4
3	Each	683-A028	Lighting Assembly, High Mast, Type 110-5
1	Each	683-A031	Lighting Assembly, High Mast, Type 110-6
14	Each	683-A043	Lighting Assembly, High Mast, Type 120-4
3	Each	683-A046	Lighting Assembly, High Mast, Type 120-5
2	Each	683-A049	Lighting Assembly, High Mast, Type 120-6
2	Each	683-A052	Lighting Assembly, High Mast, Type 120-8
19	Each	683-B115	Lighting Assembly, Low Mast, Type 50-1-20-250
3	Each	685-D001	Service Pole
2	Each	686-A001	Relocation of Existing Lighting Assemblies
24,174	Square Feet	809-A004	Mechanically Stabilized Earth Wall System
1,181	Ton	815-A009	Loose Riprap, Size 300
90	Cubic Yard	815-D001	Concrete Slope Paving
272	Ton	815-F002	Sediment Control Stone
90	Acre	907-225-A001	Grassing
169	Ton	907-225-B001	Agricultural Limestone
174	Ton	907-225-C001	Mulch, Vegetative Mulch
86	Acre	907-226-A001	Temporary Grassing
73	Each	907-234-D001	Inlet Siltation Guard
7,380	Linear Feet	907-237-A003	Wattles, 20"
500	Each	907-246-A002	Sandbags
1,893	Ton	907-249-A001	Riprap for Erosion Control
50	Cubic Yard	907-249-B001	Remove and Reset Riprap
	Lump Sum	907-260-A004	Sewage Pumping Station, DD
	Lump Sum	907-260-A005	Sewage Pumping Station, UU
2,526	Linear Feet	907-262-A007	8" PVC SDR 26 Sanitary Sewer Main
1,188	Linear Feet	907-262-A008	10" PVC SDR 26 Sanitary Sewer Main
404	Linear Feet	907-262-A009	12" PVC SDR 26 Sanitary Sewer Main
115	Each	907-262-C002	6" PVC SDR-26 Sanitary Sewer Service

CALL No. 03

782	Linear Feet	907-262-D002	16" HDPE Casing Pipe
560	Linear Feet	907-262-D002	16" HDPE Casing PipeDirectional Bore
135	Linear Feet	907-262-L001	2" PVC Sanitary Sewer Force Main
230	Linear Feet	907-262-L002	4" PVC Sanitary Sewer Force Main
2,554	Linear Feet	907-262-L003	6" PVC Sanitary Sewer Force Main
975	Linear Feet	907-262-L004	8" PVC Sanitary Sewer Force Main
1,308	Linear Feet	907-262-L005	20" PVC Sanitary Sewer Force Main
1,343	Linear Feet	907-262-L006	6" HDPE Sanitary Sewer Force Main
1,250	Linear Feet	907-262-L007	20" HDPE Sanitary Sewer Force Main
819	Linear Feet	907-265-A001	6" PVC Pipe
2,614	Linear Feet	907-265-A002	8" PVC Pipe, C-900
1,077	Linear Feet	907-265-A005	10" C900 PVC Water Main
6,205	Linear Feet	907-265-A007	12" C900 PVC Water Main
4	Each	907-265-D008	10" Gate Valve
16	Each	907-265-D009	12" Gate Valve
6	Each	907-265-D013	8" Water Valve
7	Each	907-265-D014	6" Water Valve
2	Each	907-265-D015	12" Insertion Valve
2	Each	907-265-D016	10" Insertion Valve
3	Each	907-265-D017	8" Insertion Valve
14	Each	907-265-F001	Fire Hydrant Assembly
6	Each	907-265-I003	Water Meter Installation
1	Each	907-265-J006	Relocate Fire Hydrant
1	Each	907-265-K003	Cap Existing 6" Water Main
3	Each	907-265-K004	Cap Existing 8" Water Main
2	Each	907-265-K005	12" Line Stop
4	Each	907-265-K006	20" Line Stop
2	Each	907-265-K007	10" Line Stop
57	Linear Feet	907-265-L002	3/4" Diameter Water Service Line
150	Linear Feet	907-265-L003	2" Diameter Water Service
5	Each	907-265-M003	3/4" Water Meter
1	Each	907-265-O001	12"x12" Tapping Sleeve & 12" Valve
1	Each	907-265-O002	10"x10" Tapping Sleeve & 10" Valve
3	Each	907-265-O003	8"x8" Tapping Sleeve & 8" Valve
1	Each	907-265-O004	8"x6" Tapping Sleeve & 6" Valve
2	Each	907-265-O005	6"x6" Tapping Sleeve & 6" Valve
	Lump Sum	907-266-A001	Duplex Pump Control Panel, UU
	Lump Sum	907-266-A002	Duplex Pump Control Panel, DD
	Lump Sum	907-267-A001	Wireless Monitoring and Control System, Station UU
	Lump Sum	907-267-A002	Wireless Monitoring and Control System, Station DD
	Lump Sum	907-267-A003	Wireless Monitoring and Control System, Station WWTF
818	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
38,456	Ton	907-304-F001	Size 825 Crushed Stone Base
5,311	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
14,162	Gallon	907-402-B001	Bituminous Tack Coat
13,640	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture

CALL No. 03

53	Mile	907-403-S004	Joint Sealant
17,581	Gallon	907-407-A001	Asphalt for Tack Coat
223	Cubic Yard	907-601-A001	Class "B" Structural Concrete
288	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
173	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
780	Linear Feet	907-603-DD006	8" HDPE Force Main Pipe, Directional Bore
5	Each	907-604-C001	Precast Manhole, 48-inch Diameter4' Dia. Precast Concrete Manhole(0-6')
7	Each	907-604-C001	Precast Manhole, 48-inch Diameter4' Dia. Precast Concrete Manhole(10'-12')
1	Each	907-604-C001	Precast Manhole, 48-inch Diameter4' Dia. Precast Concrete Manhole(12'-14')
1	Each	907-604-C001	Precast Manhole, 48-inch Diameter4' Dia. Precast Concrete Manhole(14'-16')
5	Each	907-604-C001	Precast Manhole, 48-inch Diameter4' Dia. Precast Concrete Manhole(6'-8')
8	Each	907-604-C001	Precast Manhole, 48-inch Diameter4' Dia. Precast Concrete Manhole(8'-10')
32,926	Pounds	907-604-D001	Ductile Iron Fittings
1,911	Square Feet	907-604-E001	100% Solid Polymer Liner
124	Each	907-617-A001	Right-of-Way Marker
6	Each	907-619-E3001	Changeable Message Sign
500	Linear Feet	907-619-L001	Construction Safety Fence
13	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,127	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
22,286	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,147	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,264	Square Feet	907-626-H005	Thermoplastic Legend, White
14	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
	Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
	Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
	Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed
	Lump Sum	907-630-I008	Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed
	Lump Sum	907-630-I009	Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed
	Lump Sum	907-630-I010	Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed
	Lump Sum	907-630-I012	Metal Overhead Sign Supports, Assembly No. 11, Contractor Designed
	Lump Sum	907-630-J001	Overhead Sign Supported on Bridge, Assembly No 1, ContractorDesigned
	Lump Sum	907-630-J002	Overhead Sign Supported on Bridge, Assembly No 2, ContractorDesigned
	Lump Sum	907-630-J004	Overhead Sign Supported on Bridge, Assembly No 3, ContractorDesigned
509	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
2	Each	907-639-A001	Traffic Signal Equipment Pole, Type 1, Wood
1	Each	907-639-A010	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' Arm
4	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A033	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 35'Arms
1	Each	907-639-A035	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' & 30'Arms

CALL No. 03

1 Each	907-639-A048	Traffic Signal Equipment Pole, Type V, 18' Shaft
3 Each	907-639-A060	Traffic Signal Equipment Pole, Type V, 8' Shaft
28 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
4 Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
100 Linear Feet	907-639-D001	Slip Casing, 36" Diameter
25 Linear Feet	907-639-D003	Slip Casing, 24" Diameter
10 Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
2 Each	907-683-G1004	Repair of High Mast Lighting Assembly, Type 130-4-S
2 Each	907-683-G1005	Repair of High Mast Lighting Assembly, Type 130-5-S
1 Each	907-683-G1026	Repair of High Mast Lighting Assembly, Type 130-6-S
19 Each	907-684-A002	Pole Foundation, 36" Diameter
36 Each	907-684-A003	Pole Foundation, 48" Diameter
Lump Sum	907-699-A002	Roadway Construction Stakes
4,341 Square Feet	907-825-A001	Soil Nail Retaining Walls
3 Each	907-825-B001	Soil Nail Verification Tests
20 Each	907-825-C001	Soil Nail Proof Tests
ALTERNATE GROUP AA NO. 1		
45,996 Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP AA NO. 2		
45,996 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP BB NO. 1		
19,492 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP BB NO. 2		
19,492 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP CC NO. 1		
867 Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 2		
867 Ton	907-403-N002	Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling
ALTERNATE GROUP DD NO. 1		
13,028 Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP DD NO. 2		
13,028 Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP EE NO. 1		
9,667 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP EE NO. 2		
9,667 Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP FF NO. 1		
714 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP FF NO. 2		
714 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP GG NO. 1		
714 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP GG NO. 2		
714 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
Bridge Items		
4,000 Square Yard	501-K001	Transverse Grooving

CALL No. 03

2	Each	803-B002	Conventional Static Pile Load Test
2,160	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
82	Linear Feet	803-N001	Exploration
720	Linear Feet	803-O009	Temporary Casing, 54" Diameter
395,594	Pounds	805-A001	Reinforcement
1,005	Linear Feet	813-A002	Concrete Railing, 32"
140	Cubic Yard	815-D001	Concrete Slope Paving
1,476	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
1	Each	907-803-L005	Test Shaft, 54" Diameter
92	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
1,736	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
5,470	Linear Feet	907-804-C010	125' Prestressed Concrete Beam, Type BT-72

Reconstruction of approximately 1 mile of I-20 including removal of continuously reinforced concrete pavement, known as Federal Aid Project No. IM-0020-01(199) / 106175301 in Warren County.

PROJECT COMPLETION: August 23, 2013

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,000	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
230	Each	202-B066	Removal of Raised Reflective Pavement Marker
5,900	Square Yard	202-B119	Removal of Concrete Pavement, Continuous Reinforcement, All Depths
4	Each	202-B192	Removal of Guard Rail End Section, All Types
2	Each	202-B274	Removal of Guard Rail Bridge Connector
250	Cubic Yard	203-G003	Excess Excavation, FM, AH
910	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
4,400	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,000	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2	Each	606-D015	Guard Rail, Bridge End Section
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
3,400	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
220	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
230	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
500	Ton	907-304-B002	Granular Material, Class 5, Group D
500	Ton	907-304-F002	Size 610 Crushed Stone Base
650	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
1,000	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
1	Mile	907-403-S004	Joint Sealant
1,650	Gallon	907-407-A001	Asphalt for Tack Coat
192	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,000	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
ALTERNATE GROUP AA NO. 1			
2,800	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
ALTERNATE GROUP AA NO. 2			
2,800	Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 1			
250	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2			
250	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP CC NO. 1			
300	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture

CALL No. 04

ALTERNATE GROUP CC NO. 2

300 Ton

907-403-M003 Warm Mix Asphalt, ST, 12.5-mm mixture

Overlay and chip seal approximately 7 miles of SR 1 from the intersection of SR 1 and SR 14 to the Washington County Line, known as Federal Aid Project No. STP-0043-01(032) / 106517301 in Issaquena County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**Roadway Items**

125	Cubic Yard	203-G003	Excess Excavation, FM, AH
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3,200	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
783	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,000	Each	627-H002	Chip Seal Reflective Raised Markers
500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
508	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,325	Ton	907-304-B002	Granular Material, Class 5, Group D
39,424	Gallon	907-410-A001	Asphalt for Surface Treatment, Grade CRS-2P
950	Cubic Yard	907-410-C002	Seal Aggregate Cover Material, Size 7, Limestone
5,000	Gallon	907-411-B001	Bituminous Tack Coat
14	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3,200	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,485	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
801	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
783	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
710	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
710	Ton	907-403-N002	Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 1			
4,500	Ton	907-411-A001	Ultra Thin Asphalt Pavement, UHMA
ALTERNATE GROUP BB NO. 2			
4,500	Ton	907-411-A002	Ultra Thin Asphalt Pavement, UWMA
ALTERNATE GROUP CC NO. 1			
664	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
332	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
ALTERNATE GROUP CC NO. 2			
664	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
332	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

Slide Repair on SR 33 between Crosby and Homochitto River, known as Federal Aid Project No. ER-0049-01(040) / 106623301 in Wilkinson County.

PROJECT COMPLETION: October 04, 2013

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
491 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
20 Linear Feet	202-B064	Removal of Pipe, 8" And Above
3,740 Linear Feet	202-B076	Removal of Traffic Stripe
10 Each	202-B105	Removal of Pipe Headwall, All Sizes
9,578 Cubic Yard	203-G004	Excess Excavation, LVM, AH
592 Square Yard	204-A003	Geogrid, Type II, Biaxial
655 Cubic Yard	206-A001	Structure Excavation
1,949 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
58,080 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
6 Ton	213-C001	Superphosphate
2,000 Square Yard	216-A001	Solid Sodding
1,000 Square Yard	217-A001	Ditch Liner
40 Thousand Gallon	219-A001	Watering
6 Acre	220-A001	Insect Pest Control
12 Acre	223-A001	Mowing
4,500 Linear Feet	234-A001	Temporary Silt Fence
192 Bale	235-A001	Temporary Erosion Checks
1 Mile	423-A001	Rumble Strips, Ground In
400 Pounds	602-A001	Reinforcing Steel
228 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
44 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
140 Linear Feet	603-CA095	24" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
232 Linear Feet	603-CA097	36" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
5 Each	603-CB001	18" Reinforced Concrete End Section
2 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB003	30" Reinforced Concrete End Section
2 Each	603-CB004	36" Reinforced Concrete End Section
9,172 Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
30 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
925 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
Lump Sum	618-A001	Maintenance of Traffic
8,910 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
620 Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
3,020 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,950 Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
2,261 Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
3,600 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
3,318 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

CALL No. 06

2,261	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
46	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
54	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
200	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
520	Linear Feet	619-F1001	Concrete Median Barrier, Precast
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
39	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
23	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,000	Ton	815-A006	Loose Riprap, Size 100
115	Ton	815-A009	Loose Riprap, Size 300
1,050	Square Yard	815-E001	Geotextile under Riprap
12	Acre	907-225-A001	Grassing
6	Ton	907-225-B001	Agricultural Limestone
24	Ton	907-225-C001	Mulch, Vegetative Mulch
12	Acre	907-226-A001	Temporary Grassing
173	Linear Feet	907-237-A003	Wattles, 20"
173	Linear Feet	907-245-A001	Triangular Silt Dike
346	Linear Feet	907-246-A001	Sandbags
523	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
1,073	Ton	907-304-F001	Size 825 Crushed Stone Base
443	Gallon	907-407-A001	Asphalt for Tack Coat
13	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
200	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
60	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
9	Each	907-617-A001	Right-of-Way Marker
3,580	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
1,760	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
890	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,318	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
54,430	Cubic Yard	203-EX010	Borrow Excavation, AH, LVM, Class B5
ALTERNATE GROUP AA NO. 2			
54,430	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
ALTERNATE GROUP BB NO. 1			
155	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP BB NO. 2			
155	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP CC NO. 1			
405	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP CC NO. 2			
405	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP DD NO. 1			
995	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

CALL No. 06

ALTERNATE GROUP DD NO. 2

995 Ton

907-403-M001 Warm Mix Asphalt, ST, 9.5-mm mixture

Widen & Overlay approximately 9 miles of SR 9W from Calhoun County Line to SR 7, known as Federal Aid Project No. STP-0073-02(002) / 106599301 in Lafayette County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
53 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B079	Removal of Headwall
50 Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
21 Cubic Yard	203-G003	Excess Excavation, FM, AH
100 Linear Feet	234-A001	Temporary Silt Fence
132,887 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
19 Mile	423-A001	Rumble Strips, Ground In
100 Linear Feet	503-C002	Saw Cut, 3-inch
8 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1 Each	603-CB002	24" Reinforced Concrete End Section
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
35 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
6,694 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,721 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
Lump Sum	620-A001	Mobilization
757 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
25 Ton	815-A009	Loose Riprap, Size 300
125 Square Yard	815-E001	Geotextile under Riprap
1 Acre	907-225-A001	Grassing
1 Ton	907-225-C001	Mulch, Vegetative Mulch
4,991 Ton	907-304-B009	Granular Material, Class 3, Group D
1 Ton	907-304-F002	Size 610 Crushed Stone Base
15,927 Gallon	907-407-A001	Asphalt for Tack Coat
1 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
40 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
18 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,044 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,651 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,722 Linear Feet	907-626-H004	Thermoplastic Legend, White
Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1		
15,927 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2		
15,927 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1		

CALL No. 07

7,395 Ton	907-403-B009 Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling ALTERNATE GROUP BB NO. 2
7,395 Ton	907-403-N001 Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling ALTERNATE GROUP CC NO. 1
5,210 Ton	907-403-C005 Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening ALTERNATE GROUP CC NO. 2
5,210 Ton	907-403-O001 Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Replace Bridge Nos. 19.0, 19.1, 19.3, & 21.5 on SR 513 Over Souinlovey Creek, known as Federal Aid Project No. BR-0339-00(007) / 102492302 in Jasper County.

PROJECT COMPLETION: September 12, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

		Roadway Items	
Lump Sum	201-A001	Clearing and Grubbing	
1 Acre	201-B001	Clearing and Grubbing	
1 Each	202-B007	Removal of Box Bridge	
4 Each	202-B009	Removal of Bridge	
1,800 Linear Feet	202-B076	Removal of Traffic Stripe	
17,868 Square Yard	202-B078	Removal of Pavement, All Types and Depths	
350 Linear Feet	202-B102	Removal of Guard Rail	
6,928 Cubic Yard	203-A003	Unclassified Excavation, FM, AH	
144,355 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6	
6,071 Cubic Yard	203-F001	Channel Excavation, FM	
34,316 Cubic Yard	203-G003	Excess Excavation, FM, AH	
218 Cubic Yard	206-A001	Structure Excavation	
50 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM	
20,871 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven	
342 Square Yard	212-B001	Standard Ground Preparation	
1 Ton	213-B001	Combination Fertilizer, 13-13-13	
24 Ton	213-C001	Superphosphate	
342 Square Yard	216-A001	Solid Sodding	
3,259 Square Yard	217-A001	Ditch Liner	
7 Thousand Gallon	219-A001	Watering	
24 Acre	220-A001	Insect Pest Control	
38 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch	
1 Acre	223-A001	Mowing	
3,259 Square Yard	224-A001	Soil Reinforcing Mat	
15,000 Linear Feet	234-A001	Temporary Silt Fence	
2,000 Bale	235-A001	Temporary Erosion Checks	
750 Linear Feet	239-A001	Temporary Slope Drains	
8,120 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths	
3 Mile	423-A001	Rumble Strips, Ground In	
348 Linear Feet	501-E001	Expansion Joints, Without Dowels	
752 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement	
37,857 Pounds	602-A001	Reinforcing Steel	
1,450 Linear Feet	606-B001	Guard Rail, Class A, Type 1	
16 Each	606-D012	Guard Rail, Bridge End Section, Type I	
16 Each	606-E002	Guard Rail, Terminal End Section, Flared	
222 Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified	
160 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"	
Lump Sum	618-A001	Maintenance of Traffic	
Lump Sum	618-C001	Construction & Removal of Detour Bridge	
1,770 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White	

CALL No. 08

1,660	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4,718	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
780	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
68	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
343	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
144	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
11	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
11	Each	619-G8001	Warning Lights, Type "C"
	Lump Sum	620-A001	Mobilization
1	Each	622-A001	Engineer's Field Office Building, Type 1
68	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
161	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
106	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
196	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
80	Each	630-F001	Delineators, Guard Rail, White
1,472	Ton	815-A009	Loose Riprap, Size 300
1,272	Square Yard	815-E001	Geotextile under Riprap
150	Ton	815-F002	Sediment Control Stone
48	Acre	907-225-A001	Grassing
144	Ton	907-225-B001	Agricultural Limestone
96	Ton	907-225-C001	Mulch, Vegetative Mulch
48	Acre	907-226-A001	Temporary Grassing
7,110	Linear Feet	907-234-C002	Super Silt Fence
1,000	Linear Feet	907-237-A003	Wattles, 20"
1,111	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
220	Linear Feet	907-245-A001	Triangular Silt Dike
200	Linear Feet	907-246-A001	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
250	Ton	907-249-A001	Riprap for Erosion Control
9,328	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
7,098	Ton	907-304-F001	Size 825 Crushed Stone Base
9,432	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
128	Ton	907-307-D001	Lime
2,854	Gallon	907-407-A001	Asphalt for Tack Coat
56	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
215	Cubic Yard	907-601-A001	Class "B" Structural Concrete
608	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
60	Each	907-617-A001	Right-of-Way Marker
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,005	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
220	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
294	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White

CALL No. 08

Lump Sum	907-699-A002	Roadway Construction Stakes
		ALTERNATE GROUP AA NO. 1
80 Ton	907-308-A001	Portland Cement
9,432 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
		ALTERNATE GROUP AA NO. 2
9,432 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
64 Ton	907-311-B001	Lime
255 Ton	907-311-C002	Fly Ash, Class C or F
		ALTERNATE GROUP BB NO. 1
2,481 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 2
2,481 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP CC NO. 1
3,289 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP CC NO. 2
3,289 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP DD NO. 1
2,966 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP DD NO. 2
2,966 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP EE NO. 1
450 Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
		ALTERNATE GROUP EE NO. 2
450 Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
		Bridge Items
3,228 Square Yard	501-K001	Transverse Grooving
8 Each	803-B002	Conventional Static Pile Load Test
3,280 Linear Feet	803-D002	HP 12 x 53 Steel Piling
4,500 Linear Feet	803-D003	HP 14 x 73 Steel Piling
405 Linear Feet	803-D007	HP 14 x 89 Steel Piling
10 Each	803-I001	PDA Test Pile
8 Each	803-J001	Pile Restrike
248,972 Pounds	805-A001	Reinforcement
1,816 Linear Feet	813-A001	Concrete Railing
3,240 Ton	815-A009	Loose Riprap, Size 300
2,745 Square Yard	815-E001	Geotextile under Riprap
1,491 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,368 Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,595 Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
499 Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Mill & Overlay approximately 4 miles on SR 854 from SR 39 to the Naval Air Station, known as Federal Aid Project No. STP-0456-00(005) / 106493301 in Lauderdale County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**Roadway Items**

300	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2	Each	202-B043	Removal of Guard Rail Bridge End Section
134	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
116,527	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
2	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
	Lump Sum	618-A001	Maintenance of Traffic
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A3006	Temporary Traffic Stripe, Skip White
13,922	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
716	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
416	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-F3003	Delineators, Guard Rail, Yellow
1	Each	619-F3004	Delineators, Guard Rail, White
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
194	Each	627-B001	Two-Way Clear Reflective Raised Markers
1,022	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
89	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
250	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
7,500	Gallon	907-407-A001	Asphalt for Tack Coat
96	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
7	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,319	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
6,832	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
7,090	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
360	Square Feet	907-626-H005	Thermoplastic Legend, White
716	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
ALTERNATE GROUP AA NO. 1			
20,157	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP AA NO. 2			
20,157	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture

Mill and Overlay approximately 4 miles of SR 792, from SR 388 to the Lowndes County Line, known as Federal Aid Project No. STP-0672-00(006) / 106513301 in Noxubee County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**Roadway Items**

530	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
30	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
60,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
88	Linear Feet	413-D001	Cleaning and Filling Joints
7	Mile	423-A001	Rumble Strips, Ground In
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,300	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
380	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
431	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
100	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
60	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
250	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
600	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
3,000	Gallon	907-407-A001	Asphalt for Tack Coat
8	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
4	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,300	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
240	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
ALTERNATE GROUP AA NO. 1			
6,800	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP AA NO. 2			
6,800	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 1			
200	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 2			
200	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Overlay approximately 16 miles of US 80 between Old SR 18 and Scott County Line, known as Federal Aid Project No. STP-2904-00(012) / 105458301 in Rankin County.

PROJECT COMPLETION: October 16, 2013

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

378	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6	Square Yard	202-B035	Removal of Concrete Sidewalk
1,829	Linear Feet	202-B038	Removal of Curb, All Types
3,761	Linear Feet	202-B102	Removal of Guard Rail
250	Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
2,500	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,000	Linear Feet	234-A001	Temporary Silt Fence
150	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
139,900	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2,100	Linear Feet	413-D001	Cleaning and Filling Joints
24	Mile	423-A001	Rumble Strips, Ground In
1,438	Linear Feet	606-B001	Guard Rail, Class A, Type 1
875	Linear Feet	606-B008	Guard Rail, Class A, Type 1, Thrie Beam
16	Linear Feet	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
4	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D008	Guard Rail, Bridge End Section, Type H
10	Each	606-E001	Guard Rail, Terminal End Section
14	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
500	Linear Feet	609-E001	Bituminous Curb
18	Square Yard	616-B003	Bituminous Median and/or Island Pavement
	Lump Sum	618-A001	Maintenance of Traffic
48	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
34	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
13	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
19,163	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,721	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
140	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
982	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
740	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1,450	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,036	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
122	Each	630-F001	Delineators, Guard Rail, White
36	Each	630-F002	Delineators, Guard Rail, Yellow
18	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
500	Linear Feet	907-237-A003	Wattles, 20"
50	Ton	907-249-A001	Riprap for Erosion Control
4,000	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
10,750	Gallon	907-407-A001	Asphalt for Tack Coat

CALL No. 11

2,100	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
40	Linear Feet	907-603-PE205	18" Corrugated Polyethylene Pipe
125	Linear Feet	907-606-PP007	Guard Rail Repair, 'W' Beam, Per Plans
150	Linear Feet	907-606-PP008	Guard Rail Repair, Thrie Beam, Per Plans
1	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
26	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
22	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
75	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
10,788	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
18,375	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
108	Square Feet	907-626-H001	Thermoplastic Legend, Blue-ADA
4,800	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
150	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
ALTERNATE GROUP AA NO. 1			
26,152	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP AA NO. 2			
26,152	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 1			
12,480	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 2			
12,480	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 1			
7,000	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP CC NO. 2			
7,000	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

Installing ITS equipment on Interstate 20 and U.S. Highway 84 at the Mississippi River Bridges, known as Federal Aid Project No. ITS-9999-09(028) / 106397301 & 106397302 in Warren and Adams Counties of Mississippi & Madison and Concordia Parishes of Louisiana.

PROJECT COMPLETION: August 25, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,590	Linear Feet	234-A001	Temporary Silt Fence
1,376	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
4	Each	619-E1001	Flashing Arrow Panel, Type C
	Lump Sum	620-A001	Mobilization
38	Each	630-F001	Delineators, Guard Rail, White
4	Each	647-A003	Pullbox, Type 4
3	Each	647-A004	Pullbox, Type 5
14	Each	647-A005	Pullbox, Type 2
465	Linear Feet	666-B027	Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor
1,071	Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
855	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
165	Linear Feet	666-D019	Electric Cable, Aerial Supported in Conduit, THHN, AWG #6, 3 Conductor
1,961	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
180	Linear Feet	668-C005	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
160	Linear Feet	907-237-A003	Wattles, 20"
343	Ton	907-304-F002	Size 610 Crushed Stone Base
6	Each	907-619-E3001	Changeable Message Sign
	Lump Sum	907-630-M001	Pedestal Sign Support, Assembly No 1, Contractor Designed, LADOTD
	Lump Sum	907-630-M002	Pedestal Sign Support, Assembly No 2, Contractor Designed
	Lump Sum	907-630-M006	Pedestal Sign Support, Assembly No 3, Contractor Designed, LADOTD
	Lump Sum	907-630-M007	Pedestal Sign Support, Assembly No 4, Contractor Designed
1	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-637-A002	Equipment Cabinet, Type C
2	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
1	Each	907-639-E005	Camera Pole With Pier Cap Mod. & Lowering Device, 35' Pole, LADOTD
7	Each	907-641-A001	Radar Detection System
4	Each	907-647-A001	Pullbox, Type F, LADOTD
2	Each	907-647-A001	Pullbox, Type LA, LADOTD
5	Each	907-650-A003	On Street Video Equipment, PTZ Type
4	Each	907-655-A001	Highway Advisory Radio System
6	Each	907-655-B001	Highway Advisory Radio Flashing Beacon
6	Each	907-655-B001	Highway Advisory Radio Flashing Beacon, LADOTD
	Lump Sum	907-655-C001	Highway Advisory Radio System Software and Server
1	Each	907-656-A001	Dynamic Message Sign, Type 1, LADOTD
2	Each	907-656-A002	Dynamic Message Sign, Type 2
1	Each	907-656-A002	Dynamic Message Sign, Type 2, LADOTD

CALL No. 12

	Lump Sum	907-656-B001	Dynamic Message Sign Training
2	Each	907-656-D001	Dynamic Message Sign, Cellular Modem, LADOTD
2,287	Linear Feet	907-657-A004	Fiber Optic Cable, 96 SM, LADOTD
90	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM, LADOTD
1	Each	907-658-A001	Hardened Network Switch, Type A
3	Each	907-658-A004	Hardened Network Switch, Type D
6	Each	907-658-B001	Terminal Server
	Lump Sum	907-659-A001	Traffic Management Center Modifications
	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
3	Each	907-662-A001	Video Encoder, Type A
2	Each	907-664-A002	Roadway Weather Information System
915	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
1,942	Linear Feet	907-668-G003	Traffic Signal Conduit Bank, Aerial Supported, Type FRP, 2@2"
75	Linear Feet	907-668-G004	Traffic Signal Conduit Bank, Aerial Supported, Type FRP, 3@2"
1	Each	907-669-A001	Real-Time River Current System, Natchez Bridge
1	Each	907-669-A001	Real-Time River Current System, Vicksburg Bridge
ALTERNATE GROUP AA NO. 1			
153	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
153	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
Add Option 1 Items			
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
1,480	Linear Feet	907-657-A004	Fiber Optic Cable, 96 SM, LADOTD
1,480	Linear Feet	907-668-G003	Traffic Signal Conduit Bank, Aerial Supported, Type FRP, 2@2"
Add Option 2 Items			
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
1	Each	907-647-A001	Pullbox, Type LA, LADOTD
7,290	Linear Feet	907-657-A004	Fiber Optic Cable, 96 SM, LADOTD
7,290	Linear Feet	907-668-G003	Traffic Signal Conduit Bank, Aerial Supported, Type FRP, 2@2"
Add Option 3 Items			
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
300	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
795	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-639-E005	Camera Pole With Foundation & Lowering Device, 60' Pole, LADOTD
1	Each	907-647-A001	Pullbox, Type F, LADOTD
2	Each	907-647-A001	Pullbox, Type LA, LADOTD
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
1	Each	907-656-D001	Dynamic Message Sign, Cellular Modem, LADOTD
495	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM, LADOTD
1	Each	907-658-A001	Hardened Network Switch, Type A
1	Each	907-662-A001	Video Encoder, Type A

Installing ITS equipment on U.S. Highway 82 and U.S. Highway 49 at the Mississippi River Bridges, known as Federal Aid Project No. ITS-9999-09(029) / 106397303 & 106397304 in Washington and Coahoma Counties of Mississippi & Chicot and Phillips Counties of Arkansas.

PROJECT COMPLETION: August 25, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,250	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
2,650	Linear Feet	234-A001	Temporary Silt Fence
1,875	Linear Feet	606-B001	Guard Rail, Class A, Type 1
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
7	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
4	Each	619-E1001	Flashing Arrow Panel, Type C
	Lump Sum	620-A001	Mobilization
70	Each	630-F001	Delineators, Guard Rail, White
11	Each	647-A003	Pullbox, Type 4
5	Each	647-A004	Pullbox, Type 5
36	Each	647-A005	Pullbox, Type 2
180	Linear Feet	666-B027	Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor
2,005	Linear Feet	666-B043	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor
1,365	Linear Feet	666-D018	Electric Cable, Aerial Supported in Conduit, THHN, AWG #2, 3Conductor
380	Linear Feet	666-D019	Electric Cable, Aerial Supported in Conduit, THHN, AWG #6, 3Conductor
1,970	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
1,875	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
640	Linear Feet	668-C005	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
1,400	Linear Feet	907-237-A003	Wattles, 20"
800	Ton	907-304-F002	Size 610 Crushed Stone Base
4	Each	907-619-E3001	Changeable Message Sign
	Lump Sum	907-630-M001	Pedestal Sign Support, Assembly No 1, Contractor Designed
	Lump Sum	907-630-M003	Pedestal Sign Support, Assembly No 5, Contractor Designed
	Lump Sum	907-630-M008	Pedestal Sign Support, Assembly No 6, Contractor Designed
	Lump Sum	907-630-M009	Pedestal Sign Support, Assembly No 7, Contractor Designed
8	Each	907-637-A001	Equipment Cabinet, Type B
6	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
3	Each	907-639-E003	Camera Pole with Foundation, 70' Pole
8	Each	907-641-A001	Radar Detection System
14	Each	907-648-H001	Wireless Communications, Microwave, Short Range
8	Each	907-650-A002	On Street Video Equipment, Fixed Type
18	Each	907-650-A003	On Street Video Equipment, PTZ Type
4	Each	907-655-A001	Highway Advisory Radio System
6	Each	907-655-B001	Highway Advisory Radio Flashing Beacon, Type 1
4	Each	907-655-B001	Highway Advisory Radio Flashing Beacon, Type 2
	Lump Sum	907-655-C001	Highway Advisory Radio System Software and Server
4	Each	907-656-A002	Dynamic Message Sign, Type 2
	Lump Sum	907-656-B001	Dynamic Message Sign Training

CALL No. 13

640	Linear Feet	907-657-A002	Fiber Optic Cable, 12 SM
8	Each	907-658-A001	Hardened Network Switch, Type A
6	Each	907-658-A004	Hardened Network Switch, Type D
8	Each	907-658-B001	Terminal Server
	Lump Sum	907-659-A001	Traffic Management Center Modifications
	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
2	Each	907-660-B002	Communications Hut
2	Each	907-664-A002	Roadway Weather Information System
1,460	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
2,570	Linear Feet	907-668-G003	Traffic Signal Conduit Bank, Aerial Supported, Type FRP, 2@2"
1	Each	907-669-A001	Real-Time River Current System, Greenville Bridge
1	Each	907-669-A001	Real-Time River Current System, Helena Bridge
ALTERNATE GROUP AA NO. 1			
440	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
440	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
Add Option 1 Items			
225	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
600	Linear Feet	234-A001	Temporary Silt Fence
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
1	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
14	Each	630-F001	Delineators, Guard Rail, White
2	Each	647-A003	Pullbox, Type 4
1	Each	647-A004	Pullbox, Type 5
5	Each	647-A005	Pullbox, Type 2
750	Linear Feet	666-B037	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 4 Conductor
750	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
240	Linear Feet	907-237-A003	Wattles, 20"
200	Ton	907-304-F002	Size 610 Crushed Stone Base
	Lump Sum	907-630-Q001	Post Sign Support, Assembly No. 2, Contractor Designed
1	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
1	Each	907-641-A001	Radar Detection System
2	Each	907-648-H001	Wireless Communications, Microwave, Short Range
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
1	Each	907-656-A004	Dynamic Message Sign, Type 3
1	Each	907-658-A001	Hardened Network Switch, Type A
1	Each	907-658-B001	Terminal Server
300	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
ALTERNATE GROUP BB NO. 1			
120	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2			
120	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Add Option 2 Items

CALL No. 13

350	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
650	Linear Feet	234-A001	Temporary Silt Fence
450	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
18	Each	630-F001	Delineators, Guard Rail, White
2	Each	647-A003	Pullbox, Type 4
1	Each	647-A004	Pullbox, Type 5
4	Each	647-A005	Pullbox, Type 2
150	Linear Feet	666-B043	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor
150	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
240	Linear Feet	907-237-A003	Wattles, 20"
150	Ton	907-304-F002	Size 610 Crushed Stone Base
	Lump Sum	907-630-Q002	Post Sign Support, Assembly No. 3, Contractor Designed
1	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
1	Each	907-641-A001	Radar Detection System
2	Each	907-648-H001	Wireless Communications, Microwave, Short Range
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
1	Each	907-656-A004	Dynamic Message Sign, Type 3
1	Each	907-658-A001	Hardened Network Switch, Type A
1	Each	907-658-B001	Terminal Server
300	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
ALTERNATE GROUP CC NO. 1			
75	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP CC NO. 2			
75	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
Add Option 3 Items			
350	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
650	Linear Feet	234-A001	Temporary Silt Fence
450	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
18	Each	630-F001	Delineators, Guard Rail, White
2	Each	647-A003	Pullbox, Type 4
1	Each	647-A004	Pullbox, Type 5
4	Each	647-A005	Pullbox, Type 2
100	Linear Feet	666-B043	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor
100	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
240	Linear Feet	907-237-A003	Wattles, 20"
150	Ton	907-304-F002	Size 610 Crushed Stone Base
	Lump Sum	907-630-Q003	Post Sign Support, Assembly No. 4, Contractor Designed
1	Each	907-639-E003	Camera Pole with Foundation, 70' Pole
1	Each	907-641-A001	Radar Detection System
2	Each	907-648-H001	Wireless Communications, Microwave, Short Range

CALL No. 13

1 Each	907-650-A003	On Street Video Equipment, PTZ Type
1 Each	907-656-A004	Dynamic Message Sign, Type 3
1 Each	907-658-A001	Hardened Network Switch, Type A
1 Each	907-658-B001	Terminal Server
300 Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
ALTERNATE GROUP DD NO. 1		
75 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP DD NO. 2		
75 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
Add Option 4 Items		
350 Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
650 Linear Feet	234-A001	Temporary Silt Fence
450 Linear Feet	606-B001	Guard Rail, Class A, Type 1
2 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
Lump Sum	618-A001	Maintenance of Traffic
Lump Sum	620-A001	Mobilization
18 Each	630-F001	Delineators, Guard Rail, White
2 Each	647-A003	Pullbox, Type 4
1 Each	647-A004	Pullbox, Type 5
4 Each	647-A005	Pullbox, Type 2
300 Linear Feet	666-B043	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor
300 Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
240 Linear Feet	907-237-A003	Wattles, 20"
150 Ton	907-304-F002	Size 610 Crushed Stone Base
Lump Sum	907-630-Q004	Post Sign Support, Assembly No. 8, Contractor Designed
1 Each	907-639-E001	Camera Pole with Foundation, 50' Pole
1 Each	907-641-A001	Radar Detection System
2 Each	907-648-H001	Wireless Communications, Microwave, Short Range
1 Each	907-650-A003	On Street Video Equipment, PTZ Type
1 Each	907-656-A004	Dynamic Message Sign, Type 3
1 Each	907-658-A001	Hardened Network Switch, Type A
1 Each	907-658-B001	Terminal Server
300 Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
ALTERNATE GROUP EE NO. 1		
75 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP EE NO. 2		
75 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Reconstruction of SR 607 to 4-Lanes from Texas Flat Road to I-59, known as State Project Nos. MDA-1125-00(003) / 105425301 & 302 in Hancock and Pearl River Counties.

PROJECT COMPLETION: June 30, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items		
Lump Sum	201-A001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
8 Each	202-B008	Removal of Box Culvert
6 Each	202-B019	Removal of Concrete Headwall
4 Each	202-B057	Removal of Inlets, All Sizes
1,374 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,766 Square Yard	202-B078	Removal of Pavement, All Types and Depths
2,143 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
16 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
129,095 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
218,563 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
45,260 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
2,779 Cubic Yard	203-F001	Channel Excavation, FM
62,332 Cubic Yard	203-G003	Excess Excavation, FM, AH
3,712 Cubic Yard	206-A001	Structure Excavation
5,568 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
159,589 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
23 Ton	213-C001	Superphosphate
40 Square Yard	216-A001	Solid Sodding
40 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
23 Acre	220-A001	Insect Pest Control
7 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
44 Acre	223-A001	Mowing
10,303 Linear Feet	234-A001	Temporary Silt Fence
750 Bale	235-A001	Temporary Erosion Checks
16 Each	236-A004	Silt Basin, Type D
1,500 Linear Feet	239-A001	Temporary Slope Drains
1,467 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
20 Mile	423-A001	Rumble Strips, Ground In
589 Linear Feet	501-E001	Expansion Joints, Without Dowels
1,379 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
16,483 Pounds	602-A001	Reinforcing Steel
4,579 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2,929 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
142 Linear Feet	603-CA092	42" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
396 Linear Feet	603-CA093	48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
416 Linear Feet	603-CA104	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket
6 Each	603-CB001	18" Reinforced Concrete End Section
18 Each	603-CB002	24" Reinforced Concrete End Section

CALL No. 14

2 Each	603-CB005	42" Reinforced Concrete End Section
8 Each	603-CB006	48" Reinforced Concrete End Section
4 Each	603-CB008	60" Reinforced Concrete End Section
1,280 Linear Feet	603-CE040	51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
896 Linear Feet	603-CE043	58" x 36" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
18 Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
10 Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
3 Each	603-SB058	24" Branch Connections, Stub into Concrete Pipe
4,819 Pounds	604-A001	Castings
3,250 Pounds	604-B001	Gratings
1,838 Linear Feet	606-B001	Guard Rail, Class A, Type 1
2 Each	606-D001	Guard Rail, Bridge End Section, Type A
10 Each	606-D012	Guard Rail, Bridge End Section, Type I
10 Each	606-E002	Guard Rail, Terminal End Section, Flared
2 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
15,709 Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
1,629 Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
302 Square Yard	614-A001	Concrete Driveway, Without Reinforcement
200 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
845 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
59 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
42,928 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
45,924 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7,770 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
480 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
40 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,682 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1 Each	619-E1001	Flashing Arrow Panel, Type C
1,050 Linear Feet	619-F1001	Concrete Median Barrier, Precast
10 Each	619-F3004	Delineators, Guard Rail, White
1,284 Linear Feet	619-G4001	Barricades, Type III, Single Faced
36 Linear Feet	619-G4005	Barricades, Type III, Double Faced
193 Each	619-G5001	Free Standing Plastic Drums
4 Each	619-G7001	Warning Lights, Type "B"
2 Unit	619-J1002	Impact Attenuator, 50 MPH
1 Unit	619-J2004	Impact Attenuator, 50 MPH, Replacement Package
5 Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
5 Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
Lump Sum	620-A001	Mobilization
51 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
899 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
135 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
211 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
596 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
18 Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft

CALL No. 14

382	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
741	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
53	Each	630-F001	Delineators, Guard Rail, White
28	Each	630-F002	Delineators, Guard Rail, Yellow
8	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
8	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
682	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
	Lump Sum	802-C001	Temporary Steel Sheet Piling
1,590	Ton	815-A009	Loose Riprap, Size 300
293	Ton	815-F002	Sediment Control Stone
44	Acre	907-225-A001	Grassing
132	Ton	907-225-B001	Agricultural Limestone
44	Ton	907-225-C001	Mulch, Vegetative Mulch
23	Acre	907-226-A001	Temporary Grassing
750	Linear Feet	907-234-C002	Super Silt Fence
690	Linear Feet	907-237-A002	Wattles, 12"
5,000	Linear Feet	907-237-A003	Wattles, 20"
150	Each	907-246-A002	Sandbags
150	Ton	907-249-A001	Riprap for Erosion Control
68,509	Ton	907-304-F004	Size 825B Crushed Stone Base
23,528	Gallon	907-407-A001	Asphalt for Tack Coat
587	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
230	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,544	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
146	Each	907-617-A001	Right-of-Way Marker
2	Each	907-619-E3001	Changeable Message Sign
1	Each	907-622-A002	Engineer's Field Office Building, Type 3
9	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1,095	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,546	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
10	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,568	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,337	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
672	Linear Feet	907-626-H004	Thermoplastic Legend, White
192	Square Feet	907-626-H005	Thermoplastic Legend, White
1,915	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
14,695	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP AA NO. 2			
14,695	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 1			
20,002	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP BB NO. 2			
20,002	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture

CALL No. 14

ALTERNATE GROUP CC NO. 1

12,794 Ton 907-403-A010 Hot Mix Asphalt, MT, 9.5-mm mixture

ALTERNATE GROUP CC NO. 2

12,794 Ton 907-403-M006 Warm Mix Asphalt, MT, 9.5-mm mixture

ALTERNATE GROUP DD NO. 1

17,567 Ton 907-403-A012 Hot Mix Asphalt, ST, 19-mm mixture

ALTERNATE GROUP DD NO. 2

17,567 Ton 907-403-M004 Warm Mix Asphalt, ST, 19-mm mixture

Bridge Items

3,609 Square Yard	501-K001 Transverse Grooving
9 Each	803-B002 Conventional Static Pile Load Test
4,904 Linear Feet	803-C002 14" x 14" Prestressed Concrete Piling
6,710 Linear Feet	803-C003 16" x 16" Prestressed Concrete Piling
11 Each	803-I001 PDA Test Pile
10 Each	803-J001 Pile Restrike
357,615 Pounds	805-A001 Reinforcement
1,535 Linear Feet	813-A001 Concrete Railing
6,423 Square Yard	815-A004 Loose Riprap, Size 300
10,064 Square Yard	815-E001 Geotextile under Riprap
1,851 Cubic Yard	907-804-A001 Bridge Concrete, Class AA
3,819 Linear Feet	907-804-C016 40' Prestressed Concrete Beam, Type I+2
477 Linear Feet	907-804-C019 60' Prestressed Concrete Beam, Type II+2
1,197 Linear Feet	907-804-C171 100' Prestressed Concrete Beam, Type IV

CALL No. 15

Chip Seal on SR 35, known as State Project No. MP-2035-08(006) & MP-2035-22(002) / 304602301 & 302 in Carroll and Grenada Counties.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization
1,853 Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
1,853 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
123,266 Gallon	907-410-A001	Asphalt for Surface Treatment, Grade CRS-2P
3,217 Cubic Yard	907-410-C007	Seal Aggregate Cover Material, Size 89, Limestone

Widen and overlay approximately 8 miles of SR 37 from US 84 to the Smith County Line, known as State Project No. MP-7037-16(005) / 304698301 in Covington County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**Roadway Items**

3,245	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
980	Linear Feet	202-B076	Removal of Traffic Stripe
150	Linear Feet	202-B102	Removal of Guard Rail
186	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,707	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
16	Mile	423-A001	Rumble Strips, Ground In
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,405	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,936	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
599	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
882	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F001	Delineators, Guard Rail, White
6,094	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
1,082	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
11,618	Gallon	907-407-A001	Asphalt for Tack Coat
64	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
16	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,585	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,820	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,476	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
714	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP AA NO. 2			
714	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP BB NO. 1			
13,652	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2			
13,652	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP CC NO. 1			
786	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 2			
786	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Overlay approximately 10 miles of SR 48 from US 51 to Stallings Curve Road, known as State Project No. MP-7048-57(015) / 304697301 in Pike County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**Roadway Items**

907	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1,700	Linear Feet	202-B076	Removal of Traffic Stripe
150	Cubic Yard	203-G004	Excess Excavation, LVM, AH
15,678	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
16	Mile	423-A001	Rumble Strips, Ground In
1,980	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D008	Guard Rail, Bridge End Section, Type H
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
26	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
11,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
130	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
800	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,350	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
146	Each	630-F001	Delineators, Guard Rail, White
3,586	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
12,468	Gallon	907-407-A001	Asphalt for Tack Coat
1,000	Pounds	907-420-A001	Undersealing Concrete Pavement
19	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
14	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
24	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
14,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
3,000	Linear Feet	907-626-H004	Thermoplastic Legend, White
130	Square Feet	907-626-H005	Thermoplastic Legend, White
10	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
	Lump Sum	907-899-A001	Railway-Highway Provisions
ALTERNATE GROUP AA NO. 1			
17,777	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
17,777	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
1,450	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 2			

1,450 Ton

907-403-N001 Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Utility improvements and site work for the shop building at the MDOT Materials Laboratory, known as State Project No. LWO-9023-25(002)/ 502350303 in Hinds County.

PROJECT COMPLETION: August 23, 2013

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1,655 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
488 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
155 Square Yard	202-B035	Removal of Concrete Sidewalk
1 Each	202-B077	Removal of Trees Greater Than 6"
41 Each	202-B086	Removal of Guard Post
6 Each	202-B098	Removal of Inlet and Junction Box, All Types & Sizes
226 Linear Feet	202-B106	Removal of Pipe, All Sizes
286 Linear Feet	202-B232	Removal of Gravity Sewer Line, All Sizes, All Types
1 Each	202-B233	Removal of Gravity Sewer Manhole, All Sizes, All Types
8,000 Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
7,230 Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,750 Cubic Yard	206-A001	Structure Excavation
250 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2,250 Square Yard	212-B001	Standard Ground Preparation
2,250 Square Yard	216-B004	Solid Sodding, Bermuda
45 Thousand Gallon	219-A001	Watering
1,742 Linear Feet	234-A001	Temporary Silt Fence
93 Bale	235-A001	Temporary Erosion Checks
18,950 Pounds	602-A001	Reinforcing Steel
70 Linear Feet	603-A047	36" Steel Pipe, Jacked or Bored, Wall Thickness 0.500"
312 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
264 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III(State Furnished)
318 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
40 Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
1 Each	603-CB002	24" Reinforced Concrete End Section(State Furnished)
520 Pounds	604-B001	Gratings
1,155 Pounds	604-B001	Gratings (State Furnished)
154 Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
51 Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
Lump Sum	618-A001	Maintenance of Traffic
171 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
48 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
3 Each	619-E1001	Flashing Arrow Panel, Type C
407 Linear Feet	619-F1001	Concrete Median Barrier, Precast
36 Linear Feet	619-F1005	Portable Median Barrier, Less Than or Equal to 45 MPH
48 Linear Feet	619-G4001	Barricades, Type III, Single Faced
160 Each	619-G5001	Free Standing Plastic Drums
4 Each	619-G6001	Warning Lights, Type "A"
160 Each	619-G8001	Warning Lights, Type "C"

CALL No. 18

3	Unit	619-J1001	Impact Attenuator, 40 MPH
	Lump Sum	620-A001	Mobilization
226	Linear Feet	625-D001	Traffic Stripe, Continuous Yellow
24	Square Feet	625-F001	Legend
11	Each	627-C001	Red-Clear Reflective Raised Markers
12	Each	627-D001	Two-Way Yellow Reflective Raised Markers
6	Each	907-230-A045	Shrub Planting, Clara Indian Hawthorn
120	Linear Feet	907-230-C001	Bed Edging
11	Each	907-234-D001	Inlet Siltation Guard
333	Linear Feet	907-237-A003	Wattles, 20"
	Lump Sum	907-242-PP001	Water and Sewer Improvements, Per Plans
1,000	Linear Feet	907-246-A001	Sandbags
1,000	Linear Feet	907-246-B001	Rockbags
150	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
5	Ton	907-307-D001	Lime
3,535	Square Yard	907-321-A001	8" In-Grade Preparation
8	Gallon	907-407-A001	Asphalt for Tack Coat
121	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
16	Square Feet	907-611-PP003	Detectable Warning, Per Plans
100	Linear Feet	907-619-L001	Construction Safety Fence
250	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
482	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
193	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
169	Square Feet	907-626-H005	Thermoplastic Legend, White
15	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
60	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP AA NO. 2			
60	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP BB NO. 1			
5	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2			
5	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR