

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.   1   DATED   5/21/2013   ADDENDUM NO.            DATED             
 ADDENDUM NO.   2   DATED   05/22/2013   ADDENDUM NO.            DATED           

Number	Description
1	Table of Contents, replace same; NTB No. 4524 replaces NTB 3242; Add NTB Nos. 4532, 4533, 4534 & 4535; Supplements to 907-401-2 & 907-403-4, replace same; BidItems, replace same; Added or Revised Plan Sht. Nos. 2, 22, 23, 214, 2001, 2002, 2003, & 2004; Amendment EBS Download Required.
2	BidItems, replace same; Amendment EBS Download Required.

TOTAL ADDENDA:   2    
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
 Contractor

BY \_\_\_\_\_  
 Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

STP-7337-00(001) / 103408301 Rankin County(ies)

Construction necessary to add 2 lanes to SR 468 from north of US 80 to SR 475, known as Federal Aid Project No. STP-7337-00(001) / 103408301 in Rankin County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
<b>Roadway Items</b>					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		3	Acre	Clearing and Grubbing
0030	202-B002		7,271	Square Yard	Removal of Asphalt Driveways, All Depths
0040	202-B005		14,927	Square Yard	Removal of Asphalt Pavement, All Depths
0050	202-B009		1	Each	Removal of Bridge
0060	202-B018		2,225	Square Yard	Removal of Concrete Driveways, All Depths
0070	202-B019		2	Each	Removal of Concrete Headwall
0080	202-B024		868	Square Yard	Removal of Concrete Median & Island Pavement, All Depths
0090	202-B042		10	Each	Removal of Flared End Section, All Sizes
0100	202-B064		3,329	Linear Feet	Removal of Pipe, 8" And Above
0110	202-B076		1,000	Linear Feet	Removal of Traffic Stripe
0120	202-B093		2,491	Linear Feet	Removal of Curb & Gutter, All Types
0130	202-B113		2	Each	Removal of Box Culvert Wingwall, All Sizes
0140	202-B170		11	Each	Removal of Concrete Junction Box, Manhole and Inlet, All Sizes
0150	203-A003	(E)	21,277	Cubic Yard	Unclassified Excavation, FM, AH
0160	203-D002	(E)	8,228	Cubic Yard	Muck Excavation, LVM
0170	203-EX033	(E)	156,201	Cubic Yard	Borrow Excavation, AH, FME, Class B17
0180	203-G003	(E)	24,941	Cubic Yard	Excess Excavation, FM, AH
0190	206-A001	(S)	10,633	Cubic Yard	Structure Excavation
0200	206-B001	(E)	38	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0210	211-B001	(E)	13,232	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0220	212-B001		17,597	Square Yard	Standard Ground Preparation
0230	213-B001		2	Ton	Combination Fertilizer, 13-13-13
0240	213-C001		13	Ton	Superphosphate
0250	216-A001		17,597	Square Yard	Solid Sodding
0260	217-A001		2,068	Square Yard	Ditch Liner
0270	219-A001		352	Thousand Gallon	Watering [\$20.00]
0280	220-A001		13	Acre	Insect Pest Control [\$30.00]
0290	221-A001	(S)	419	Cubic Yard	Portland Cement Concrete Paved Ditch
0300	223-A001		1	Acre	Mowing [\$40.00]
0310	234-A001		34,792	Linear Feet	Temporary Silt Fence
0320	310-B003	(GT)	1,000	Ton	Size I Stabilizer Aggregate, Coarse

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	406-A001		20,254	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0340	408-A003	(A3 )	44,997	Gallon	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
0350	501-E001		138	Linear Feet	Expansion Joints, Without Dowels
0360	502-A001	(C )	302	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0370	503-C007		583	Linear Feet	Saw Cut, Full Depth
0380	602-A001	(S )	69,599	Pounds	Reinforcing Steel
0390	603-CA002	(S )	8,762	Linear Feet	18" Reinforced Concrete Pipe, Class III
0400	603-CA003	(S )	3,128	Linear Feet	24" Reinforced Concrete Pipe, Class III
0410	603-CA004	(S )	824	Linear Feet	30" Reinforced Concrete Pipe, Class III
0420	603-CA005	(S )	746	Linear Feet	36" Reinforced Concrete Pipe, Class III
0430	603-CA007	(S )	32	Linear Feet	48" Reinforced Concrete Pipe, Class III
0440	603-CA008	(S )	1,000	Linear Feet	54" Reinforced Concrete Pipe, Class III
0450	603-CA027	(S )	92	Linear Feet	24" Reinforced Concrete Pipe, Class V
0460	603-CA107	(S )	88	Linear Feet	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
0470	603-CB001	(S )	32	Each	18" Reinforced Concrete End Section
0480	603-CB002	(S )	9	Each	24" Reinforced Concrete End Section
0490	603-CB003	(S )	6	Each	30" Reinforced Concrete End Section
0500	603-CB004	(S )	4	Each	36" Reinforced Concrete End Section
0510	603-CB005	(S )	3	Each	42" Reinforced Concrete End Section
0520	603-CB006	(S )	2	Each	48" Reinforced Concrete End Section
0530	603-CB007	(S )	3	Each	54" Reinforced Concrete End Section
0540	603-CE001	(S )	2,640	Linear Feet	22" x 13" Concrete Arch Pipe, Class A III
0550	603-CE002	(S )	88	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III
0560	603-CE003	(S )	96	Linear Feet	36" x 23" Concrete Arch Pipe, Class A III
0570	603-CE004	(S )	168	Linear Feet	44" x 27" Concrete Arch Pipe, Class A III
0580	603-CF001	(S )	2	Each	22" x 13" Concrete Arch Pipe End Section
0590	603-CF002	(S )	1	Each	29" x 18" Concrete Arch Pipe End Section
0600	603-CF003	(S )	1	Each	36" x 23" Concrete Arch Pipe End Section
0610	603-CF004	(S )	4	Each	44" x 27" Concrete Arch Pipe End Section
0620	603-SB005	(S )	1	Each	36" Branch Connections, Stub into Box Culvert
0630	603-SB025	(S )	3	Each	18" Branch Connections, Stub into 54" Concrete Pipe
0640	603-SB028	(S )	1	Each	30" Branch Connections, Stub into Box Culvert
0650	604-A001		13,516	Pounds	Castings
0660	604-B001		1,860	Pounds	Gratings
0670	605-AA003	(S )	13,232	Square Yard	Geotextile for Subsurface Drainage, Type III

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0680	605-W001	(GY )	861	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains,Type A, FM
0690	605-W002	(GY )	1,000	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains,Type B, FM
0700	606-B005		250	Linear Feet	Guard Rail, Class A, Type 1, 'W' Beam
0710	606-D012		2	Each	Guard Rail, Bridge End Section, Type I
0720	606-E001		2	Each	Guard Rail, Terminal End Section
0730	609-B001	(S )	94	Linear Feet	Concrete Curb, Header
0740	609-D007	(S )	712	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0750	609-D008	(S )	27,760	Linear Feet	Combination Concrete Curb and Gutter Type 3A
0760	613-D005		13	Each	Adjustment of Manhole
0770	614-B001	(S )	3,752	Square Yard	Concrete Driveway, With Reinforcement
0780	615-A018	(S )	80	Linear Feet	Concrete Bridge End Barrier, 33.5"
0790	616-A001	(S )	549	Square Yard	Concrete Median and/or Island Pavement, 4-inch
0800	616-A003	(S )	106	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0810	618-A001		1	Lump Sum	Maintenance of Traffic
0820	619-A1001		70,266	Linear Feet	Temporary Traffic Stripe, Continuous White
0830	619-A2001		76,224	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
0840	619-A3001		35,536	Linear Feet	Temporary Traffic Stripe, Skip White
0850	619-A4001		31,595	Linear Feet	Temporary Traffic Stripe, Skip Yellow
0860	619-A5001		9,145	Linear Feet	Temporary Traffic Stripe, Detail
0870	619-A5004		380	Linear Feet	Temporary Traffic Stripe, Detail, Type 1 Tape
0880	619-A6001		4,192	Linear Feet	Temporary Traffic Stripe, Legend
0890	619-A6002		349	Square Feet	Temporary Traffic Stripe, Legend
0900	619-D1001		129	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0910	619-D2001		978	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0920	619-D3001		34	Each	Remove and Reset Signs, All Sizes
0930	619-E1001		2	Each	Flashing Arrow Panel, Type C
0940	619-F1001		910	Linear Feet	Concrete Median Barrier, Precast
0950	619-F2001		910	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
0960	619-G4001		814	Linear Feet	Barricades, Type III, Single Faced
0970	619-G4004		132	Linear Feet	Barricades, Type III, Single Faced, Permanent, Red/White
0980	619-G5001		1,018	Each	Free Standing Plastic Drums
0990	619-G7001		55	Each	Warning Lights, Type "B"
1000	619-J1001		2	Unit	Impact Attenuator, 40 MPH
1010	619-J2005		1	Unit	Impact Attenuator, 40 MPH, Replacement Package
1020	620-A001		1	Lump Sum	Mobilization

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1030	627-K001		915	Each	Red-Clear Reflective High Performance Raised Markers
1040	627-L001		2,286	Each	Two-Way Yellow Reflective High Performance Raised Markers
1050	630-A001		263	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1060	630-A002		122	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1070	630-C001		17	Linear Feet	Steel U-Section Posts, 2.0 lb/ft
1080	630-C003		486	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
1090	630-E004		37	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
1100	630-F001		14	Each	Delineators, Guard Rail, White
1110	630-G002		4	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1120	630-K001		82	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"
1130	630-K002		15	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
1140	635-A001		3,904	Linear Feet	Vehicle Loop Assemblies
1150	636-A003		8,149	Linear Feet	Shielded Cable, 4 Conductor
1160	638-A005		15	Each	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
1170	640-A016		27	Each	Traffic Signal Heads, Type 1 LED
1180	640-A017		3	Each	Traffic Signal Heads, Type 2 LED
1190	640-A022		10	Each	Traffic Signal Heads, Type 7 LED
1200	644-A001		8	Each	Optical Detector
1210	644-B001		1,757	Linear Feet	Optical Detector Cable
1220	644-C002		2	Each	Phase Selector, 4 Channel
1230	646-A001		1	Lump Sum	Removal of Existing Traffic Signal Equipment
1240	647-A001		10	Each	Pullbox, Type 1
1250	647-A002		2	Each	Pullbox, Type 3
1260	647-A003		2	Each	Pullbox, Type 4
1270	647-A005		20	Each	Pullbox, Type 2
1280	648-A001		4	Each	Radio Interconnect, Installed in New Controller Cabinet
1290	653-A001		200	Square Feet	Traffic Sign, Encapsulated Lens
1300	666-B015		784	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1310	666-B016		3,050	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor
1320	666-B022		504	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor
1330	668-A016		833	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 1"
1340	668-A018		1,914	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"
Changed 05/21/2013					
1341	668-A020		297	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"
Added 05/21/2013					

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1350	668-A026		880	Linear Feet	Traffic Signal Conduit, Underground, Rolled Pipe, 3"
1360	668-A029		504	Linear Feet	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
1370	668-A033				Deleted 05/22/2013
1380	668-A036				Deleted 05/22/2013
1390	668-B024		504	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1400	668-B025		896	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1410	815-A009	(S)	60	Ton	Loose Riprap, Size 300
1420	815-E001	(S)	204	Square Yard	Geotextile under Riprap
1430	815-F002	(S)	1,000	Ton	Sediment Control Stone
1440	907-225-A001		26	Acre	Grassing
1450	907-225-B001		13	Ton	Agricultural Limestone
1460	907-225-C001		52	Ton	Mulch, Vegetative Mulch
1470	907-226-A001		26	Acre	Temporary Grassing
1480	907-234-C002		1,000	Linear Feet	Super Silt Fence
1490	907-234-D001		9	Each	Inlet Siltation Guard
1500	907-237-A003		10,000	Linear Feet	Wattles, 20"
1510	907-245-A001		500	Linear Feet	Triangular Silt Dike
1520	907-246-B002		500	Each	Rockbags
1530	907-249-A001		2,255	Ton	Riprap for Erosion Control
1540	907-304-A010	(GY)	2,591	Cubic Yard	Granular Material, LVM, Class 5, Group E
1550	907-308-A001		937	Ton	Portland Cement
1560	907-308-B002	(M)	110,705	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
1570	907-308-S001	(A3)	27,676	Gallon	Bituminous Curing Seal
1580	907-407-A001	(A2)	38,870	Gallon	Asphalt for Tack Coat
1590	907-413-E001		124	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
1600	907-601-A001	(S)	100	Cubic Yard	Class "B" Structural Concrete
1610	907-601-B003	(S)	540	Cubic Yard	Class "B" Structural Concrete, Minor Structures
1620	907-603-ALT01	(S)	776	Linear Feet	18" Type A Alternate Pipe
1630	907-603-ALT02	(S)	132	Linear Feet	24" Type A Alternate Pipe
1640	907-603-ALT03	(S)	528	Linear Feet	30" Type A Alternate Pipe
1650	907-603-ALT05	(S)	280	Linear Feet	42" Type A Alternate Pipe
1660	907-617-A001		169	Each	Right-of-Way Marker
1670	907-619-E3001		3	Each	Changeable Message Sign

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1680	907-626-A006		33,358	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1690	907-626-B005		1,816	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1700	907-626-C007		32,025	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1710	907-626-D005		31,586	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1720	907-626-E005		32,120	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1730	907-626-F005		1,259	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1740	907-626-G006		6,399	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
1750	907-626-G007		5,901	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
1760	907-626-H009		2,526	Linear Feet	Thermoplastic Double Drop Legend, White
1770	907-626-H010		2,490	Square Feet	Thermoplastic Double Drop Legend, White
1780	907-631-A001		19	Cubic Yard	Flowable Fill, Excavatable
1790	907-639-A002		3	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1800	907-639-A008		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
1810	907-639-A011		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1820	907-639-A015		1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
1830	907-639-A109		2	Each	Traffic Signal Equipment Pole, Type II, 30' Shaft, 36' Arm
1840	907-639-A110		1	Each	Traffic Signal Equipment Pole, Type II, 30' Shaft, 38' Arm
1850	907-639-A111		4	Each	Traffic Signal Equipment Pole, Type II, 30' Shaft, 40' Arm
1860	907-639-A112		1	Each	Traffic Signal Equipment Pole, Type II, 30' Shaft, 42' Arm
1870	907-639-A113		1	Each	Traffic Signal Equipment Pole, Type II, 30' Shaft, 45' Arm
1880	907-639-A114		1	Each	Traffic Signal Equipment Pole, Type II, 30' Shaft, 60' Arm
1881	907-639-C002		39	Cubic Yard	Pole Foundations, 36" Diameter
	Added 05/21/2013				
1882	907-639-C004		9	Cubic Yard	Pole Foundations, 30" Diameter
	Added 05/21/2013				
1883	907-639-D001		150	Linear Feet	Slip Casing, 36" Diameter
	Added 05/21/2013				
1884	907-639-D002		50	Linear Feet	Slip Casing, 30" Diameter
	Added 05/21/2013				
1890	907-642-A003		4	Each	Solid State Traffic Actuated Controllers, Type 8A
1900	907-648-C001		2	Each	Radio Ethernet Interconnect, Local Intersection
1910	907-648-D001		2	Each	Radio Ethernet Distribution Repeater Installation
1920	907-658-A001		2	Each	Hardened Network Switch, Type A
1930	907-658-C001		120	Linear Feet	Category 6 Cable, Installed in Conduit
1940	907-699-A002		1	Lump Sum	Roadway Construction Stakes

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1950	907-809-A004	(S)	2,446	Square Feet	Temporary Shoring Wall System
1960	907-906001		1,040	Hours	Trainees [\$5.00]
<b>ALTERNATE GROUP AA NUMBER 1</b>					
1970	907-304-F003	(GT)	20,656	Ton	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>					
1980	907-304-F004	(GT)	20,656	Ton	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>					
1990	907-304-F002	(GT)	20,656	Ton	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP BB NUMBER 1</b>					
2000	907-403-A001	(BA1)	12,390	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture
<b>ALTERNATE GROUP BB NUMBER 2</b>					
2010	907-403-M010	(BA1)	12,390	Ton	Warm Mix Asphalt, HT, 12.5-mm mixture
<b>ALTERNATE GROUP CC NUMBER 1</b>					
2020	907-403-A002	(BA1)	25,822	Ton	Hot Mix Asphalt, HT, 19-mm mixture
<b>ALTERNATE GROUP CC NUMBER 2</b>					
2030	907-403-M011	(BA1)	25,822	Ton	Warm Mix Asphalt, HT, 19-mm mixture
<b>ALTERNATE GROUP DD NUMBER 1</b>					
2040	907-403-B002	(BA1)	2,401	Ton	Hot Mix Asphalt, HT, 19-mm mixture, Leveling
<b>ALTERNATE GROUP DD NUMBER 2</b>					
2050	907-403-N010	(BA1)	2,401	Ton	Warm Mix Asphalt, HT, 19-mm mixture, Leveling
<b>ALTERNATE GROUP EE NUMBER 1</b>					
2060	907-403-D001	(BA1)	12,655	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
<b>ALTERNATE GROUP EE NUMBER 2</b>					
2070	907-403-P002	(BA1)	12,655	Ton	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
<b>ALTERNATE GROUP FF NUMBER 1</b>					
2080	907-403-D004	(BA1)	10,514	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
<b>ALTERNATE GROUP FF NUMBER 2</b>					
2090	907-403-P001	(BA1)	10,514	Ton	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
<b>Bridge Items</b>					
2100	501-K001		1,240	Square Yard	Transverse Grooving
2110	803-B002	(S)	1	Each	Conventional Static Pile Load Test [\$5,000.00]
2120	803-D001	(S)	1,935	Linear Feet	HP 10 x 42 Steel Piling
2130	803-D003	(S)	1,020	Linear Feet	HP 14 x 73 Steel Piling
2140	803-I001	(S)	2	Each	PDA Test Pile
2150	803-J001	(S)	1	Each	Pile Restrike



Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
2160	805-A001	(S)	91,807	Pounds	Reinforcement
2170	813-A002	(S)	364	Linear Feet	Concrete Railing, 32"
2180	815-A009	(S)	736	Ton	Loose Riprap, Size 300
2190	815-E001	(S)	1,089	Square Yard	Geotextile under Riprap
2200	907-804-A001	(S)	500	Cubic Yard	Bridge Concrete, Class AA
2210	907-804-C019	(S)	1,603	Linear Feet	60' Prestressed Concrete Beam, Type II+2
<b>Utility Items</b>					
2220	202-B248		13	Each	Removal of Manhole
2230	613-A002		1	Each	Adjustment of Castings, Gratings & Utility Appurtenances
2240	907-261-B001	(S)	90	Linear Feet	20" Steel Casing (Bored)
2250	907-261-B001	(S)	55	Linear Feet	20" Steel Casing (Open Cut)
2260	907-261-B003	(S)	230	Linear Feet	16" Steel Casing (Bored)
2270	907-262-A011	(S)	265	Linear Feet	8" Sewer Main (10-12)
2280	907-262-A011	(S)	417	Linear Feet	8" Sewer Main (12-14)
2290	907-262-A011	(S)	110	Linear Feet	8" Sewer Main (14-16)
2300	907-262-A011	(S)	28	Linear Feet	8" Sewer Main (6-8)
2310	907-262-A011	(S)	160	Linear Feet	8" Sewer Main (Bored) (No Casing) (All Depths)
2320	907-262-A011	(S)	225	Linear Feet	8" Sewer Main (In Casing)
2330	907-262-A012	(S)	15	Linear Feet	10" Sewer Main (10-12)
2340	907-262-A012	(S)	431	Linear Feet	10" Sewer Main (8-10)
2350	907-262-A012	(S)	160	Linear Feet	10" Sewer Main (Bored) (No Casing) (All Depths)
2360	907-262-A012	(S)	95	Linear Feet	10" Sewer Main (In Casing)
2370	907-262-A013	(S)	321	Linear Feet	12" Sewer Main (10-12)
2380	907-262-A013	(S)	1,050	Linear Feet	12" Sewer Main (8-10)
2390	907-262-A013	(S)	145	Linear Feet	12" Sewer Main (Bored) (No Casing) (All Depths)
2400	907-262-A013	(S)	120	Linear Feet	12" Sewer Main (In Casing)
2410	907-262-K002		3	Each	48" Diameter Manhole (10-12) (Seal Cover)
2420	907-262-K002		3	Each	48" Diameter Manhole (12-14) (Seal Cover)
2430	907-262-K002		1	Each	48" Diameter Manhole (14-16) (Seal Cover)
2440	907-262-K002		1	Each	48" Diameter Manhole (6-8) (Seal Cover)
2450	907-262-K002		2	Each	48" Diameter Manhole (8-10) (Seal Cover)
2460	907-262-K002		1	Each	48" Diameter Manhole (Doghouse) (16-18) (Seal Cover)
2470	907-262-K002		1	Each	48" Diameter Manhole (Doghouse) (8-10) (Seal Cover)
2480	907-262-M001	(S)	500	Cubic Yard	Muck Excavation
2490	907-262-N001	(S)	500	Cubic Yard	Select Bedding Material

<b>Line No.</b>	<b>Item Code</b>	<b>Adj Code</b>	<b>Quantity</b>	<b>Units</b>	<b>Description [Fixed Unit Price]</b>
2500	907-262-O001	(S )	200	Cubic Yard	Select Backfill Material
2510	907-262-P002	(S )	3,000	Linear Feet	Dewatering
2520	907-262-PP002	(S )	300	Linear Feet	Service Lateral (6" Sewer) (Bored) (All Depths)
2530	907-262-PP002	(S )	925	Linear Feet	Service Lateral (6" Sewer) (Open Cut) (All Depths)
2540	907-262-PP004		16	Each	Reconnect Existing Service
2550	907-262-PP005		2	Each	New Sewer Service
2560	907-262-PP006		4	Each	Connect to Existing Manhole
2570	907-262-PP007		3	Each	Bypass Pumping Setup, Complete (Including Pumps and Discharge Piping)
2580	907-262-Q001	(S )	225	Square Yard	100% Solid Epoxy Lining (70 Mil Thickness)
2590	907-262-R001	(S )	90	Cubic Yard	Low Pressure Portland Cement Grout