


[Proposal & Plan Sales Will Begin on May 6, 2013](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for May – May 29, 2013



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MAY - Wednesday, May 29, 2013

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 06, 2013

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Wednesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
02	STP-0014-03(065) / 106424301 & STP-0014-03(065) / 106424302	Forrest & Lamar
03	STP-7337-00(001) / 103408301	Rankin
* 04	MP-3000-00(095) / 304787301	District 3
* 05	MP-6000-00(217) / 304818301	District 6
* 06	MP-6026-66(009) / 304811301	Stone
* 07	MP-7000-00(149) / 304707301	District 7
08	MP-7049-16(014) / 304700301	Covington
09	MP-7567-03(006) / 304706301	Amite
10	MP-7587-39(010) / 304699301	Lawrence

WITHDRAWN

WITHDRAWN

Adaptive Signal System on US 98 and US 49, known as Federal Aid Project Nos. STP-0014-03(065) / 106424301 & 302 in Forrest & Lamar Counties.

PROJECT COMPLETION: February 11, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

14	Each	202-B194	Removal of Sign Post and Footing
1,200	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	618-A001	Maintenance of Traffic
8	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
60	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
123	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
16	Each	647-A003	Pullbox, Type 4
12	Each	647-A004	Pullbox, Type 5
1	Each	647-A005	Pullbox, Type 2
60	Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
170	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
385	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
700	Linear Feet	907-237-A003	Wattles, 20"
2	Each	907-619-E3001	Changeable Message Sign
2	Each	907-637-A001	Equipment Cabinet, Type B
2	Each	907-639-B001	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount
25	Each	907-639-F003	Detector Pole with Foundation, 20' Pole
7	Each	907-642-A005	Solid State Traffic Actuated Controllers, Type 8M
4	Each	907-642-B001	Solid State Traffic Actuated Controller Modification
4	Each	907-650-A002	On Street Video Equipment, Fixed Type
2	Each	907-650-A003	On Street Video Equipment, PTZ Type
47	Each	907-651-B009	Magnetometer Detection System Component, Repeater
28	Each	907-651-B012	Magnetometer Detection System Component, Extension Card
205	Each	907-651-B013	Magnetometer Detection System Component, Wireless DetectionSensor
39	Each	907-651-B018	Magnetometer Detection System Component, Access Point Controller Card
77	Each	907-651-B019	Magnetometer Detection System Component,
18,705	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
350	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
3	Each	907-658-A001	Hardened Network Switch, Type A
	Lump Sum	907-659-A001	Traffic Management Center Modifications
2	Each	907-662-A001	Video Encoder, Type A
	Lump Sum	907-663-A001	Central Management Signal Control Software
40	Each	907-663-B001	Full Adaptive Traffic Signal Control Software
4,575	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
14,130	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"

Construction necessary to add 2 lanes to SR 468 from north of US 80 to SR 475, known as Federal Aid Project No. STP-7337-00(001) / 103408301 in Rankin County.

PROJECT COMPLETION: June 30, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
3 Acre	201-B001	Clearing and Grubbing
7,271 Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
14,927 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B009	Removal of Bridge
2,225 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
2 Each	202-B019	Removal of Concrete Headwall
868 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
10 Each	202-B042	Removal of Flared End Section, All Sizes
3,329 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,000 Linear Feet	202-B076	Removal of Traffic Stripe
2,491 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
2 Each	202-B113	Removal of Box Culvert Wingwall, All Sizes
11 Each	202-B170	Removal of Concrete Junction Box, Manhole and Inlet, All Sizes
21,277 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
8,228 Cubic Yard	203-D002	Muck Excavation, LVM
156,201 Cubic Yard	203-EX033	Borrow Excavation, AH, FME, Class B17
24,941 Cubic Yard	203-G003	Excess Excavation, FM, AH
10,633 Cubic Yard	206-A001	Structure Excavation
38 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
13,232 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
17,597 Square Yard	212-B001	Standard Ground Preparation
2 Ton	213-B001	Combination Fertilizer, 13-13-13
13 Ton	213-C001	Superphosphate
17,597 Square Yard	216-A001	Solid Sodding
2,068 Square Yard	217-A001	Ditch Liner
352 Thousand Gallon	219-A001	Watering
13 Acre	220-A001	Insect Pest Control
419 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
34,792 Linear Feet	234-A001	Temporary Silt Fence
1,000 Ton	310-B003	Size I Stabilizer Aggregate, Coarse
20,254 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
44,997 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
138 Linear Feet	501-E001	Expansion Joints, Without Dowels
302 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
583 Linear Feet	503-C007	Saw Cut, Full Depth
69,599 Pounds	602-A001	Reinforcing Steel
8,762 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
3,128 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III

CALL No. 03

824	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
746	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
32	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
1,000	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
92	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class V
88	Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
32	Each	603-CB001	18" Reinforced Concrete End Section
9	Each	603-CB002	24" Reinforced Concrete End Section
6	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
3	Each	603-CB005	42" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
3	Each	603-CB007	54" Reinforced Concrete End Section
2,640	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
88	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
96	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
168	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
2	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
1	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
1	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
4	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
1	Each	603-SB005	36" Branch Connections, Stub into Box Culvert
3	Each	603-SB025	18" Branch Connections, Stub into 54" Concrete Pipe
1	Each	603-SB028	30" Branch Connections, Stub into Box Culvert
13,516	Pounds	604-A001	Castings
1,860	Pounds	604-B001	Gratings
13,232	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
861	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,000	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
250	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-D012	Guard Rail, Bridge End Section, Type I
2	Each	606-E001	Guard Rail, Terminal End Section
94	Linear Feet	609-B001	Concrete Curb, Header
712	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
27,760	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
13	Each	613-D005	Adjustment of Manhole
3,752	Square Yard	614-B001	Concrete Driveway, With Reinforcement
80	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
549	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
106	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
70,266	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
76,224	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
35,536	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
31,595	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
9,145	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

CALL No. 03

380	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
4,192	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
349	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
129	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
978	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
34	Each	619-D3001	Remove and Reset Signs, All Sizes
2	Each	619-E1001	Flashing Arrow Panel, Type C
910	Linear Feet	619-F1001	Concrete Median Barrier, Precast
910	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
814	Linear Feet	619-G4001	Barricades, Type III, Single Faced
132	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
1,018	Each	619-G5001	Free Standing Plastic Drums
55	Each	619-G7001	Warning Lights, Type "B"
2	Unit	619-J1001	Impact Attenuator, 40 MPH
1	Unit	619-J2005	Impact Attenuator, 40 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
915	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,286	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
263	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
122	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
17	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
486	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
37	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
82	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
15	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
3,904	Linear Feet	635-A001	Vehicle Loop Assemblies
8,149	Linear Feet	636-A003	Shielded Cable, 4 Conductor
15	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
27	Each	640-A016	Traffic Signal Heads, Type 1 LED
3	Each	640-A017	Traffic Signal Heads, Type 2 LED
10	Each	640-A022	Traffic Signal Heads, Type 7 LED
8	Each	644-A001	Optical Detector
1,757	Linear Feet	644-B001	Optical Detector Cable
2	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
10	Each	647-A001	Pullbox, Type 1
2	Each	647-A002	Pullbox, Type 3
2	Each	647-A003	Pullbox, Type 4
20	Each	647-A005	Pullbox, Type 2
4	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
200	Square Feet	653-A001	Traffic Sign, Encapsulated Lens
784	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
3,050	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
504	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor

CALL No. 03

833	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
422	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
880	Linear Feet	668-A026	Traffic Signal Conduit, Underground, Rolled Pipe, 3"
504	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
1,492	Linear Feet	668-A033	Traffic Signal Conduit, Underground, PVC Coated, 2"
297	Linear Feet	668-A036	Traffic Signal Conduit, Underground, PVC Coated, 3"
504	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
896	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
60	Ton	815-A009	Loose Riprap, Size 300
204	Square Yard	815-E001	Geotextile under Riprap
1,000	Ton	815-F002	Sediment Control Stone
26	Acre	907-225-A001	Grassing
13	Ton	907-225-B001	Agricultural Limestone
52	Ton	907-225-C001	Mulch, Vegetative Mulch
26	Acre	907-226-A001	Temporary Grassing
1,000	Linear Feet	907-234-C002	Super Silt Fence
9	Each	907-234-D001	Inlet Siltation Guard
10,000	Linear Feet	907-237-A003	Wattles, 20"
500	Linear Feet	907-245-A001	Triangular Silt Dike
500	Each	907-246-B002	Rockbags
2,255	Ton	907-249-A001	Riprap for Erosion Control
2,591	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
937	Ton	907-308-A001	Portland Cement
110,705	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
27,676	Gallon	907-308-S001	Bituminous Curing Seal
38,870	Gallon	907-407-A001	Asphalt for Tack Coat
124	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
100	Cubic Yard	907-601-A001	Class "B" Structural Concrete
540	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
776	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
132	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
528	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
280	Linear Feet	907-603-ALT05	42" Type A Alternate Pipe
169	Each	907-617-A001	Right-of-Way Marker
3	Each	907-619-E3001	Changeable Message Sign
33,358	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,816	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
32,025	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
31,586	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
32,120	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,259	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
6,399	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
5,901	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,526	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
2,490	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
19	Cubic Yard	907-631-A001	Flowable Fill, Excavatable

CALL No. 03

3	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
1	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
2	Each	907-639-A109	Traffic Signal Equipment Pole, Type II, 30' Shaft, 36' Arm
1	Each	907-639-A110	Traffic Signal Equipment Pole, Type II, 30' Shaft, 38' Arm
4	Each	907-639-A111	Traffic Signal Equipment Pole, Type II, 30' Shaft, 40' Arm
1	Each	907-639-A112	Traffic Signal Equipment Pole, Type II, 30' Shaft, 42' Arm
1	Each	907-639-A113	Traffic Signal Equipment Pole, Type II, 30' Shaft, 45' Arm
1	Each	907-639-A114	Traffic Signal Equipment Pole, Type II, 30' Shaft, 60' Arm
4	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
2	Each	907-648-C001	Radio Ethernet Interconnect, Local Intersection
2	Each	907-648-D001	Radio Ethernet Distribution Repeater Installation
2	Each	907-658-A001	Hardened Network Switch, Type A
120	Linear Feet	907-658-C001	Category 6 Cable, Installed in Conduit
	Lump Sum	907-699-A002	Roadway Construction Stakes
2,446	Square Feet	907-809-A004	Temporary Shoring Wall System
1,040	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NO. 1
20,656	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
20,656	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
20,656	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
12,390	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
12,390	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1
25,822	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP CC NO. 2
25,822	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
2,401	Ton	907-403-B002	Hot Mix Asphalt, HT, 19-mm mixture, Leveling
			ALTERNATE GROUP DD NO. 2
2,401	Ton	907-403-N010	Warm Mix Asphalt, HT, 19-mm mixture, Leveling
			ALTERNATE GROUP EE NO. 1
12,655	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP EE NO. 2
12,655	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP FF NO. 1
10,514	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			ALTERNATE GROUP FF NO. 2
10,514	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			Bridge Items
1,240	Square Yard	501-K001	Transverse Grooving

CALL No. 03

1	Each	803-B002	Conventional Static Pile Load Test
1,935	Linear Feet	803-D001	HP 10 x 42 Steel Piling
1,020	Linear Feet	803-D003	HP 14 x 73 Steel Piling
2	Each	803-I001	PDA Test Pile
1	Each	803-J001	Pile Restrike
91,807	Pounds	805-A001	Reinforcement
364	Linear Feet	813-A002	Concrete Railing, 32"
736	Ton	815-A009	Loose Riprap, Size 300
1,089	Square Yard	815-E001	Geotextile under Riprap
500	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,603	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2

Utility Items

13	Each	202-B248	Removal of Manhole
1	Each	613-A002	Adjustment of Castings, Gratings & Utility Appurtenances
90	Linear Feet	907-261-B001	20" Steel Casing(Bored)
55	Linear Feet	907-261-B001	20" Steel Casing(Open Cut)
230	Linear Feet	907-261-B003	16" Steel Casing(Bored)
265	Linear Feet	907-262-A011	8" Sewer Main (10-12)
417	Linear Feet	907-262-A011	8" Sewer Main (12-14)
110	Linear Feet	907-262-A011	8" Sewer Main (14-16)
28	Linear Feet	907-262-A011	8" Sewer Main (6-8)
160	Linear Feet	907-262-A011	8" Sewer Main (Bored) (No Casing) (All Depths)
225	Linear Feet	907-262-A011	8" Sewer Main (In Casing)
15	Linear Feet	907-262-A012	10" Sewer Main(10-12)
431	Linear Feet	907-262-A012	10" Sewer Main(8-10)
160	Linear Feet	907-262-A012	10" Sewer Main(Bored) (No Casing) (All Depths)
95	Linear Feet	907-262-A012	10" Sewer Main(In Casing)
321	Linear Feet	907-262-A013	12" Sewer Main(10-12)
1,050	Linear Feet	907-262-A013	12" Sewer Main(8-10)
145	Linear Feet	907-262-A013	12" Sewer Main(Bored) (No Casing) (All Depths)
120	Linear Feet	907-262-A013	12" Sewer Main(In Casing)
3	Each	907-262-K002	48" Diameter Manhole(10-12) (Seal Cover)
3	Each	907-262-K002	48" Diameter Manhole(12-14) (Seal Cover)
1	Each	907-262-K002	48" Diameter Manhole(14-16) (Seal Cover)
1	Each	907-262-K002	48" Diameter Manhole(6-8) (Seal Cover)
2	Each	907-262-K002	48" Diameter Manhole(8-10) (Seal Cover)
1	Each	907-262-K002	48" Diameter Manhole(Doghouse) (16-18) (Seal Cover)
1	Each	907-262-K002	48" Diameter Manhole(Doghouse) (8-10) (Seal Cover)
500	Cubic Yard	907-262-M001	Muck Excavation
500	Cubic Yard	907-262-N001	Select Bedding Material
200	Cubic Yard	907-262-O001	Select Backfill Material
3,000	Linear Feet	907-262-P002	Dewatering
300	Linear Feet	907-262-PP002	Service Lateral (6" Sewer) (Bored) (All Depths)
925	Linear Feet	907-262-PP002	Service Lateral (6" Sewer) (Open Cut) (All Depths)
16	Each	907-262-PP004	Reconnect Existing Service
2	Each	907-262-PP005	New Sewer Service

CALL No. 03

4	Each	907-262-PP006	Connect to Existing Manhole
3	Each	907-262-PP007	Bypass Pumping Setup, Complete(Including Pumps and Discharge Piping)
225	Square Yard	907-262-Q001	100% Solid Epoxy Lining(70 Mil Thickness)
90	Cubic Yard	907-262-R001	Low Pressure Portland Cement Grout

Chip Seal approximately 75 miles of Highway on various routes, known as State Project No. MP-3000-00(095) / 304787301 in District 3.

PROJECT COMPLETION: September 20, 2013

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

150	Cubic Yard	203-G003	Excess Excavation, FM, AH
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8,000	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
1,000	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
8,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,500	Ton	907-304-B002	Granular Material, Class 5, Group D
375,806	Gallon	907-410-A001	Asphalt for Surface Treatment, Grade CRS-2P
10,920	Cubic Yard	907-410-C002	Seal Aggregate Cover Material, Size 7, Limestone
48,500	Gallon	907-411-B001	Bituminous Tack Coat
70	Mile	907-625-B004	Traffic Stripe, High Build, Skip Yellow
140	Mile	907-625-C004	Traffic Stripe, High Build, Continuous White
33	Mile	907-625-D004	Traffic Stripe, High Build, Continuous Yellow
7,000	Linear Feet	907-625-E003	Detail Traffic Stripe, High Build(White)
3,500	Linear Feet	907-625-E003	Detail Traffic Stripe, High Build(Yellow)
2,500	Linear Feet	907-625-F006	Legend, High Build
1,440	Linear Feet	907-626-H004	Thermoplastic Legend, White
6,400	Linear Feet	907-628-J001	4" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
2,070	Linear Feet	907-628-L001	4" High Performance Cold Plastic Traffic Stripe, Skip Yellow
3,050	Linear Feet	907-628-M001	4" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
		ALTERNATE GROUP AA NO. 1	
75	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
		ALTERNATE GROUP AA NO. 2	
75	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
		ALTERNATE GROUP AA NO. 3	
75	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
		ALTERNATE GROUP BB NO. 1	
19,500	Ton	907-411-A001	Ultra Thin Asphalt Pavement, UHMA
		ALTERNATE GROUP BB NO. 2	
19,500	Ton	907-411-A002	Ultra Thin Asphalt Pavement, UWMA

Installing Raised Pavement Markers on various routes throughout the District, known as State Project No. MP-6000-00(217) / 304818301 in District 6.

PROJECT COMPLETION: September 11, 2013

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
25,000 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
40,425 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
20,525 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Widen & Overlay approximately 3 miles of SR 26 from Fairground Street in Wiggins to Steven Moore Road, known as State Project No. MP-6026-66(009) / 304811301 in Stone County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**Roadway Items**

115	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
13,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
535	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
65	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
60	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
4	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
200	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
400	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,080	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,200	Gallon	907-407-A001	Asphalt for Tack Coat
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,558	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,396	Linear Feet	907-626-H004	Thermoplastic Legend, White
198	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-899-A001	Railway-Highway Provisions
			ALTERNATE GROUP AA NO. 1
1,400	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
1,400	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
1,400	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
4,400	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
4,400	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
4,000	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 2
4,000	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP DD NO. 1
70	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP DD NO. 2
70	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

Raised pavement marker removal and replacement on various routes, known as State Project No. MP-7000-00(149) / 304707301 in District 7.

PROJECT COMPLETION: October 04, 2013

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
19,442 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
10,414 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
16,740 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Overlay approximately 10 miles of the South Bound Lane of US 49 from SR 598 to Kola Road, known as State Project No. MP-7049-16(014) / 304700301 in Covington County.

PROJECT COMPLETION: September 27, 2013

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

450	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
8,778	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
374	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
313	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D002	Guard Rail, Bridge End Section, Type C
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
9	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A3006	Temporary Traffic Stripe, Skip White
25,209	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,308	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
365	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
830	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
233	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7	Each	630-F001	Delineators, Guard Rail, White
9	Each	630-F002	Delineators, Guard Rail, Yellow
765	Linear Feet	635-A001	Vehicle Loop Assemblies
1,364	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
12,693	Gallon	907-407-A001	Asphalt for Tack Coat
68,745	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
9	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,325	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
17,884	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,488	Linear Feet	907-626-H004	Thermoplastic Legend, White
77	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
1,551	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
1,551	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
12,868	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
		ALTERNATE GROUP BB NO. 2	
12,868	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
		ALTERNATE GROUP CC NO. 1	
930	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
		ALTERNATE GROUP CC NO. 2	

930 Ton

907-403-Q001 Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR