


[Proposal & Plan Sales Will Begin on June 3, 2013](#)



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date for June – June 25, 2013**



**Two Month Projects  
Have An (\*)**

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**NOTICE TO CONTRACTORS**  
**LETTING DATE FOR JUNE - Tuesday, June 25, 2013**

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

**PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 03, 2013**

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division  
 Jackson, MS  
 Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop  
 Jackson, MS  
 Telephone: (601) 359-7460  
 e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR JUNE**

CALL	CONTRACT	COUNTY
01	NH-0055-02(214) / 103063301	Madison
* 02	ER-0003-01(187) / 106528301	Harrison
* 03	STP-9999-01(025) / 106641301	District 1
04	MP-1004-59(009) / 304803301	Prentiss
05	MP-1012-44(006) / 304800301	Lowndes
06	MP-1041-09(001) / 304797301	Chickasaw
07	MP-1145-41(010) / 304801301	Lee
08	MP-1145-48(001) / 304802301	Monroe
09	MP-1178-29(005) / 304798301	Itawamba
10	MP-1182-53(002) / 304796301	Oktibbeha
11	MP-1348-73(005) / 304799301	Union
12	MP-5000-00(075) / 304826301	District 5
* 13	MP-5021-50(018) / 304808301 & MP-5021-51(001) / 304808302	Neshoba & Newton
* 14	MP-6011-18(009) / 304813301	Forrest
* 15	MP-6011-55(020) / 304816301	Pearl River
* 16	MP-6015-34(015) / 304814301 & MP-6015-31(008) / 304814302	Jasper & Jones
* 17	MP-6018-31(010) / 304810301	Jasper
* 18	MP-6026-66(010) / 304812301	Stone
* 19	MP-6613-30(024) / 304817301	Jackson
* 20	MP-7000-00(150) / 304805301	District 7

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, July 23, 2013; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

**LIST OF CONTRACTS FOR JULY**

CALL	CONTRACT	COUNTY
01	BR-9205-00(009) / 100332308	Washington

Construction necessary to reconstruct the Gluckstadt Interchange, known as Federal Aid Project No. NH-0055-02(214) / 103063301 in Madison County.

PROJECT COMPLETION: Contractor Determined

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
44,260 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B009	Removal of Bridge
336 Square Yard	202-B010	Removal of Bridge End Pavement
1,676 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
287 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
679 Square Yard	202-B025	Removal of Concrete Paved Ditch
9,464 Linear Feet	202-B041	Removal of Fence, All Types
12 Each	202-B042	Removal of Flared End Section, All Sizes
15 Each	202-B057	Removal of Inlets, All Sizes
1,239 Linear Feet	202-B064	Removal of Pipe, 8" And Above
32 Each	202-B070	Removal of Sign Including Post & Footing
17,862 Linear Feet	202-B076	Removal of Traffic Stripe
1,049 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
6 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
4,149 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
7,729 Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
131,508 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
35,942 Cubic Yard	203-G003	Excess Excavation, FM, AH
2,501 Cubic Yard	206-A001	Structure Excavation
8,839 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
8,868 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
16 Ton	213-C001	Superphosphate
8,868 Square Yard	216-A001	Solid Sodding
2,000 Square Yard	217-A001	Ditch Liner
177 Thousand Gallon	219-A001	Watering
33 Acre	220-A001	Insect Pest Control
605 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
33 Acre	223-A001	Mowing
7,543 Square Yard	224-A001	Soil Reinforcing Mat
700 Linear Feet	234-A001	Temporary Silt Fence
1,500 Bale	235-A001	Temporary Erosion Checks
2 Each	236-A001	Silt Basin, Type A
5 Each	236-A004	Silt Basin, Type D
150 Linear Feet	239-A001	Temporary Slope Drains
81,436 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7 Mile	423-A001	Rumble Strips, Ground In
197 Linear Feet	501-E001	Expansion Joints, Without Dowels

CALL No. 01

438	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
621	Linear Feet	503-C007	Saw Cut, Full Depth
72,779	Pounds	602-A001	Reinforcing Steel
2,016	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,504	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1,284	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
316	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
1	Each	603-CB001	18" Reinforced Concrete End Section
3	Each	603-CB002	24" Reinforced Concrete End Section
3	Each	603-CB003	30" Reinforced Concrete End Section
1	Each	603-CB004	36" Reinforced Concrete End Section
60	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
236	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
308	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
3	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
6	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
1	Each	603-SB045	18" Branch Connections, Stub into Existing Inlet
2	Each	603-SB048	30" Branch Connection, Stub Into Existing Inlet
3,634	Pounds	604-A001	Castings
728	Pounds	604-B001	Gratings
1,442	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
209	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
981	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
947	Linear Feet	606-B001	Guard Rail, Class A, Type 1
29	Linear Feet	606-B022	Guard Rail, Class A, Type 1, Curved Rail
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D012	Guard Rail, Bridge End Section, Type I
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
1	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
13,319	Linear Feet	607-B005	60" Type I Chain Link Fence, Class II
1,259	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
80	Each	607-P2008	Brace Post, 7 1/2' x 2" Galvanized Steel
557	Linear Feet	609-B001	Concrete Curb, Header
42	Linear Feet	609-B003	Concrete Curb, Special Design
2,080	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
12,894	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
561	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
1	Each	613-D004	Adjustment of Inlet
2,271	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
197	Linear Feet	615-A013	Concrete Type III Cast-in-Place Median Barrier, 42" High
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
3,812	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
84	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
13	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
1	Mile	619-A1008	Temporary Traffic Stripe, Continuous White, Type 1 Tape

CALL No. 01

13	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
1	Mile	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
7	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
1	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
17,330	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
3,230	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
3,413	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
534	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
238	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,002	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-D3001	Remove and Reset Signs, All Sizes
2	Each	619-E1001	Flashing Arrow Panel, Type C
18,810	Linear Feet	619-F1001	Concrete Median Barrier, Precast
11,203	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
18	Each	619-F3003	Delineators, Guard Rail, Yellow
14	Each	619-F3004	Delineators, Guard Rail, White
388	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4002	Barricades, Type III, Single Faced, Permanent
152	Linear Feet	619-G4005	Barricades, Type III, Double Faced
418	Each	619-G5001	Free Standing Plastic Drums
14	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	619-H1001	Traffic Signals Gluckstadt Rd. at I-55 Northbound Ramps
	Lump Sum	619-H1001	Traffic Signals Gluckstadt Rd. at I-55 Southbound Ramps
	Lump Sum	619-H1001	Traffic Signals Gluckstadt Rd. at Industrial Drive So.
5	Unit	619-J1001	Impact Attenuator, 40 MPH
8	Unit	619-J1003	Impact Attenuator, 60 MPH
3	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
2	Unit	619-J2005	Impact Attenuator, 40 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
1	Each	622-B002	Engineer's Field Office Building, Type 3 LO
1,325	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
425	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	629-A003	Vehicular Impact Attenuator, 70 MPH
2	Each	629-B001	Median Barrier End Section
2	Each	629-C001	Vehicular Impact Attenuator Back-up Wall
329	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
303	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
499	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1,216	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
170	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
541	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
240	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
69	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
184	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
122	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles

CALL No. 01

76	Each	630-F006	Delineators, Post Mounted, Single White
15	Each	630-F007	Delineators, Post Mounted, Single Yellow
78	Each	630-F008	Delineators, Post Mounted, Double White
10	Each	630-F009	Delineators, Post Mounted, Double Yellow
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
13	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
191	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
76	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
60	Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
300	Linear Feet	635-A001	Vehicle Loop Assemblies
14	Each	640-A016	Traffic Signal Heads, Type 1 LED
3	Each	640-A017	Traffic Signal Heads, Type 2 LED
1	Each	640-A018	Traffic Signal Heads, Type 3 LED
4	Each	640-A022	Traffic Signal Heads, Type 7 LED
3	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
10	Each	644-A001	Optical Detector
1,796	Linear Feet	644-B001	Optical Detector Cable
3	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
3	Each	647-A002	Pullbox, Type 3
11	Each	647-A003	Pullbox, Type 4
10	Each	647-A004	Pullbox, Type 5
14	Each	647-A005	Pullbox, Type 2
525	Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
1,800	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
195	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
825	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
2,990	Linear Feet	682-A004	Underground Branch Circuit, AWG 1/0, 3 Conductor
8,365	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
170	Linear Feet	682-A028	Underground Branch Circuit, AWG 4/0, 3 Conductor
265	Linear Feet	682-B005	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
1,255	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
115	Linear Feet	682-B028	Underground Branch Circuit, Jacked or Bored, AWG 4/0, 3 Conductor
400	Linear Feet	682-C016	Structure Mounted Branch Circuit, AWG 2, 3 Conductor
18	Each	682-D001	Underground Pull Box
1	Each	682-D003	Structure Mounted Pull Box
2	Each	682-E001	Underground Junction Box
1	Each	682-E002	Structure Mounted Junction Box
1	Each	682-F001	Secondary Power Controllers
1	Each	683-A008	Lighting Assembly, High Mast, Type 100-4-A
3	Each	683-A014	Lighting Assembly, High Mast, Type 100-6-A
2	Each	683-A015	Lighting Assembly, High Mast, Type 100-6-S
19	Each	683-B049	Lighting Assembly, Low Mast, Type 40-1-0-400
12	Each	683-B147	Lighting Assembly, Low Mast, Type 40-2-0-400
4	Each	683-C001	Lighting Assembly, Underpass, Type A
38	Cubic Yard	684-A003	Pole Foundation, 24" Diameter



CALL No. 01

73	Cubic Yard	684-A006	Pole Foundation, 48" Diameter
10	Linear Feet	684-B003	Slip Casing, 24" Diameter
25	Linear Feet	684-B006	Slip Casing, 48" Diameter
3,808	Ton	815-A009	Loose Riprap, Size 300
109	Cubic Yard	815-D001	Concrete Slope Paving
1,487	Square Yard	815-E001	Geotextile under Riprap
380	Ton	815-F002	Sediment Control Stone
35	Acre	907-225-A001	Grassing
16	Ton	907-225-B001	Agricultural Limestone
71	Ton	907-225-C001	Mulch, Vegetative Mulch
35	Acre	907-226-A001	Temporary Grassing
48	Each	907-234-D001	Inlet Siltation Guard
700	Linear Feet	907-237-A002	Wattles, 12"
700	Linear Feet	907-237-A003	Wattles, 20"
700	Linear Feet	907-245-A001	Triangular Silt Dike
1,000	Each	907-246-B002	Rockbags
3	Each	907-247-A001	Temporary Stream Diversion
420	Ton	907-249-A001	Riprap for Erosion Control
250	Cubic Yard	907-249-B001	Remove and Reset Riprap
990	Pounds	907-250-A001	Polyacrylamide (PAM)
43,462	Ton	907-304-B005	Granular Material, Class 9, Group C
2,889	Ton	907-304-B007	Granular Material, Class 5, Group E
21,870	Square Yard	907-307-A002	6" Soil-Lime-Water Mixing, Class A
550	Ton	907-307-D001	Lime
4,374	Gallon	907-307-S001	Bituminous Curing Seal
17,979	Gallon	907-407-A001	Asphalt for Tack Coat
197	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
390	Cubic Yard	907-601-A001	Class "B" Structural Concrete
236	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
561	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
60	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
81	Each	907-617-A001	Right-of-Way Marker
6	Each	907-619-E3001	Changeable Message Sign
14	Each	907-619-J3001	Remove and Reset Impact Attenuator
6	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,116	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
830	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11,804	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
19,891	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
4,047	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,744	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
1,388	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed

CALL No. 01

	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
	Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
3	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-637-A002	Equipment Cabinet, Type C
2	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
1	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A083	Traffic Signal Equipment Pole, Type III, 17' Shaft, 30' & 55' Arms
1	Each	907-639-A084	Traffic Signal Equipment Pole, Type III, 17' Shaft, 40' & 50' Arms
8	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
12	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
1	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
4	Each	907-639-F001	Detector Pole with Foundation, 35' Pole
4	Each	907-641-A001	Radar Detection System
1	Each	907-642-B001	Solid State Traffic Actuated Controller Modification
4	Each	907-650-A002	On Street Video Equipment, Fixed Type
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
3	Each	907-651-A002	Magnetometer Detection System
9	Each	907-651-B009	Magnetometer Detection System Component, Repeater
53	Each	907-651-B013	Magnetometer Detection System Component, Wireless Detection Sensor
6	Each	907-651-B014	Magnetometer Detection System Component, 24-foot Fiberglass Pole
3	Each	907-651-B016	Magnetometer Detection System Component, External Card System
6	Each	907-651-B017	Magnetometer Detection System Component, SPP Digital Radio
3	Each	907-651-B018	Magnetometer Detection System Component, Access Point Controller Card
3	Each	907-651-B019	Magnetometer Detection System Component,
11,855	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
105	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
5	Each	907-658-A001	Hardened Network Switch, Type A
1	Each	907-658-A002	Hardened Network Switch, Type B
1	Each	907-658-A004	Hardened Network Switch, Type D
2	Each	907-658-B001	Terminal Server
2,185	Linear Feet	907-668-E001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
7,685	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
1,470	Linear Feet	907-668-F001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
165	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
500	Linear Feet	907-668-G002	Traffic Signal Conduit Bank, Aerial Supported, Type I, 2 @ 2"
20	Each	907-682-E001	Underground Junction Box With Concrete Pad
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,040	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NO. 1
1,128	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
1,128	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 3

CALL No. 01

1,128	Ton	907-304-F004	Size 825B Crushed Stone Base
		ALTERNATE GROUP BB NO. 1	
1,779	Ton	907-308-A001	Portland Cement
76,103	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
7,610	Gallon	907-308-S001	Bituminous Curing Seal
		ALTERNATE GROUP BB NO. 2	
76,103	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
1,135	Ton	907-311-B001	Lime
4,536	Ton	907-311-C002	Fly Ash, Class C or F
7,610	Gallon	907-311-S001	Bituminous Curing Seal
		ALTERNATE GROUP CC NO. 1	
8,777	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
		ALTERNATE GROUP CC NO. 2	
8,777	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
		ALTERNATE GROUP DD NO. 1	
3,058	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP DD NO. 2	
3,058	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP EE NO. 1	
13,836	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP EE NO. 2	
13,836	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP FF NO. 1	
2,295	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP FF NO. 2	
2,295	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP GG NO. 1	
600	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
		ALTERNATE GROUP GG NO. 2	
600	Ton	907-403-N009	Warm Mix Asphalt, HT, 12.5-mm mixture, Leveling
		ALTERNATE GROUP HH NO. 1	
14,493	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
		ALTERNATE GROUP HH NO. 2	
14,493	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
		ALTERNATE GROUP II NO. 1	
1,769	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
		ALTERNATE GROUP II NO. 2	
1,769	Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified
		ALTERNATE GROUP JJ NO. 1	
10,836	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
		ALTERNATE GROUP JJ NO. 2	
10,836	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
		<b>Bridge Items</b>	
1,707	Square Yard	501-K001	Transverse Grooving
3,700	Cubic Yard	801-A001	Foundation Excavation for Bridges
1	Each	803-B002	Conventional Static Pile Load Test

CALL No. 01

18,473	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
5	Each	803-I001	PDA Test Pile
5	Each	803-J001	Pile Restrike
354,746	Pounds	805-A001	Reinforcement
384	Linear Feet	813-A002	Concrete Railing, 32"
78	Cubic Yard	815-D001	Concrete Slope Paving
2,976	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,163	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
1,319	Linear Feet	907-804-C201	102' Prestressed Concrete Beam, Type IV

CALL No. 02

Remove and Replace damaged concrete sidewalk between US 90 and Seawall from Henderson Point to Gulfport, known as Federal Aid Project No. ER-0003-01(187) / 106528301 in Harrison County.

PROJECT COMPLETION: September 23, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

103	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,781	Square Yard	202-B035	Removal of Concrete Sidewalk
225	Linear Feet	202-B038	Removal of Curb, All Types
103	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
1,781	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
225	Linear Feet	609-B001	Concrete Curb, Header
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
88	Square Feet	907-611-PP003	Detectable Warning, Per Plans
1,540	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
11	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol

CALL No. 03

Installation of Raised Pavement Markers on various routes throughout the District, known as Federal Aid Project No. STP-9999-01(025) / 106641301 in District 1.

PROJECT COMPLETION: April 24, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
26,516 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
50,804 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Level and Seal approximately 8 miles of SR 4 from East of MLK Dr. to SR 371, known as State Project No. MP-1004-59(009) / 304803301 in Prentiss County.

PROJECT COMPLETION: October 02, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2,350	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
825	Cubic Yard	203-G003	Excess Excavation, FM, AH
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,575	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
2,575	Linear Feet	625-B001	Traffic Stripe, Skip Yellow
14	Mile	625-C002	Traffic Stripe, Continuous White
14	Mile	625-D002	Traffic Stripe, Continuous Yellow
750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,000	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
97,000	Square Yard	907-405-D001	Scrub Seal
1,300	Gallon	907-407-A001	Asphalt for Tack Coat
		ALTERNATE GROUP AA NO. 1	
900	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
		ALTERNATE GROUP AA NO. 2	
900	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
		ALTERNATE GROUP AA NO. 3	
900	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
		ALTERNATE GROUP BB NO. 1	
3,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 2	
3,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Scrub Seal and Overlay of approximately 16 miles of SR 12 from SR 50 to the Alabama State Line, known as State Project No. MP-1012-44(006) / 304800301 in Lowndes County.

PROJECT COMPLETION: October 15, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
9,250 Linear Feet	202-B076	Removal of Traffic Stripe
300 Cubic Yard	203-G003	Excess Excavation, FM, AH
39,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
30 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
18 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2 Mile	619-A3006	Temporary Traffic Stripe, Skip White
9 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
10,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,250 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
50 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
220 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,900 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6,000 Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
214,250 Square Yard	907-405-D001	Scrub Seal
13,900 Gallon	907-407-A001	Asphalt for Tack Coat
1 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
30 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
17 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
19,500 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,100 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,950 Linear Feet	907-626-H004	Thermoplastic Legend, White
82 Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1		
16,000 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2		
16,000 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1		
5,988 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,140 Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,906 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NO. 2		
5,988 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,140 Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,906 Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow



Level and Seal approximately 9 miles of SR 41 from SR 32 to Pontotoc County Line, known as State Project No. MP-1041-09(001) / 304797301 in Chickasaw County.

PROJECT COMPLETION: October 02, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

875	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
300	Cubic Yard	203-G003	Excess Excavation, FM, AH
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	625-B002	Traffic Stripe, Skip Yellow
19	Mile	625-C002	Traffic Stripe, Continuous White
9	Mile	625-D002	Traffic Stripe, Continuous Yellow
1,050	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,000	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
157,500	Square Yard	907-405-D001	Scrub Seal
100	Gallon	907-407-A001	Asphalt for Tack Coat
		ALTERNATE GROUP AA NO. 1	
400	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
		ALTERNATE GROUP AA NO. 2	
400	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
		ALTERNATE GROUP AA NO. 3	
400	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
		ALTERNATE GROUP BB NO. 1	
700	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 2	
700	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Mill & Overlay approximately 5 miles of SR 145 from SR 348 to the Prentiss County Line, known as State Project No. MP-1145-41(010) / 304801301 in Lee County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

50	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
725	Linear Feet	202-B076	Removal of Traffic Stripe
68,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
22	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
23,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,400	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
600	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
20	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
620	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
750	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
6,400	Gallon	907-407-A001	Asphalt for Tack Coat
8	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,850	Linear Feet	907-626-H004	Thermoplastic Legend, White
200	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
8,100	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
8,100	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
640	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
320	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
ALTERNATE GROUP BB NO. 2			
640	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
320	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

Mill & Overlay approximately 6 miles of SR 145 from US 45 South of Aberdeen to US 45 North of Aberdeen, known as State Project No. MP-1145-48(001) / 304802301 in Monroe County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

35	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
78	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
15	Cubic Yard	203-G003	Excess Excavation, FM, AH
125,357	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
12	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
58,038	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,686	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,122	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
150	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,040	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,500	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
6,270	Gallon	907-407-A001	Asphalt for Tack Coat
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
13,795	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
15,224	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,293	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,435	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
11,500	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
11,500	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Mill & Overlay approximately 6 miles of SR 178 from Lee County Line to SR 363, known as State Project No. MP-1178-29(005) / 304798301 in Itawamaba County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

400	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
550	Linear Feet	202-B076	Removal of Traffic Stripe
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
100,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
28,600	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
150	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
550	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,000	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
5,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,800	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,700	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,000	Linear Feet	907-626-H004	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
130	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NO. 2
130	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NO. 3
130	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
			ALTERNATE GROUP BB NO. 1
12,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
12,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
480	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
240	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
			ALTERNATE GROUP CC NO. 2
480	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
240	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

Mill & Overlay approximately 3 miles of SR 182 from Stark Road to MSU Research Park, known as State Project No. MP-1182-53(002) / 304796301 in Oktibbeha County.

PROJECT COMPLETION: November 07, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2,500	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3,600	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
850	Square Yard	202-B035	Removal of Concrete Sidewalk
6,000	Linear Feet	202-B038	Removal of Curb, All Types
3,650	Linear Feet	202-B076	Removal of Traffic Stripe
100	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
1,000	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
1,400	Cubic Yard	203-G003	Excess Excavation, FM, AH
3,750	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
3,750	Square Yard	216-A001	Solid Sodding
75	Thousand Gallon	219-A001	Watering
2	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
74,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
11,450	Linear Feet	413-D001	Cleaning and Filling Joints
4,400	Linear Feet	503-C007	Saw Cut, Full Depth
2,100	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
4,000	Linear Feet	609-B005	Concrete Curb, Special Design Doweled
3,000	Linear Feet	609-B008	Concrete Curb, Special Design Header, Type 1
1,100	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
31	Each	613-D004	Adjustment of Inlet
1,400	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
2,700	Square Yard	614-B001	Concrete Driveway, With Reinforcement
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
12,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
16,800	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,600	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
270	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
40	Square Feet	628-P001	High Performance Cold Plastic Legend, White
5,700	Linear Feet	635-A001	Vehicle Loop Assemblies
100	Ton	815-A006	Loose Riprap, Size 100
600	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
7,800	Gallon	907-407-A001	Asphalt for Tack Coat
47,000	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement

CALL No. 10

1,100	Square Feet	907-611-PP003	Detectable Warning, Per Plans
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
6	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
10,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
7,100	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,600	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
700	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NO. 2
700	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NO. 3
700	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
			ALTERNATE GROUP BB NO. 1
9,650	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
9,650	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
400	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 2
400	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
			ALTERNATE GROUP DD NO. 1
350	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,700	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,350	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
500	Linear Feet	907-626-M001	Inverted Profile Thermoplastic Detail Traffic Stripe, White
750	Linear Feet	907-626-M002	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow
			ALTERNATE GROUP DD NO. 2
350	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,700	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,350	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
500	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
750	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow

Mill and Overlay of approximately 10 miles of SR 348 from CR 121 to the Lee County Line, known as State Project No. MP-1348-73(005) / 304799301 in Union County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

50	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
763	Linear Feet	202-B076	Removal of Traffic Stripe
25	Cubic Yard	203-G003	Excess Excavation, FM, AH
142,103	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
36	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
21	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
10,388	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,664	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
956	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
950	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
7,643	Gallon	907-407-A001	Asphalt for Tack Coat
18	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,784	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,504	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,664	Linear Feet	907-626-H004	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
12,594	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
12,594	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
542	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
221	Linear Feet	907-626-M002	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow
			ALTERNATE GROUP BB NO. 2
542	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
221	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow

CALL No. 12

Raised Pavement Marker Removal and Replacement on various routes, known as State Project No. MP-5000-00(075) / 304826301 in District 5.

PROJECT COMPLETION: October 30, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
12,112 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
48,191 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
32,066 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers



Scrub Seal & Overlay approximately 9 miles of SR 21 from Newton County Line to south of Dixon and from Scott County Line to Neshoba County Line, known as State Project Nos. MP-5021-50(018) / 304808301 & MP-5021-51(001) / 304808302 in Neshoba & Newton Counties.

PROJECT COMPLETION: October 16, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,452	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
156	Linear Feet	202-B076	Removal of Traffic Stripe
1,200	Linear Feet	202-B134	Removal of Guard Rail, Including Rails & Posts
250	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
21,928	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
160	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
144	Linear Feet	413-B001	Cleaning and Sealing Joints
17	Mile	423-A001	Rumble Strips, Ground In
288	Linear Feet	503-C010	Saw Cut, 4-inch
700	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D008	Guard Rail, Bridge End Section, Type H
8	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
37	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
40	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,761	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,532	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
787	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
308	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
540	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
966	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
40	Each	630-F001	Delineators, Guard Rail, White
144	Linear Feet	808-A001	Joint Preparation
3,415	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
106,194	Square Yard	907-405-D001	Scrub Seal
15,136	Gallon	907-407-A001	Asphalt for Tack Coat
72	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
18	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
14	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,825	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
936	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,532	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
144	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
			ALTERNATE GROUP AA NO. 1
17,225	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP AA NO. 2

CALL No. 13

17,225 Ton

907-403-M002 Warm Mix Asphalt, MT, 12.5-mm mixture

Overlay approximately 1 mile of US Highway 11 from Leaf River Bridge to Evelyn Gandy Parkway Intersection, known as State Project No. MP-6011-18(009) / 304813301 in Forrest County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

60	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
18,070	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
1,456	Linear Feet	503-C007	Saw Cut, Full Depth
175	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-D010	Guard Rail, Bridge End Section, Type H, Metal Post
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
3	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
700	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
50	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
315	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
370	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Each	630-F001	Delineators, Guard Rail, White
1,950	Gallon	907-407-A001	Asphalt for Tack Coat
1,500	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1,400	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
2	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
11,400	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,825	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,215	Linear Feet	907-626-H004	Thermoplastic Legend, White
357	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
200	Ton	907-304-F002	Size 610 Crushed Stone Base
		ALTERNATE GROUP AA NO. 2	
200	Ton	907-304-F003	3/4" and Down Crushed Stone Base
		ALTERNATE GROUP AA NO. 3	
200	Ton	907-304-F004	Size 825B Crushed Stone Base
		ALTERNATE GROUP BB NO. 1	
3,325	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 2	
3,325	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP CC NO. 1	

CALL No. 14

820 Ton	907-403-B006 Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
	ALTERNATE GROUP CC NO. 2
820 Ton	907-403-N005 Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Widen & Overlay approximately 5 miles of US 11 from I-59 Overpass Bridge north to Hobolochitto Creek Bridge, known as State Project No. MP-6011-55(020) / 304816301 in Pearl River County.

## PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change****Roadway Items**

111	Square Yard	202-B078	Removal of Pavement, All Types and Depths
50,528	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
50	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
524	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
68	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
34	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
660	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
150	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
800	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6,620	Gallon	907-407-A001	Asphalt for Tack Coat
17,766	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
9	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,540	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,960	Linear Feet	907-626-H004	Thermoplastic Legend, White
707	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-899-A001	Railway-Highway Provisions
			ALTERNATE GROUP AA NO. 1
2,490	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
2,490	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
2,490	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
8,285	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
8,285	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
2,800	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 2
2,800	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Widen and Overlay approximately 9 miles of SR 15 from 200 feet South of Lyon Drive to 2.5 miles North of the Jasper County Line, known as State Project Nos. MP-6015-34(015) & MP-6015-31(008) / 304814301 & 302 in Jones & Jasper Counties.

PROJECT COMPLETION: October 10, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,350	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1,410	Linear Feet	202-B076	Removal of Traffic Stripe
1,450	Square Yard	202-B078	Removal of Pavement, All Types and Depths
160	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
35,091	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
850	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D015	Guard Rail, Bridge End Section
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
1,478	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
251	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
49	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
32	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,247	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,957	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
684	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,212	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
44	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
15,410	Gallon	907-407-A001	Asphalt for Tack Coat
3,780	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
16	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,545	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,972	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,957	Linear Feet	907-626-H004	Thermoplastic Legend, White
98	Square Feet	907-626-H005	Thermoplastic Legend, White
546	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
		ALTERNATE GROUP AA NO. 1	
3,756	Ton	907-304-F002	Size 610 Crushed Stone Base
		ALTERNATE GROUP AA NO. 2	
3,756	Ton	907-304-F003	3/4" and Down Crushed Stone Base
		ALTERNATE GROUP AA NO. 3	
3,756	Ton	907-304-F004	Size 825B Crushed Stone Base
		ALTERNATE GROUP BB NO. 1	

CALL No. 16

188 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP BB NO. 2
188 Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP CC NO. 1
14,650 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture ALTERNATE GROUP CC NO. 2
14,650 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture ALTERNATE GROUP DD NO. 1
9,020 Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling ALTERNATE GROUP DD NO. 2
9,020 Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Overlay approximately 9 miles East of SR 18 from Smith County Line, known as State Project No. MP-6018-31(010) / 304810301 in Jasper County.

## PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change****Roadway Items**

1,974	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
906	Linear Feet	202-B076	Removal of Traffic Stripe
1,750	Square Yard	202-B078	Removal of Pavement, All Types and Depths
219	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
20,668	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
16	Mile	423-A001	Rumble Strips, Ground In
1,294	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D015	Guard Rail, Bridge End Section
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
10	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
1,302	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
179	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
33	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
32	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,100	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
242	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
493	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
27	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
816	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
44	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
934	Linear Feet	635-A001	Vehicle Loop Assemblies
16,100	Gallon	907-407-A001	Asphalt for Tack Coat
16	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
272	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
6,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,400	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
3,100	Linear Feet	907-626-H004	Thermoplastic Legend, White
313	Square Feet	907-626-H005	Thermoplastic Legend, White
585	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans

## ALTERNATE GROUP AA NO. 1

3,600	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------



CALL No. 17

	ALTERNATE GROUP AA NO. 2
3,600 Ton	907-304-F003 3/4" and Down Crushed Stone Base
	ALTERNATE GROUP AA NO. 3
3,600 Ton	907-304-F004 Size 825B Crushed Stone Base
	ALTERNATE GROUP BB NO. 1
550 Ton	907-403-A007 Hot Mix Asphalt, MT, 19-mm mixture
	ALTERNATE GROUP BB NO. 2
550 Ton	907-403-M007 Warm Mix Asphalt, MT, 19-mm mixture
	ALTERNATE GROUP CC NO. 1
14,715 Ton	907-403-A010 Hot Mix Asphalt, MT, 9.5-mm mixture
	ALTERNATE GROUP CC NO. 2
14,715 Ton	907-403-M006 Warm Mix Asphalt, MT, 9.5-mm mixture
	ALTERNATE GROUP DD NO. 1
6,000 Ton	907-403-B006 Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
	ALTERNATE GROUP DD NO. 2
6,000 Ton	907-403-N005 Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Overlay approximately 8 miles of SR 26 from Steven Moore Road to 450 feet West of SR 15, known as State Project No. MP-6026-66(010) / 304812301 in Stone County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

150	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,120	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
30	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,450	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
100	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
960	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10,700	Gallon	907-411-B001	Bituminous Tack Coat
1	Square Feet	907-412-A002	Pre-Grinding
15	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,440	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,000	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
2,000	Ton	907-304-F002	Size 610 Crushed Stone Base
		ALTERNATE GROUP AA NO. 2	
2,000	Ton	907-304-F003	3/4" and Down Crushed Stone Base
		ALTERNATE GROUP AA NO. 3	
2,000	Ton	907-304-F004	Size 825B Crushed Stone Base
		ALTERNATE GROUP BB NO. 1	
9,130	Ton	907-411-A001	Ultra Thin Asphalt Pavement, UHMA
		ALTERNATE GROUP BB NO. 2	
9,130	Ton	907-411-A002	Ultra Thin Asphalt Pavement, UWMA

Widen and Overlay approximately 7 miles of SR 613 from SR 63 to the Railroad Crossing at Big Point, known as State Project No. MP-6613-30(024) / 304817301 in Jackson County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

100	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
420	Linear Feet	202-B076	Removal of Traffic Stripe
2,145	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
100	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
1	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
400	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
20	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
21	Each	630-F001	Delineators, Guard Rail, White
8,600	Gallon	907-407-A001	Asphalt for Tack Coat
13	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
2,460	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,980	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,365	Linear Feet	907-626-H004	Thermoplastic Legend, White
524	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-899-A001	Railway-Highway Provisions
			ALTERNATE GROUP AA NO. 1
9,650	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
9,650	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
7,230	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 2
7,230	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 1
2,685	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP CC NO. 2
2,685	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP CC NO. 3
2,685	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM

Chip Seal on Various routes throughout the District, known as State Project No. MP-7000-00(150) / 304805301 in District 7.

PROJECT COMPLETION: August 30, 2013

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
1,250 Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
83,166 Gallon	907-410-A001	Asphalt for Surface Treatment, Grade CRS-2P
2,212 Cubic Yard	907-410-C004	Seal Aggregate Cover Material, Size 7, Limestone, State Furnished
463 Cubic Yard	907-410-C008	Seal Aggregate Cover Material, Size 7, Expanded ClayState Furnished

MANDATORY PRE-BID MEETING-10:00A.M. ON WEDNESDAY, JULY 10, 2013 Repairing the Traveler Rail System on the Mississippi River Bridge on US 82, known as Federal Aid Project No. BR-9205-00(009) / 100332308 in Washington County.

PROJECT COMPLETION: August 29, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
Lump Sum	620-A001	Mobilization

**Bridge Items**

20	Meter	907-679-B1016	Branch Circuit Wire, AWG #10, 3 Conductor
400	Meter	907-679-B1017	Branch Circuit Wire, AWG #2, 1 Conductor
1	Each	907-679-E002	Secondary Power Controller
2	Each	907-679-E1001	Repair Secondary Power Controller
1	Each	907-679-S001	Weatherproof GFCI Receptacle
	Lump Sum	907-679-T002	Lightning and Surge Protection
	Lump Sum	907-679-X001	Wire Testing
5	Each	907-683-X001	Repair Bridge Lighting Assembly, 1000 WATT Floodlight
10	Each	907-683-X001	Repair Bridge Lighting Assembly, 250 WATT Floodlight
10	Each	907-683-X001	Repair Bridge Lighting Assembly, 400 WATT Floodlight
2	Each	907-804-X001	Epoxy Grout
2	Each	907-808-A1001	Expansion Joint Repair
134	Meter	907-810-A005	Structural Steel
1,396	Meter	907-810-A005	Structural Steel (State Furnished)
	Lump Sum	907-810-H001	Inspection Traveler Control System
	Lump Sum	907-810-H1001	Maintenance of Inspection Traveler
	Lump Sum	907-810-K003	Safety Ladders and Platforms
4	Each	907-810-L002	Weatherization

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH  
EXECUTIVE DIRECTOR