


[Proposal & Plan Sales Will Begin on August 5, 2013](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for August – August 27, 2013



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR AUGUST - Tuesday, August 27, 2013

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 05, 2013

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
01	NHS-0010-01(145) / 105281302	Harrison
02	STP-0011-03(079) / 106439301	Lowndes
03	IM-0110-01(029) / 105922301	Harrison
* 04	STP-2910-00(004) / 106609301	Marshall
* 05	BR-9999-03(006) / 106647302	District 3
06	MP-1004-59(009) / 304803301	Prentiss
* 07	MP-2032-68(006) / 304904301	Tallahatchie
* 08	MP-2332-22(002) / 304823301	Grenada

Interchange Construction on I-110 at Popp's Ferry Rd. and Boney Ave., known as Federal Aid Project No. NHS-0010-01(145) / 105281302 in Harrison County.

PROJECT COMPLETION: May 28, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Each	202-B009	Removal of Bridge
3,723 Linear Feet	202-B041	Removal of Fence, All Types
9 Each	202-B057	Removal of Inlets, All Sizes
885 Linear Feet	202-B064	Removal of Pipe, 8" And Above
80 Square Feet	202-B071	Removal of Sign Panels Including Hardware
21,009 Square Yard	202-B078	Removal of Pavement, All Types and Depths
506 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
27 Each	202-B107	Removal of Sign, Ground Mounted with Posts
1 Each	202-B132	Removal of Traffic Signal
1 Each	202-B142	Removal of Junction Box
4 Mile	202-B149	Removal of Traffic Stripe
783 Linear Feet	202-B289	Removal of Cable Rail
60,748 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
16,341 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
3,356 Cubic Yard	206-A001	Structure Excavation
86,756 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
82,272 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
1,709 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
12 Ton	213-C001	Superphosphate
1,709 Square Yard	216-A001	Solid Sodding
10,000 Square Yard	217-A001	Ditch Liner
34 Thousand Gallon	219-A001	Watering
12 Acre	220-A001	Insect Pest Control
12 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
9,991 Linear Feet	234-A001	Temporary Silt Fence
1 Each	236-A004	Silt Basin, Type D
206 Linear Feet	239-A001	Temporary Slope Drains
2,328 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
163 Linear Feet	501-E001	Expansion Joints, Without Dowels
354 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
9,523 Pounds	602-A001	Reinforcing Steel
3,008 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
864 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
100 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
76 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
568 Linear Feet	603-CA125	30" Reinforced Concrete Pipe, Class V, Jacked or Bored
2 Each	603-CB001	18" Reinforced Concrete End Section

CALL No. 01

10	Each	603-CB002	24" Reinforced Concrete End Section
4	Each	603-CB003	30" Reinforced Concrete End Section
2	Each	603-CB004	36" Reinforced Concrete End Section
220	Linear Feet	603-CE042	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
470	Linear Feet	603-CE045	36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
4	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
1	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
1,738	Pounds	604-A001	Castings
500	Pounds	604-B001	Gratings
1,645	Linear Feet	606-B001	Guard Rail, Class A, Type 1
509	Linear Feet	606-B002	Guard Rail, Class A, Type 1, Double Faced
190	Linear Feet	606-B023	Guard Rail, Remove and Replace Guard Rail & Posts
5	Each	606-C001	Guard Rail, Cable Anchor Type 1, Wood Post
4	Each	606-D008	Guard Rail, Bridge End Section, Type H
3	Each	606-D012	Guard Rail, Bridge End Section, Type I
12	Each	606-E001	Guard Rail, Terminal End Section
2,710	Linear Feet	607-B006	60" Type II Chain Link Fence, Class II
163	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
33	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
22	Each	607-P1010	Line Post, 10' x 2" Galvanized Steel
3	Each	607-P2019	Brace Post, 10' x 2" Galvanized Steel
2	Each	607-P2022	Brace Post, 12' x 2" Galvanized Steel
16	Each	607-P2023	Brace Post, 8' x 2" Galvanized Steel
2,916	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
194	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
136	Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
464	Linear Feet	615-A003	Concrete Type IV Cast-in-Place Median Barrier
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
76	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
16	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
3	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
3	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
3	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
1	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
1,174	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
942	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
19	Each	619-D3001	Remove and Reset Signs, All Sizes
4	Each	619-E1001	Flashing Arrow Panel, Type C
5,588	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,000	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
526	Linear Feet	619-G4001	Barricades, Type III, Single Faced
12	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
162	Each	619-G5001	Free Standing Plastic Drums
15	Each	619-G7001	Warning Lights, Type "B"
2	Unit	619-J1003	Impact Attenuator, 60 MPH

CALL No. 01

2	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
460	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
394	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
109	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
224	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
337	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
2,369	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
378	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
78	Linear Feet	630-D009	Structural Steel Beams, W10 x 26
67	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
246	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
55	Each	630-F001	Delineators, Guard Rail, White
23	Each	630-F002	Delineators, Guard Rail, Yellow
34	Each	630-F006	Delineators, Post Mounted, Single White
28	Each	630-F007	Delineators, Post Mounted, Single Yellow
103	Each	630-F008	Delineators, Post Mounted, Double White
21	Each	630-F009	Delineators, Post Mounted, Double Yellow
252	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
1	Each	640-A020	Traffic Signal Heads, Type 5R LED
3	Each	640-A036	Traffic Signal Heads, Type 5L, LED
1	Each	640-A045	Traffic Signal Heads, Type 3L, LED
2	Each	642-A001	Solid State Traffic Actuated Controllers, Type 8M
6	Each	644-A001	Optical Detector
296	Linear Feet	644-B001	Optical Detector Cable
2	Each	644-C002	Phase Selector, 4 Channel
2	Each	647-A002	Pullbox, Type 3
1	Each	647-A005	Pullbox, Type 2
2	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
18	Square Feet	653-A001	Traffic Sign, Encapsulated Lens
24	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
250	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
329	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
232	Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
45	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
31	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
109	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
728	Ton	815-A009	Loose Riprap, Size 300
38	Ton	815-F002	Sediment Control Stone
23	Acre	907-225-A001	Grassing
12	Ton	907-225-B001	Agricultural Limestone
48	Ton	907-225-C001	Mulch, Vegetative Mulch
23	Acre	907-226-A001	Temporary Grassing
13	Each	907-234-D001	Inlet Siltation Guard

CALL No. 01

2,070	Linear Feet	907-237-A003	Wattles, 20"
500	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
500	Each	907-246-A002	Sandbags
200	Ton	907-249-A001	Riprap for Erosion Control
3	Mile	907-403-S004	Joint Sealant
10,956	Gallon	907-407-A001	Asphalt for Tack Coat
99	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
40	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
4	Each	907-606-H001	Cable Barrier Terminal Section
10	Each	907-619-E3001	Changeable Message Sign
500	Linear Feet	907-619-L001	Construction Safety Fence
2	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,068	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,160	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
375	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,119	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
1	Each	907-639-A033	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 35' Arms
1	Each	907-639-A036	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 40' Arms
1	Each	907-639-A046	Traffic Signal Equipment Pole, Type III, 17' Shaft, 35' & 45' Arms
13	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
41	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
6	Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,040	Hours	907-906001	Trainees
		ALTERNATE GROUP AA NO. 1	
20,806	Ton	907-304-F003	3/4" and Down Crushed Stone Base
		ALTERNATE GROUP AA NO. 2	
20,806	Ton	907-304-F004	Size 825B Crushed Stone Base
		ALTERNATE GROUP AA NO. 3	
20,806	Ton	907-304-F002	Size 610 Crushed Stone Base
		ALTERNATE GROUP BB NO. 1	
23,793	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
		ALTERNATE GROUP BB NO. 2	
23,793	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
		ALTERNATE GROUP CC NO. 1	
8,897	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP CC NO. 2	
8,897	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP DD NO. 1	
6,676	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

CALL No. 01

ALTERNATE GROUP DD NO. 2

6,676 Ton 907-403-P002 Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

ALTERNATE GROUP EE NO. 1

4,727 Ton 907-403-D004 Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

ALTERNATE GROUP EE NO. 2

4,727 Ton 907-403-P001 Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Bridge Items

3,000	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
2,250	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
66	Linear Feet	803-N001	Exploration
600	Linear Feet	803-O009	Temporary Casing, 54" Diameter
331,680	Pounds	805-A001	Reinforcement
729	Linear Feet	813-A001	Concrete Railing
172	Cubic Yard	815-D001	Concrete Slope Paving
915	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
1	Each	907-803-L005	Test Shaft, 54" Diameter
76	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
1,352	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
683	Linear Feet	907-804-C252	69' Prestressed Concrete Beam, Type BT-54
1,883	Linear Feet	907-804-C253	95' Prestressed Concrete Beam, Type BT-54
1,053	Linear Feet	907-804-C254	106' Prestressed Concrete Beam, Type BT-54

Interchange Improvements at US 82/US 45A, known as Federal Aid Project No. STP-0011-03(079) / 106439301 in Lowndes County.

PROJECT COMPLETION: July 09, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
3,335 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
300 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
74 Linear Feet	202-B064	Removal of Pipe, 8" And Above
3 Each	202-B070	Removal of Sign Including Post & Footing
5,317 Linear Feet	202-B076	Removal of Traffic Stripe
3 Each	202-B107	Removal of Sign, Ground Mounted with Posts
9,640 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
104,628 Cubic Yard	203-G003	Excess Excavation, FM, AH
17,078 Cubic Yard	203-H003	Surplus Excavation, FM, AH
334 Cubic Yard	206-A001	Structure Excavation
6,307 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
3 Ton	213-C001	Superphosphate
1,463 Square Yard	217-A001	Ditch Liner
13 Thousand Gallon	219-A001	Watering
5 Acre	220-A001	Insect Pest Control
33 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
9 Acre	223-A001	Mowing
354 Square Yard	224-A001	Soil Reinforcing Mat
874 Linear Feet	234-A001	Temporary Silt Fence
209 Bale	235-A001	Temporary Erosion Checks
1,203 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
28 Linear Feet	501-E001	Expansion Joints, Without Dowels
22 Each	501-G001	Dowels, Drilled and Installed
63 Square Yard	501-K001	Transverse Grooving
63 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2,810 Linear Feet	503-C007	Saw Cut, Full Depth
391 Pounds	602-A001	Reinforcing Steel
364 Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
6 Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
350 Linear Feet	606-B001	Guard Rail, Class A, Type 1
2 Each	606-D012	Guard Rail, Bridge End Section, Type I
2 Each	606-E001	Guard Rail, Terminal End Section
1,150 Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
Lump Sum	618-A001	Maintenance of Traffic
3,577 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
1,919 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
987 Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
1,751 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
32 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

CALL No. 02

808	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
60	Linear Feet	619-G4005	Barricades, Type III, Double Faced
62	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
81	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
31	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
883	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
124	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
136	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
100	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
160	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
48	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
7	Each	630-F001	Delineators, Guard Rail, White
7	Each	630-F002	Delineators, Guard Rail, Yellow
24	Each	630-F007	Delineators, Post Mounted, Single Yellow
1	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
1	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
33	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
600	Ton	815-A009	Loose Riprap, Size 300
1,070	Square Yard	815-E001	Geotextile under Riprap
584	Square Yard	907-216-A001	Solid Sodding
9	Acre	907-225-A001	Grassing
18	Ton	907-225-B001	Agricultural Limestone
12	Ton	907-225-C001	Mulch, Vegetative Mulch
9	Acre	907-226-A001	Temporary Grassing
1,368	Linear Feet	907-237-A003	Wattles, 20"
684	Linear Feet	907-245-A001	Triangular Silt Dike
684	Linear Feet	907-246-A001	Sandbags
380	Ton	907-249-A001	Riprap for Erosion Control
235	Cubic Yard	907-249-B001	Remove and Reset Riprap
3,673	Cubic Yard	907-304-C007	Granular Material, AEA, Class 3, Group C
587	Gallon	907-407-A001	Asphalt for Tack Coat
6	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
987	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
3,577	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
1,919	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
1,751	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
			ALTERNATE GROUP AA NO. 1
5,510	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
			ALTERNATE GROUP AA NO. 2
5,510	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NO. 3
5,510	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP BB NO. 1

CALL No. 02

1,850	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture ALTERNATE GROUP BB NO. 2
1,850	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture ALTERNATE GROUP CC NO. 1
549	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture ALTERNATE GROUP CC NO. 2
549	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture ALTERNATE GROUP DD NO. 1
684	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
342	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
342	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
49	Linear Feet	907-626-M001	Inverted Profile Thermoplastic Detail Traffic Stripe, White ALTERNATE GROUP DD NO. 2
684	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
342	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
342	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
49	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White

Pavement Restoration of approximately 5 miles of I-110 from US 90 to I-10, known as Federal Aid Project No. IM-0110-01(029) / 105922301 in Harrison County.

PROJECT COMPLETION: May 12, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100	Square Yard	202-B036	Removal of Concrete Slope Paving
8	Square Yard	202-B081	Removal of Continuously Reinforced Concrete Pavement, 8-inchDepth
3,906	Linear Feet	202-B102	Removal of Guard Rail
30	Mile	202-B149	Removal of Traffic Stripe
1	Each	202-B189	Removal of Impact Attenuator
410	Linear Feet	202-B298	Removal of Existing Joint Material
100	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
66,488	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,251	Linear Feet	413-B001	Cleaning and Sealing Joints
6	Linear Feet	501-D001	Expansion Joints, With Dowels
6	Each	501-G001	Dowels, Drilled and Installed
12	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
8,992	Linear Feet	503-C002	Saw Cut, 3-inch
6	Linear Feet	503-C005	Saw Cut, 8-inch
410	Linear Feet	503-C010	Saw Cut, 4-inch
1	Cubic Yard	503-D001	Concrete for Base Repair
6	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
2,644	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
14	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
4	Each	606-D008	Guard Rail, Bridge End Section, Type H
22	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
9,466	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
6,275	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5,117	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
5,771	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,147	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
112	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
540	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
1,553	Each	627-D001	Two-Way Yellow Reflective Raised Markers
3,228	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
105	Each	630-F001	Delineators, Guard Rail, White
42	Each	630-F002	Delineators, Guard Rail, Yellow
17	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2,428	Linear Feet	635-A001	Vehicle Loop Assemblies
2,470	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
4	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel

CALL No. 03

7	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
2	Each	640-A019	Traffic Signal Heads, Type 5 LED
3	Each	640-A022	Traffic Signal Heads, Type 7 LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
6	Each	644-A001	Optical Detector
2,318	Linear Feet	644-B001	Optical Detector Cable
2	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
1	Each	647-A003	Pullbox, Type 4
8	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
1	Each	648-B001	Radio Interconnect, Installed in Existing Controller Cabinet
303	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
2,377	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
43	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
428	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
500	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
206	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1,716	Linear Feet	808-A001	Joint Preparation
12	Cubic Yard	815-D001	Concrete Slope Paving
8	Mile	907-403-S004	Joint Sealant
3,167	Gallon	907-407-A001	Asphalt for Tack Coat
20,000	Pounds	907-420-A001	Undersealing Concrete Pavement
8	Square Yard	907-501-A001	8" Reinforced Cement Concrete Pavement, Broom Finish
10	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
2,638	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
12	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
13	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
35,515	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,535	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,391	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,147	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
2	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A021	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm
24	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
90	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
1	Each	907-658-A001	Hardened Network Switch, Type A
1	Each	907-658-B001	Terminal Server
4,469	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,133	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
			ALTERNATE GROUP AA NO. 1
519	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2

CALL No. 03

519	Ton	907-304-F003	3/4" and Down Crushed Stone Base ALTERNATE GROUP AA NO. 3
519	Ton	907-304-F004	Size 825B Crushed Stone Base ALTERNATE GROUP BB NO. 1
2,643	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture ALTERNATE GROUP BB NO. 2
2,643	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture ALTERNATE GROUP CC NO. 1
3,023	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP CC NO. 2
3,023	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Widen and Overlay SR 178 From Holly Springs Eastern Corp Limit East approximately 9 miles to approximately 1 mile West of US 78, known as Federal Aid Project No. STP-2910-00(004) / 106609301 in Marshall County.

PROJECT COMPLETION: June 05, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,862	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,560	Linear Feet	202-B076	Removal of Traffic Stripe
175	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
175	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
500	Linear Feet	234-A001	Temporary Silt Fence
10	Bale	235-A001	Temporary Erosion Checks
8,250	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
17	Mile	423-A001	Rumble Strips, Ground In
100	Linear Feet	503-C007	Saw Cut, Full Depth
600	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
257	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
36	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
38,036	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
7,512	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,720	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
767	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
100	Ton	815-A006	Loose Riprap, Size 100
1	Acre	907-225-A001	Grassing
3	Ton	907-225-B001	Agricultural Limestone
2	Ton	907-225-C001	Mulch, Vegetative Mulch
100	Linear Feet	907-237-A002	Wattles, 12"
8,500	Ton	907-304-B009	Granular Material, Class 3, Group D
15,200	Gallon	907-407-A001	Asphalt for Tack Coat
88	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
18	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
19,050	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
53,750	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,756	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,444	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,860	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
10,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
10,500	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
7,400	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling

CALL No. 04

ALTERNATE GROUP BB NO. 2

7,400 Ton 907-403-N001 Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

ALTERNATE GROUP CC NO. 1

3,200 Ton 907-403-C005 Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening

ALTERNATE GROUP CC NO. 2

3,200 Ton 907-403-O001 Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

ALTERNATE GROUP DD NO. 1

1,040 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite

520 Linear Feet 907-626-K003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

240 Linear Feet 907-626-L001 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP DD NO. 2

1,040 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite

520 Linear Feet 628-L002 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

240 Linear Feet 628-M002 6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Bridge Joint Repair on various routes in Yazoo & Holmes Counties, known as Federal Aid Project No. BR-9999-03(006) / 106647302 in District 3.

PROJECT COMPLETION: February 28, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

754	Linear Feet	202-B298	Removal of Existing Joint Material
12,938	Linear Feet	503-C002	Saw Cut, 3-inch
1,022	Linear Feet	503-C010	Saw Cut, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
13,960	Linear Feet	808-A001	Joint Preparation
6,469	Linear Feet	907-823-A001	Preformed Joint Seal, Type 1
511	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

Level and Seal approximately 8 miles of SR 4 from East of MLK Dr. to SR 371, known as State Project No. MP-1004-59(009) / 304803301 in Prentiss County.

PROJECT COMPLETION: May 20, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,350	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
825	Cubic Yard	203-G003	Excess Excavation, FM, AH
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,575	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
2,575	Linear Feet	625-B001	Traffic Stripe, Skip Yellow
14	Mile	625-C002	Traffic Stripe, Continuous White
14	Mile	625-D002	Traffic Stripe, Continuous Yellow
750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,000	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
97,000	Square Yard	907-405-D001	Scrub Seal
1,300	Gallon	907-407-A001	Asphalt for Tack Coat
		ALTERNATE GROUP AA NO. 1	
900	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
		ALTERNATE GROUP AA NO. 2	
900	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
		ALTERNATE GROUP AA NO. 3	
900	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
		ALTERNATE GROUP BB NO. 1	
3,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 2	
3,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Widen and Overlay approximately 9 miles of SR 32 from the east end of the Tallahatchie River Bridge to SR 35, known as State Project No. MP-2032-68(006) / 304904301 in Tallahatchie County.

PROJECT COMPLETION: May 29, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

16,390	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
18	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
36	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,440	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,240	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
640	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6,250	Ton	907-304-B009	Granular Material, Class 3, Group D
16,000	Gallon	907-407-A001	Asphalt for Tack Coat
18	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,560	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,440	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,240	Linear Feet	907-626-H004	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
15,870	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
15,870	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
10,468	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 2
10,648	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 1
3,375	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
			ALTERNATE GROUP CC NO. 2
3,375	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Widen and Overlay approximately 3 miles of SR 332 from US 51 to the end of State Maintenance, known as State Project No. MP-2332-22(002) / 304823301 in Grenada County.

PROJECT COMPLETION: April 10, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

200 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
120 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
3,500 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
6 Mile	423-A001	Rumble Strips, Ground In
180 Linear Feet	503-C007	Saw Cut, Full Depth
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
14 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5,150 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,050 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
260 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
130 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
Lump Sum	620-A001	Mobilization
140 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
975 Ton	907-304-B009	Granular Material, Class 3, Group D
5,000 Gallon	907-407-A001	Asphalt for Tack Coat
5 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,550 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,050 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,020 Linear Feet	907-626-H004	Thermoplastic Legend, White
130 Square Feet	907-626-H005	Thermoplastic Legend, White
Lump Sum	907-899-A001	Railway-Highway Provisions
		ALTERNATE GROUP AA NO. 1
5,900 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2
5,900 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1
3,300 Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
		ALTERNATE GROUP BB NO. 2
3,300 Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling
		ALTERNATE GROUP CC NO. 1
1,000 Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
		ALTERNATE GROUP CC NO. 2
1,000 Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR