


Proposal & Plan Sales Will Begin on September 2, 2013



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for September – September 24, 2013



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR SEPTEMBER - Tuesday, September 24, 2013

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 02, 2013

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR SEPTEMBER

CALL	CONTRACT	COUNTY
01	NHS-0010-01(145) / 105281302	Harrison
02	SPR-0000-01(065)/106460112300	Statewide
* 03	STP-2177-00(011) / 106693301	Copiah
04	BR-9999-01(026) / 106647305	Monroe
* 05	BR-9999-02(249) / 106647306	District 2
06	BR-9999-07(008) / 106647303	Pike & Lincoln

Interchange Construction on I-110 at Popps Ferry Rd. and Boney Ave., known as Federal Aid Project No. NHS-0010-01(145) / 105281302 in Harrison County.

PROJECT COMPLETION: May 28, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Each	202-B009	Removal of Bridge
3,723 Linear Feet	202-B041	Removal of Fence, All Types
9 Each	202-B057	Removal of Inlets, All Sizes
885 Linear Feet	202-B064	Removal of Pipe, 8" And Above
80 Square Feet	202-B071	Removal of Sign Panels Including Hardware
21,009 Square Yard	202-B078	Removal of Pavement, All Types and Depths
506 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
27 Each	202-B107	Removal of Sign, Ground Mounted with Posts
1 Each	202-B132	Removal of Traffic Signal
1 Each	202-B142	Removal of Junction Box
4 Mile	202-B149	Removal of Traffic Stripe
783 Linear Feet	202-B289	Removal of Cable Rail
60,800 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
13,334 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
3,356 Cubic Yard	206-A001	Structure Excavation
86,756 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
82,272 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
1,709 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
12 Ton	213-C001	Superphosphate
1,709 Square Yard	216-A001	Solid Sodding
10,000 Square Yard	217-A001	Ditch Liner
34 Thousand Gallon	219-A001	Watering
12 Acre	220-A001	Insect Pest Control
12 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
9,991 Linear Feet	234-A001	Temporary Silt Fence
1 Each	236-A004	Silt Basin, Type D
206 Linear Feet	239-A001	Temporary Slope Drains
2,328 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
163 Linear Feet	501-E001	Expansion Joints, Without Dowels
354 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
9,523 Pounds	602-A001	Reinforcing Steel
3,008 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
864 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
100 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
76 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
568 Linear Feet	603-CA125	30" Reinforced Concrete Pipe, Class V, Jacked or Bored
2 Each	603-CB001	18" Reinforced Concrete End Section

CALL No. 01

10 Each	603-CB002	24" Reinforced Concrete End Section
4 Each	603-CB003	30" Reinforced Concrete End Section
2 Each	603-CB004	36" Reinforced Concrete End Section
220 Linear Feet	603-CE042	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
470 Linear Feet	603-CE045	36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
4 Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
1 Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
1,738 Pounds	604-A001	Castings
500 Pounds	604-B001	Gratings
1,645 Linear Feet	606-B001	Guard Rail, Class A, Type 1
509 Linear Feet	606-B002	Guard Rail, Class A, Type 1, Double Faced
190 Linear Feet	606-B023	Guard Rail, Remove and Replace Guard Rail & Posts
5 Each	606-C001	Guard Rail, Cable Anchor Type 1, Wood Post
4 Each	606-D008	Guard Rail, Bridge End Section, Type H
3 Each	606-D012	Guard Rail, Bridge End Section, Type I
12 Each	606-E001	Guard Rail, Terminal End Section
2,710 Linear Feet	607-B006	60" Type II Chain Link Fence, Class II
163 Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
33 Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
22 Each	607-P1010	Line Post, 10' x 2" Galvanized Steel
3 Each	607-P2019	Brace Post, 10' x 2" Galvanized Steel
2 Each	607-P2022	Brace Post, 12' x 2" Galvanized Steel
16 Each	607-P2023	Brace Post, 8' x 2" Galvanized Steel
2,916 Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
194 Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
136 Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
1,214 Linear Feet	615-A003	Concrete Type IV Cast-in-Place Median Barrier
40 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
76 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
16 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
3 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
3 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
3 Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
1 Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
1,174 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
942 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
19 Each	619-D3001	Remove and Reset Signs, All Sizes
4 Each	619-E1001	Flashing Arrow Panel, Type C
5,588 Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,000 Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
526 Linear Feet	619-G4001	Barricades, Type III, Single Faced
12 Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
162 Each	619-G5001	Free Standing Plastic Drums
15 Each	619-G7001	Warning Lights, Type "B"
2 Unit	619-J1003	Impact Attenuator, 60 MPH

CALL No. 01

2	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
460	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
394	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
109	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
224	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
337	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
2,369	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
378	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
78	Linear Feet	630-D009	Structural Steel Beams, W10 x 26
67	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
246	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
55	Each	630-F001	Delineators, Guard Rail, White
23	Each	630-F002	Delineators, Guard Rail, Yellow
34	Each	630-F006	Delineators, Post Mounted, Single White
28	Each	630-F007	Delineators, Post Mounted, Single Yellow
103	Each	630-F008	Delineators, Post Mounted, Double White
21	Each	630-F009	Delineators, Post Mounted, Double Yellow
252	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
1	Each	640-A020	Traffic Signal Heads, Type 5R LED
3	Each	640-A036	Traffic Signal Heads, Type 5L, LED
1	Each	640-A045	Traffic Signal Heads, Type 3L, LED
2	Each	642-A001	Solid State Traffic Actuated Controllers, Type 8M
6	Each	644-A001	Optical Detector
296	Linear Feet	644-B001	Optical Detector Cable
2	Each	644-C002	Phase Selector, 4 Channel
2	Each	647-A002	Pullbox, Type 3
1	Each	647-A005	Pullbox, Type 2
2	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
18	Square Feet	653-A001	Traffic Sign, Encapsulated Lens
24	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
250	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
329	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
232	Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
45	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
31	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
109	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
728	Ton	815-A009	Loose Riprap, Size 300
38	Ton	815-F002	Sediment Control Stone
23	Acre	907-225-A001	Grassing
12	Ton	907-225-B001	Agricultural Limestone
48	Ton	907-225-C001	Mulch, Vegetative Mulch
23	Acre	907-226-A001	Temporary Grassing
13	Each	907-234-D001	Inlet Siltation Guard

CALL No. 01

2,070	Linear Feet	907-237-A003	Wattles, 20"
500	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
500	Each	907-246-A002	Sandbags
200	Ton	907-249-A001	Riprap for Erosion Control
3	Mile	907-403-S004	Joint Sealant
10,956	Gallon	907-407-A001	Asphalt for Tack Coat
99	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
40	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
4	Each	907-606-H001	Cable Barrier Terminal Section
10	Each	907-619-E3001	Changeable Message Sign
500	Linear Feet	907-619-L001	Construction Safety Fence
2	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,068	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,160	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
375	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,119	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
1	Each	907-639-A033	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 35' Arms
1	Each	907-639-A036	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 40' Arms
1	Each	907-639-A046	Traffic Signal Equipment Pole, Type III, 17' Shaft, 35' & 45' Arms
13	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
41	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
6	Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,040	Hours	907-906001	Trainees
9,092	Square Feet	907-829-A002	Ground Mounted Noise Barrier Wall, Contractor Designed
ALTERNATE GROUP AA NO. 1			
20,806	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NO. 2			
20,806	Ton	907-304-F004	Size 825B Crushed Stone Base
ALTERNATE GROUP AA NO. 3			
20,806	Ton	907-304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP BB NO. 1			
23,793	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP BB NO. 2			
23,793	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP CC NO. 1			
8,897	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP CC NO. 2			
8,897	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP DD NO. 1			

CALL No. 01

6,676	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP DD NO. 2
6,676	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP EE NO. 1
4,727	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP EE NO. 2
4,727	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
Bridge Items			
3,000	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
2,250	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
66	Linear Feet	803-N001	Exploration
600	Linear Feet	803-O009	Temporary Casing, 54" Diameter
331,680	Pounds	805-A001	Reinforcement
729	Linear Feet	813-A001	Concrete Railing
172	Cubic Yard	815-D001	Concrete Slope Paving
915	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
1	Each	907-803-L005	Test Shaft, 54" Diameter
76	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
1,352	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
683	Linear Feet	907-804-C252	69' Prestressed Concrete Beam, Type BT-54
1,883	Linear Feet	907-804-C253	95' Prestressed Concrete Beam, Type BT-54
1,053	Linear Feet	907-804-C254	106' Prestressed Concrete Beam, Type BT-54

Installing traffic recorder classification and WIM systems on various routes throughout the State, known as Federal Aid Project No. SPR-0000-01(065) / 106460112300.

PROJECT COMPLETION: May 07, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
1 Each	907-687-A018	Traffic Recorder Classification Permanent System, Site 172
1 Each	907-687-A018	Traffic Recorder Classification Permanent System, Site 201
1 Each	907-687-A018	Traffic Recorder Classification Permanent System, Site 202
1 Each	907-687-A018	Traffic Recorder Classification Permanent System, Site 203
1 Each	907-687-A018	Traffic Recorder Classification Permanent System, Site 204
1 Each	907-687-A018	Traffic Recorder Classification Permanent System, Site 705
1 Each	907-688-A033	Traffic Recorder WIM Kistler System, 4-Lane, Site 119

Overlay approximately 3 miles of US 51 from S. Pat Harrison Drive to SR 27, known as Federal Aid Project No. STP-2177-00(011) / 106693301 in Copiah County.

PROJECT COMPLETION: April 28, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

746	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
250	Cubic Yard	203-G003	Excess Excavation, FM, AH
22,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
4	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
1	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
2	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
11,800	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
950	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
125	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
725	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,000	Ton	907-304-B002	Granular Material, Class 5, Group D
5,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,800	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
8,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,275	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
500	Cubic Yard	907-304-G001	Size 825B Crushed Stone Base, AEA
ALTERNATE GROUP AA NO. 2			
500	Cubic Yard	907-304-G002	Size 610 Crushed Stone Base, AEA
ALTERNATE GROUP AA NO. 3			
500	Cubic Yard	907-304-G003	Size 3/4" and Down Crushed Stone Base, AEA
ALTERNATE GROUP BB NO. 1			
7,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2			
7,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP CC NO. 1			
500	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 2			
500	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Bridge Joint Repair on the US 45 bridges over The Tenn-Tom Waterway, known as Federal Aid Project No. BR-9999-01(026) / 106647305 in Monroe County.

PROJECT COMPLETION: April 08, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

165	Linear Feet	202-B298	Removal of Existing Joint Material
330	Linear Feet	503-C002	Saw Cut, 3-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
660	Linear Feet	808-A001	Joint Preparation
405	Gallon	808-B002	Epoxy Mortar Mix
85	Linear Feet	907-822-A003	4" Neoprene Expansion Joint
85	Linear Feet	907-822-A004	6 1/4" Neoprene Expansion Joint
165	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
165	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
	Lump Sum	907-824-PP093	Bridge Repair, Remove and Replace Concrete Bridge DeckPer Plans

CALL No. 05

Bridge Joint Repair on various locations throughout the District, known as Federal Aid Project No. BR-9999-02(249) / 106647306 in District 2.

PROJECT COMPLETION: May 26, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,236	Linear Feet	202-B298	Removal of Existing Joint Material
7,870	Linear Feet	503-C002	Saw Cut, 3-inch
3,336	Linear Feet	503-C010	Saw Cut, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
11,206	Linear Feet	808-A001	Joint Preparation
3,935	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,668	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
104	Linear Feet	907-824-PP097	Bridge Repair, Endwall Repair

CALL No. 06

Bridge Joint Repairs on I-55 between Louisiana State Line and Copiah County Line, known as Federal Aid Project No. BR-9999-07(008) / 106647303 in Pike & Lincoln Counties.

PROJECT COMPLETION: May 19, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,252	Linear Feet	202-B298	Removal of Existing Joint Material
11,982	Linear Feet	503-C002	Saw Cut, 3-inch
224	Linear Feet	503-C010	Saw Cut, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
12,206	Linear Feet	808-A001	Joint Preparation
5,991	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
112	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR