


[Proposal & Plan Sales Will Begin on September 30, 2013](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for October – October 22, 2013



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR OCTOBER - Tuesday, October 22, 2013

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 30, 2013

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR OCTOBER

CALL	CONTRACT	COUNTY
01	IM-0055-02(219) / 106176301 & IM-0055-02(219) / 106176302	Yazoo & Holmes
02	HSIP-0007-01(078) / 106269301	Benton
03	BR-0019-02(041) / 105189301	Marshall
04	SP-9392-00(008) / 100710302	Jackson
* 05	BR-9999-02(249) / 106647306	District 2

Mill and Overlay approximately 17 miles of I-55 from Madison County Line to Holmes County Line, known as Federal Aid Project Nos. IM-0055-02(219) / 106176301 & 302 in Yazoo and Holmes Counties.

PROJECT COMPLETION: October 29, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

10,397	Linear Feet	202-B076	Removal of Traffic Stripe
2,600	Cubic Yard	203-G004	Excess Excavation, LVM, AH
86,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
34	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
47	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
45	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
39	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
14,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
23,797	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
	Lump Sum	620-B001	Requisite Work
1,913	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
116	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8,200	Ton	907-304-B002	Granular Material, Class 5, Group D
34	Mile	907-403-S004	Joint Sealant
38,400	Gallon	907-407-A001	Asphalt for Tack Coat
78,000	Square Yard	907-499-A002	Roadbed Reclamation with Portland Cement
1,500	Ton	907-499-B001	Portland Cement
18	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
21	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
579	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
20	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
23,797	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
650	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,040	Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1			
10,150	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP AA NO. 2			
10,150	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP BB NO. 1			
7,610	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2			
7,610	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP CC NO. 1			
40,750	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP CC NO. 2			
40,750	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP DD NO. 1			
25,200	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

CALL No. 01

ALTERNATE GROUP DD NO. 2

25,200	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
--------	-----	--------------	--

ALTERNATE GROUP EE NO. 1

2,656	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,679	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
363	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
3,699	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP EE NO. 2

2,656	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,679	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
363	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
3,699	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Intersection Improvements at US 72 and SR 7, known as Federal Aid Project No. HSIP-0007-01(078) / 106269301 in Benton County.

PROJECT COMPLETION: August 04, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

131	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,560	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1	Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
22	Each	202-B070	Removal of Sign Including Post & Footing
438	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
1	Each	202-B132	Removal of Traffic Signal
216	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
100	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
2	Cubic Yard	206-A001	Structure Excavation
1,054	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1	Thousand Gallon	219-A001	Watering
270	Linear Feet	234-A001	Temporary Silt Fence
12,233	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
253	Linear Feet	503-C007	Saw Cut, Full Depth
16	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1	Each	603-RB002	18" End Section Removed and Relaid
562	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
1,389	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
135	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
4,356	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White, Paint
19,005	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
986	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
97	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
680	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
54	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
39	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
64	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
70	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
370	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
129	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
51	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
765	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
2	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
2	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
140	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"

CALL No. 02

273	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
14	Each	640-A029	Traffic Signal Heads, Type 12 LED
3	Each	645-A001	Flasher Assembly
23	Each	647-A001	Pullbox, Type 1
610	Linear Feet	666-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3Conductor
1,567	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
703	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
1,001	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
473	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
100	Square Yard	907-216-A001	Solid Sodding
100	Linear Feet	907-237-A002	Wattles, 12"
342	Ton	907-304-B009	Granular Material, Class 3, Group D
4	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,980	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
7,430	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,823	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
300	Linear Feet	907-626-H004	Thermoplastic Legend, White
50	Square Feet	907-626-H005	Thermoplastic Legend, White
3	Each	907-637-A003	Equipment Cabinet, Type A
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
413	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
413	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
413	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
30	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
30	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1
93	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP CC NO. 2
93	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
144	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP DD NO. 2
144	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP EE NO. 1
101	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP EE NO. 2
101	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP FF NO. 1
1,230	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			ALTERNATE GROUP FF NO. 2
1,230	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Bridge Replacements on SR 7 at Bridge Nos. 154.0, 154.8, 155.0, known as Federal Aid Project No. BR-0019-02(041) / 105189301 in Marshall County.

PROJECT COMPLETION: September 08, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items		
Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
24,860 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
7 Each	202-B019	Removal of Concrete Headwall
240 Linear Feet	202-B038	Removal of Curb, All Types
190 Linear Feet	202-B064	Removal of Pipe, 8" And Above
4,000 Linear Feet	202-B076	Removal of Traffic Stripe
1,815 Linear Feet	202-B102	Removal of Guard Rail
1 Each	202-B131	Removal of Box Culvert, Including Headwalls
50,144 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
34,241 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
22,204 Cubic Yard	203-G003	Excess Excavation, FM, AH
836 Cubic Yard	206-A001	Structure Excavation
49 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
9,766 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1 Ton	213-B001	Combination Fertilizer, 13-13-13
33 Ton	213-C001	Superphosphate
350 Square Yard	217-A001	Ditch Liner
26 Thousand Gallon	219-A001	Watering
33 Acre	220-A001	Insect Pest Control
114 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
66 Acre	223-A001	Mowing
3,000 Linear Feet	234-A001	Temporary Silt Fence
300 Bale	235-A001	Temporary Erosion Checks
12 Each	236-A004	Silt Basin, Type D
438 Linear Feet	239-A001	Temporary Slope Drains
934 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4 Mile	423-A001	Rumble Strips, Ground In
281 Linear Feet	501-E001	Expansion Joints, Without Dowels
613 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
18,200 Pounds	602-A001	Reinforcing Steel
68 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
460 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1 Each	603-CB001	18" Reinforced Concrete End Section
8 Each	603-CB002	24" Reinforced Concrete End Section
56 Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
44 Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
2 Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
2 Each	603-CF005	51" x 31" Concrete Arch Pipe End Section

CALL No. 03

125	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
11	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
11	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,275	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D012	Guard Rail, Bridge End Section, Type I
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
736	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
120	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
105	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
29	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
21,678	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
8,951	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8,600	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
796	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
236	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
233	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
154	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
422	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
238	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
261	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
233	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
103	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
125	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
19	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
66	Each	630-F001	Delineators, Guard Rail, White
12	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
15	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
3,100	Ton	815-A006	Loose Riprap, Size 100
12,634	Ton	815-A009	Loose Riprap, Size 300
15,350	Square Yard	815-E001	Geotextile under Riprap
637	Square Yard	907-216-A001	Solid Sodding
66	Acre	907-225-A001	Grassing
196	Ton	907-225-B001	Agricultural Limestone
131	Ton	907-225-C001	Mulch, Vegetative Mulch
66	Acre	907-226-A001	Temporary Grassing
11,545	Linear Feet	907-234-C002	Super Silt Fence
600	Linear Feet	907-234-F001	Turbidity Barrier
300	Linear Feet	907-237-A003	Wattles, 20"
300	Linear Feet	907-245-A001	Triangular Silt Dike
300	Each	907-246-A002	Sandbags

CALL No. 03

307	Ton	907-249-A001	Riprap for Erosion Control
113,726	Cubic Yard	907-304-A011	Granular Material, LVM, Class 9, Group A
15,597	Ton	907-304-B009	Granular Material, Class 3, Group D
12,724	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
172	Ton	907-307-D001	Lime
3,181	Gallon	907-307-S001	Bituminous Curing Seal
2,821	Gallon	907-407-A001	Asphalt for Tack Coat
281	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
104	Cubic Yard	907-601-A001	Class "B" Structural Concrete
7	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
288	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
60	Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
280	Linear Feet	907-605-O003	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
90	Linear Feet	907-605-P003	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
49	Each	907-617-A001	Right-of-Way Marker
4	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,360	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
315	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
165	Linear Feet	907-626-H004	Thermoplastic Legend, White
3	Cubic Yard	907-631-A001	Flowable Fill, Excavatable
	Lump Sum	907-699-A002	Roadway Construction Stakes
720	Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1			
15,631	Ton	907-304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NO. 2			
15,631	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NO. 3			
15,631	Ton	907-304-F004	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NO. 1			
115	Ton	907-308-A001	Portland Cement
12,724	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
3,181	Gallon	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NO. 2			
12,724	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
86	Ton	907-311-B001	Lime
344	Ton	907-311-C001	Fly Ash, Class C
3,181	Gallon	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP CC NO. 1			
2,949	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP CC NO. 2			
2,949	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP DD NO. 1			
3,912	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP DD NO. 2			

CALL No. 03

3,912	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP EE NO. 1
3,090	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP EE NO. 2
3,090	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP FF NO. 1
3,160	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
1,600	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
202	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
			ALTERNATE GROUP FF NO. 2
3,160	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1,600	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
202	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
			Bridge Items
6,488	Square Yard	501-K001	Transverse Grooving
3	Each	803-B002	Conventional Static Pile Load Test
4,640	Linear Feet	803-D006	HP 14 x 117 Steel Piling
9,750	Linear Feet	803-D007	HP 14 x 89 Steel Piling
18	Each	803-I001	PDA Test Pile
3	Each	803-J001	Pile Restrike
588,644	Pounds	805-A001	Reinforcement
2,920	Linear Feet	813-A002	Concrete Railing, 32"
1,648	Ton	815-A009	Loose Riprap, Size 300
2,222	Square Yard	815-E001	Geotextile under Riprap
2,765	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
7,313	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
359	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
957	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III

Reconstruction of SR 611 from US 90 to the end of the route, known as State Project No. SP-9392-00(008) / 100710302 in Jackson County.

PROJECT COMPLETION: June 26, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items		
Lump Sum	201-A001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
10 Each	202-B043	Removal of Flared End Section (All Sizes)
61 Meter	202-B056	Removal of Guard Rail Only
161 Meter	202-B066	Removal of Pipe (200-mm and above)
6,275 Meter	202-B076	Removal of Traffic Stripe
2,796 Square Meter	202-B079	Removal of Pavement (All Types and Depths)
12 Each	202-B081	Removal of Headwall
50 Each	202-B083	Removal of Sign
1 Each	202-B138	Removal of Traffic Signal
6,547 Cubic Meter	203-D001	Muck Excavation (FM)
750 Cubic Meter	203-G003	Excess Excavation (FM) (AH)
2,772 Cubic Meter	206-A001	Structure Excavation
287 Cubic Meter	206-B001	Select Material for Undercuts (Contractor Furnished) (FM)
41,475 Square Meter	211-A001	Topsoil for Slope Treatment (From Right-of-Way)
8 Metric Ton	213-C001	Superphosphate
3 thousand liter	219-A001	Watering
4 Hectare	220-A001	Insect Pest Control
210 Bale	235-A001	Temporary Erosion Checks
180 Square Meter	406-B001	Cold Milling of Concrete Pavement (All Depths)
48 Meter	501-E001	Expansion Joints (Without Dowels)
287 Square Meter	502-A002	Reinforced Cement Concrete Bridge End Pavement (225 mm)
18,746 Kilogram	602-A001	Reinforcing Steel
181 Meter	603-C-A091	600-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets)
17 Meter	603-C-A093	900-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets)
34 Meter	603-C-A109	600-mm Reinforced Concrete Pipe, Class V, Jacked or Bored
2 Each	603-C-B001	450-mm Reinforced Concrete End Section
13 Each	603-C-B002	600-mm Reinforced Concrete End Section
2 Each	603-C-B004	900-mm Reinforced Concrete End Section
14 Meter	603-C-E041	1300-mm x 795-mm Concrete Arch Pipe, Class A III (Flexible Plastic Gaskets)
26 Meter	603-C-E044	1485-mm x 915-mm Concrete Arch Pipe, Class A III (Flexible Plastic Gaskets)
2 Each	603-C-F005	1300-mm x 795-mm Concrete Arch Pipe End Section
365 Meter	603-P-A009	3000-mm x 1800-mm Precast Concrete Box Culvert
1 Each	603-S-B030	600-mm Branch Connections (Stub into Concrete Box Culvert Wingwall)
222 Kilogram	604-A001	Castings
180 Kilogram	604-B001	Gratings
625 Meter	606-B001	Guard Rail (Class A, Type 1)
2 Each	606-D012	Guard Rail, Bridge End Section, Type I
16 Meter	609-D001	Combination Concrete Curb and Gutter Type 1
275 Meter	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
142 Square Meter	614-A001	Concrete Driveway (Without Reinforcement)

CALL No. 04

12	Meter	615-A016	Concrete Bridge End Barrier, 850-mm
233	Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
43	Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
	Lump Sum	618-A001	Maintenance of Traffic
7	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
76	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
40	Meter	619-F1001	Concrete Median Barrier (Precast)
101	Meter	619-G4001	Barricades (Type III) (Single Faced)
8	Meter	619-G4005	Barricades (Type III) (Double Faced)
200	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights (Type "B")
	Lump Sum	620-A001	Mobilization
22	Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
26	Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
5	Meter	630-C003	Steel U-Section Posts (4.46 kg/m)
343	Kilogram	630-E004	Structural Steel Angles & Bars (12 mm x 63 mm Flat Bars)
102	Each	630-F001	Delineators (Guard Rail)(White)
15	Each	630-F006	Delineators (Post Mounted)(Single White)
48	Each	630-F008	Delineators (Post Mounted)(Double White)
4	Each	630-G001	Type 3 Object Markers (OM-3R or OM-3L) Post Mounted
108	Meter	630-K002	Welded & Seamless Steel Pipe Posts (DN 90)
105	Meter	630-K003	Welded & Seamless Steel Pipe Posts (DN 100)
1,436	Square Meter	802-C001	Permanent Steel Sheet Piling
	Lump Sum	814-A001	Painting of Metal Structures
516	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
13,607	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
25,831	Cubic Meter	907-203-EX002	Borrow Excavation (AH)(FME) (Class B4)
112,706	Square Meter	907-209-A004	Geotextile Fabric Stabilization (Type V Non-Woven)
40	Square Meter	907-216-A001	Solid Sodding
1,712	Square Meter	907-217-A001	Ditch Liner
1	Hectare	907-223-A001	Mowing
8	Hectare	907-225-A001	Grassing
56	Metric Ton	907-225-B001	Agricultural Limestone
37	Metric Ton	907-225-C001	Mulch, Vegetative Mulch
8	Hectare	907-226-A002	Temporary Grassing
11,207	Meter	907-234-A002	Temporary Silt Fence
605	Meter	907-234-F001	Turbidity Barrier
190	Meter	907-237-A002	Wattles, 500-mm
160	Meter	907-246-A001	Sandbags
2	Each	907-247-A001	Temporary Stream Diversion
209	Metric Ton	907-249-A001	Riprap for Erosion Control
23,822	Cubic Meter	907-304-A004	Granular Material (LVM) (Class 9, Group C)
77,881	Square Meter	907-307-A001	150-mm Soil-Lime-Water Mixing (Class A)
1,123	Metric Ton	907-307-D001	Lime
77,881	Liter	907-307-S001	Bituminous Curing Seal
60,845	Liter	907-407-A001	Asphalt for Tack Coat

CALL No. 04

48	Meter	907-413-H001	Sawing and Sealing Transverse Joints in Asphalt Pavment
11	Kilometer	907-423-A001	Rumble Strips (Ground In)
95	Cubic Meter	907-601-A001	Class "B" Structural Concrete
22	Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
36	Meter	907-603-ALT01	450-mm Type A Alternate Pipe
2	Each	907-606-E003	Guard Rail, Terminal End Section, Flared
18	Each	907-606-E004	Guard Rail, Terminal End Section, Non-Flared
44	Each	907-617-A003	Right-of-Way Marker
201	Meter	907-619-A1002	Temporary Traffic Stripe (Continuous White) (Type 1 Tape)
32	Kilometer	907-619-A1010	Temporary Traffic Stripe (Continuous White)
201	Meter	907-619-A2002	Temporary Traffic Stripe (Continuous Yellow) (Type 1 Tape)
32	Kilometer	907-619-A2010	Temporary Traffic Stripe (Continuous Yellow)
11	Kilometer	907-619-A3005	Temporary Traffic Stripe (Skip White)
67	Meter	907-619-A3009	Temporary Traffic Stripe, Skip White, Type 1 Tape
10	Kilometer	907-619-A4005	Temporary Traffic Stripe (Skip Yellow)
67	Meter	907-619-A4009	Temporary Traffic Stripe, Skip Yellow, Type 1 Tape
793	Meter	907-619-A5005	Temporary Traffic Stripe (Detail)
42	Square Meter	907-619-A6006	Temporary Traffic Stripe (Legend) (Type 1 Tape)
537	Square Meter	907-619-A6010	Temporary Traffic Stripe (Legend)
5,431	Meter	907-619-F1001	Portable Median Barrier
15	Kilometer	907-626-AA003	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)
101	Meter	907-626-AA006	150-mm Thermoplastic Double Drop Traffic Stripe (Skip White)(2.25-mm min.)
16	Kilometer	907-626-CC004	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (2.25-mm min)
14	Kilometer	907-626-DD003	150-mm Thermoplastic Traffic Stripe (Skip Yellow) (2.25-mm min)
101	Meter	907-626-DD004	150-mm Thermoplastic Double Drop Traffic Stripe, Skip Yellow
16	Kilometer	907-626-EE004	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
101	Meter	907-626-EE005	150-mm Thermoplastic Double Drop Traffic Stripe, ContinuousYellow, 2.25-mm min
3,119	Meter	907-626-GG001	Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)
5,220	Meter	907-626-GG002	Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.)
152	Square Meter	907-626-H001	Thermoplastic Legend (White)(3.00-mm min.)
4,540	Meter	907-626-H002	Thermoplastic Legend (White)(3.00-mm min.)
200	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
870	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
2,561	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
69	Meter	907-636-A003	Shielded Cable, AWG #14, 2 Conductor
1	Each	907-639-A002	Traffic Signal Equipment Pole (Type IV) (9.1-m Shaft) (12.2-m Arm)
1	Each	907-639-A014	Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (9.1-mArm)
2	Each	907-639-A015	Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (12.2-m Arm)
10	Cubic Meter	907-639-C005	Pole Foundations, 900-mm Diameter
20	Meter	907-639-D005	Slip Casing, 900-mm Diameter
6	Each	907-640-B001	Traffic Signal Heads (Type 1) LED
1	Each	907-640-B006	Traffic Signal Heads (Type 7) LED
2	Each	907-640-B009	Traffic Signal Heads (Type 4) LED

CALL No. 04

1	Each	907-642-A001	Solid State Traffic Actuated Controllers (Type 8M)
5	Each	907-647-A002	Pullboxes (Type 2)
1	Each	907-648-A001	Radio Interconnect (Installed in New Controller Cabinet)
3	Each	907-649-D001	Multi-Sensor Detection System, 1 Sensor
2	Each	907-653-A001	Traffic Sign, Internally Illuminated Sign
2	Square Meter	907-653-B001	Street Name Sign (Encapsulated Lens)
2	Meter	907-668-E001	Traffic Signal Conduit (Underground Drilled or Jacked), Rolled Pipe, (25 mm)
65	Meter	907-668-E002	Traffic Signal Conduit (Underground Drilled or Jacked), Rolled Pipe, (50 mm)
29	Meter	907-668-E003	Traffic Signal Conduit (Underground Drilled or Jacked), Rolled Pipe, (75 mm)
2	Each	907-675-A001	Railroad Signal Preemption
13,200	Kilogram	907-690-A001	Portland Cement Grout for Plugging Abandoned Wells
	Lump Sum	907-699-A001	Roadway Construction Stakes
239	Cubic Meter	907-804-B001	Box Bridge Concrete (Class B)
995	Square Meter	907-815-E001	Geotextile Fabric under Riprap
	Lump Sum	907-899-A001	Railway Highway Provisions
124	Meter	908-666-B021	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 10),2 Conductor
162	Meter	908-666-B036	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14),8 Conductor
22	Meter	908-668-A013	Traffic Signal Conduit (Underground) (Type IV) (DN 25)
ALTERNATE GROUP AA NO. 1			
32,207	Metric Ton	907-304-D001	20-mm and Down Crushed Stone
ALTERNATE GROUP AA NO. 2			
32,207	Metric Ton	907-304-I004	Crushed Stone Base (Size 610)
ALTERNATE GROUP AA NO. 3			
32,207	Metric Ton	907-304-I005	Crushed Stone Base (Size 825 B)
ALTERNATE GROUP BB NO. 1			
352	Metric Ton	907-308-A001	Portland Cement
38,940	Square Meter	907-308-B003	Soil-Cement-Water Mixing, (Optional Mixers)
38,940	Liter	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NO. 2			
38,940	Square Meter	907-311-A002	Processing Lime and Fly Ash Treated Course, 150 mm Thick
281	Metric Ton	907-311-B001	Lime
1,123	Metric Ton	907-311-C001	Fly Ash (Class C)
38,940	Liter	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP CC NO. 1			
10,193	Metric Ton	907-403-D001	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP CC NO. 2			
10,193	Metric Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP DD NO. 1			
7,188	Metric Ton	907-403-D002	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP DD NO. 2			
7,188	Metric Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP EE NO. 1			
9,371	Metric Ton	907-403-D003	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
ALTERNATE GROUP EE NO. 2			
9,371	Metric Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified
ALTERNATE GROUP FF NO. 1			

CALL No. 04

7,582	Metric Ton	907-403-A011	Hot Mix Asphalt, HT, 19-mm mixture ALTERNATE GROUP FF NO. 2
7,582	Metric Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture ALTERNATE GROUP GG NO. 1
7,972	Metric Ton	907-403-A003	Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP GG NO. 2
7,972	Metric Ton	907-403-M005	Warm Mix Asphalt, ST, 19-mm mixture
Bridge Items			
37,223	Kilogram	805-A001	Reinforcement
66	Meter	813-A005	Concrete Railing (815-mm)
772	Square Meter	907-501-K001	Transverse Grooving
296	Meter	907-803-M014	Drilled Shaft (1680-mm Diameter)
32	Meter	907-803-O012	Trial Shafts (1680-mm Diameter)
4	Meter	907-803-P001	Exploration
122	Meter	907-803-R021	Temporary Casing (1680-mm Diameter)
309	Cubic Meter	907-804-A001	Bridge Concrete (Class AA)
222,166	Kilogram	907-810-A001	Structural Steel

Bridge Joint Repair on various locations throughout the District, known as Federal Aid Project No. BR-9999-02(249) / 106647306 in District 2.

PROJECT COMPLETION: May 26, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,236	Linear Feet	202-B298	Removal of Existing Joint Material
7,870	Linear Feet	503-C002	Saw Cut, 3-inch
3,336	Linear Feet	503-C010	Saw Cut, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
11,206	Linear Feet	808-A001	Joint Preparation
3,935	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,668	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
104	Linear Feet	907-824-PP097	Bridge Repair, Endwall Repair

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR