

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.   1   DATED   11/21/2013   ADDENDUM NO.            DATED             
 ADDENDUM NO.   2   DATED   11/22/2013   ADDENDUM NO.            DATED           

Number	Description
1	Revise Table of Contents, replace same; Revise NTB Nos. 4087, & 4646, replaces same; Add NTB Nos. 4689, 4690, 4691, & 4692; Add Supplement to SP No. 907-107-14; Add Special Provision No. 907-619-5; Revise Bid Items, replace same; Added or Revised Plan Sheet Nos. 2-3, 7, 9-11, 20-21, 33-37, 49, 53, 2009-2010; Amendment EBS Download Required.
2	Revise Table of Contents, replace same; Add NTB No. 4699, Revise Bid Items, replace same; Amendment EBS Download Required.

TOTAL ADDENDA:   2    
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_ Contractor

BY \_\_\_\_\_ Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## TABLE OF CONTENTS

**PROJECT: STP-0006-02(027) / 105420301 – Lee County**

901--Advertisement

904--Notice to Bidders:

- Governing Specifications - # 1
- Final Cleanup - # 3
- Fiber Reinforced Concrete - # 640
- Errata & Modifications to 2004 Standard Specifications - # 1405
- Federal Bridge Formula - # 1928
- Status of ROW w/ attachments - # 2382
- Non-Quality Control / Quality Assurance Concrete - # 2818
- Reduced Speed Limit Signs - # 2937
- Alternate Asphalt Mixture Bid Items - # 3039
- Storm Water Discharge Associated with Construction Activities ( $\geq 5$  Acres) - # 3581
- Safety Edge - #3585
- Additional Erosion Control Requirements - #3612
- Type III Barricade Rails - #3655
- Use of Precast Drainage Units - # 3704
- Petroleum Products Base Price - # 3893
- Questions Regarding Bidding - # 3980
- Stay-In-Place Metal Forms - # 4084
- Temporary Steel Bracing - # 4085
- Contract Time - # 4086
- Specialty Items - # 4087
- Placement of Fill Material in Federally Regulated Areas - # 4088
- Federal Aviation Administration Requirements, w/Attachments - # 4091
- Disadvantaged Business Enterprise, w/ Supplement - # 4103
- Safety Apparel - # 4214
- Alternate Crushed Stone Base Bid Items - # 4473
- DBE Forms, Participation and Payment - # 4488
- Warm Mix Asphalt (WMA) - # 4524
- Electronic Addendum Process - # 4526
- Manual on Uniform Traffic Control Devices (MUTCD) - # 4565
- DUNS Requirement for Federal Funded Projects - # 4566
- Adjustments for Bituminous Materials - # 4612
- Exposure to Severe Sulfate Areas At or Near Ground Level - # 4623
- Additional Construction Requirements - # 4646
- Portable Construction Lighting - # 4647
- Intermediate Diaphragms - # 4660
- Payroll Requirements - # 4661
- A + B Bidding - # 4674
- Lane Closure Restrictions - # 4675
- Environmental Requirements - # 4689
- Southeast Ramp Earthwork Operations - # 4690
- Quantity Changes - # 4691

- CONTINUED ON NEXT PAGE -

Traffic Signal and ITS Quantity Changes - # 4692  
Minor Structure Concrete Quantity Correction - # 4699

906- : Required Federal Contract Provisions -- FHWA 1273, w/ Supplements

907-101-4: Definitions  
907-102-10: Bidding Requirements and Conditions  
907-103-8: Award and Execution of Contract  
907-104-1: Partnering Process  
907-104-5: Scope of Work  
907-105-7: Control of Work  
907-107-13: Legal Relations & Responsibility to Public  
907-107-14: Contractor's Protection Plan, w/ Supplement  
907-108-27: Prosecution and Progress  
907-109-6: Measurement and Payment  
907-110-2: Wage Rates  
907-216-1: Solid Sodding  
907-225-3: Grassing  
907-226-2: Temporary Grassing  
907-227-10: Hydroseeding  
907-237-4: Wattles  
907-245-2: Triangular Silt Dikes  
907-246-3: Sandbags & Rockbags  
907-247-1: Temporary Stream Diversion  
907-249-1: Riprap for Erosion Control  
907-304-13: Granular Courses  
907-401-2: Hot Mix Asphalt (HMA), w/Supplement  
907-401-6: Warm Mix Asphalt (WMA)  
907-403-4: Hot Mix Asphalt (HMA), w/Supplement  
907-403-12: Warm Mix Asphalt (WMA)  
907-406-1: Cold Milling of Shoulders  
907-407-1: Tack Coat  
907-413-5: Sawing & Sealing Transverse Joints in Asphalt Pavement  
907-601-1: Structural Concrete  
907-605-3: Underdrains  
907-606-4: High Tension Cable Barrier  
907-617-2: Right-Of-Way Markers  
907-619-5: Changeable Message Signs  
907-626-5: Inverted Profile Thermoplastic Traffic Stripe  
907-626-25: Thermoplastic Traffic Markings  
907-631-1: Flowable Fill  
907-639-4: Traffic Signal Equipment Poles  
907-642-4: Solid State Traffic Actuated Controllers  
907-643-2: Closed Loop on Street Master System  
907-649-3: Video Vehicle Detection, w/ Supplement  
907-680-1: Portable Construction Lighting  
907-699-4: Construction Stakes  
907-701-4: Hydraulic Cement  
907-702-3: Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement  
907-703-11: Aggregates  
907-708-6: Non-Metal Drainage Structures  
907-709-1: Metal Pipe  
907-711-4: Synthetic Structural Fiber Reinforcement

**Page 3 - PROJECT: STP-0006-02(027) / 105420301 – Lee County**

907-713-3: Admixtures for Concrete  
907-714-8: Miscellaneous Materials  
907-715-4: Roadside Development Materials  
907-720-2: Pavement Marking Materials  
907-804-13: Concrete Bridges and Structures, w/Supplement

906-7: Training Special Provision

SECTION 905 - PROPOSAL, PROPOSAL BID ITEMS  
COMBINATION BID PROPOSAL  
CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS  
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION  
SECTION 902- CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS  
PILE DRIVING FORM  
FORM -- OCR-485

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 - NOTICE TO BIDDERS NO. 4699**

**CODE: (SP)**

**DATE: 11/22/2013**

**SUBJECT: Minor Structure Concrete Quantity Correction**

**PROJECT: STP-0006-02(027) / 105420301 -- Lee County**

Bidders are advised that the Plans show the quantity for pay item no. 907-601-B003, Class "B" Structural Concrete, Minor Structures, to be 78 cubic yards. This is in error. The correct quantity for Class "B" Structural Concrete, Minor Structures is **22 cubic yards**. The quantity on the bid sheets has been corrected.

Construction of Interchange on US 78 at Coley Road / Barnes Crossing Road, known as Federal Aid Project No. STP-0006-02(027) / 105420301 in Lee County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
<b>Roadway Items</b>					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-B025		56	Square Yard	Removal of Concrete Paved Ditch
0030	202-B041		3,726	Linear Feet	Removal of Fence, All Types
0040	202-B042		13	Each	Removal of Flared End Section, All Sizes
0050	202-B064		304	Linear Feet	Removal of Pipe, 8" And Above
0060	202-B069		1	Each	Removal of Sign
0070	202-B088		2	Each	Removal of Box Culvert Headwall, All Sizes
0080	202-B289		300	Linear Feet	Removal of Cable Rail
0090	203-EX017	(E)	492,696	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0100	203-EX035	(E)	2,966	Cubic Yard	Borrow Excavation, AH, FME, Class B9-6
0110	203-G004	(E)	4,449	Cubic Yard	Excess Excavation, LVM, AH
0120	206-A001	(S)	4,824	Cubic Yard	Structure Excavation
0130	206-B001	(E)	120	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0140	209-A004		38,895	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0150	211-B001	(E)	150	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0160	213-C001		12	Ton	Superphosphate
0162	217-A001		667	Square Yard	Ditch Liner
Added 11/18/2013					
0170	219-A001		14	Thousand Gallon	Watering [\$20.00]
0180	220-A001		24	Acre	Insect Pest Control [\$30.00]
0190	221-A001	(S)	197	Cubic Yard	Portland Cement Concrete Paved Ditch
Changed 11/18/2013					
0200	223-A001		24	Acre	Mowing [\$50.00]
0210	224-A001		666	Square Yard	Soil Reinforcing Mat
Changed 11/18/2013					
0220	234-A001		8,596	Linear Feet	Temporary Silt Fence
0230	235-A001		20	Bale	Temporary Erosion Checks
0240	239-A001		250	Linear Feet	Temporary Slope Drains
0250	501-E001		166	Linear Feet	Expansion Joints, Without Dowels
0260	502-A001	(C)	364	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0270	602-A001	(S)	112,637	Pounds	Reinforcing Steel
0280	603-A043	(S)	528	Linear Feet	36" Steel Pipe, Jacked or Bored, Wall Thickness 0.875"

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0290	603-CA003	(S)	156	Linear Feet	24" Reinforced Concrete Pipe, Class III
0300	603-CA005	(S)	712	Linear Feet	36" Reinforced Concrete Pipe, Class III
0310	603-CA006	(S)	16	Linear Feet	42" Reinforced Concrete Pipe, Class III
0320	603-CA020	(S)	192	Linear Feet	54" Reinforced Concrete Pipe, Class IV
0330	603-CA032	(S)	272	Linear Feet	54" Reinforced Concrete Pipe, Class V
0340	603-CB002	(S)	2	Each	24" Reinforced Concrete End Section
0350	603-CB004	(S)	11	Each	36" Reinforced Concrete End Section
0360	603-CB005	(S)	1	Each	42" Reinforced Concrete End Section
0370	603-CB007	(S)	4	Each	54" Reinforced Concrete End Section
0380	603-CE002	(S)	232	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III
0390	603-CF002	(S)	2	Each	29" x 18" Concrete Arch Pipe End Section
0400	603-SB005	(S)	1	Each	36" Branch Connections, Stub into Box Culvert
0410	605-AA003	(S)	152	Square Yard	Geotextile for Subsurface Drainage, Type III
0420	605-W001	(GY)	13	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
0430	605-W002	(GY)	14	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
0440	605-Z002		1	Each	Underdrain Appurtenances, Small Animal Guard
0450	605-Z004		1	Each	Underdrain Appurtenances, Sign
0460	606-B001		525	Linear Feet	Guard Rail, Class A, Type 1
0470	606-D012		2	Each	Guard Rail, Bridge End Section, Type I
0480	606-E001		4	Each	Guard Rail, Terminal End Section
0490	607-A002		5,420	Linear Feet	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
0500	607-P1004				Deleted 11/18/2013
0510	607-P1016		452	Each	Line Post, 7' x 4" x 4" Concrete
0512	607-P2004		75	Each	Brace Post, 8' x 6" x 6" Concrete
					Added 11/18/2013
0514	607-Z001		75	Each	Concrete Anchors
					Added 11/18/2013
0520	609-D007	(S)	812	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0530	615-A018	(S)	40	Linear Feet	Concrete Bridge End Barrier, 33.5"
0540	616-A001	(S)	663	Square Yard	Concrete Median and/or Island Pavement, 4-inch
0550	616-A003	(S)	80	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0560	618-A001		1	Lump Sum	Maintenance of Traffic
0570	619-D1001		46	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
					Changed 11/18/2013

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0580	619-D2001		437	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
	Changed 11/18/2013				
0590	619-F1001		1,200	Linear Feet	Concrete Median Barrier, Precast
0600	619-G4005		64	Linear Feet	Barricades, Type III, Double Faced
0610	619-G5001		416	Each	Free Standing Plastic Drums
0620	620-A001		1	Lump Sum	Mobilization
0630	627-K001		380	Each	Red-Clear Reflective High Performance Raised Markers
0640	627-L001		302	Each	Two-Way Yellow Reflective High Performance Raised Markers
0650	628-P001		77	Square Feet	High Performance Cold Plastic Legend, White
0660	630-A001		80	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0670	630-A002		304	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0680	630-B001		959	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
0690	630-C003		238	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
0700	630-D006		176	Linear Feet	Structural Steel Beams, W8 x 18
0710	630-D008		358	Linear Feet	Structural Steel Beams, W10 x 22
0720	630-E002		305	Pounds	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
0730	630-E003		574	Pounds	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
0740	630-E004		173	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0750	630-F001		21	Each	Delineators, Guard Rail, White
0760	630-F006		57	Each	Delineators, Post Mounted, Single White , Flexible
0770	630-F007		14	Each	Delineators, Post Mounted, Single Yellow , Flexible
0780	630-F008		62	Each	Delineators, Post Mounted, Double White , Flexible
0790	630-F009		18	Each	Delineators, Post Mounted, Double Yellow , Flexible
0800	630-G002		4	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
0810	630-K002		80	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
0820	630-K003		115	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
0830	635-A001		744	Linear Feet	Vehicle Loop Assemblies
0840	635-B001				Deleted 11/18/2013
0850	636-A003		1,771	Linear Feet	Shielded Cable, 4 Conductor
0860	638-A005		4	Each	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
0870	640-A016		8	Each	Traffic Signal Heads, Type 1 LED
	Changed 11/18/2013				
0880	640-A018		2	Each	Traffic Signal Heads, Type 3 LED
	Changed 11/18/2013				

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0890	640-A019		2	Each	Traffic Signal Heads, Type 5 LED
0900	640-A022		2	Each	Traffic Signal Heads, Type 7 LED
0910	644-A001		6	Each	Optical Detector
0920	644-B001		855	Linear Feet	Optical Detector Cable
0930	644-C002		2	Each	Phase Selector, 4 Channel
0940	647-A001		2	Each	Pullbox, Type 1
0950	647-A005		10	Each	Pullbox, Type 2
0960	648-A001		1	Each	Radio Interconnect, Installed in New Controller Cabinet
Changed 11/18/2013					
0970	666-B016		841	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor
0980	666-B032		200	Linear Feet	Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor
0990	666-D005		220	Linear Feet	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 7 Conductor
1000	668-A016		1,448	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 1"
1010	668-A018		100	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"
1020	668-A020		41	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"
1030	668-B024		461	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1040	668-B025		41	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1050	809-A004	(S)	2,473	Square Feet	Mechanically Stabilized Earth Wall System
1060	815-A006	(S)	30	Ton	Loose Riprap, Size 100
1070	815-A009	(S)	150	Ton	Loose Riprap, Size 300
1080	815-E001	(S)	200	Square Yard	Geotextile under Riprap
1090	907-216-A001		690	Square Yard	Solid Sodding
1100	907-225-A001		24	Acre	Grassing
1110	907-225-B001		72	Ton	Agricultural Limestone
1120	907-225-C001		48	Ton	Mulch, Vegetative Mulch
1130	907-226-A001		24	Acre	Temporary Grassing
1140	907-237-A002		80	Linear Feet	Wattles, 12"
1150	907-237-A003		80	Linear Feet	Wattles, 20"
1160	907-245-A001		80	Linear Feet	Triangular Silt Dike
1170	907-246-A001		80	Linear Feet	Sandbags
1180	907-247-A001		3	Each	Temporary Stream Diversion
1190	907-249-A001		30	Ton	Riprap for Erosion Control
1200	907-249-B001		20	Cubic Yard	Remove and Reset Riprap
1210	907-304-C007	(GY)	11,756	Cubic Yard	Granular Material, AEA, Class 3, Group C
1220	907-406-C001		4,489	Square Yard	Cold Milling of Shoulders, All Types, All Depths

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1230	907-407-A001	(A2 )	4,360	Gallon	Asphalt for Tack Coat
1240	907-413-E001		166	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
1250	907-601-A001	(S )	485	Cubic Yard	Class "B" Structural Concrete
1260	907-601-B003	(S )	22	Cubic Yard	Class "B" Structural Concrete, Minor Structures
Changed 11/22/2013					
1270	907-605-O001	(S )	200	Linear Feet	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
1280	907-606-G001		600	Linear Feet	Cable Barrier
1290	907-606-H001		2	Each	Cable Barrier Terminal Section
1300	907-606-I001		30	Each	Cable Barrier Post Repair
1310	907-617-A001		30	Each	Right-of-Way Marker
1312	907-619-E3001		3	Each	Changeable Message Sign
Added 11/18/2013					
1320	907-626-A004		4,887	Linear Feet	6" Thermoplastic Traffic Stripe, Skip White
1330	907-626-C008		10,661	Linear Feet	6" Thermoplastic Edge Stripe, Continuous White
1340	907-626-D004		1,028	Linear Feet	6" Thermoplastic Traffic Stripe, Skip Yellow
1350	907-626-E003		1,028	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow
1360	907-626-F008		3,371	Linear Feet	6" Thermoplastic Edge Stripe, Continuous Yellow
1370	907-626-G004		7,179	Linear Feet	Thermoplastic Detail Stripe, White
1380	907-626-G005		5,109	Linear Feet	Thermoplastic Detail Stripe, Yellow
1390	907-626-H004		560	Linear Feet	Thermoplastic Legend, White
1400	907-626-H005		178	Square Feet	Thermoplastic Legend, White
1410	907-631-B001		70	Cubic Yard	Flowable Fill, Non-Excavatable
1420	907-639-A006		4	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1430	907-639-A015		2	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
1440	907-639-C002		24	Cubic Yard	Pole Foundations, 36" Diameter
1450	907-642-A005		2	Each	Solid State Traffic Actuated Controllers, Type 8M
1460	907-643-A001		1	Each	Closed Loop On-Street Master System
1470	907-649-A004		2	Each	Video Detection System, 1 Sensor, Type 2
1480	907-699-A002		1	Lump Sum	Roadway Construction Stakes
1490	907-906001		1,040	Hours	Trainees [\$5.00]
<b>ALTERNATE GROUP AA NUMBER 1</b>					
1500	907-304-H002	(GY )	12,221	Cubic Yard	3/4" and Down Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 2</b>					
1510	907-304-H003	(GY )	12,221	Cubic Yard	Size 610 Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 3</b>					

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1520	907-304-H004	(GY )	12,221	Cubic Yard	Size 825B Crushed Stone Base, LVM <b>ALTERNATE GROUP BB NUMBER 1</b>
1530	907-403-A006	(BA1 )	1,915	Ton	Hot Mix Asphalt, MT, 12.5-mm mixture <b>ALTERNATE GROUP BB NUMBER 2</b>
Changed 11/18/2013					
1540	907-403-M002	(BA1 )	1,915	Ton	Warm Mix Asphalt, MT, 12.5-mm mixture <b>ALTERNATE GROUP CC NUMBER 1</b>
Changed 11/18/2013					
1550	907-403-A007	(BA1 )	8,324	Ton	Hot Mix Asphalt, MT, 19-mm mixture <b>ALTERNATE GROUP CC NUMBER 2</b>
Changed 11/18/2013					
1560	907-403-M007	(BA1 )	8,324	Ton	Warm Mix Asphalt, MT, 19-mm mixture <b>ALTERNATE GROUP DD NUMBER 1</b>
Changed 11/18/2013					
1570	907-403-A010	(BA1 )	3,054	Ton	Hot Mix Asphalt, MT, 9.5-mm mixture <b>ALTERNATE GROUP DD NUMBER 2</b>
Changed 11/18/2013					
1580	907-403-M006	(BA1 )	3,054	Ton	Warm Mix Asphalt, MT, 9.5-mm mixture <b>ALTERNATE GROUP EE NUMBER 1</b>
Changed 11/18/2013					
1590	907-403-A012	(BA1 )	2,393	Ton	Hot Mix Asphalt, ST, 19-mm mixture <b>ALTERNATE GROUP EE NUMBER 2</b>
Changed 11/18/2013					
1600	907-403-M004	(BA1 )	2,393	Ton	Warm Mix Asphalt, ST, 19-mm mixture <b>ALTERNATE GROUP FF NUMBER 1</b>
Changed 11/18/2013					
1610	907-626-I003		710	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1620	907-626-J003		710	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1630	907-626-M001		128	Linear Feet	Inverted Profile Thermoplastic Detail Traffic Stripe, White
1640	907-626-M002		1,472	Linear Feet	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow <b>ALTERNATE GROUP FF NUMBER 2</b>
1650	628-I002		710	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White
1660	628-J002		710	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1670	628-O001		128	Linear Feet	High Performance Cold Plastic Detail Stripe, White
1680	628-O002		1,472	Linear Feet	High Performance Cold Plastic Detail Stripe, Yellow <b>Bridge Items</b>

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1690	501-K001		2,972	Square Yard	Transverse Grooving
1700	801-A001	(S)	983	Cubic Yard	Foundation Excavation for Bridges
1710	803-D003	(S)	3,380	Linear Feet	HP 14 x 73 Steel Piling
1720	803-D006	(S)	5,760	Linear Feet	HP 14 x 117 Steel Piling
1730	803-F005	(S)	125	Linear Feet	18" Pre-Formed Pile Hole
1740	803-H001	(S)	2	Each	PDA Test Pile, Conventional Load Test
1750	803-I001	(S)	2	Each	PDA Test Pile
1760	805-A001	(S)	372,105	Pounds	Reinforcement
1770	813-A001	(S)	704	Linear Feet	Concrete Railing
1780	815-D001	(S)	196	Cubic Yard	Concrete Slope Paving
1790	907-804-A001	(S)	1,745	Cubic Yard	Bridge Concrete, Class AA
1800	907-804-C148	(S)	1,489	Linear Feet	75' Prestressed Concrete Beam, Type IV
1810	907-804-C240	(S)	2,003	Linear Feet	101' Prestressed Concrete Beam, Type IV