

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 11/18/2013 ADDENDUM NO. 3 DATED 11/21/2013
 ADDENDUM NO. 2 DATED 11/19/2013 ADDENDUM NO. DATED

| Number | Description |
|--------|---|
| 1 | Revised or Added Plan Sht. Nos. 1, 2, & 3; Amendment EBS Download Required. |
| 2 | Table of Contents, replace same; Add SP 907-107-14 Supplement; Amendment EBS Download Required. |
| 3 | Revised Table of Contents, replace same; Add NTB No. 4695; BidItems, replace same; Amendment EBS Download Required. |

TOTAL ADDENDA: 3
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

_____ Contractor

BY _____ Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

| | | |
|-------|-----------|---------|
| _____ | President | Address |
| _____ | Secretary | Address |
| _____ | Treasurer | Address |

The following is my (our) itemized proposal.

Revised 09/21/2005

HSIP-0008-01(130) / 106235301 Stone County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: HSIP-0008-01(130) / 106235301 – Stone County

901--Advertisement

904--Notice to Bidders: Governing Specs. - # 1
 Gopher Tortoises - # 151
 Fiber Reinforced Concrete - # 640
 Non-Use of Precast Drainage Units - # 1322
 Errata & Modifications to 2004 Standard Specifications - # 1405
 Federal Bridge Formula - # 1928
 Status of ROW, W/Attachments - # 2382
 Non-Quality Control/Quality Assurance Concrete - # 2818
 Reduced Speed Limit Signs - # 2937
 Alternate Asphalt Mixture Bid Items - # 3039
 Temporary Traffic Paint - # 3131
 Storm Water Discharge Associated with Construction Activities (≥ 5 Acres) -
 # 3581
 Additional Erosion Control Requirements – # 3612
 Type III Barricade Rails - # 3655
 Petroleum Products Base Price - # 3893
 Questions Regarding Bidding - # 3980
 Disadvantaged Business Enterprise, W/Supplement - # 4103
 Safety Apparel - # 4214
 Alternate Crushed Stone Base Bid Items - # 4473
 DBE Forms, Participation, and Payment - # 4488
 Warm Mix Asphalt (WMA) - # 4524
 Electronic Addendum Process - # 4526
 Manual on Uniform Traffic Control Devices (MUTCD) - # 4565
 DUNS Requirement for Federal Funded Projects - # 4566
 Adjustments for Bituminous Materials - # 4612
 Contract Time - # 4648
 Specialty Items - # 4649
 Placement of Fill Material in Federally Regulated Areas - # 4650
 Restricted Area - # 4651
 Payroll Requirements - # 4661
 Project Number Change - # 4663
 Pay Item - # 4695

906: Required Federal Contract Provisions -- FHWA-1273, W/ Supplements

907-101-4: Definitions
907-102-10: Bidding Requirements and Conditions
907-103-8: Award and Execution of Contract
907-104-1: Partnering Process
907-104-5: Scope of Work
907-105-7: Control of Work
907-107-13: Legal Relations & Responsibility to Public
907-107-14: Contractor's Protection Plan), W/ Supplement
907-108-30: Prosecution and Progress
907-109-6: Measurement and Payment
907-110-2: Wage Rates
907-225-3: Grassing
907-237-4: Wattles

-- CONTINUED ON NEXT PAGE --

| | |
|-------------|--|
| 907-304-13: | Granular Courses |
| 907-401-2: | Hot Mix Asphalt (HMA), <u>W/ Supplement</u> |
| 907-401-6: | Warm Mix Asphalt (WMA) |
| 907-403-4: | Hot Mix Asphalt (HMA), <u>W/ Supplement</u> |
| 907-403-12: | Warm Mix Asphalt (WMA) |
| 907-407-1: | Tack Coat |
| 907-601-1: | Structural Concrete |
| 907-605-3: | Underdrains |
| 907-618-9: | Placement of Temporary Traffic Stripe |
| 907-626-25: | Thermoplastic Traffic Markings |
| 907-631-1: | Flowable Fill |
| 907-639-4: | Traffic Signal Equipment Poles |
| 907-645-1: | Be Prepared to Stop When Flashing Assembly |
| 907-649-3: | Video Vehicle Detection |
| 907-658-7: | Networking Equipment |
| 907-699-4: | Construction Stakes |
| 907-701-4: | Hydraulic Cement |
| 907-702-3: | Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement |
| 907-703-11: | Aggregates |
| 907-707-4: | Rubber Type Gaskets |
| 907-708-6: | Non Metal Drainage Structures |
| 907-709-1: | Metal Pipe |
| 907-711-4: | Synthetic Structural Fiber Reinforcement |
| 907-713-3: | Admixtures for Concrete |
| 907-714-8: | Miscellaneous Materials |
| 907-715-4: | Roadside Development Materials |
| 907-720-2: | Pavement Marking Materials |
| 907-804-13: | Concrete Bridges and Structures, <u>W/ Supplement</u> |

SECTION 905 - PROPOSAL,
PROPOSAL BID ITEMS,
COMBINATION BID PROPOSAL,
CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS,
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS,
OCR-485.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 4695

CODE: (SP)

DATE: 11/21/2013

SUBJECT: Pay Item

PROJECT: HSIP-0008-01(130) / 106235301 – Stone County

Bidders are hereby advised that Pay Item, 201-A001 (Clearing & Grubbing) is not included in the plans, but is listed on the Bid Sheets.

Traffic Signal installation on US 49 at Hall Street and Magnolia Drive, known as Federal Aid Project No. HSIP-0008-01(130) / 106235301 in Stone County.

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|------------------|----------|----------|-------------|---|
| | | | | | Roadway Items |
| 0005 | 201-A001 | | 1 | Lump Sum | Clearing and Grubbing |
| | Added 11/21/2013 | | | | |
| 0010 | 202-A001 | | 1 | Lump Sum | Removal of Obstructions |
| 0020 | 202-B038 | | 216 | Linear Feet | Removal of Curb, All Types |
| 0030 | 202-B042 | | 1 | Each | Removal of Flared End Section, All Sizes |
| 0040 | 202-B057 | | 1 | Each | Removal of Inlets, All Sizes |
| 0050 | 202-B064 | | 291 | Linear Feet | Removal of Pipe, 8" And Above |
| 0060 | 202-B076 | | 279 | Linear Feet | Removal of Traffic Stripe |
| 0070 | 202-B078 | | 3,548 | Square Yard | Removal of Pavement, All Types and Depths |
| 0080 | 203-A004 | (E) | 643 | Cubic Yard | Unclassified Excavation, LVM, AH |
| 0090 | 203-EX014 | (E) | 6,931 | Cubic Yard | Borrow Excavation, AH, LVM, Class B7 |
| 0100 | 203-G004 | (E) | 4,085 | Cubic Yard | Excess Excavation, LVM, AH |
| 0110 | 206-A001 | (S) | 90 | Cubic Yard | Structure Excavation |
| 0120 | 206-B001 | (E) | 90 | Cubic Yard | Select Material for Undercuts, Contractor Furnished, FM |
| 0130 | 209-A004 | | 12,500 | Square Yard | Geotextile Stabilization, Type V, Non-Woven |
| 0140 | 211-A001 | | 16,841 | Square Yard | Topsoil for Slope Treatment, From Right-of-Way |
| 0150 | 213-C001 | | 2 | Ton | Superphosphate |
| 0160 | 217-A001 | | 5,000 | Square Yard | Ditch Liner |
| 0170 | 221-A001 | (S) | 6 | Cubic Yard | Portland Cement Concrete Paved Ditch |
| 0180 | 223-A001 | | 1 | Acre | Mowing [\$50.00] |
| 0190 | 234-A001 | | 4,800 | Linear Feet | Temporary Silt Fence |
| 0200 | 406-A001 | | 100 | Square Yard | Cold Milling of Bituminous Pavement, All Depths |
| 0210 | 503-C007 | | 300 | Linear Feet | Saw Cut, Full Depth |
| 0220 | 603-CA104 | (S) | 212 | Linear Feet | 60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket |
| 0230 | 603-CB008 | (S) | 4 | Each | 60" Reinforced Concrete End Section |
| 0240 | 609-B003 | (S) | 123 | Linear Feet | Concrete Curb, Special Design |
| 0250 | 609-D002 | (S) | 447 | Linear Feet | Combination Concrete Curb and Gutter Type 2 |
| 0260 | 609-D009 | (S) | 246 | Linear Feet | Combination Concrete Curb and Gutter Type 3B |
| 0270 | 616-A003 | (S) | 400 | Square Yard | Concrete Median and/or Island Pavement, 10-inch |
| 0280 | 618-A001 | | 1 | Lump Sum | Maintenance of Traffic |
| 0290 | 619-A1007 | | 5,390 | Linear Feet | Temporary Traffic Stripe, Continuous White, Type 1 Tape |
| 0300 | 619-A2007 | | 3,520 | Linear Feet | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|-----------|----------|----------|-------------|--|
| 0310 | 619-D1001 | | 60 | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 0320 | 619-D2001 | | 280 | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More |
| 0330 | 619-G4001 | | 144 | Linear Feet | Barricades, Type III, Single Faced |
| 0340 | 619-G4005 | | 18 | Linear Feet | Barricades, Type III, Double Faced |
| 0350 | 619-G5001 | | 100 | Each | Free Standing Plastic Drums |
| 0360 | 620-A001 | | 1 | Lump Sum | Mobilization |
| 0370 | 627-J001 | | 77 | Each | Two-Way Clear Reflective High Performance Raised Markers |
| 0380 | 627-L001 | | 173 | Each | Two-Way Yellow Reflective High Performance Raised Markers |
| 0390 | 630-A001 | | 25 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 0400 | 630-A002 | | 42 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 0410 | 630-C003 | | 136 | Linear Feet | Steel U-Section Posts, 3.0 lb/ft |
| 0420 | 635-A001 | | 258 | Linear Feet | Vehicle Loop Assemblies |
| 0430 | 636-A005 | | 2,806 | Linear Feet | Shielded Cable, AWG #14, 2 Conductor |
| 0440 | 638-A005 | | 1 | Each | Loop Detector Amplifier, Card Rack Mounted, 4 Channel |
| 0450 | 640-A016 | | 5 | Each | Traffic Signal Heads, Type 1 LED |
| 0460 | 640-A036 | | 1 | Each | Traffic Signal Heads, Type 5L, LED |
| 0470 | 640-A045 | | 2 | Each | Traffic Signal Heads, Type 3L, LED |
| 0480 | 640-A050 | | 3 | Each | Traffic Signal Heads, Type 2L LED |
| 0490 | 640-A051 | | 1 | Each | Traffic Signal Heads, Type 2R LED |
| 0500 | 642-A001 | | 1 | Each | Solid State Traffic Actuated Controllers, Type 8M |
| 0510 | 643-A001 | | 1 | Each | Closed Loop On-Street Master System |
| 0520 | 647-A001 | | 6 | Each | Pullbox, Type 1 |
| 0530 | 647-A002 | | 1 | Each | Pullbox, Type 3 |
| 0540 | 647-A005 | | 3 | Each | Pullbox, Type 2 |
| 0550 | 648-A001 | | 1 | Each | Radio Interconnect, Installed in New Controller Cabinet |
| 0560 | 653-B001 | | 47 | Square Feet | Street Name Sign, Encapsulated Lens |
| 0570 | 666-B004 | | 582 | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor |
| 0580 | 666-B014 | | 2,057 | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor |
| 0590 | 666-B022 | | 272 | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor |
| 0600 | 666-B054 | | 974 | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor |
| 0610 | 668-A018 | | 1,752 | Linear Feet | Traffic Signal Conduit, Underground, Type 4, 2" |
| 0620 | 668-A020 | | 16 | Linear Feet | Traffic Signal Conduit, Underground, Type 4, 3" |
| 0630 | 668-B024 | | 355 | Linear Feet | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 0640 | 668-B025 | | 340 | Linear Feet | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 0650 | 815-A008 | (S) | 140 | Ton | Loose Riprap, Size 200 |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|--------------|----------|----------|-------------|--|
| 0660 | 907-225-A001 | | 4 | Acre | Grassing |
| 0670 | 907-225-B001 | | 7 | Ton | Agricultural Limestone |
| 0680 | 907-225-C001 | | 7 | Ton | Mulch, Vegetative Mulch |
| 0690 | 907-237-A003 | | 300 | Linear Feet | Wattles, 20" |
| 0700 | 907-407-A001 | (A2) | 1,030 | Gallon | Asphalt for Tack Coat |
| 0710 | 907-601-B003 | (S) | 4 | Cubic Yard | Class "B" Structural Concrete, Minor Structures |
| 0720 | 907-605-I001 | (S) | 75 | Linear Feet | Edge Drain Outlets/Vents |
| 0730 | 907-626-A004 | | 39 | Linear Feet | 6" Thermoplastic Traffic Stripe, Skip White |
| 0740 | 907-626-C007 | | 5,581 | Linear Feet | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 0750 | 907-626-E003 | | 4,808 | Linear Feet | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 0760 | 907-626-G004 | | 1,928 | Linear Feet | Thermoplastic Detail Stripe, White |
| 0770 | 907-626-G005 | | 1,132 | Linear Feet | Thermoplastic Detail Stripe, Yellow |
| 0780 | 907-626-H004 | | 352 | Linear Feet | Thermoplastic Legend, White |
| 0790 | 907-626-H005 | | 633 | Square Feet | Thermoplastic Legend, White |
| 0800 | 907-631-B001 | | 8 | Cubic Yard | Flowable Fill, Non-Excavatable |
| 0810 | 907-639-A020 | | 4 | Each | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm |
| 0820 | 907-639-C002 | | 14 | Cubic Yard | Pole Foundations, 36" Diameter |
| 0830 | 907-639-D001 | | 60 | Linear Feet | Slip Casing, 36" Diameter |
| 0840 | 907-645-B001 | | 4 | Each | Be Prepared to Stop When Flashing Assembly |
| 0850 | 907-649-A004 | | 4 | Each | Video Detection System, 1 Sensor, Type 2 |
| 0860 | 907-658-A005 | | 1 | Each | Network Switch, Type A |
| 0870 | 907-658-B001 | | 1 | Each | Terminal Server |
| 0880 | 907-699-A002 | | 1 | Lump Sum | Roadway Construction Stakes |
| | | | | | ALTERNATE GROUP AA NUMBER 1 |
| 0890 | 907-304-F003 | (GT) | 293 | Ton | 3/4" and Down Crushed Stone Base |
| | | | | | ALTERNATE GROUP AA NUMBER 2 |
| 0900 | 907-304-F004 | (GT) | 293 | Ton | Size 825B Crushed Stone Base |
| | | | | | ALTERNATE GROUP AA NUMBER 3 |
| 0910 | 907-304-F002 | (GT) | 293 | Ton | Size 610 Crushed Stone Base |
| | | | | | ALTERNATE GROUP BB NUMBER 1 |
| 0920 | 907-403-A010 | (BA1) | 485 | Ton | Hot Mix Asphalt, MT, 9.5-mm mixture |
| | | | | | ALTERNATE GROUP BB NUMBER 2 |
| 0930 | 907-403-M006 | (BA1) | 485 | Ton | Warm Mix Asphalt, MT, 9.5-mm mixture |
| | | | | | ALTERNATE GROUP CC NUMBER 1 |
| 0940 | 907-403-A006 | (BA1) | 439 | Ton | Hot Mix Asphalt, MT, 12.5-mm mixture |
| | | | | | ALTERNATE GROUP CC NUMBER 2 |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|--------------|----------|----------|-------|---|
| 0950 | 907-403-M002 | (BA1) | 439 | Ton | Warm Mix Asphalt, MT, 12.5-mm mixture ALTERNATE GROUP DD NUMBER 1 |
| 0960 | 907-403-A007 | (BA1) | 659 | Ton | Hot Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP DD NUMBER 2 |
| 0970 | 907-403-M007 | (BA1) | 659 | Ton | Warm Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP EE NUMBER 1 |
| 0980 | 907-403-A015 | (BA1) | 221 | Ton | Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP EE NUMBER 2 |
| 0990 | 907-403-M001 | (BA1) | 221 | Ton | Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP FF NUMBER 1 |
| 1000 | 907-403-A011 | (BA1) | 295 | Ton | Hot Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP FF NUMBER 2 |
| 1010 | 907-403-M003 | (BA1) | 295 | Ton | Warm Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP GG NUMBER 1 |
| 1020 | 907-403-A012 | (BA1) | 387 | Ton | Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP GG NUMBER 2 |
| 1030 | 907-403-M004 | (BA1) | 387 | Ton | Warm Mix Asphalt, ST, 19-mm mixture |