


[Proposal & Plan Sales Will Begin on November 4, 2013](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for November – November 26, 2013



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR NOVEMBER - Tuesday, November 26, 2013

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON NOVEMBER 04, 2013

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR NOVEMBER

| CALL | CONTRACT | COUNTY |
|------|--|----------------|
| 01 | STP-0006-02(027) / 105420301 | Lee |
| 02 | HSIP-0008-01(130) / 106235301 | Stone |
| 03 | HSIP-0009-02(078) / 106418301 | Warren |
| 04 | SP-9392-00(008) / 100710302 | Jackson |
| 05 | ER-0055-01(106) / 106668301 & ER-0055-01(106) / 106668302 | Pike & Lincoln |
| 06 | BR-0055-02(237) / 106533301 & MRP-5055-25(201) / 304990301 | Hinds |
| 07 | HSIP-6928-00(011) / 106577301 | Madison |

Construction of Interchange on US 78 at Coley Road / Barnes Crossing Road, known as Federal Aid Project No. STP-0006-02(027) / 105420301 in Lee County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | |
|--------------------|-----------|---|
| Lump Sum | 201-A001 | Clearing and Grubbing |
| 56 Square Yard | 202-B025 | Removal of Concrete Paved Ditch |
| 3,726 Linear Feet | 202-B041 | Removal of Fence, All Types |
| 13 Each | 202-B042 | Removal of Flared End Section, All Sizes |
| 304 Linear Feet | 202-B064 | Removal of Pipe, 8" And Above |
| 1 Each | 202-B069 | Removal of Sign |
| 2 Each | 202-B088 | Removal of Box Culvert Headwall, All Sizes |
| 300 Linear Feet | 202-B289 | Removal of Cable Rail |
| 492,696 Cubic Yard | 203-EX017 | Borrow Excavation, AH, FME, Class B9 |
| 2,966 Cubic Yard | 203-EX035 | Borrow Excavation, AH, FME, Class B9-6 |
| 4,449 Cubic Yard | 203-G004 | Excess Excavation, LVM, AH |
| 4,824 Cubic Yard | 206-A001 | Structure Excavation |
| 120 Cubic Yard | 206-B001 | Select Material for Undercuts, Contractor Furnished, FM |
| 38,895 Square Yard | 209-A004 | Geotextile Stabilization, Type V, Non-Woven |
| 150 Cubic Yard | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 12 Ton | 213-C001 | Superphosphate |
| 14 Thousand Gallon | 219-A001 | Watering |
| 24 Acre | 220-A001 | Insect Pest Control |
| 113 Cubic Yard | 221-A001 | Portland Cement Concrete Paved Ditch |
| 24 Acre | 223-A001 | Mowing |
| 1,333 Square Yard | 224-A001 | Soil Reinforcing Mat |
| 8,596 Linear Feet | 234-A001 | Temporary Silt Fence |
| 20 Bale | 235-A001 | Temporary Erosion Checks |
| 250 Linear Feet | 239-A001 | Temporary Slope Drains |
| 166 Linear Feet | 501-E001 | Expansion Joints, Without Dowels |
| 364 Square Yard | 502-A001 | Reinforced Cement Concrete Bridge End Pavement |
| 112,637 Pounds | 602-A001 | Reinforcing Steel |
| 528 Linear Feet | 603-A043 | 36" Steel Pipe, Jacked or Bored, Wall Thickness 0.875" |
| 156 Linear Feet | 603-CA003 | 24" Reinforced Concrete Pipe, Class III |
| 712 Linear Feet | 603-CA005 | 36" Reinforced Concrete Pipe, Class III |
| 16 Linear Feet | 603-CA006 | 42" Reinforced Concrete Pipe, Class III |
| 192 Linear Feet | 603-CA020 | 54" Reinforced Concrete Pipe, Class IV |
| 272 Linear Feet | 603-CA032 | 54" Reinforced Concrete Pipe, Class V |
| 2 Each | 603-CB002 | 24" Reinforced Concrete End Section |
| 11 Each | 603-CB004 | 36" Reinforced Concrete End Section |
| 1 Each | 603-CB005 | 42" Reinforced Concrete End Section |
| 4 Each | 603-CB007 | 54" Reinforced Concrete End Section |
| 232 Linear Feet | 603-CE002 | 29" x 18" Concrete Arch Pipe, Class A III |
| 2 Each | 603-CF002 | 29" x 18" Concrete Arch Pipe End Section |
| 1 Each | 603-SB005 | 36" Branch Connections, Stub into Box Culvert |

CALL No. 01

| | | | |
|-------|-------------|-----------|---|
| 152 | Square Yard | 605-AA003 | Geotextile for Subsurface Drainage, Type III |
| 13 | Cubic Yard | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 14 | Cubic Yard | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| 1 | Each | 605-Z002 | Underdrain Appurtenances, Small Animal Guard |
| 1 | Each | 605-Z004 | Underdrain Appurtenances, Sign |
| 525 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 2 | Each | 606-D012 | Guard Rail, Bridge End Section, Type I |
| 4 | Each | 606-E001 | Guard Rail, Terminal End Section |
| 5,420 | Linear Feet | 607-A002 | 60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown |
| 75 | Each | 607-P1004 | Line Post, 8' x 4" x 4" Concrete |
| 452 | Each | 607-P1016 | Line Post, 7' x 4" x 4" Concrete |
| 812 | Linear Feet | 609-D007 | Combination Concrete Curb and Gutter Type 2 Modified |
| 40 | Linear Feet | 615-A018 | Concrete Bridge End Barrier, 33.5" |
| 663 | Square Yard | 616-A001 | Concrete Median and/or Island Pavement, 4-inch |
| 80 | Square Yard | 616-A003 | Concrete Median and/or Island Pavement, 10-inch |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 36 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 172 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 1,200 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| 64 | Linear Feet | 619-G4005 | Barricades, Type III, Double Faced |
| 416 | Each | 619-G5001 | Free Standing Plastic Drums |
| | Lump Sum | 620-A001 | Mobilization |
| 380 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 302 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 77 | Square Feet | 628-P001 | High Performance Cold Plastic Legend, White |
| 80 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 304 | Square Feet | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 959 | Square Feet | 630-B001 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 238 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 176 | Linear Feet | 630-D006 | Structural Steel Beams, W8 x 18 |
| 358 | Linear Feet | 630-D008 | Structural Steel Beams, W10 x 22 |
| 305 | Pounds | 630-E002 | Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles |
| 574 | Pounds | 630-E003 | Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles |
| 173 | Pounds | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 21 | Each | 630-F001 | Delineators, Guard Rail, White |
| 57 | Each | 630-F006 | Delineators, Post Mounted, Single White, Flexible |
| 14 | Each | 630-F007 | Delineators, Post Mounted, Single Yellow, Flexible |
| 62 | Each | 630-F008 | Delineators, Post Mounted, Double White, Flexible |
| 18 | Each | 630-F009 | Delineators, Post Mounted, Double Yellow, Flexible |
| 4 | Each | 630-G002 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| 80 | Linear Feet | 630-K002 | Welded & Seamless Steel Pipe Posts, 3 1/2" |
| 115 | Linear Feet | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" |
| 744 | Linear Feet | 635-A001 | Vehicle Loop Assemblies |
| 4 | Each | 635-B001 | Probe Point Detection Units, Paired |
| 1,771 | Linear Feet | 636-A003 | Shielded Cable, 4 Conductor |

CALL No. 01

| | | | |
|--------|-------------|--------------|--|
| 4 | Each | 638-A005 | Loop Detector Amplifier, Card Rack Mounted, 4 Channel |
| 2 | Each | 640-A016 | Traffic Signal Heads, Type 1 LED |
| 8 | Each | 640-A018 | Traffic Signal Heads, Type 3 LED |
| 2 | Each | 640-A019 | Traffic Signal Heads, Type 5 LED |
| 2 | Each | 640-A022 | Traffic Signal Heads, Type 7 LED |
| 6 | Each | 644-A001 | Optical Detector |
| 855 | Linear Feet | 644-B001 | Optical Detector Cable |
| 2 | Each | 644-C002 | Phase Selector, 4 Channel |
| 2 | Each | 647-A001 | Pullbox, Type 1 |
| 10 | Each | 647-A005 | Pullbox, Type 2 |
| 2 | Each | 648-A001 | Radio Interconnect, Installed in New Controller Cabinet |
| 841 | Linear Feet | 666-B016 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor |
| 200 | Linear Feet | 666-B032 | Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor |
| 220 | Linear Feet | 666-D005 | Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor |
| 1,448 | Linear Feet | 668-A016 | Traffic Signal Conduit, Underground, Type 4, 1" |
| 100 | Linear Feet | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" |
| 41 | Linear Feet | 668-A020 | Traffic Signal Conduit, Underground, Type 4, 3" |
| 461 | Linear Feet | 668-B024 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 41 | Linear Feet | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 2,473 | Square Feet | 809-A004 | Mechanically Stabilized Earth Wall System |
| 30 | Ton | 815-A006 | Loose Riprap, Size 100 |
| 150 | Ton | 815-A009 | Loose Riprap, Size 300 |
| 200 | Square Yard | 815-E001 | Geotextile under Riprap |
| 690 | Square Yard | 907-216-A001 | Solid Sodding |
| 24 | Acre | 907-225-A001 | Grassing |
| 72 | Ton | 907-225-B001 | Agricultural Limestone |
| 48 | Ton | 907-225-C001 | Mulch, Vegetative Mulch |
| 24 | Acre | 907-226-A001 | Temporary Grassing |
| 80 | Linear Feet | 907-237-A002 | Wattles, 12" |
| 80 | Linear Feet | 907-237-A003 | Wattles, 20" |
| 80 | Linear Feet | 907-245-A001 | Triangular Silt Dike |
| 80 | Linear Feet | 907-246-A001 | Sandbags |
| 3 | Each | 907-247-A001 | Temporary Stream Diversion |
| 30 | Ton | 907-249-A001 | Riprap for Erosion Control |
| 20 | Cubic Yard | 907-249-B001 | Remove and Reset Riprap |
| 11,756 | Cubic Yard | 907-304-C007 | Granular Material, AEA, Class 3, Group C |
| 4,489 | Square Yard | 907-406-C001 | Cold Milling of Shoulders, All Types, All Depths |
| 4,360 | Gallon | 907-407-A001 | Asphalt for Tack Coat |
| 166 | Linear Feet | 907-413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 485 | Cubic Yard | 907-601-A001 | Class "B" Structural Concrete |
| 78 | Cubic Yard | 907-601-B003 | Class "B" Structural Concrete, Minor Structures |
| 200 | Linear Feet | 907-605-O001 | 6" Perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 600 | Linear Feet | 907-606-G001 | Cable Barrier |
| 2 | Each | 907-606-H001 | Cable Barrier Terminal Section |
| 30 | Each | 907-606-I001 | Cable Barrier Post Repair |

CALL No. 01

| | | | |
|--------|-------------|--------------------------|--|
| 30 | Each | 907-617-A001 | Right-of-Way Marker |
| 4,887 | Linear Feet | 907-626-A004 | 6" Thermoplastic Traffic Stripe, Skip White |
| 10,661 | Linear Feet | 907-626-C008 | 6" Thermoplastic Edge Stripe, Continuous White |
| 1,028 | Linear Feet | 907-626-D004 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 1,028 | Linear Feet | 907-626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 3,371 | Linear Feet | 907-626-F008 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 7,179 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 5,109 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 560 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |
| 178 | Square Feet | 907-626-H005 | Thermoplastic Legend, White |
| 70 | Cubic Yard | 907-631-B001 | Flowable Fill, Non-Excavatable |
| 4 | Each | 907-639-A006 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm |
| 2 | Each | 907-639-A015 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm |
| 24 | Cubic Yard | 907-639-C002 | Pole Foundations, 36" Diameter |
| 2 | Each | 907-642-A005 | Solid State Traffic Actuated Controllers, Type 8M |
| 1 | Each | 907-643-A001 | Closed Loop On-Street Master System |
| 2 | Each | 907-649-A004 | Video Detection System, 1 Sensor, Type 2 |
| | Lump Sum | 907-699-A002 | Roadway Construction Stakes |
| 1,040 | Hours | 907-906001 | Trainees |
| | | ALTERNATE GROUP AA NO. 1 | |
| 12,221 | Cubic Yard | 907-304-H002 | 3/4" and Down Crushed Stone Base, LVM |
| | | ALTERNATE GROUP AA NO. 2 | |
| 12,221 | Cubic Yard | 907-304-H003 | Size 610 Crushed Stone Base, LVM |
| | | ALTERNATE GROUP AA NO. 3 | |
| 12,221 | Cubic Yard | 907-304-H004 | Size 825B Crushed Stone Base, LVM |
| | | ALTERNATE GROUP BB NO. 1 | |
| 4,675 | Ton | 907-403-A006 | Hot Mix Asphalt, MT, 12.5-mm mixture |
| | | ALTERNATE GROUP BB NO. 2 | |
| 4,675 | Ton | 907-403-M002 | Warm Mix Asphalt, MT, 12.5-mm mixture |
| | | ALTERNATE GROUP CC NO. 1 | |
| 6,322 | Ton | 907-403-A007 | Hot Mix Asphalt, MT, 19-mm mixture |
| | | ALTERNATE GROUP CC NO. 2 | |
| 6,322 | Ton | 907-403-M007 | Warm Mix Asphalt, MT, 19-mm mixture |
| | | ALTERNATE GROUP DD NO. 1 | |
| 7,537 | Ton | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture |
| | | ALTERNATE GROUP DD NO. 2 | |
| 7,537 | Ton | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture |
| | | ALTERNATE GROUP EE NO. 1 | |
| 1,723 | Ton | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture |
| | | ALTERNATE GROUP EE NO. 2 | |
| 1,723 | Ton | 907-403-M004 | Warm Mix Asphalt, ST, 19-mm mixture |
| | | ALTERNATE GROUP FF NO. 1 | |
| 710 | Linear Feet | 907-626-I003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White |
| 710 | Linear Feet | 907-626-J003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
| 128 | Linear Feet | 907-626-M001 | Inverted Profile Thermoplastic Detail Traffic Stripe, White |
| 1,472 | Linear Feet | 907-626-M002 | Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow |

CALL No. 01

ALTERNATE GROUP FF NO. 2

| | | | |
|-------|-------------|----------|--|
| 710 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 710 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 128 | Linear Feet | 628-O001 | High Performance Cold Plastic Detail Stripe, White |
| 1,472 | Linear Feet | 628-O002 | High Performance Cold Plastic Detail Stripe, Yellow |

Bridge Items

| | | | |
|---------|-------------|--------------|---|
| 2,972 | Square Yard | 501-K001 | Transverse Grooving |
| 983 | Cubic Yard | 801-A001 | Foundation Excavation for Bridges |
| 3,380 | Linear Feet | 803-D003 | HP 14 x 73 Steel Piling |
| 5,760 | Linear Feet | 803-D006 | HP 14 x 117 Steel Piling |
| 125 | Linear Feet | 803-F005 | 18" Pre-Formed Pile Hole |
| 2 | Each | 803-H001 | PDA Test Pile, Conventional Load Test |
| 2 | Each | 803-I001 | PDA Test Pile |
| 372,105 | Pounds | 805-A001 | Reinforcement |
| 704 | Linear Feet | 813-A001 | Concrete Railing |
| 196 | Cubic Yard | 815-D001 | Concrete Slope Paving |
| 1,745 | Cubic Yard | 907-804-A001 | Bridge Concrete, Class AA |
| 1,489 | Linear Feet | 907-804-C148 | 75' Prestressed Concrete Beam, Type IV |
| 2,003 | Linear Feet | 907-804-C240 | 101' Prestressed Concrete Beam, Type IV |

Traffic Signal installation on US 49 at Hall Street and Magnolia Drive, known as Federal Aid Project No. HSIP-0008-01(130) / 106235301 in Stone County.

PROJECT COMPLETION: November 13, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|--------|-------------|-----------|--|
| | Lump Sum | 202-A001 | Removal of Obstructions |
| 216 | Linear Feet | 202-B038 | Removal of Curb, All Types |
| 1 | Each | 202-B042 | Removal of Flared End Section, All Sizes |
| 1 | Each | 202-B057 | Removal of Inlets, All Sizes |
| 291 | Linear Feet | 202-B064 | Removal of Pipe, 8" And Above |
| 279 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 3,548 | Square Yard | 202-B078 | Removal of Pavement, All Types and Depths |
| 643 | Cubic Yard | 203-A004 | Unclassified Excavation, LVM, AH |
| 6,931 | Cubic Yard | 203-EX014 | Borrow Excavation, AH, LVM, Class B7 |
| 4,085 | Cubic Yard | 203-G004 | Excess Excavation, LVM, AH |
| 90 | Cubic Yard | 206-A001 | Structure Excavation |
| 90 | Cubic Yard | 206-B001 | Select Material for Undercuts, Contractor Furnished, FM |
| 12,500 | Square Yard | 209-A004 | Geotextile Stabilization, Type V, Non-Woven |
| 16,841 | Square Yard | 211-A001 | Topsoil for Slope Treatment, From Right-of-Way |
| 2 | Ton | 213-C001 | Superphosphate |
| 5,000 | Square Yard | 217-A001 | Ditch Liner |
| 6 | Cubic Yard | 221-A001 | Portland Cement Concrete Paved Ditch |
| 1 | Acre | 223-A001 | Mowing |
| 4,800 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 100 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 300 | Linear Feet | 503-C007 | Saw Cut, Full Depth |
| 212 | Linear Feet | 603-CA104 | 60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket |
| 4 | Each | 603-CB008 | 60" Reinforced Concrete End Section |
| 123 | Linear Feet | 609-B003 | Concrete Curb, Special Design |
| 447 | Linear Feet | 609-D002 | Combination Concrete Curb and Gutter Type 2 |
| 246 | Linear Feet | 609-D009 | Combination Concrete Curb and Gutter Type 3B |
| 400 | Square Yard | 616-A003 | Concrete Median and/or Island Pavement, 10-inch |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 5,390 | Linear Feet | 619-A1007 | Temporary Traffic Stripe, Continuous White, Type 1 Tape |
| 3,520 | Linear Feet | 619-A2007 | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape |
| 60 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 280 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 144 | Linear Feet | 619-G4001 | Barricades, Type III, Single Faced |
| 18 | Linear Feet | 619-G4005 | Barricades, Type III, Double Faced |
| 100 | Each | 619-G5001 | Free Standing Plastic Drums |
| | Lump Sum | 620-A001 | Mobilization |
| 77 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 173 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 25 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 42 | Square Feet | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 136 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |

CALL No. 02

| | | | |
|-------|-------------|--------------|--|
| 258 | Linear Feet | 635-A001 | Vehicle Loop Assemblies |
| 2,806 | Linear Feet | 636-A005 | Shielded Cable, AWG #14, 2 Conductor |
| 1 | Each | 638-A005 | Loop Detector Amplifier, Card Rack Mounted, 4 Channel |
| 5 | Each | 640-A016 | Traffic Signal Heads, Type 1 LED |
| 1 | Each | 640-A036 | Traffic Signal Heads, Type 5L, LED |
| 2 | Each | 640-A045 | Traffic Signal Heads, Type 3L, LED |
| 3 | Each | 640-A050 | Traffic Signal Heads, Type 2L LED |
| 1 | Each | 640-A051 | Traffic Signal Heads, Type 2R LED |
| 1 | Each | 642-A001 | Solid State Traffic Actuated Controllers, Type 8M |
| 1 | Each | 643-A001 | Closed Loop On-Street Master System |
| 6 | Each | 647-A001 | Pullbox, Type 1 |
| 1 | Each | 647-A002 | Pullbox, Type 3 |
| 3 | Each | 647-A005 | Pullbox, Type 2 |
| 1 | Each | 648-A001 | Radio Interconnect, Installed in New Controller Cabinet |
| 47 | Square Feet | 653-B001 | Street Name Sign, Encapsulated Lens |
| 582 | Linear Feet | 666-B004 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor |
| 2,057 | Linear Feet | 666-B014 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4Conductor |
| 272 | Linear Feet | 666-B022 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor |
| 974 | Linear Feet | 666-B054 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor |
| 1,752 | Linear Feet | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" |
| 16 | Linear Feet | 668-A020 | Traffic Signal Conduit, Underground, Type 4, 3" |
| 355 | Linear Feet | 668-B024 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 340 | Linear Feet | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 140 | Ton | 815-A008 | Loose Riprap, Size 200 |
| 4 | Acre | 907-225-A001 | Grassing |
| 7 | Ton | 907-225-B001 | Agricultural Limestone |
| 7 | Ton | 907-225-C001 | Mulch, Vegetative Mulch |
| 300 | Linear Feet | 907-237-A003 | Wattles, 20" |
| 1,030 | Gallon | 907-407-A001 | Asphalt for Tack Coat |
| 4 | Cubic Yard | 907-601-B003 | Class "B" Structural Concrete, Minor Structures |
| 75 | Linear Feet | 907-605-I001 | Edge Drain Outlets/Vents |
| 39 | Linear Feet | 907-626-A004 | 6" Thermoplastic Traffic Stripe, Skip White |
| 5,581 | Linear Feet | 907-626-C007 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 4,808 | Linear Feet | 907-626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 1,928 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 1,132 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 352 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |
| 633 | Square Feet | 907-626-H005 | Thermoplastic Legend, White |
| 8 | Cubic Yard | 907-631-B001 | Flowable Fill, Non-Excavatable |
| 4 | Each | 907-639-A020 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm |
| 14 | Cubic Yard | 907-639-C002 | Pole Foundations, 36" Diameter |
| 60 | Linear Feet | 907-639-D001 | Slip Casing, 36" Diameter |
| 4 | Each | 907-645-B001 | Be Prepared to Stop When Flashing Assembly |
| 4 | Each | 907-649-A004 | Video Detection System, 1 Sensor, Type 2 |
| 1 | Each | 907-658-A005 | Network Switch, Type A |
| 1 | Each | 907-658-B001 | Terminal Server |

CALL No. 02

| | | |
|----------|--------------|---|
| Lump Sum | 907-699-A002 | Roadway Construction Stakes ALTERNATE GROUP AA NO. 1 |
| 293 Ton | 907-304-F003 | 3/4" and Down Crushed Stone Base ALTERNATE GROUP AA NO. 2 |
| 293 Ton | 907-304-F004 | Size 825B Crushed Stone Base ALTERNATE GROUP AA NO. 3 |
| 293 Ton | 907-304-F002 | Size 610 Crushed Stone Base ALTERNATE GROUP BB NO. 1 |
| 485 Ton | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture ALTERNATE GROUP BB NO. 2 |
| 485 Ton | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture ALTERNATE GROUP CC NO. 1 |
| 439 Ton | 907-403-A006 | Hot Mix Asphalt, MT, 12.5-mm mixture ALTERNATE GROUP CC NO. 2 |
| 439 Ton | 907-403-M002 | Warm Mix Asphalt, MT, 12.5-mm mixture ALTERNATE GROUP DD NO. 1 |
| 659 Ton | 907-403-A007 | Hot Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP DD NO. 2 |
| 659 Ton | 907-403-M007 | Warm Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP EE NO. 1 |
| 221 Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP EE NO. 2 |
| 221 Ton | 907-403-M001 | Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP FF NO. 1 |
| 295 Ton | 907-403-A011 | Hot Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP FF NO. 2 |
| 295 Ton | 907-403-M003 | Warm Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP GG NO. 1 |
| 387 Ton | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP GG NO. 2 |
| 387 Ton | 907-403-M004 | Warm Mix Asphalt, ST, 19-mm mixture |

Intersection Improvements on US 61 at Oak Ridge Road, known as Federal Aid Project No. HSIP-0009-02(078) / 106418301 in Warren County.

PROJECT COMPLETION: October 28, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | |
|--------------------|-----------|--|
| Lump Sum | 201-A001 | Clearing and Grubbing |
| 120 Square Yard | 202-B025 | Removal of Concrete Paved Ditch |
| 1 Each | 202-B042 | Removal of Flared End Section, All Sizes |
| 1 Each | 202-B057 | Removal of Inlets, All Sizes |
| 18 Each | 202-B070 | Removal of Sign Including Post & Footing |
| 5,931 Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 20 Cubic Yard | 206-A001 | Structure Excavation |
| 944 Square Yard | 209-A004 | Geotextile Stabilization, Type V, Non-Woven |
| 1 Ton | 213-C001 | Superphosphate |
| 2 Thousand Gallon | 219-A001 | Watering |
| 17 Cubic Yard | 221-A001 | Portland Cement Concrete Paved Ditch |
| 1 Acre | 223-A001 | Mowing |
| 300 Linear Feet | 234-A001 | Temporary Silt Fence |
| 13,950 Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 1 Mile | 423-A001 | Rumble Strips, Ground In |
| 145 Pounds | 602-A001 | Reinforcing Steel |
| 16 Linear Feet | 603-CA003 | 24" Reinforced Concrete Pipe, Class III |
| 2 Each | 603-CB002 | 24" Reinforced Concrete End Section |
| Lump Sum | 618-A001 | Maintenance of Traffic |
| 1,661 Linear Feet | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 2,631 Linear Feet | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 2,039 Linear Feet | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 4,689 Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 234 Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 192 Square Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 56 Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 536 Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 36 Linear Feet | 619-G4001 | Barricades, Type III, Single Faced |
| 12 Linear Feet | 619-G4005 | Barricades, Type III, Double Faced |
| Lump Sum | 620-A001 | Mobilization |
| 71 Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 143 Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 8 Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 68 Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 183 Square Feet | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 72 Linear Feet | 630-C001 | Steel U-Section Posts, 2.0 lb/ft |
| 129 Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 230 Pounds | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 185 Linear Feet | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" |
| 744 Linear Feet | 635-A001 | Vehicle Loop Assemblies |

CALL No. 03

| | | | |
|-------|-------------|--------------|---|
| 3,020 | Linear Feet | 636-A005 | Shielded Cable, AWG #14, 2 Conductor |
| 3 | Each | 638-A002 | Loop Detector Amplifier, 4 Channel |
| 4 | Each | 640-A016 | Traffic Signal Heads, Type 1 LED |
| 2 | Each | 640-A017 | Traffic Signal Heads, Type 2 LED |
| 1 | Each | 640-A056 | Traffic Signal Heads, Type 2 FYA LED |
| | Lump Sum | 646-A001 | Removal of Existing Traffic Signal Equipment |
| 7 | Each | 647-A001 | Pullbox, Type 1 |
| 1 | Each | 647-A002 | Pullbox, Type 3 |
| 4 | Each | 647-A005 | Pullbox, Type 2 |
| 1 | Each | 648-A001 | Radio Interconnect, Installed in New Controller Cabinet |
| 1 | Each | 648-B001 | Radio Interconnect, Installed in Existing Controller Cabinet |
| 753 | Linear Feet | 666-B004 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor |
| 4,173 | Linear Feet | 666-B013 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3Conductor |
| 163 | Linear Feet | 666-B022 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor |
| 921 | Linear Feet | 666-B054 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor |
| 2,850 | Linear Feet | 668-A016 | Traffic Signal Conduit, Underground, Type 4, 1" |
| 1,912 | Linear Feet | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" |
| 138 | Linear Feet | 668-A020 | Traffic Signal Conduit, Underground, Type 4, 3" |
| 544 | Linear Feet | 668-A026 | Traffic Signal Conduit, Underground, Rolled Pipe, 3" |
| 125 | Linear Feet | 668-A029 | Traffic Signal Conduit, Underground, Rolled Pipe, 2" |
| 400 | Linear Feet | 668-B016 | Traffic Signal Conduit, Underground Drilled or Jacked, Type4, 2" |
| 1,425 | Linear Feet | 682-A009 | Underground Branch Circuit, AWG 10, 3 Conductor |
| 1,650 | Linear Feet | 682-A036 | Underground Branch Circuit, AWG 8, 3 Conductor |
| 13 | Each | 683-B003 | Lighting Assembly, Low Mast, Type 30-1-12-250 |
| 110 | Linear Feet | 684-B003 | Slip Casing, 24" Diameter |
| 100 | Square Yard | 907-216-A001 | Solid Sodding |
| 1 | Acre | 907-225-A001 | Grassing |
| 2 | Ton | 907-225-B001 | Agricultural Limestone |
| 2 | Ton | 907-225-C001 | Mulch, Vegetative Mulch |
| 1 | Acre | 907-226-A001 | Temporary Grassing |
| 404 | Linear Feet | 907-237-A002 | Wattles, 12" |
| 100 | Linear Feet | 907-237-A003 | Wattles, 20" |
| 140 | Linear Feet | 907-246-A001 | Sandbags |
| 100 | Ton | 907-249-A001 | Riprap for Erosion Control |
| 428 | Ton | 907-304-B002 | Granular Material, Class 5, Group D |
| 764 | Gallon | 907-407-A001 | Asphalt for Tack Coat |
| 3 | Cubic Yard | 907-601-B003 | Class "B" Structural Concrete, Minor Structures |
| 2,039 | Linear Feet | 907-626-A004 | 6" Thermoplastic Traffic Stripe, Skip White |
| 1,661 | Linear Feet | 907-626-C007 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 1,214 | Linear Feet | 907-626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 1,417 | Linear Feet | 907-626-F005 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 6,221 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 687 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 468 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |
| 192 | Square Feet | 907-626-H005 | Thermoplastic Legend, White |
| 1 | Each | 907-639-A016 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm |

CALL No. 03

| | | | |
|-------|-------------|---------------|---|
| 1 | Each | 907-639-A090 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' & 55' Arms |
| 8 | Cubic Yard | 907-639-C002 | Pole Foundations, 36" Diameter |
| 1 | Each | 907-642-A003 | Solid State Traffic Actuated Controllers, Type 8A |
| 1 | Each | 907-643-A001 | Closed Loop On-Street Master System |
| 3 | Each | 907-644-A001 | Optical Detector |
| 877 | Linear Feet | 907-644-B001 | Optical Detector Cable |
| 1 | Each | 907-644-C002 | Phase Selector, 4 Channel |
| 4 | Each | 907-645-B001 | Be Prepared to Stop When Flashing Assembly |
| 5 | Each | 907-682-D001 | Underground Pull Box With Concrete Pad |
| 13 | Each | 907-682-E001 | Underground Junction Box With Concrete Pad |
| 1 | Each | 907-682-F002 | Secondary Power Controllers, Per Plans |
| 2 | Each | 907-683-PP001 | Lighting Assembly, |
| 13 | Each | 907-684-A001 | Pole Foundation, 24" Diameter |
| | Lump Sum | 907-699-A002 | Roadway Construction Stakes |
| | | | ALTERNATE GROUP AA NO. 1 |
| 200 | Ton | 907-304-F002 | Size 610 Crushed Stone Base |
| | | | ALTERNATE GROUP AA NO. 2 |
| 200 | Ton | 907-304-F003 | 3/4" and Down Crushed Stone Base |
| | | | ALTERNATE GROUP AA NO. 3 |
| 200 | Ton | 907-304-F004 | Size 825B Crushed Stone Base |
| | | | ALTERNATE GROUP BB NO. 1 |
| 1,151 | Ton | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture |
| | | | ALTERNATE GROUP BB NO. 2 |
| 1,151 | Ton | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture |
| | | | ALTERNATE GROUP CC NO. 1 |
| 89 | Ton | 907-403-A006 | Hot Mix Asphalt, MT, 12.5-mm mixture |
| | | | ALTERNATE GROUP CC NO. 2 |
| 89 | Ton | 907-403-M002 | Warm Mix Asphalt, MT, 12.5-mm mixture |
| | | | ALTERNATE GROUP DD NO. 1 |
| 127 | Ton | 907-403-A007 | Hot Mix Asphalt, MT, 19-mm mixture |
| | | | ALTERNATE GROUP DD NO. 2 |
| 127 | Ton | 907-403-M007 | Warm Mix Asphalt, MT, 19-mm mixture |
| | | | ALTERNATE GROUP EE NO. 1 |
| 129 | Ton | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture |
| | | | ALTERNATE GROUP EE NO. 2 |
| 129 | Ton | 907-403-M004 | Warm Mix Asphalt, ST, 19-mm mixture |

Reconstruction of SR 611 from US 90 to the end of the route, known as State Project No. SP-9392-00(008) / 100710302 in Jackson County.

PROJECT COMPLETION: June 26, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | |
|---------------------|------------|---|
| Lump Sum | 201-A001 | Clearing and Grubbing |
| Lump Sum | 202-A001 | Removal of Obstructions |
| 10 Each | 202-B043 | Removal of Flared End Section (All Sizes) |
| 61 Meter | 202-B056 | Removal of Guard Rail Only |
| 161 Meter | 202-B066 | Removal of Pipe (200-mm and above) |
| 6,275 Meter | 202-B076 | Removal of Traffic Stripe |
| 2,796 Square Meter | 202-B079 | Removal of Pavement (All Types and Depths) |
| 12 Each | 202-B081 | Removal of Headwall |
| 50 Each | 202-B083 | Removal of Sign |
| 1 Each | 202-B138 | Removal of Traffic Signal |
| 6,547 Cubic Meter | 203-D001 | Muck Excavation (FM) |
| 750 Cubic Meter | 203-G003 | Excess Excavation (FM) (AH) |
| 2,772 Cubic Meter | 206-A001 | Structure Excavation |
| 287 Cubic Meter | 206-B001 | Select Material for Undercuts (Contractor Furnished) (FM) |
| 41,475 Square Meter | 211-A001 | Topsoil for Slope Treatment (From Right-of-Way) |
| 8 Metric Ton | 213-C001 | Superphosphate |
| 3 thousand liter | 219-A001 | Watering |
| 4 Hectare | 220-A001 | Insect Pest Control |
| 210 Bale | 235-A001 | Temporary Erosion Checks |
| 180 Square Meter | 406-B001 | Cold Milling of Concrete Pavement (All Depths) |
| 48 Meter | 501-E001 | Expansion Joints (Without Dowels) |
| 287 Square Meter | 502-A002 | Reinforced Cement Concrete Bridge End Pavement (225 mm) |
| 18,746 Kilogram | 602-A001 | Reinforcing Steel |
| 181 Meter | 603-C-A091 | 600-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets) |
| 17 Meter | 603-C-A093 | 900-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets) |
| 34 Meter | 603-C-A109 | 600-mm Reinforced Concrete Pipe, Class V, Jacked or Bored |
| 2 Each | 603-C-B001 | 450-mm Reinforced Concrete End Section |
| 13 Each | 603-C-B002 | 600-mm Reinforced Concrete End Section |
| 2 Each | 603-C-B004 | 900-mm Reinforced Concrete End Section |
| 14 Meter | 603-C-E041 | 1300-mm x 795-mm Concrete Arch Pipe, Class A III (Flexible Plastic Gaskets) |
| 26 Meter | 603-C-E044 | 1485-mm x 915-mm Concrete Arch Pipe, Class A III (Flexible Plastic Gaskets) |
| 2 Each | 603-C-F005 | 1300-mm x 795-mm Concrete Arch Pipe End Section |
| 365 Meter | 603-P-A009 | 3000-mm x 1800-mm Precast Concrete Box Culvert |
| 1 Each | 603-S-B030 | 600-mm Branch Connections (Stub into Concrete Box Culvert Wingwall) |
| 222 Kilogram | 604-A001 | Castings |
| 180 Kilogram | 604-B001 | Gratings |
| 625 Meter | 606-B001 | Guard Rail (Class A, Type 1) |
| 2 Each | 606-D012 | Guard Rail, Bridge End Section, Type I |
| 16 Meter | 609-D001 | Combination Concrete Curb and Gutter Type 1 |
| 275 Meter | 609-D007 | Combination Concrete Curb and Gutter Type 2 Modified |
| 142 Square Meter | 614-A001 | Concrete Driveway (Without Reinforcement) |

CALL No. 04

| | | | |
|---------|--------------|---------------|---|
| 12 | Meter | 615-A016 | Concrete Bridge End Barrier, 850-mm |
| 233 | Square Meter | 616-A001 | Concrete Median and/or Island Pavement (100-mm) |
| 43 | Square Meter | 616-A003 | Concrete Median and/or Island Pavement (250-mm) |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 7 | Square Meter | 619-D1001 | Standard Roadside Construction Signs (less than 0.9 square meter) |
| 76 | Square Meter | 619-D2001 | Standard Roadside Construction Signs (0.9 square meter or more) |
| 40 | Meter | 619-F1001 | Concrete Median Barrier (Precast) |
| 101 | Meter | 619-G4001 | Barricades (Type III) (Single Faced) |
| 8 | Meter | 619-G4005 | Barricades (Type III) (Double Faced) |
| 200 | Each | 619-G5001 | Free Standing Plastic Drums |
| 12 | Each | 619-G7001 | Warning Lights (Type "B") |
| | Lump Sum | 620-A001 | Mobilization |
| 22 | Square Meter | 630-A001 | Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness) |
| 26 | Square Meter | 630-A002 | Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness) |
| 5 | Meter | 630-C003 | Steel U-Section Posts (4.46 kg/m) |
| 343 | Kilogram | 630-E004 | Structural Steel Angles & Bars (12 mm x 63 mm Flat Bars) |
| 102 | Each | 630-F001 | Delineators (Guard Rail)(White) |
| 15 | Each | 630-F006 | Delineators (Post Mounted)(Single White) |
| 48 | Each | 630-F008 | Delineators (Post Mounted)(Double White) |
| 4 | Each | 630-G001 | Type 3 Object Markers (OM-3R or OM-3L) Post Mounted |
| 108 | Meter | 630-K002 | Welded & Seamless Steel Pipe Posts (DN 90) |
| 105 | Meter | 630-K003 | Welded & Seamless Steel Pipe Posts (DN 100) |
| 1,436 | Square Meter | 802-C001 | Permanent Steel Sheet Piling |
| | Lump Sum | 814-A001 | Painting of Metal Structures |
| 516 | Metric Ton | 815-A007 | Loose Riprap, (Size 136 kg) |
| 13,607 | Cubic Meter | 907-203-A002 | Unclassified Excavation (FM) (AH) |
| 25,831 | Cubic Meter | 907-203-EX002 | Borrow Excavation (AH)(FME) (Class B4) |
| 112,706 | Square Meter | 907-209-A004 | Geotextile Fabric Stabilization (Type V Non-Woven) |
| 40 | Square Meter | 907-216-A001 | Solid Sodding |
| 1,712 | Square Meter | 907-217-A001 | Ditch Liner |
| 1 | Hectare | 907-223-A001 | Mowing |
| 8 | Hectare | 907-225-A001 | Grassing |
| 56 | Metric Ton | 907-225-B001 | Agricultural Limestone |
| 37 | Metric Ton | 907-225-C001 | Mulch, Vegetative Mulch |
| 8 | Hectare | 907-226-A002 | Temporary Grassing |
| 11,207 | Meter | 907-234-A002 | Temporary Silt Fence |
| 605 | Meter | 907-234-F001 | Turbidity Barrier |
| 190 | Meter | 907-237-A002 | Wattles, 500-mm |
| 160 | Meter | 907-246-A001 | Sandbags |
| 2 | Each | 907-247-A001 | Temporary Stream Diversion |
| 209 | Metric Ton | 907-249-A001 | Riprap for Erosion Control |
| 23,822 | Cubic Meter | 907-304-A004 | Granular Material (LVM) (Class 9, Group C) |
| 77,881 | Square Meter | 907-307-A001 | 150-mm Soil-Lime-Water Mixing (Class A) |
| 1,123 | Metric Ton | 907-307-D001 | Lime |
| 77,881 | Liter | 907-307-S001 | Bituminous Curing Seal |
| 60,845 | Liter | 907-407-A001 | Asphalt for Tack Coat |

CALL No. 04

| | | | |
|-------|--------------|---------------|---|
| 48 | Meter | 907-413-H001 | Sawing and Sealing Transverse Joints in Asphalt Pavment |
| 11 | Kilometer | 907-423-A001 | Rumble Strips (Ground In) |
| 95 | Cubic Meter | 907-601-A001 | Class "B" Structural Concrete |
| 22 | Cubic Meter | 907-601-B001 | Class "B" Structural Concrete, Minor Structures |
| 36 | Meter | 907-603-ALT01 | 450-mm Type A Alternate Pipe |
| 2 | Each | 907-606-E003 | Guard Rail, Terminal End Section, Flared |
| 18 | Each | 907-606-E004 | Guard Rail, Terminal End Section, Non-Flared |
| 44 | Each | 907-617-A003 | Right-of-Way Marker |
| 201 | Meter | 907-619-A1002 | Temporary Traffic Stripe (Continuous White) (Type 1 Tape) |
| 32 | Kilometer | 907-619-A1010 | Temporary Traffic Stripe (Continuous White) |
| 201 | Meter | 907-619-A2002 | Temporary Traffic Stripe (Continuous Yellow) (Type 1 Tape) |
| 32 | Kilometer | 907-619-A2010 | Temporary Traffic Stripe (Continuous Yellow) |
| 11 | Kilometer | 907-619-A3005 | Temporary Traffic Stripe (Skip White) |
| 67 | Meter | 907-619-A3009 | Temporary Traffic Stripe, Skip White, Type 1 Tape |
| 10 | Kilometer | 907-619-A4005 | Temporary Traffic Stripe (Skip Yellow) |
| 67 | Meter | 907-619-A4009 | Temporary Traffic Stripe, Skip Yellow, Type 1 Tape |
| 793 | Meter | 907-619-A5005 | Temporary Traffic Stripe (Detail) |
| 42 | Square Meter | 907-619-A6006 | Temporary Traffic Stripe (Legend) (Type 1 Tape) |
| 537 | Square Meter | 907-619-A6010 | Temporary Traffic Stripe (Legend) |
| 5,431 | Meter | 907-619-F1001 | Portable Median Barrier |
| 15 | Kilometer | 907-626-AA003 | 150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min) |
| 101 | Meter | 907-626-AA006 | 150-mm Thermoplastic Double Drop Traffic Stripe (Skip White)(2.25-mm min.) |
| 16 | Kilometer | 907-626-CC004 | 150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (2.25-mm min) |
| 14 | Kilometer | 907-626-DD003 | 150-mm Thermoplastic Traffic Stripe (Skip Yellow) (2.25-mm min) |
| 101 | Meter | 907-626-DD004 | 150-mm Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 16 | Kilometer | 907-626-EE004 | 150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min) |
| 101 | Meter | 907-626-EE005 | 150-mm Thermoplastic Double Drop Traffic Stripe, Continuous Yellow, 2.25-mm min |
| 3,119 | Meter | 907-626-GG001 | Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.) |
| 5,220 | Meter | 907-626-GG002 | Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.) |
| 152 | Square Meter | 907-626-H001 | Thermoplastic Legend (White)(3.00-mm min.) |
| 4,540 | Meter | 907-626-H002 | Thermoplastic Legend (White)(3.00-mm min.) |
| 200 | Each | 907-627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 870 | Each | 907-627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 2,561 | Each | 907-627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 69 | Meter | 907-636-A003 | Shielded Cable, AWG #14, 2 Conductor |
| 1 | Each | 907-639-A002 | Traffic Signal Equipment Pole (Type IV) (9.1-m Shaft) (12.2-m Arm) |
| 1 | Each | 907-639-A014 | Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (9.1-m Arm) |
| 2 | Each | 907-639-A015 | Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (12.2-m Arm) |
| 10 | Cubic Meter | 907-639-C005 | Pole Foundations, 900-mm Diameter |
| 20 | Meter | 907-639-D005 | Slip Casing, 900-mm Diameter |
| 6 | Each | 907-640-B001 | Traffic Signal Heads (Type 1) LED |
| 1 | Each | 907-640-B006 | Traffic Signal Heads (Type 7) LED |
| 2 | Each | 907-640-B009 | Traffic Signal Heads (Type 4) LED |

CALL No. 04

| | | | |
|--------|--------------|--------------|--|
| 1 | Each | 907-642-A001 | Solid State Traffic Actuated Controllers (Type 8M) |
| 5 | Each | 907-647-A002 | Pullboxes (Type 2) |
| 1 | Each | 907-648-A001 | Radio Interconnect (Installed in New Controller Cabinet) |
| 3 | Each | 907-649-D001 | Multi-Sensor Detection System, 1 Sensor |
| 2 | Each | 907-653-A001 | Traffic Sign, Internally Illuminated Sign |
| 2 | Square Meter | 907-653-B001 | Street Name Sign (Encapsulated Lens) |
| 2 | Meter | 907-668-E001 | Traffic Signal Conduit (Underground Drilled or Jacked), Rolled Pipe, (25 mm) |
| 65 | Meter | 907-668-E002 | Traffic Signal Conduit (Underground Drilled or Jacked), Rolled Pipe, (50 mm) |
| 29 | Meter | 907-668-E003 | Traffic Signal Conduit (Underground Drilled or Jacked), Rolled Pipe, (75 mm) |
| 2 | Each | 907-675-A001 | Railroad Signal Preemption |
| 13,200 | Kilogram | 907-690-A001 | Portland Cement Grout for Plugging Abandoned Wells |
| | Lump Sum | 907-699-A001 | Roadway Construction Stakes |
| 239 | Cubic Meter | 907-804-B001 | Box Bridge Concrete (Class B) |
| 995 | Square Meter | 907-815-E001 | Geotextile Fabric under Riprap |
| | Lump Sum | 907-899-A001 | Railway Highway Provisions |
| 124 | Meter | 908-666-B021 | Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 10),2 Conductor |
| 162 | Meter | 908-666-B036 | Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14),8 Conductor |
| 22 | Meter | 908-668-A013 | Traffic Signal Conduit (Underground) (Type IV) (DN 25) |
| | | | ALTERNATE GROUP AA NO. 1 |
| 32,207 | Metric Ton | 907-304-D001 | 20-mm and Down Crushed Stone |
| | | | ALTERNATE GROUP AA NO. 2 |
| 32,207 | Metric Ton | 907-304-I004 | Crushed Stone Base (Size 610) |
| | | | ALTERNATE GROUP AA NO. 3 |
| 32,207 | Metric Ton | 907-304-I005 | Crushed Stone Base (Size 825 B) |
| | | | ALTERNATE GROUP BB NO. 1 |
| 352 | Metric Ton | 907-308-A001 | Portland Cement |
| 38,940 | Square Meter | 907-308-B003 | Soil-Cement-Water Mixing, (Optional Mixers) |
| 38,940 | Liter | 907-308-S001 | Bituminous Curing Seal |
| | | | ALTERNATE GROUP BB NO. 2 |
| 38,940 | Square Meter | 907-311-A002 | Processing Lime and Fly Ash Treated Course, 150 mm Thick |
| 281 | Metric Ton | 907-311-B001 | Lime |
| 1,123 | Metric Ton | 907-311-C001 | Fly Ash (Class C) |
| 38,940 | Liter | 907-311-S001 | Bituminous Curing Seal |
| | | | ALTERNATE GROUP CC NO. 1 |
| 10,193 | Metric Ton | 907-403-D001 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| | | | ALTERNATE GROUP CC NO. 2 |
| 10,193 | Metric Ton | 907-403-P001 | Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| | | | ALTERNATE GROUP DD NO. 1 |
| 7,188 | Metric Ton | 907-403-D002 | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified |
| | | | ALTERNATE GROUP DD NO. 2 |
| 7,188 | Metric Ton | 907-403-P002 | Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified |
| | | | ALTERNATE GROUP EE NO. 1 |
| 9,371 | Metric Ton | 907-403-D003 | Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified |
| | | | ALTERNATE GROUP EE NO. 2 |
| 9,371 | Metric Ton | 907-403-P003 | Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified |
| | | | ALTERNATE GROUP FF NO. 1 |

CALL No. 04

| | | | |
|---------------------|--------------|--------------|---|
| 7,582 | Metric Ton | 907-403-A011 | Hot Mix Asphalt, HT, 19-mm mixture ALTERNATE GROUP FF NO. 2 |
| 7,582 | Metric Ton | 907-403-M011 | Warm Mix Asphalt, HT, 19-mm mixture ALTERNATE GROUP GG NO. 1 |
| 7,972 | Metric Ton | 907-403-A003 | Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP GG NO. 2 |
| 7,972 | Metric Ton | 907-403-M005 | Warm Mix Asphalt, ST, 19-mm mixture |
| Bridge Items | | | |
| 37,223 | Kilogram | 805-A001 | Reinforcement |
| 66 | Meter | 813-A005 | Concrete Railing (815-mm) |
| 772 | Square Meter | 907-501-K001 | Transverse Grooving |
| 296 | Meter | 907-803-M014 | Drilled Shaft (1680-mm Diameter) |
| 32 | Meter | 907-803-O012 | Trial Shafts (1680-mm Diameter) |
| 4 | Meter | 907-803-P001 | Exploration |
| 122 | Meter | 907-803-R021 | Temporary Casing (1680-mm Diameter) |
| 309 | Cubic Meter | 907-804-A001 | Bridge Concrete (Class AA) |
| 222,166 | Kilogram | 907-810-A001 | Structural Steel |

Fence Repair along I-55 from the Louisiana State Line to the Copiah County Line, known as Federal Aid Project Nos. ER-0055-01(106) / 106668301 & ER-0055-01(106) / 106668302 in Lincoln and Pike Counties.

PROJECT COMPLETION: August 22, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|--------|-------------|---------------|---|
| 8,750 | Linear Feet | 607-A001 | 31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown |
| 318 | Linear Feet | 607-B001 | 60" Type I Chain Link Fence, Class I |
| 84 | Linear Feet | 607-B009 | 72" Type I Chain Link Fence, Class I |
| 34,100 | Linear Feet | 607-E001 | Barbed Wire Fence, Single Strand |
| 14 | Each | 607-G130 | Gate, 12' x 50", 6-bar, Galvanized Steel Tube |
| 1 | Each | 607-P1008 | Line Post, 8' x 2" Galvanized Steel |
| 9 | Each | 607-P1010 | Line Post, 10' x 2" Galvanized Steel |
| 375 | Each | 607-P1013 | Line Post, 7' Tee Post Steel |
| 94 | Each | 607-P1016 | Line Post, 7' x 4" x 4" Concrete |
| 30 | Each | 607-P1020 | Line Post, 7' x 4" Timber |
| 27 | Each | 607-P1027 | Line Post, 7' x 2" Galvanized Steel |
| 12 | Each | 607-P2001 | Brace Post, 8' x 6" Timber |
| 20 | Each | 607-P2004 | Brace Post, 8' x 6" x 6" Concrete |
| 3 | Each | 607-P2006 | Brace Post, 12' x 6" x 6" Concrete |
| 5 | Each | 607-P3001 | Gate Post, 8' x 6" Timber |
| 1 | Each | 607-P3004 | Gate Post, 9' x 2 1/2" Galvanized Steel |
| 41 | Each | 607-Z001 | Concrete Anchors |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 2 | Square Feet | 618-B001 | Additional Construction Signs |
| | Lump Sum | 620-A001 | Mobilization |
| 374 | Linear Feet | 907-607-PP016 | Remove and Replace Top Rail |
| 24 | Linear Feet | 907-607-Q001 | Repair of Fence Brace, Steel Pipe |
| 624 | Linear Feet | 907-607-Q002 | Repair of Fence Brace, 12' x 6" x 4" Timber |

Bridge Maintenance on I-55 at Riverside Drive on Bridge No. 96.7A&B, known as Federal Aid Project No. BR-0055-02(237) / 106533301 & State Project No. MRP-5055-25(201) / 304990301 in Hinds County.

PROJECT COMPLETION: June 27, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|-----|-------------|---------------|--|
| 40 | Linear Feet | 202-B017 | Removal of Concrete Combination Curb & Gutter |
| 10 | Square Yard | 202-B035 | Removal of Concrete Sidewalk |
| 135 | Linear Feet | 202-B053 | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 50 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 25 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 2 | Each | 606-D012 | Guard Rail, Bridge End Section, Type I |
| 2 | Each | 606-E003 | Guard Rail, Terminal End Section, Non-Flared |
| 46 | Square Yard | 608-A001 | Concrete Sidewalk, Without Reinforcement |
| 40 | Linear Feet | 609-D001 | Combination Concrete Curb and Gutter Type 1 |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 100 | Linear Feet | 619-A5003 | Temporary Traffic Stripe, Detail, Type 1 or 2 Tape |
| 101 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 130 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 380 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| 90 | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast |
| 66 | Linear Feet | 619-G4001 | Barricades, Type III, Single Faced |
| 50 | Each | 619-G5001 | Free Standing Plastic Drums |
| 1 | Unit | 619-J1001 | Impact Attenuator, 40 MPH |
| | Lump Sum | 620-A001 | Mobilization |
| 15 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 3 | Each | 630-F001 | Delineators, Guard Rail, White |
| 3 | Each | 630-F002 | Delineators, Guard Rail, Yellow |
| 4 | Each | 630-G002 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| 10 | Square Yard | 907-216-A001 | Solid Sodding |
| 100 | Linear Feet | 907-237-A003 | Wattles, 20" |
| 4 | Each | 907-619-E3001 | Changeable Message Sign |
| 1 | Each | 907-619-J3001 | Remove and Reset Impact Attenuator |
| 187 | Linear Feet | 907-626-A006 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 200 | Linear Feet | 907-626-B005 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White |
| 365 | Linear Feet | 907-626-C007 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 320 | Linear Feet | 907-626-E005 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 95 | Linear Feet | 907-626-G007 | Thermoplastic Double Drop Detail Stripe, Yellow |
| 236 | Linear Feet | 907-626-H009 | Thermoplastic Double Drop Legend, White |
| 154 | Square Feet | 907-626-H010 | Thermoplastic Double Drop Legend, White |
| 1 | Each | 907-630-O006 | Remove and Reset Signs, Post Mounted |

Bridge Items

| | | | |
|--------|-------------|----------|------------------------------------|
| 620 | Linear Feet | 202-B298 | Removal of Existing Joint Material |
| 1,280 | Linear Feet | 503-C001 | Saw Cut, 1-inch |
| 620 | Linear Feet | 503-C010 | Saw Cut, 4-inch |
| 99,600 | Pounds | 805-A001 | Reinforcement |
| 320 | Linear Feet | 808-A001 | Joint Preparation |

CALL No. 06

| | | | |
|-----|-------------|---------------|--|
| 640 | Linear Feet | 813-A002 | Concrete Railing, 32" |
| 320 | Linear Feet | 813-E010 | Pedestrian Railing |
| | Lump Sum | 816-A001 | Maintenance Painting of Metal Structures |
| 139 | Cubic Yard | 907-804-A001 | Bridge Concrete, Class AA |
| 620 | Linear Feet | 907-823-A002 | Preformed Joint Seal, Type II |
| | Lump Sum | 907-824-PP102 | Bridge Repair, Removal of Areas A & B |

Traffic Signal Modifications at various intersections on US 51 and SR 463, known as Federal Aid Project No. HSIP-6928-00(011) / 106577301 in Madison County.

PROJECT COMPLETION: September 12, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|--------|-------------|--------------|--|
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| | Lump Sum | 620-A001 | Mobilization |
| 500 | Linear Feet | 635-A001 | Vehicle Loop Assemblies |
| 3,050 | Linear Feet | 636-A003 | Shielded Cable, 4 Conductor |
| 22 | Each | 640-A016 | Traffic Signal Heads, Type 1 LED |
| 48 | Each | 640-A056 | Traffic Signal Heads, Type 2 FYA LED |
| 2 | Each | 642-A008 | Solid State Traffic Actuated Controllers, Type 8A |
| 5 | Each | 644-A001 | Optical Detector |
| 445 | Linear Feet | 644-B001 | Optical Detector Cable |
| 1 | Each | 644-C002 | Phase Selector, 4 Channel |
| | Lump Sum | 646-A001 | Removal of Existing Traffic Signal Equipment |
| 3 | Each | 647-A002 | Pullbox, Type 3 |
| 6 | Each | 647-A005 | Pullbox, Type 2 |
| 180 | Linear Feet | 666-B004 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor |
| 10,660 | Linear Feet | 666-B054 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor |
| 430 | Linear Feet | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" |
| 110 | Linear Feet | 668-A020 | Traffic Signal Conduit, Underground, Type 4, 3" |
| 1,565 | Linear Feet | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 1 | Each | 907-639-A015 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm |
| 1 | Each | 907-639-A016 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm |
| 1 | Each | 907-639-A029 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' Arm |
| 12 | Cubic Yard | 907-639-C002 | Pole Foundations, 36" Diameter |
| 3 | Each | 907-642-B001 | Solid State Traffic Actuated Controller ModificationFYA Type 1 |
| 19 | Each | 907-642-B001 | Solid State Traffic Actuated Controller ModificationFYA Type 2 |
| 7 | Each | 907-642-C001 | GPS Clock System |
| 1 | Each | 907-650-A003 | On Street Video Equipment, PTZ Type |
| 14 | Each | 907-658-A005 | Network Switch, Type A |
| 1 | Each | 907-662-A002 | Video Encoder |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR