

STONE (66)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Warren Paving, Inc.	Huey Stockstill, Inc.	Gulf Equipment Corporation
Traffic Signal installation on US 49 at Hall Street and Magnolia Drive, known as Federal Aid Project No. HSIP-0008-01(130) / 106235301 in Stone County.					\$1,081,995.81	\$927,756.60	\$1,014,443.95	\$1,030,221.42
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0005	201-A001	Clearing and Grubbing	1.000	LS		12,750.00	22,000.00	16,463.98
0010	202-A001	Removal of Obstructions	1.000	LS		2,035.00	5,000.00	6,003.65
0020	202-B038	Removal of Curb, All Types	216.000	LF		6.00	9.00	6.14
0030	202-B042	Removal of Flared End Section, All Sizes	1.000	EA		520.00	30.00	650.34
0040	202-B057	Removal of Inlets, All Sizes	1.000	EA		1,300.00	300.00	650.34
0050	202-B064	Removal of Pipe, 8" And Above	291.000	LF		13.90	10.00	11.52
0060	202-B076	Removal of Traffic Stripe	279.000	LF		2.10	2.00	2.15
0070	202-B078	Removal of Pavement, All Types and Depths	3,548.000	SY		4.00	2.00	7.15
0080	203-A004	Unclassified Excavation, LVM, AH	643.000	CY		4.15	7.00	8.12
0090	203-EX014	Borrow Excavation, AH, LVM, Class B7	6,931.000	CY		7.75	12.00	10.49
0100	203-G004	Excess Excavation, LVM, AH	4,085.000	CY		5.15	6.00	6.90
0110	206-A001	Structure Excavation	90.000	CY		5.15	10.00	10.54
0120	206-B001	Select Material for Undercuts, Contractor Furnished, FM	90.000	CY		5.15	23.00	17.72
0130	209-A004	Geotextile Stabilization, Type V, Non-Woven	12,500.000	SY		1.20	2.00	1.92
0140	211-A001	Topsoil for Slope Treatment, From Right-of-Way	16,841.000	SY		0.85	0.60	0.91
0150	213-C001	Superphosphate	2.000	TON		465.00	400.00	506.82
0160	217-A001	Ditch Liner	5,000.000	SY		1.30	1.00	1.41
0170	221-A001	Portland Cement Concrete Paved Ditch	6.000	CY		620.00	900.00	675.75
0180	223-A001	Mowing	1.000	ACRE		50.00	50.00	50.00
0190	234-A001	Temporary Silt Fence	4,800.000	LF		3.15	3.00	2.20
0200	406-A001	Cold Milling of Bituminous Pavement, All Depths	100.000	SY		15.00	10.00	16.89
0210	503-C007	Saw Cut, Full Depth	300.000	LF		6.00	4.00	4.09
0220	603-CA104	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket	212.000	LF		170.00	175.00	188.62
0230	603-CB008	60" Reinforced Concrete End Section	4.000	EA		2,000.00	2,300.00	2,580.49
0240	609-B003	Concrete Curb, Special Design	123.000	LF		26.30	32.00	22.53
0250	609-D002	Combination Concrete Curb and Gutter Type 2	447.000	LF		19.25	15.00	19.15

STONE (66)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Warren Paving, Inc.	Huey Stockstill, Inc.	Gulf Equipment Corporation
Traffic Signal installation on US 49 at Hall Street and Magnolia Drive, known as Federal Aid Project No. HSIP-0008-01(130) / 106235301 in Stone County.					\$1,081,995.81	\$927,756.60	\$1,014,443.95	\$1,030,221.42
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0260	609-D009	Combination Concrete Curb and Gutter Type 3B	246.000	LF		19.25	16.00	19.15
0270	616-A003	Concrete Median and/or Island Pavement, 10-inch	400.000	SY		66.10	78.00	69.83
0280	618-A001	Maintenance of Traffic	1.000	LS		27,600.00	33,500.00	27,135.43
0290	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape	5,390.000	LF		2.10	2.00	2.15
0300	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape	3,520.000	LF		2.10	2.00	2.15
0310	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Fe	60.000	SF		5.15	9.00	8.45
0320	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	280.000	SF		5.15	9.00	8.17
0330	619-G4001	Barricades, Type III, Single Faced	144.000	LF		16.50	19.00	15.77
0340	619-G4005	Barricades, Type III, Double Faced	18.000	LF		18.50	19.00	19.15
0350	619-G5001	Free Standing Plastic Drums	100.000	EA		47.00	50.00	51.81
0360	620-A001	Mobilization	1.000	LS		54,150.00	70,000.00	51,366.17
0370	627-J001	Two-Way Clear Reflective High Performance Raised Markers	77.000	EA		5.00	4.00	4.30
0380	627-L001	Two-Way Yellow Reflective High Performance Raised Markers	173.000	EA		5.00	4.00	4.30
0390	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	25.000	SF		25.00	20.00	21.51
0400	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	42.000	SF		25.00	22.00	23.66
0410	630-C003	Steel U-Section Posts, 3.0 lb/ft	136.000	LF		15.00	13.00	13.99
0420	635-A001	Vehicle Loop Assemblies	258.000	LF		16.50	16.00	18.02
0430	636-A005	Shielded Cable, AWG #14, 2 Conductor	2,806.000	LF		1.00	1.00	1.07
0440	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel	1.000	EA		400.00	400.00	433.61
0450	640-A016	Traffic Signal Heads, Type 1 LED	5.000	EA		780.00	800.00	850.32
0460	640-A036	Traffic Signal Heads, Type 5L, LED	1.000	EA		890.00	900.00	968.58
0470	640-A045	Traffic Signal Heads, Type 3L, LED	2.000	EA		1,090.00	1,100.00	1,188.19
0480	640-A050	Traffic Signal Heads, Type 2L LED	3.000	EA		740.00	750.00	805.27
0490	640-A051	Traffic Signal Heads, Type 2R LED	1.000	EA		740.00	750.00	805.26
0500	642-A001	Solid State Traffic Actuated Controllers, Type 8M	1.000	EA		13,900.00	14,000.00	15,119.92
0510	643-A001	Closed Loop On-Street Master System	1.000	EA		32,900.00	32,000.00	35,871.08

STONE (66)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Warren Paving, Inc.	Huey Stockstill, Inc.	Gulf Equipment Corporation
Traffic Signal installation on US 49 at Hall Street and Magnolia Drive, known as Federal Aid Project No. HSIP-0008-01(130) / 106235301 in Stone County.					\$1,081,995.81	\$927,756.60	\$1,014,443.95	\$1,030,221.42
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0520	647-A001	Pullbox, Type 1	6.000	EA		400.00	400.00	433.61
0530	647-A002	Pullbox, Type 3	1.000	EA		1,025.00	1,000.00	1,120.62
0540	647-A005	Pullbox, Type 2	3.000	EA		615.00	600.00	670.12
0550	648-A001	Radio Interconnect, Installed in New Controller Cabinet	1.000	EA		4,800.00	4,600.00	5,152.60
0560	653-B001	Street Name Sign, Encapsulated Lens	47.000	SF		21.65	75.00	57.44
0570	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2	582.000	LF		1.90	2.00	2.03
0580	666-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4	2,057.000	LF		1.30	1.25	1.41
0590	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2	272.000	LF		6.55	7.00	7.15
0600	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8	974.000	LF		2.15	2.50	2.31
0610	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"	1,752.000	LF		4.10	4.00	4.45
0620	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"	16.000	LF		9.30	9.00	10.14
0630	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolle	355.000	LF		10.30	10.00	11.26
0640	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolle	340.000	LF		12.40	12.00	13.52
0650	815-A008	Loose Riprap, Size 200	140.000	TON		70.00	60.00	69.55
0660	907-225-A001	Grassing	4.000	ACRE		550.00	2,200.00	580.02
0670	907-225-B001	Agricultural Limestone	7.000	TON		100.00	87.00	106.99
0680	907-225-C001	Mulch, Vegetative Mulch	7.000	TON		285.00	160.00	309.72
0690	907-237-A003	Wattles, 20"	300.000	LF		8.75	10.00	8.00
0700	907-407-A001	Asphalt for Tack Coat	1,030.000	GAL		3.40	3.00	3.94
0710	907-601-B003	Class "B" Structural Concrete, Minor Structures	4.000	CY		1,750.00	105.00	1,273.68
0720	907-605-I001	Edge Drain Outlets/Vents	75.000	LF		20.00	20.00	41.50
0730	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White	39.000	LF		2.00	1.00	1.08
0740	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White	5,581.000	LF		0.55	0.50	0.54
0750	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow	4,808.000	LF		0.55	0.50	0.54
0760	907-626-G004	Thermoplastic Detail Stripe, White	1,928.000	LF		1.55	1.50	1.61
0770	907-626-G005	Thermoplastic Detail Stripe, Yellow	1,132.000	LF		1.55	1.50	1.61

STONE (66)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Warren Paving, Inc.	Huey Stockstill, Inc.	Gulf Equipment Corporation
Traffic Signal installation on US 49 at Hall Street and Magnolia Drive, known as Federal Aid Project No. HSIP-0008-01(130) / 106235301 in Stone County.					\$1,081,995.81	\$927,756.60	\$1,014,443.95	\$1,030,221.42
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0780	907-626-H004	Thermoplastic Legend, White	352.000	LF		1.55	1.50	1.61
0790	907-626-H005	Thermoplastic Legend, White	633.000	SF		5.15	5.00	5.38
0800	907-631-B001	Flowable Fill, Non-Excavatable	8.000	CY		400.00	125.00	558.37
0810	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm	4.000	EA		10,450.00	11,000.00	11,375.13
0820	907-639-C002	Pole Foundations, 36" Diameter	14.000	CY		615.00	600.00	670.12
0830	907-639-D001	Slip Casing, 36" Diameter	60.000	LF		0.01	0.01	0.01
0840	907-645-B001	Be Prepared to Stop When Flashing Assembly	4.000	EA		2,550.00	2,500.00	2,787.47
0850	907-649-A004	Video Detection System, 1 Sensor, Type 2	4.000	EA		3,620.00	3,600.00	3,953.14
0860	907-658-A005	Network Switch, Type A	1.000	EA		3,140.00	3,100.00	3,429.43
0870	907-658-B001	Terminal Server	1.000	EA		2,200.00	2,200.00	2,404.55
0880	907-699-A002	Roadway Construction Stakes	1.000	LS		9,270.00	18,000.00	6,068.24
0890	907-304-F003	3/4" and Down Crushed Stone Base	2,600.000	TON				
0900	907-304-F004	Size 825B Crushed Stone Base	2,600.000	TON		30.25	30.00	28.03
0910	907-304-F002	Size 610 Crushed Stone Base	2,600.000	TON				
0920	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture	485.000	TON		107.30		121.64
0930	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture	485.000	TON			100.00	
0940	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture	439.000	TON		98.60		111.50
0950	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture	439.000	TON			100.00	
0960	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture	659.000	TON		88.10		100.24
0970	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture	659.000	TON			100.00	
0980	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture	221.000	TON		110.50		125.01
0990	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture	221.000	TON			100.00	
1000	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture	295.000	TON		94.25		106.99
1010	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture	295.000	TON			100.00	
1020	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture	387.000	TON		85.65		99.11
1030	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture	387.000	TON			100.00	

STONE (66)					Simmons Erosion Control, Inc.			
Traffic Signal installation on US 49 at Hall Street and Magnolia Drive, known as Federal Aid Project No. HSIP-0008-01(130) / 106235301 in Stone County.					\$1,199,134.33			
Ref#	SM Item	Item Description	Item Qty	Units	4			
0005	201-A001	Clearing and Grubbing	1.000	LS	25,000.00			
0010	202-A001	Removal of Obstructions	1.000	LS	4,000.00			
0020	202-B038	Removal of Curb, All Types	216.000	LF	7.50			
0030	202-B042	Removal of Flared End Section, All Sizes	1.000	EA	350.00			
0040	202-B057	Removal of Inlets, All Sizes	1.000	EA	500.00			
0050	202-B064	Removal of Pipe, 8" And Above	291.000	LF	9.00			
0060	202-B076	Removal of Traffic Stripe	279.000	LF	2.22			
0070	202-B078	Removal of Pavement, All Types and Depths	3,548.000	SY	9.00			
0080	203-A004	Unclassified Excavation, LVM, AH	643.000	CY	8.00			
0090	203-EX014	Borrow Excavation, AH, LVM, Class B7	6,931.000	CY	8.95			
0100	203-G004	Excess Excavation, LVM, AH	4,085.000	CY	6.65			
0110	206-A001	Structure Excavation	90.000	CY	12.95			
0120	206-B001	Select Material for Undercuts, Contractor Furnished, FM	90.000	CY	33.55			
0130	209-A004	Geotextile Stabilization, Type V, Non-Woven	12,500.000	SY	2.10			
0140	211-A001	Topsoil for Slope Treatment, From Right-of-Way	16,841.000	SY	0.85			
0150	213-C001	Superphosphate	2.000	TON	1,000.00			
0160	217-A001	Ditch Liner	5,000.000	SY	1.20			
0170	221-A001	Portland Cement Concrete Paved Ditch	6.000	CY	815.00			
0180	223-A001	Mowing	1.000	ACRE	50.00			
0190	234-A001	Temporary Silt Fence	4,800.000	LF	3.00			
0200	406-A001	Cold Milling of Bituminous Pavement, All Depths	100.000	SY	22.22			
0210	503-C007	Saw Cut, Full Depth	300.000	LF	5.00			
0220	603-CA104	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket	212.000	LF	160.00			
0230	603-CB008	60" Reinforced Concrete End Section	4.000	EA	450.00			
0240	609-B003	Concrete Curb, Special Design	123.000	LF	31.50			
0250	609-D002	Combination Concrete Curb and Gutter Type 2	447.000	LF	25.00			

STONE (66)					Simmons Erosion Control, Inc.			
Traffic Signal installation on US 49 at Hall Street and Magnolia Drive, known as Federal Aid Project No. HSIP-0008-01(130) / 106235301 in Stone County.					\$1,199,134.33			
Ref#	SM Item	Item Description	Item Qty	Units	4			
0260	609-D009	Combination Concrete Curb and Gutter Type 3B	246.000	LF	23.00			
0270	616-A003	Concrete Median and/or Island Pavement, 10-inch	400.000	SY	73.00			
0280	618-A001	Maintenance of Traffic	1.000	LS	45,000.00			
0290	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape	5,390.000	LF	2.22			
0300	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape	3,520.000	LF	2.22			
0310	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Fe	60.000	SF	8.33			
0320	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	280.000	SF	8.06			
0330	619-G4001	Barricades, Type III, Single Faced	144.000	LF	15.56			
0340	619-G4005	Barricades, Type III, Double Faced	18.000	LF	18.89			
0350	619-G5001	Free Standing Plastic Drums	100.000	EA	51.11			
0360	620-A001	Mobilization	1.000	LS	120,000.00			
0370	627-J001	Two-Way Clear Reflective High Performance Raised Markers	77.000	EA	4.44			
0380	627-L001	Two-Way Yellow Reflective High Performance Raised Markers	173.000	EA	4.44			
0390	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	25.000	SF	37.39			
0400	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	42.000	SF	38.33			
0410	630-C003	Steel U-Section Posts, 3.0 lb/ft	136.000	LF	4.56			
0420	635-A001	Vehicle Loop Assemblies	258.000	LF	6.14			
0430	636-A005	Shielded Cable, AWG #14, 2 Conductor	2,806.000	LF	1.34			
0440	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel	1.000	EA	408.00			
0450	640-A016	Traffic Signal Heads, Type 1 LED	5.000	EA	790.00			
0460	640-A036	Traffic Signal Heads, Type 5L, LED	1.000	EA	920.00			
0470	640-A045	Traffic Signal Heads, Type 3L, LED	2.000	EA	1,060.00			
0480	640-A050	Traffic Signal Heads, Type 2L LED	3.000	EA	750.00			
0490	640-A051	Traffic Signal Heads, Type 2R LED	1.000	EA	750.00			
0500	642-A001	Solid State Traffic Actuated Controllers, Type 8M	1.000	EA	13,250.00			
0510	643-A001	Closed Loop On-Street Master System	1.000	EA	36,000.00			

STONE (66)					Simmons Erosion Control, Inc.			
Traffic Signal installation on US 49 at Hall Street and Magnolia Drive, known as Federal Aid Project No. HSIP-0008-01(130) / 106235301 in Stone County.					\$1,199,134.33			
Ref#	SM Item	Item Description	Item Qty	Units	4			
0520	647-A001	Pullbox, Type 1	6.000	EA	420.00			
0530	647-A002	Pullbox, Type 3	1.000	EA	550.00			
0540	647-A005	Pullbox, Type 2	3.000	EA	590.00			
0550	648-A001	Radio Interconnect, Installed in New Controller Cabinet	1.000	EA	5,000.00			
0560	653-B001	Street Name Sign, Encapsulated Lens	47.000	SF	27.50			
0570	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2	582.000	LF	3.60			
0580	666-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4	2,057.000	LF	3.60			
0590	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2	272.000	LF	4.40			
0600	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8	974.000	LF	3.78			
0610	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"	1,752.000	LF	2.00			
0620	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"	16.000	LF	37.00			
0630	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolle	355.000	LF	11.70			
0640	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolle	340.000	LF	15.60			
0650	815-A008	Loose Riprap, Size 200	140.000	TON	45.00			
0660	907-225-A001	Grassing	4.000	ACRE	900.00			
0670	907-225-B001	Agricultural Limestone	7.000	TON	75.00			
0680	907-225-C001	Mulch, Vegetative Mulch	7.000	TON	175.00			
0690	907-237-A003	Wattles, 20"	300.000	LF	4.00			
0700	907-407-A001	Asphalt for Tack Coat	1,030.000	GAL	4.39			
0710	907-601-B003	Class "B" Structural Concrete, Minor Structures	4.000	CY	1,250.00			
0720	907-605-I001	Edge Drain Outlets/Vents	75.000	LF	10.00			
0730	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White	39.000	LF	1.11			
0740	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White	5,581.000	LF	0.56			
0750	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow	4,808.000	LF	0.56			
0760	907-626-G004	Thermoplastic Detail Stripe, White	1,928.000	LF	1.67			
0770	907-626-G005	Thermoplastic Detail Stripe, Yellow	1,132.000	LF	1.67			

STONE (66)					Simmons Erosion Control, Inc.			
Traffic Signal installation on US 49 at Hall Street and Magnolia Drive, known as Federal Aid Project No. HSIP-0008-01(130) / 106235301 in Stone County.					\$1,199,134.33			
Ref#	SM Item	Item Description	Item Qty	Units	4			
0780	907-626-H004	Thermoplastic Legend, White	352.000	LF	1.67			
0790	907-626-H005	Thermoplastic Legend, White	633.000	SF	5.56			
0800	907-631-B001	Flowable Fill, Non-Excavatable	8.000	CY	290.00			
0810	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm	4.000	EA	14,000.00			
0820	907-639-C002	Pole Foundations, 36" Diameter	14.000	CY	345.00			
0830	907-639-D001	Slip Casing, 36" Diameter	60.000	LF	11.00			
0840	907-645-B001	Be Prepared to Stop When Flashing Assembly	4.000	EA	1,075.00			
0850	907-649-A004	Video Detection System, 1 Sensor, Type 2	4.000	EA	3,300.00			
0860	907-658-A005	Network Switch, Type A	1.000	EA	3,450.00			
0870	907-658-B001	Terminal Server	1.000	EA	2,400.00			
0880	907-699-A002	Roadway Construction Stakes	1.000	LS	15,000.00			
0890	907-304-F003	3/4" and Down Crushed Stone Base	2,600.000	TON				
0900	907-304-F004	Size 825B Crushed Stone Base	2,600.000	TON	58.00			
0910	907-304-F002	Size 610 Crushed Stone Base	2,600.000	TON				
0920	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture	485.000	TON	126.32			
0930	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture	485.000	TON				
0940	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture	439.000	TON	115.79			
0950	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture	439.000	TON				
0960	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture	659.000	TON	104.09			
0970	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture	659.000	TON				
0980	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture	221.000	TON	129.83			
0990	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture	221.000	TON				
1000	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture	295.000	TON	111.11			
1010	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture	295.000	TON				
1020	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture	387.000	TON	102.92			
1030	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture	387.000	TON				