

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 1/22/2014 ADDENDUM NO. DATED
ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Revise Wage Rates; Revise Bid Items; Revise or Added Plan Sheet Nos. 8001-8003; Amendment EBS Download Required.

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

BR-0914-00(007) / 100299301

Marshall County(ies)

>

General Decision Number: MS140181 01/03/2014 MS181

Superseded General Decision Number: MS20130181

State: Mississippi

Construction Type: Highway

Counties: Marshall and Tate Counties in Mississippi.

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects & railroad construction; bascule, suspension & spandrel arch bridges designed for commercial navigation, bridges involving marine construction; and other major bridges).

Modification Number Publication Date
 0 01/03/2014

* ELEC0474-008 01/07/2013

	Rates	Fringes
ELECTRICIAN.....	\$ 24.30	11.46

* SUMS2008-142 09/04/2008

	Rates	Fringes
CARPENTER, Includes Form Work....	\$ 13.00	0.39
CEMENT MASON/CONCRETE FINISHER...	\$ 12.85	0.39
LABORER: Common or General.....	\$ 8.00	0.00
LABORER: Pipelayer.....	\$ 10.17	0.00
OPERATOR: Backhoe.....	\$ 9.00	0.00
OPERATOR: Broom/Sweeper.....	\$ 8.00	0.00
OPERATOR: Bulldozer.....	\$ 9.00	0.00
OPERATOR: Grader/Blade.....	\$ 11.67	0.00
OPERATOR: Mechanic.....	\$ 13.00	0.00
OPERATOR: Piledriver.....	\$ 12.50	1.23
OPERATOR: Roller.....	\$ 10.00	0.00
OPERATOR: Scraper.....	\$ 10.00	0.00
TRUCK DRIVER.....	\$ 9.46	0.00

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====
 Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

 The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is union or non-union.

Union Identifiers

An identifier enclosed in dotted lines beginning with characters other than "SU" denotes that the union classification and rate have found to be prevailing for that classification. Example: PLUM0198-005 07/01/2011. The first four letters , PLUM, indicate the international union and the four-digit number, 0198, that follows indicates the local union number or district council number where applicable , i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2011, following these characters is the effective date of the most current negotiated rate/collective bargaining agreement which would be July 1, 2011 in the above example.

Union prevailing wage rates will be updated to reflect any changes in the collective bargaining agreements governing the rates.

0000/9999: weighted union wage rates will be published annually each January.

Non-Union Identifiers

Classifications listed under an "SU" identifier were derived from survey data by computing average rates and are not union rates; however, the data used in computing these rates may include both union and non-union data. Example: SULA2004-007 5/13/2010. SU indicates the rates are not union majority rates, LA indicates the State of Louisiana; 2004 is the year of the survey; and 007 is an internal number used in producing the wage determination. A 1993 or later date, 5/13/2010, indicates the classifications and rates under that identifier were issued as a General Wage Determination on that date.

Survey wage rates will remain in effect and will not change until a new survey is conducted.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION

Bridge Replacement on SR 309 between US 78 and Barton, known as Federal Aid Project No. BR-0914-00(007) / 100299301 in Marshall County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-A001		1	Lump Sum	Removal of Obstructions
0030	202-B005		7,286	Square Yard	Removal of Asphalt Pavement, All Depths
0040	202-B064		109	Linear Feet	Removal of Pipe, 8" And Above
0050	202-B076		3,000	Linear Feet	Removal of Traffic Stripe
0060	202-B102		900	Linear Feet	Removal of Guard Rail
0070	203-A003	(E)	7,598	Cubic Yard	Unclassified Excavation, FM, AH
0080	203-EX017	(E)	65,329	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0090	203-G003	(E)	5,322	Cubic Yard	Excess Excavation, FM, AH
0100	209-A004		9,490	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0110	213-C001		20	Ton	Superphosphate
0120	217-A001		2,015	Square Yard	Ditch Liner
0130	219-A001		2	Thousand Gallon	Watering [\$20.00]
0140	220-A001		20	Acre	Insect Pest Control [\$30.00]
0150	221-A001	(S)	27	Cubic Yard	Portland Cement Concrete Paved Ditch
0160	223-A001		35	Acre	Mowing [\$50.00]
0170	224-A001		1,690	Square Yard	Soil Reinforcing Mat
0180	234-A001		1,376	Linear Feet	Temporary Silt Fence
0190	236-A004		3	Each	Silt Basin, Type D
0200	406-A001		223	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0210	423-A001		3	Mile	Rumble Strips, Ground In
0220	501-E001		94	Linear Feet	Expansion Joints, Without Dowels
0230	502-A001	(C)	204	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0240	603-CA002	(S)	216	Linear Feet	18" Reinforced Concrete Pipe, Class III
0250	606-B001		400	Linear Feet	Guard Rail, Class A, Type 1
0260	606-D012		4	Each	Guard Rail, Bridge End Section, Type I
0270	606-E002		4	Each	Guard Rail, Terminal End Section, Flared
0280	615-A018	(S)	40	Linear Feet	Concrete Bridge End Barrier, 33.5"
0290	618-A001		1	Lump Sum	Maintenance of Traffic
0300	619-A1001		22,895	Linear Feet	Temporary Traffic Stripe, Continuous White
0310	619-A2001		22,895	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
0320	619-A2005		1,950	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	619-A5003		5,440	Linear Feet	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
0340	619-C7001		105	Each	Two-Way Yellow Reflective High Performance Raised Marker
0350	619-D1001		176	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0360	619-D2001		404	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0370	619-G4001		96	Linear Feet	Barricades, Type III, Single Faced
0380	619-G4005		24	Linear Feet	Barricades, Type III, Double Faced
0390	619-G5001		121	Each	Free Standing Plastic Drums
0400	619-G7001		12	Each	Warning Lights, Type "B"
0410	620-A001		1	Lump Sum	Mobilization
0420	627-L001		105	Each	Two-Way Yellow Reflective High Performance Raised Markers
0430	815-A009	(S)	2,134	Ton	Loose Riprap, Size 300
0440	815-E001	(S)	803	Square Yard	Geotextile under Riprap
0450	815-F002	(S)	164	Ton	Sediment Control Stone
0460	907-216-A001		92	Square Yard	Solid Sodding
0470	907-225-A001		35	Acre	Grassing
0480	907-225-B001		105	Ton	Agricultural Limestone
0490	907-225-C001		105	Ton	Mulch, Vegetative Mulch
0500	907-226-A001		35	Acre	Temporary Grassing
0510	907-234-C002		500	Linear Feet	Super Silt Fence
0520	907-234-F001		300	Linear Feet	Turbidity Barrier
0530	907-237-A003		320	Linear Feet	Wattles, 20"
0540	907-245-A001		100	Linear Feet	Triangular Silt Dike
0550	907-246-A001		1,000	Linear Feet	Sandbags
0560	907-249-A001		377	Ton	Riprap for Erosion Control
0570	907-249-B001		188	Cubic Yard	Remove and Reset Riprap
0580	907-304-B009	(GT)	10,731	Ton	Granular Material, Class 3, Group D
0590	907-407-A001	(A2)	2,420	Gallon	Asphalt for Tack Coat
0600	907-413-E001		94	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0610	907-603-ALT01	(S)	334	Linear Feet	18" Type A Alternate Pipe
0620	907-617-A001		28	Each	Right-of-Way Marker
0630	907-626-C004		2	Mile	6" Thermoplastic Edge Stripe, Continuous White
0640	907-626-D003		1	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
0650	907-699-A002		1	Lump Sum	Roadway Construction Stakes
0660	907-906001		720	Hours	Trainees [\$5.00]

ALTERNATE GROUP AA NUMBER 1

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	907-304-F002	(GT)	3,788	Ton	Size 610 Crushed Stone Base ALTERNATE GROUP AA NUMBER 2
0680	907-304-F003	(GT)	3,788	Ton	3/4" and Down Crushed Stone Base ALTERNATE GROUP AA NUMBER 3
0690	907-304-F004	(GT)	3,788	Ton	Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1
0700	907-403-A015	(BA1)	1,953	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP BB NUMBER 2
0710	907-403-M001	(BA1)	1,953	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP CC NUMBER 1
0720	907-403-A011	(BA1)	2,603	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP CC NUMBER 2
0730	907-403-M003	(BA1)	2,603	Ton	Warm Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP DD NUMBER 1
0740	907-403-A012	(BA1)	2,346	Ton	Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP DD NUMBER 2
0750	907-403-M004	(BA1)	2,346	Ton	Warm Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP EE NUMBER 1
0760	628-J002		3,954	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
0770	628-L002		1,977	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow ALTERNATE GROUP EE NUMBER 2
0780	907-626-J003		3,954	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
0790	907-626-K003		1,977	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
Bridge Items					
0800	501-K001		8,600	Square Yard	Transverse Grooving
0810	803-B002	(S)	1	Each	Conventional Static Pile Load Test [\$5,000.00]
0820	803-C004	(S)	16,020	Linear Feet	18" x 18" Prestressed Concrete Piling
0830	803-I001	(S)	9	Each	PDA Test Pile
Changed 01/21/2014					
0840	803-J001	(S)	1	Each	Pile Restrike
0850	803-N001	(S)	30	Linear Feet	Exploration
0860	803-O005	(S)	240	Linear Feet	Permanent Casing, 66" Diameter
0870	803-O011	(S)	120	Linear Feet	Temporary Casing, 66" Diameter
0880	805-A001	(S)	792,971	Pounds	Reinforcement
0890	813-A002	(S)	3,873	Linear Feet	Concrete Railing, 32"

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0900	815-A004	(S)	1,398	Square Yard	Loose Riprap, Size 300
0910	815-E001	(S)	2,153	Square Yard	Geotextile under Riprap
0920	907-803-K005	(S)	459	Linear Feet	Drilled Shaft, 66" Diameter
0930	907-803-L001	(S)	1	Each	Test Shaft, 66" Diameter
0940	907-803-M004	(S)	85	Linear Feet	Trial Shaft, 66" Diameter
0950	907-804-A001	(S)	3,803	Cubic Yard	Bridge Concrete, Class AA
0960	907-804-C012	(S)	943	Linear Feet	135' Prestressed Concrete Beam, Type BT-72
0970	907-804-C016	(S)	10,607	Linear Feet	40' Prestressed Concrete Beam, Type I+2

ADDENDUM

STATE MISS. PROJECT NO. BR-0914-001007

DESCRIPTION OF SHEETS	WORKING NO(S).	SHEET NO(S).
DETAILED INDEX (BRIDGE)	DI-BR-1	8001
SUMMARY OF QUANTITIES (BRIDGE)	SQ-BR-1	8002
ESTIMATED QUANTITIES (BRIDGE)	EQ-BR-1	8003
SR 309 OVER COLDWATER RIVER	1	8004
SR 309 OVER COLDWATER RIVER	2	8005
SR 309 OVER COLDWATER RIVER	3	8006
SR 309 OVER COLDWATER RIVER	4	8007
SR 309 OVER COLDWATER RIVER	5	8008
SR 309 OVER COLDWATER RIVER	6	8009
SR 309 OVER COLDWATER RIVER	7	8010
SR 309 OVER COLDWATER RIVER	8	8011
SR 309 OVER COLDWATER RIVER	9	8012
FOUNDATION PLAN	10	8013
FOUNDATION PLAN	11	8014
FOUNDATION PLAN	12	8015
FOUNDATION PLAN	13	8016
FOUNDATION PLAN	14	8017
FOUNDATION PLAN	15	8018
FOUNDATION PLAN	16	8019
FOUNDATION PLAN	17	8020
GENERALIZED SOIL PROFILE	18	8021
GENERALIZED SOIL PROFILE	19	8022
GENERALIZED SOIL PROFILE	20	8023
GENERALIZED SOIL PROFILE	21	8024
TEST AND TRIAL SHAFT DETAILS	22	8025
END BENTS NOS. 1 & 47	23	8026
END BENT DETAILS	24	8027
INT. BENT NOS. 2-5, 7-10, 12-15, 18-21, 23-26, 28-31, 33-36, 38-41 & 43-46	25	8028
INT. BENT NOS. 6, 11, 22, 27, 32, 37 & 42	26	8029
INT. NO. 16	27	8030
INT. NO. 17	28	8031
INT. BENT NOS. 16 & 17 DETAILS	29	8032
DRILLED SHAFT DETAILS	30	8033
40 FT. SPAN DETAILS	31	8034
40 FT. SPAN DETAILS	32	8035
40 FT. SPAN DETAILS	33	8036
135 FT. SPAN DETAILS	34	8037
135 FT. SPAN DETAILS	35	8038
135 FT. SPAN DETAILS	36	8039
MISCELLANEOUS SPAN DETAILS	37	8040
MISCELLANEOUS SPAN DETAILS	38	8041
40 FT. BEAM DETAILS (TYPE I+2) BEAM 40-1	39	8042
40 FT. BEAM DETAILS (TYPE I+2) BEAM 40-2	40	8043
135 FT. BEAM DETAILS (TYPE BT-72)	41	8044
SEISMIC 14", 16", 18" & 20" SQUARE PRESTRESSED CONCRETE PILES	42	8045
2'-8" RAILING DETAILS	43	8046
NEOPRENE PAD DETAILS	44	8047

DESCRIPTION OF SHEETS	WORKING NO(S).	SHEET NO(S).
BRIDGE EROSION CONTROL PLANS	ECBR-1	8048
BRIDGE EROSION CONTROL PLANS	ECBR-2	8049
BRIDGE EROSION CONTROL PLANS	ECBR-3	8050
BRIDGE EROSION CONTROL PLANS	ECBR-4	8051
BRIDGE EROSION CONTROL PLANS	ECBR-5	8052
BRIDGE EROSION CONTROL PLANS	ECBR-6	8053
BRIDGE EROSION CONTROL PLANS	ECBR-7	8054
BRIDGE EROSION CONTROL PLANS	ECBR-8	8055
BRIDGE EROSION CONTROL PLANS	ECBR-9	8056
BRIDGE EROSION CONTROL PLANS	ECBR-10	8057
BRIDGE EROSION CONTROL PLANS	ECBR-11	8058
BRIDGE EROSION CONTROL PLANS	ECBR-12	8059
BRIDGE EROSION CONTROL PLANS	ECBR-13	8060
BRIDGE EROSION CONTROL PLANS	ECBR-14	8061
BRIDGE EROSION CONTROL PLANS	ECBR-15	8062
BRIDGE EROSION CONTROL PLANS	ECBR-16	8063

BRIDGE DIVISION	
REVISIONS	
DATE	SHEET NO. BY
12/12/2013	8042-8044 WMM
1/13/2014	8002 & 8003 WMM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
BRIDGE AT STA. 381+23.21

DETAILED INDEX (BRIDGE)


PROJECT BR-0914-001007
100299/301000

MARSHALL COUNTY

WORKING NUMBER DI-BR-1
SHEET NUMBER 8001

DESIGNED: WMM DETAILED: CWT TRACED: CWT
CHECKED: MRA ISSUED: DATE

DATE: 1-13-14



ADDENDUM

STATE	PROJECT NO.
MISS.	BR-0914-001007

SUMMARY OF QUANTITIES

PAY ITEM NO.	PAY ITEM BRIDGE SUMMARY	UNIT	QUANTITIES	
			PRELIMINARY	FINAL
501-K001	TRANSVERSE GROOVING	S.Y.	8600	
803-B002	CONVENTIONAL STATIC PILE LOAD TEST	EACH	1	
803-C004	18" X 18" PRESTRESSED CONCRETE PILING	L.F.	16,020	
803-I001	PDA TEST PILE	EACH	9	△
803-J001	PILE RESTRIKE	EACH	1	
907-803-K005	DRILLED SHAFT, 66" DIAMETER	L.F.	459	
907-803-L001	TEST SHAFT, 66" DIAMETER	EACH	1	
907-803-M004	TRIAL SHAFT, 66" DIAMETER	L.F.	85	
803-N001	EXPLORATION	L.F.	30	
803-O005	PERMANENT CASING, 66" DIAMETER	L.F.	240	
803-0011	TEMPORARY CASING, 66" DIAMETER	L.F.	120	
907-804-A001	BRIDGE CONCRETE, CLASS "AA"	C.Y.	3803	
907-804-C016	40 FT. PRESTRESSED CONCRETE BEAM, TYPE I-2	L.F.	10,607	
907-804-C012	135 FT. PRESTRESSED CONCRETE BEAM, TYPE BT-72	L.F.	943	
805-A001	REINFORCEMENT	LBS.	792,971	
813-A002	CONCRETE RAILING, 32"	L.F.	3873	
815-A004	LOOSE RIPRAP, SIZE 300	TON	1398	
815-E001	GEOTEXTILE UNDER RIPRAP	S.Y.	2153	



DATE: 1-13-15

MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
SUMMARY OF QUANTITIES (BRIDGE)	
PROJECT BR-0914-001007	
MARSHALL COUNTY	
DESIGNED: WMM	TRACED: CWT
CHECKED: MRA	ISSUED: _____ DATE: _____
BR	DATE
BY	REVISIONS
1-13-14	REVISED PDA TEST PILE QUANTITY WMM
WORKING NUMBER	8002
SHEET NUMBER	SO-BR-1

ADDENDUM

STATE PROJECT NO.
MISS. BR-0914-001007

ESTIMATED BRIDGE QUANTITIES

BEGIN STATION	SPAN SIZE	ITEM	TRANSVERSE GROOVING	CONVENTIONAL STATIC PILE LOAD TEST	18"X18" PRESTRESSED CONCRETE PILING	PDA TEST PILE	PILE RESTRIKE	DRILLED SHAFT, 66" DIAMETER	TEST SHAFT, 66" DIAMETER	TRIAL SHAFT, 66" DIAMETER	EXPLORATION	PERMANENT CASING, 66" DIAMETER	TEMPORARY CASING, 66" DIAMETER
		SPANS	S.Y. 8600.00	EACH	L.F.	EACH	EACH	L.F.	EACH	L.F.	L.F.	L.F.	L.F.
381+23.21		END BENTS			720.0	2							
		INT. BENTS			15,300.0	7	1	459.0	1	85.0	30.0	240.0	120.0
TOTALS			8600.00	1	16,020.0	9	1	459.0	1		30.0	240.0	120.0

ESTIMATED BRIDGE QUANTITIES

BEGIN STATION	SPAN SIZE	ITEM	BRIDGE CONCRETE CLASS "AA"	40 FT. PRESTRESSED CONCRETE BEAM, TYPE 1+2	135 FT. PRESTRESSED CONCRETE BEAM, TYPE BT-72	REINFORCEMENT	CONCRETE RAILING	LOOSE RIPRAP (SIZE 300#)	GEOTEXTILE UNDER RIPRAP
		SPANS	C.Y. 2523.09	L.F. 10,606.50	L.F. 943.25	LBS. 658,384	L.F. 3870.00	TON 1398.0	S.Y. 2153.0
381+23.21		END BENTS	67.53		10,055	3.17			
		INT. BENTS	1212.31		124,532				
TOTALS			3802.93	10,606.50	943.25	792,971	3873.17	1398.0	2153.0

- 1 @ 200' (40'-40'-40'-40'-40')
- 1 @ 200' (40'-40'-40'-40'-40')
- 1 @ 200' (40'-40'-40'-40'-40')
- 1 @ 200' (40'-40'-40'-40'-40')
- 1 @ 200' (40'-40'-40'-40'-40')
- 1 @ 200' (40'-40'-40'-40'-40')
- 1 @ 200' (40'-40'-40'-40'-40')
- 1 @ 200' (40'-40'-40'-40'-40')
- 1 @ 200' (40'-40'-40'-40'-40')
- 1 @ 200' (40'-40'-40'-40'-40')

Continuous For Live Loading Only



DATE: 1-13-15

MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
ESTIMATED QUANTITIES (BRIDGE)	PROJECT BR-0914-001007
	MARSHALL COUNTY
DESIGNED: WMM	TRACED: CWT
CHECKED: MRA	ISSUED: _____
DATE: 1-13-15	DATE: _____
REVISIONS	WORKING NUMBER EO-BR-1
BY	SHEET NUMBER 8003
DATE	
1-13-14	
REVISED PDA TEST PILE QUANTITY WMM	