

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.   1   DATED   1/21/2014   ADDENDUM NO.        DATED         
 ADDENDUM NO.        DATED        ADDENDUM NO.        DATED       

Number	Description	BidItems;
1	Revised Wage Rates; Revised Amendment EBS Download Required.	

TOTAL ADDENDA:   1    
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
 Contractor

BY \_\_\_\_\_  
 Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

IM-0059-02(103) / 106408301

Jones County(ies)

>

General Decision Number: MS140143 01/03/2014 MS143

Superseded General Decision Number: MS20130143

State: Mississippi

Construction Type: Highway

County: Jones County in Mississippi.

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects & railroad construction; bascule, suspension & spandrel arch bridges designed for commercial navigation, bridges involving marine construction; and other major bridges).

Modification Number            Publication Date  
    0    01/03/2014

\* ELEC0480-007 07/01/2013

	Rates	Fringes
ELECTRICIAN.....	\$ 23.35	3%+7.43
-----		
* SUMS2008-104 09/04/2008		

	Rates	Fringes
CARPENTER, Includes Form Work....	\$ 11.10	0.60
CEMENT MASON/CONCRETE FINISHER...	\$ 10.67	0.78
IRONWORKER, REINFORCING.....	\$ 10.38	0.00
LABORER: Common or General.....	\$ 8.30	0.00
LABORER: Pipelayer.....	\$ 9.68	0.00
OPERATOR: Backhoe/Excavator.....	\$ 11.13	0.00
OPERATOR: Broom/Sweeper.....	\$ 10.17	0.00
OPERATOR: Bulldozer.....	\$ 11.17	0.00
OPERATOR: Crane.....	\$ 14.57	0.00
OPERATOR: Grader/Blade.....	\$ 11.00	0.00
OPERATOR: Mechanic.....	\$ 12.04	0.00
OPERATOR: Oiler.....	\$ 12.33	0.48
OPERATOR: Roller.....	\$ 9.31	0.00
OPERATOR: Scraper.....	\$ 10.00	0.00

OPERATOR: Tractor.....	\$ 7.25	0.00
OPERATOR: Asphalt Paver and Asphalt Spreader.....	\$ 10.00	0.00
OPERATOR: Loader.....	\$ 10.15	0.00
TRUCK DRIVER.....	\$ 9.71	1.09

---

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

---

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

---

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is union or non-union.

#### Union Identifiers

An identifier enclosed in dotted lines beginning with characters other than "SU" denotes that the union classification and rate have found to be prevailing for that classification. Example: PLUM0198-005 07/01/2011. The first four letters , PLUM, indicate the international union and the four-digit number, 0198, that follows indicates the local union number or district council number where applicable , i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2011, following these characters is the effective date of the most current negotiated rate/collective bargaining agreement which would be July 1, 2011 in the above example.

Union prevailing wage rates will be updated to reflect any changes in the collective bargaining agreements governing the rates.

0000/9999: weighted union wage rates will be published annually each January.

#### Non-Union Identifiers

Classifications listed under an "SU" identifier were derived from survey data by computing average rates and are not union rates; however, the data used in computing these rates may include both union and non-union data. Example: SULA2004-007 5/13/2010. SU indicates the rates are not union majority rates, LA indicates the State of Louisiana; 2004 is the year of the survey; and 007 is an internal number used in producing the wage determination. A 1993 or later date, 5/13/2010, indicates the classifications and rates under that identifier were issued as a General Wage Determination on that date.

Survey wage rates will remain in effect and will not change until a new survey is conducted.

---

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- \* an existing published wage determination
- \* a survey underlying a wage determination
- \* a Wage and Hour Division letter setting forth a position on a wage determination matter
- \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations  
Wage and Hour Division  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material,

etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION

Mill & Overlay approximately 7 miles of I-59 from Laurel to Jasper County Line, known as Federal Aid Project No. IM-0059-02(103) / 106408301 in Jones County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
<b>Roadway Items</b>					
0010	202-B005		270	Square Yard	Removal of Asphalt Pavement, All Depths
0020	202-B013		1,815	Square Yard	Removal of Cement Treated Base, All Depths
0030	202-B022		51	Linear Feet	Removal of Concrete Median Barrier
0040	202-B042		9	Each	Removal of Flared End Section, All Sizes
0050	202-B076		8,273	Linear Feet	Removal of Traffic Stripe
0060	202-B079		1	Each	Removal of Headwall
0070	202-B081		270	Square Yard	Removal of Continuously Reinforced Concrete Pavement, 8-inch Depth
0080	202-B102		5,407	Linear Feet	Removal of Guard Rail
0090	202-B196		264	Linear Feet	Removal of Debris and Sand From Pipe, All Sizes
0100	202-B219		2	Each	Removal of and Replacement of SS-2 Inlet Top
0110	202-B262		67	Square Yard	Removal of Reinforced Concrete Pavement, 8" Depth
0120	202-B298		177	Linear Feet	Removal of Existing Joint Material
0130	206-A001	(S)	44	Cubic Yard	Structure Excavation
0140	221-A001	(S)	32	Cubic Yard	Portland Cement Concrete Paved Ditch
0150	406-A001		75,000	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0160	406-B001		1,120	Square Yard	Cold Milling of Concrete Pavement, All Depths
0170	413-B001		704	Linear Feet	Cleaning and Sealing Joints
0180	413-D001		2,080	Linear Feet	Cleaning and Filling Joints
0190	423-A001		35	Mile	Rumble Strips, Ground In
Changed 01/21/2014					
0200	501-D001		12	Linear Feet	Expansion Joints, With Dowels
0210	501-G001		12	Each	Dowels, Drilled and Installed
0220	501-I001		24	Linear Feet	Joint Filler, Wooden Board
0230	503-B001		252	Linear Feet	Saw Cut, Longitudinal Joints
0240	503-C002		1,720	Linear Feet	Saw Cut, 3-inch
0250	503-C005		336	Linear Feet	Saw Cut, 8-inch
0260	503-C010		168	Linear Feet	Saw Cut, 4-inch
0270	503-D001		29	Cubic Yard	Concrete for Base Repair
0280	503-E002		126	Each	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
0290	603-CB002	(S)	2	Each	24" Reinforced Concrete End Section
0300	603-RA002	(S)	8	Linear Feet	18" Pipe Removed and Relaid
0310	603-RA003	(S)	32	Linear Feet	24" Pipe Removed and Relaid

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0320	603-RA004	(S)	8	Linear Feet	30" Pipe Removed and Relaid
0330	603-RB002	(S)	1	Each	18" End Section Removed and Relaid
0340	603-RB003	(S)	7	Each	24" End Section Removed and Relaid
0350	603-RB004	(S)	1	Each	30" End Section Removed and Relaid
0360	606-B005		4,582	Linear Feet	Guard Rail, Class A, Type 1, 'W' Beam
0370	606-C002		14	Each	Guard Rail, Cable Anchor Type 1, Metal Post
0380	606-D001		9	Each	Guard Rail, Bridge End Section, Type A
0390	606-E002		23	Each	Guard Rail, Terminal End Section, Flared
0400	615-A001	(S)	51	Linear Feet	Concrete Type I Cast-in-Place Median Barrier
0410	616-A003	(S)	25	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0420	618-A001		1	Lump Sum	Maintenance of Traffic
0430	619-A1002		44	Mile	Temporary Traffic Stripe, Continuous White
0440	619-A2002		40	Mile	Temporary Traffic Stripe, Continuous Yellow
0450	619-A3006		38	Mile	Temporary Traffic Stripe, Skip White
0460	619-A5001		16,766	Linear Feet	Temporary Traffic Stripe, Detail
0470	619-D1001		144	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0480	619-D2001		484	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0490	619-G4001		48	Linear Feet	Barricades, Type III, Single Faced
0500	620-A001		1	Lump Sum	Mobilization
0510	627-K001		1,600	Each	Red-Clear Reflective High Performance Raised Markers
0520	627-L001		47	Each	Two-Way Yellow Reflective High Performance Raised Markers
0530	630-F001		107	Each	Delineators, Guard Rail, White
0540	630-F002		80	Each	Delineators, Guard Rail, Yellow
0550	630-G002		23	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
0560	808-A001	(S)	1,576	Linear Feet	Joint Preparation
0570	907-216-A001		915	Square Yard	Solid Sodding
0580	907-237-A003		1,000	Linear Feet	Wattles, 20"
0590	907-402-A004	(BA1)	16,906	Ton	Open Graded Friction Course, 9.5-mm Mixture
0600	907-402-B001	(A3)	26,835	Gallon	Bituminous Tack Coat
0610	907-403-AA001	(BA1)	27,243	Ton	Stone Matrix Asphalt, 9.5 mm Mixture
0620	907-403-AA002	(BA1)	30,981	Ton	Stone Matrix Asphalt, 12.5 mm Mixture
0630	907-403-S004		41	Mile	Joint Sealant
0640	907-407-A001	(A2)	46,116	Gallon	Asphalt for Tack Coat
0650	907-413-E001		2,080	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0660	907-503-A002	(C)	270	Square Yard	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	907-503-A003	(C)	67	Square Yard	8" and Variable Jointed Concrete Pavement
0680	907-601-B003	(S)	6	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0690	907-626-A005		20	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip White
0700	907-626-C003		21	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0710	907-626-E003		3,704	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow
0720	907-626-F003		21	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
0730	907-626-G004		8,724	Linear Feet	Thermoplastic Detail Stripe, White
0740	907-626-G005		1,288	Linear Feet	Thermoplastic Detail Stripe, Yellow
0750	907-626-H004		569	Linear Feet	Thermoplastic Legend, White
0760	907-823-A001		784	Linear Feet	Preformed Joint Seal, Type I
0770	907-823-A002		84	Linear Feet	Preformed Joint Seal, Type II
0780	907-906001		1,040	Hours	Trainees [\$5.00]
<b>ALTERNATE GROUP AA NUMBER 1</b>					
0790	907-304-F004	(GT)	13,107	Ton	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>					
0800	907-304-F003	(GT)	13,107	Ton	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>					
0810	907-304-F002	(GT)	13,107	Ton	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP BB NUMBER 1</b>					
0820	907-403-A015	(BA1)	24,134	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
<b>ALTERNATE GROUP BB NUMBER 2</b>					
0830	907-403-M001	(BA1)	24,134	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture
<b>ALTERNATE GROUP CC NUMBER 1</b>					
0840	907-403-A001	(BA1)	3,144	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture
<b>ALTERNATE GROUP CC NUMBER 2</b>					
0850	907-403-M010	(BA1)	3,144	Ton	Warm Mix Asphalt, HT, 12.5-mm mixture