

[Proposal & Plan Sales Will Begin on January 6, 2014](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for January – January 28, 2014

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JANUARY - Tuesday, January 28, 2014

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 06, 2014

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
01	STP-0029-03(011) / 102556308	Marshall
02	STP-0008-02(101) / 106698301	Simpson
03	HSIP-0008-02(102) / 106502301	Covington
04	HSIP-0014-03(063) / 106223301	George
* 05	NH-0014-03(067) / 106753301	George
* 06	STP-0038-01(034) / 106769301	Noxubee
07	NH-0055-02(236) / 106483301	Hinds
08	BR-0055-02(237) / 106533301 & MRP-5055-25(201) / 304990301	Hinds
09	IM-0059-02(103) / 106408301	Jones
* 10	STP-0066-01(013) / 106754301	Jackson
11	STP-0070-04(018) / 106296301	Lafayette
12	BR-0914-00(007) / 100299301	Marshall
13	BR-2170-00(021) / 105120301	Jones
14	BR-9999-07(008) / 106647303	Pike & Lincoln
15	SP-0016-02(036) / 106710302	Grenada
* 16	MP-3027-15(007) / 305096301	Copiah
* 17	MP-5025-61(009) / 305116301	Rankin

Paving approximately 4 miles of SR 304/I-269 from SR 302 to the Tennessee Line, known as Federal Aid Project No. STP-0029-03(011) / 102556308 in Marshall County.

PROJECT COMPLETION: June 25, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
558 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
114 Square Yard	202-B025	Removal of Concrete Paved Ditch
1 Each	202-B057	Removal of Inlets, All Sizes
60 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
300 Linear Feet	202-B102	Removal of Guard Rail
6,684 Linear Feet	202-B141	Removal of Edge Drain
5 Mile	202-B149	Removal of Traffic Stripe
42 Square Yard	202-B216	Removal of Island Pavement, All Types
8,544 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
838 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
15,999 Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
1,117 Cubic Yard	203-G003	Excess Excavation, FM, AH
5,000 Cubic Yard	203-G004	Excess Excavation, LVM, AH
600 Square Yard	204-A003	Geogrid, Type II, Biaxial
201 Cubic Yard	206-A001	Structure Excavation
3,825 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
88 Ton	213-C001	Superphosphate
135 Square Yard	217-A001	Ditch Liner
5 Thousand Gallon	219-A001	Watering
32 Acre	220-A001	Insect Pest Control
40 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
175 Acre	223-A001	Mowing
118 Square Yard	224-A001	Soil Reinforcing Mat
3,000 Linear Feet	234-A001	Temporary Silt Fence
3 Mile	321-A001	6" In-Grade Preparation
1,683 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
17 Mile	423-A001	Rumble Strips, Ground In
295 Linear Feet	501-E001	Expansion Joints, Without Dowels
654 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
390 Linear Feet	503-C002	Saw Cut, 3-inch
580 Linear Feet	503-C010	Saw Cut, 4-inch
1,207 Pounds	602-A001	Reinforcing Steel
172 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
76 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1 Each	603-CB002	24" Reinforced Concrete End Section
1 Each	603-SB044	18" Branch Connections, Stub into Existing Box Culvert
2 Each	603-SB045	18" Branch Connections, Stub into Existing Inlet
488 Pounds	604-A001	Castings
900 Pounds	604-B001	Gratings

CALL No. 01

144	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
1,638	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-C003	Guard Rail, Cable Anchor, Type 1
7	Each	606-D012	Guard Rail, Bridge End Section, Type I
9	Each	606-E002	Guard Rail, Terminal End Section, Flared
2,302	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
120	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
1,939	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
28	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
7	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
1,000	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
6	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
1,000	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
7	Mile	619-A3006	Temporary Traffic Stripe, Skip White
129	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
600	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
144	Linear Feet	619-G4001	Barricades, Type III, Single Faced
288	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
957	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
121	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
943	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
512	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
165	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
163	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
224	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
47	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
103	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
287	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
148	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
1,010	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
41	Each	630-F001	Delineators, Guard Rail, White
18	Each	630-F002	Delineators, Guard Rail, Yellow
2	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
2	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
2	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
38	Each	630-F006	Delineators, Post Mounted, Single White
9	Each	630-F007	Delineators, Post Mounted, Single Yellow
60	Each	630-F008	Delineators, Post Mounted, Double White
15	Each	630-F009	Delineators, Post Mounted, Double Yellow
6	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

CALL No. 01

46	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
73	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
489	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
55	Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
4	Each	640-A016	Traffic Signal Heads, Type 1 LED
3	Each	640-A017	Traffic Signal Heads, Type 2 LED
1	Each	640-A063	Traffic Signal Heads, Type 2U, LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
2	Each	647-A002	Pullbox, Type 3
19	Each	647-A003	Pullbox, Type 4
17	Each	647-A004	Pullbox, Type 5
25	Each	647-A005	Pullbox, Type 2
425	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
455	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
9,389	Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
2,680	Linear Feet	666-B037	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 4 Conductor
11,141	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
1,423	Linear Feet	666-B039	Electric Cable, Underground in Conduit, THHN, AWG #10, 3 Conductor
12,426	Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
1,910	Linear Feet	666-B049	Electric Cable, Underground in Conduit, THHN, AWG #10, 2 Conductor
570	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
975	Linear Feet	666-B055	Electric Cable, Underground in Conduit, THHN, AWG #3/0, 3 Conductor
1,690	Linear Feet	666-B056	Electric Cable, Underground in Conduit, THHN, AWG #12, 2 Conductor
165	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
520	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
275	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
970	Linear Feet	808-A001	Joint Preparation
57	Ton	815-A009	Loose Riprap, Size 300
142	Square Yard	815-E001	Geotextile under Riprap
338	Square Yard	907-216-A001	Solid Sodding
32	Acre	907-225-A001	Grassing
96	Ton	907-225-B001	Agricultural Limestone
64	Ton	907-225-C001	Mulch, Vegetative Mulch
32	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
2	Each	907-234-E001	Reset Inlet Siltation Guard
6,000	Linear Feet	907-237-A002	Wattles, 12"
7,826	Ton	907-304-B009	Granular Material, Class 3, Group D
67,049	Ton	907-304-B011	Granular Material, Class 9, Group B
71,523	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
966	Ton	907-307-D001	Lime
25,033	Gallon	907-307-S001	Bituminous Curing Seal
3,123	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
4,259	Gallon	907-402-B001	Bituminous Tack Coat
8,018	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
10,396	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture

CALL No. 01

59,829	Gallon	907-407-A001	Asphalt for Tack Coat
475	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
25	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2	Each	907-619-E3001	Changeable Message Sign
8	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
8	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
14,512	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
10,128	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,024	Linear Feet	907-626-H004	Thermoplastic Legend, White
102	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-630-M001	Pedestal Sign Support, Assembly No 1, Contractor Designed
	Lump Sum	907-630-M002	Pedestal Sign Support, Assembly No 2, Contractor Designed
	Lump Sum	907-630-M003	Pedestal Sign Support, Assembly No 5, Contractor Designed
	Lump Sum	907-630-M004	Pedestal Sign Support, Assembly No 8, Contractor Designed
3	Each	907-639-A001	Traffic Signal Equipment Pole, Type 1, Wood
1	Each	907-639-A119	Traffic Signal Equipment Pole, Type II, 17' Shaft, 80' Arm
6	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
3	Each	907-639-F001	Detector Pole with Foundation, 35' Pole
1	Each	907-641-C001	Signal Radar Detection System
	Lump Sum	907-641-D001	Signal Radar Detection Training
6	Each	907-650-A003	On Street Video Equipment, PTZ Type
4	Each	907-656-A002	Dynamic Message Sign, Type 2
	Lump Sum	907-656-B001	Dynamic Message Sign Training
21,456	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
2,180	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
10	Each	907-658-A005	Network Switch, Type A
1	Each	907-658-A007	Network Switch, Type C
6	Each	907-658-B001	Terminal Server
	Lump Sum	907-659-A001	Traffic Management Center Modifications
	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
1	Each	907-660-A001	OTN Node
1	Each	907-660-B002	Communications Hut
	Lump Sum	907-660-C001	OTN Node Training
6	Each	907-662-A001	Video Encoder, Type A
6	Each	907-662-B001	Video Decoder, Type A
1	Each	907-662-C001	Video Encoder / Decoder Chassis
6	Each	907-662-E001	Video Decoder Card
27,780	Linear Feet	907-668-E001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
1,200	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
4,070	Linear Feet	907-668-F001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
6	Each	907-670-A001	ITS Radar Detection System
910	Linear Feet	907-670-B001	ITS RDS Comm Cable
1	Each	907-688-C001	Traffic Recorder Induction Loop System
	Lump Sum	907-699-A002	Roadway Construction Stakes
195	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 01

290 Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,040 Hours	907-906001	Trainees
		ALTERNATE GROUP AA NO. 1
15,579 Ton	907-304-F003	3/4" and Down Crushed Stone Base
		ALTERNATE GROUP AA NO. 2
15,579 Ton	907-304-F002	Size 610 Crushed Stone Base
		ALTERNATE GROUP AA NO. 3
15,579 Ton	907-304-F004	Size 825B Crushed Stone Base
		ALTERNATE GROUP BB NO. 1
1,577 Ton	907-308-A001	Portland Cement
135,556 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
47,445 Gallon	907-308-S001	Bituminous Curing Seal
		ALTERNATE GROUP BB NO. 2
135,556 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
1,044 Ton	907-311-B001	Lime
4,173 Ton	907-311-C001	Fly Ash, Class C
47,445 Gallon	907-311-S001	Bituminous Curing Seal
		ALTERNATE GROUP CC NO. 1
606 Ton	907-308-A001	Portland Cement
71,523 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
25,033 Gallon	907-308-S001	Bituminous Curing Seal
		ALTERNATE GROUP CC NO. 2
71,523 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
483 Ton	907-311-B001	Lime
1,932 Ton	907-311-C001	Fly Ash, Class C
25,033 Gallon	907-311-S001	Bituminous Curing Seal
		ALTERNATE GROUP DD NO. 1
11,394 Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
		ALTERNATE GROUP DD NO. 2
11,394 Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
		ALTERNATE GROUP EE NO. 1
15,678 Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
		ALTERNATE GROUP EE NO. 2
15,678 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
		ALTERNATE GROUP FF NO. 1
3,836 Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
		ALTERNATE GROUP FF NO. 2
3,836 Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
		ALTERNATE GROUP GG NO. 1
5,278 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP GG NO. 2
5,278 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP HH NO. 1
16,388 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP HH NO. 2
16,388 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

CALL No. 01

ALTERNATE GROUP II NO. 1

1,808 Ton 907-403-A015 Hot Mix Asphalt, ST, 9.5-mm mixture

ALTERNATE GROUP II NO. 2

1,808 Ton 907-403-M001 Warm Mix Asphalt, ST, 9.5-mm mixture

ALTERNATE GROUP JJ NO. 1

560 Linear Feet 907-626-I003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

560 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite

560 Linear Feet 907-626-L001 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP JJ NO. 2

560 Linear Feet 628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip White

560 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite

560 Linear Feet 628-M002 6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Overlay approximately 11 miles of the Southbound Lane of US 49 from SR 149 in Magee to SR 149 in Mendenhall, known as Federal Aid Project No. STP-0008-02(101) / 106698301 in Simpson County.

PROJECT COMPLETION: July 25, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

187	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
1,440	Linear Feet	202-B076	Removal of Traffic Stripe
30,030	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
16	Mile	423-A001	Rumble Strips, Ground In
308	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A3006	Temporary Traffic Stripe, Skip White
50,047	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,194	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,674	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
2,155	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,410	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
165	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
694	Linear Feet	635-A001	Vehicle Loop Assemblies
2,956	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
320	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
2,500	Pounds	907-420-A001	Undersealing Concrete Pavement
1	Square Yard	907-510-X001	Concrete for Spall Repair
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
28,467	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
21,580	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,194	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,674	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
105	Ton	907-304-F002	Size 610 Crushed Stone Base
		ALTERNATE GROUP AA NO. 2	
105	Ton	907-304-F003	3/4" and Down Crushed Stone Base
		ALTERNATE GROUP AA NO. 3	
105	Ton	907-304-F004	Size 825B Crushed Stone Base
		ALTERNATE GROUP BB NO. 1	
26	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
		ALTERNATE GROUP BB NO. 2	
26	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
		ALTERNATE GROUP CC NO. 1	
51	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
		ALTERNATE GROUP CC NO. 2	

CALL No. 02

51 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture ALTERNATE GROUP DD NO. 1
7,276 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP DD NO. 2
7,276 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP EE NO. 1
14,724 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP EE NO. 2
14,724 Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP FF NO. 1
2,099 Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling ALTERNATE GROUP FF NO. 2
2,099 Ton	907-403-Q001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling

Traffic Signal Modifications at various intersections on US 49 in Collins, known as Federal Aid Project No. HSIP-0008-02(102) / 106502301 in Covington County.

PROJECT COMPLETION: November 14, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
81 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
790 Cubic Yard	203-G004	Excess Excavation, LVM, AH
383 Cubic Yard	206-A001	Structure Excavation
5,893 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
21 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5 Thousand Gallon	219-A001	Watering
100 Linear Feet	234-A001	Temporary Silt Fence
100 Bale	235-A001	Temporary Erosion Checks
30,623 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3 Mile	423-A001	Rumble Strips, Ground In
420 Pounds	602-A001	Reinforcing Steel
752 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
64 Linear Feet	603-CA126	18" Reinforced Concrete Pipe, Class V, Jacked or Bored
2 Each	603-CB001	18" Reinforced Concrete End Section
976 Pounds	604-A001	Castings
1,050 Pounds	604-B001	Gratings
1,484 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
206 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
5,994 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
12,299 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6,388 Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
10,246 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
996 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
84 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,129 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2 Each	619-E1001	Flashing Arrow Panel, Type C
162 Linear Feet	619-G4001	Barricades, Type III, Single Faced
60 Linear Feet	619-G4005	Barricades, Type III, Double Faced
101 Each	619-G5001	Free Standing Plastic Drums
12 Each	619-G7001	Warning Lights, Type "B"
Lump Sum	620-A001	Mobilization
108 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
362 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
162 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
162 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
31 Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
253 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft

CALL No. 03

245 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
48 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
16 Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
95 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
38 Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
744 Linear Feet	635-A001	Vehicle Loop Assemblies
2,490 Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor
3 Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
6 Each	640-A016	Traffic Signal Heads, Type 1 LED
2 Each	640-A018	Traffic Signal Heads, Type 3 LED
6 Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
4 Each	644-A001	Optical Detector
689 Linear Feet	644-B001	Optical Detector Cable
1 Each	644-C002	Phase Selector, 4 Channel
6 Each	647-A001	Pullbox, Type 1
1 Each	647-A002	Pullbox, Type 3
3 Each	647-A005	Pullbox, Type 2
1 Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
2 Each	650-A002	On Street Video Equipment, Fixed Type
38 Square Feet	653-B001	Street Name Sign, Encapsulated Lens
300 Linear Feet	666-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3Conductor
2,740 Linear Feet	666-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4Conductor
235 Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
763 Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
852 Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
900 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
36 Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
395 Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
229 Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
251 Square Yard	907-216-A001	Solid Sodding
1 Each	907-234-D001	Inlet Siltation Guard
1 Each	907-234-E001	Reset Inlet Siltation Guard
100 Linear Feet	907-237-A003	Wattles, 20"
1,100 Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
1,852 Gallon	907-407-A001	Asphalt for Tack Coat
8 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
6,388 Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
5,994 Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
430 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,406 Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,970 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,276 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
996 Linear Feet	907-626-H004	Thermoplastic Legend, White
270 Square Feet	907-626-H005	Thermoplastic Legend, White
1 Each	907-637-A001	Equipment Cabinet, Type B
1 Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm

CALL No. 03

1	Each	907-639-A019	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
1	Each	907-639-A031	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 70' Arm
1	Each	907-639-A107	Traffic Signal Equipment Pole, Type II, 17' Shaft, 20' Arm
1	Each	907-639-B001	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount
16	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
2	Each	907-642-B001	Solid State Traffic Actuated Controller Modification
1	Each	907-642-B002	Solid State Traffic Actuated Controller Modification, Per Plans
4	Each	907-645-B001	Be Prepared to Stop When Flashing Assembly
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
1	Each	907-658-A005	Network Switch, Type A
1	Each	907-658-A008	Network Switch, Type D
1	Each	907-658-B001	Terminal Server
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
730	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
730	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
730	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
2,678	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
2,678	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
215	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 2
215	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
			ALTERNATE GROUP DD NO. 1
327	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP DD NO. 2
327	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP EE NO. 1
499	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP EE NO. 2
499	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

Traffic Signal on US 98 Intersection at Rocky Creek Road and Beaver Dam Road, known as Federal Aid Project No. HSIP-0014-03(063) / 106223301 in George County.

PROJECT COMPLETION: December 15, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
60 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100 Square Yard	202-B025	Removal of Concrete Paved Ditch
1 Each	202-B057	Removal of Inlets, All Sizes
84 Linear Feet	202-B064	Removal of Pipe, 8" And Above
76 Each	202-B070	Removal of Sign Including Post & Footing
1,287 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
2,315 Cubic Yard	203-EX014	Borrow Excavation, AH, LVM, Class B7
81 Cubic Yard	206-A001	Structure Excavation
7,056 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
9 Thousand Gallon	219-A001	Watering
2 Acre	220-A001	Insect Pest Control
109 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
500 Linear Feet	234-A001	Temporary Silt Fence
4,764 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2 Mile	423-A001	Rumble Strips, Ground In
466 Pounds	602-A001	Reinforcing Steel
8 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
332 Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
1 Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
423 Pounds	604-B001	Gratings
368 Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
43 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
3,993 Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
5,332 Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
6,775 Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White, Paint
29,560 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,483 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
384 Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
122 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
876 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
133 Square Feet	619-D4001	Directional Signs
48 Linear Feet	619-G4005	Barricades, Type III, Double Faced
136 Each	619-G5001	Free Standing Plastic Drums
Lump Sum	620-A001	Mobilization
768 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
51 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
187 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
324 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

CALL No. 04

27	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
393	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
178	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
171	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
498	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
127	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
112	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
132	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,296	Linear Feet	635-A001	Vehicle Loop Assemblies
1,736	Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor
6	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
12	Each	640-A016	Traffic Signal Heads, Type 1 LED
4	Each	640-A018	Traffic Signal Heads, Type 3 LED
4	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
8	Each	647-A001	Pullbox, Type 1
1	Each	647-A002	Pullbox, Type 3
2	Each	647-A003	Pullbox, Type 4
7	Each	647-A005	Pullbox, Type 2
30	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
5,261	Linear Feet	666-B007	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4Conductor
412	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
1,842	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
488	Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
4,217	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
220	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
60	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
1,883	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
68	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
10	Ton	815-F002	Sediment Control Stone
421	Square Yard	907-216-A001	Solid Sodding
4	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone
8	Ton	907-225-C001	Mulch, Vegetative Mulch
4	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
140	Linear Feet	907-237-A003	Wattles, 20"
80	Linear Feet	907-246-A001	Sandbags
20	Ton	907-249-A001	Riprap for Erosion Control
2,062	Gallon	907-407-A001	Asphalt for Tack Coat
10	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
6,775	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
3,993	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,052	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,280	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
26,541	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,019	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

CALL No. 04

1,483	Linear Feet	907-626-H004	Thermoplastic Legend, White
384	Square Feet	907-626-H005	Thermoplastic Legend, White
4	Each	907-630-R001	Changeable Message Sign
70	Cubic Yard	907-631-A001	Flowable Fill, Excavatable
1	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
2	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
1	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A046	Traffic Signal Equipment Pole, Type III, 17' Shaft, 35' & 45' Arms
1	Each	907-639-A062	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 40' Arms
2	Each	907-639-A065	Traffic Signal Equipment Pole, Type III, 17' Shaft, 35' & 40' Arms
32	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
120	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
4	Each	907-641-B002	Signal Advanced Radar Detection
2	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
8	Each	907-645-B001	Be Prepared to Stop When Flashing Assembly
2	Each	907-650-A002	On Street Video Equipment, Fixed Type
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
1	Each	907-658-A005	Network Switch, Type A
1	Each	907-658-A008	Network Switch, Type D
1	Each	907-658-B001	Terminal Server
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
5,927	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
5,927	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
5,927	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
1,047	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP BB NO. 2
1,047	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP CC NO. 1
1,091	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP CC NO. 2
1,091	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
698	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP DD NO. 2
698	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP EE NO. 1
3,221	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			ALTERNATE GROUP EE NO. 2
3,221	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Mill and Overlay approximately 6 miles of US 98 from the Greene County Line to SR 63, known as Federal Aid Project No. NH-0014-03(067) / 106753301 in George County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**Roadway Items**

1,080	Linear Feet	202-B076	Removal of Traffic Stripe
10,622	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
22	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
22	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A3006	Temporary Traffic Stripe, Skip White
35,508	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,100	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
215	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,047	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
60	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
21,436	Gallon	907-407-A001	Asphalt for Tack Coat
11	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
22,390	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
13,118	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,100	Linear Feet	907-626-H004	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
4,645	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
4,645	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
4,645	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
16,344	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
16,344	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
3,482	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 2
3,482	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP DD NO. 1
8,172	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP DD NO. 2
8,172	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling

Mill and Overlay approximately 17 miles of SR 14, known as Federal Aid Project No. STP-0038-01(034) / 106769301 in Noxubee County.

PROJECT COMPLETION: July 22, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

200	Linear Feet	202-B001	Removal of Asphalt Curb
3,750	Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
1,954	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
5,310	Linear Feet	202-B076	Removal of Traffic Stripe
2	Each	202-B086	Removal of Guard Post
50	Linear Feet	202-B102	Removal of Guard Rail
2,575	Linear Feet	202-B254	Removal of Guard Rail, Including Rail, Posts & Cable Anchors
268	Linear Feet	202-B298	Removal of Existing Joint Material
651	Cubic Yard	203-G003	Excess Excavation, FM, AH
100	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
277,208	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
31	Mile	423-A001	Rumble Strips, Ground In
312	Linear Feet	503-C002	Saw Cut, 3-inch
50	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1,625	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
4	Each	606-B020	Guard Rail, Replace Wood Blockout
4	Each	606-B021	Guard Rail, Replace Wood Post and Wood Blockout
2	Each	606-D001	Guard Rail, Bridge End Section, Type A
4	Each	606-D010	Guard Rail, Bridge End Section, Type H, Metal Post
2	Each	606-D019	Guard Rail, Bridge End Section, Type F Modified
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
12	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
63	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
31	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
34,572	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,952	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
252	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
777	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
580	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
888	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,501	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
230	Each	630-F001	Delineators, Guard Rail, White
372	Linear Feet	808-A001	Joint Preparation
3,000	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
20,000	Gallon	907-407-A001	Asphalt for Tack Coat
4	Each	907-606-PP002	Guard Rail, Bridge Connector, Per Plans
297	Linear Feet	907-606-PP009	Remove and Replace Blockouts & Add Rub-Rail

CALL No. 06

32 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16 Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8 Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
13,317 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
3,984 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
3,136 Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
126 Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
150 Linear Feet	907-823-A001	Preformed Joint Seal, Type I
Lump Sum	907-899-A001	Railway-Highway Provisions
		ALTERNATE GROUP AA NO. 1
651 Cubic Yard	907-304-G001	Size 825B Crushed Stone Base, AEA
		ALTERNATE GROUP AA NO. 2
651 Cubic Yard	907-304-G002	Size 610 Crushed Stone Base, AEA
		ALTERNATE GROUP AA NO. 3
651 Cubic Yard	907-304-G003	Size 3/4" and Down Crushed Stone Base, AEA
		ALTERNATE GROUP BB NO. 1
36,600 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
		ALTERNATE GROUP BB NO. 2
36,600 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
		ALTERNATE GROUP CC NO. 1
2,294 Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
		ALTERNATE GROUP CC NO. 2
2,294 Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Intersection Improvements at I-55/Lakeland Drive, known as Federal Aid Project No. NH-0055-02(236) / 106483301 in Hinds County.

PROJECT COMPLETION: November 14, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
316 Square Yard	202-B004	Removal of Asphalt Paved Shoulders, All Depths
1,849 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
47 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
152 Square Yard	202-B025	Removal of Concrete Paved Ditch
31 Each	202-B039	Removal of Delineator, All Types
1 Each	202-B057	Removal of Inlets, All Sizes
77 Square Feet	202-B059	Removal of Legend, All Types
1,122 Square Feet	202-B062	Removal of Overhead Sign Panels
1 Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
81 Linear Feet	202-B064	Removal of Pipe, 8" And Above
12 Each	202-B070	Removal of Sign Including Post & Footing
300 Linear Feet	202-B076	Removal of Traffic Stripe
1,770 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
389 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
332 Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
6,234 Cubic Yard	203-G004	Excess Excavation, LVM, AH
4 Cubic Yard	206-A001	Structure Excavation
6,764 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
312 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
403 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1 Ton	213-C001	Superphosphate
1 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
83 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
2,200 Linear Feet	234-A001	Temporary Silt Fence
12,610 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1 Mile	423-A001	Rumble Strips, Ground In
1,869 Linear Feet	503-C007	Saw Cut, Full Depth
414 Pounds	602-A001	Reinforcing Steel
8 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
79 Pounds	604-A001	Castings
250 Pounds	604-B001	Gratings
14 Linear Feet	609-B001	Concrete Curb, Header
1,477 Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
154 Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
9 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
9,150 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White

CALL No. 07

1,650	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,362	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
5,264	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
708	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
568	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
67	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
326	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,000	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,392	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
33	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
1	Unit	619-J1003	Impact Attenuator, 60 MPH
	Lump Sum	620-A001	Mobilization
159	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
107	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
58	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
30	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1,894	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
42	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
31	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
23	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
5	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
86	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
13	Each	640-A016	Traffic Signal Heads, Type 1 LED
7	Each	640-A017	Traffic Signal Heads, Type 2 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
3	Each	644-A001	Optical Detector
194	Linear Feet	644-B001	Optical Detector Cable
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
1	Each	647-A002	Pullbox, Type 3
2	Each	647-A003	Pullbox, Type 4
1	Each	647-A005	Pullbox, Type 2
251	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
194	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
530	Linear Feet	666-C005	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 4 Conductor
100	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
18	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
150	Linear Feet	668-A026	Traffic Signal Conduit, Underground, Rolled Pipe, 3"
450	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
1,818	Square Yard	907-216-A001	Solid Sodding
1	Acre	907-225-A001	Grassing
3	Ton	907-225-B001	Agricultural Limestone
2	Ton	907-225-C001	Mulch, Vegetative Mulch

CALL No. 07

1	Acre	907-226-A001	Temporary Grassing
3	Each	907-234-D001	Inlet Siltation Guard
150	Linear Feet	907-237-A002	Wattles, 12"
168	Linear Feet	907-237-A003	Wattles, 20"
168	Linear Feet	907-245-A001	Triangular Silt Dike
168	Linear Feet	907-246-A001	Sandbags
24	Ton	907-249-A001	Riprap for Erosion Control
831	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
1,168	Gallon	907-407-A001	Asphalt for Tack Coat
4	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2	Each	907-619-E3001	Changeable Message Sign
3	Each	907-619-J3001	Remove and Reset Impact Attenuator
1	Each	907-622-A001	Engineer's Field Office Building, Type 2
4,903	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,558	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2,942	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,841	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,389	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,033	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
624	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
471	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
	Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
	Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed
	Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed
3	Each	907-630-O002	Remove and Reset Sign Assembly
3	Each	907-630-PP019	Install Patch on Sign, Overhead Mounted, Per Plans
1	Each	907-637-A001	Equipment Cabinet, Type B
3	Each	907-639-A001	Traffic Signal Equipment Pole, Type 1, Wood
1	Each	907-639-A031	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 70' Arm
1	Each	907-639-A050	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 65' & 55' Arms
8	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
8	Each	907-641-C001	Signal Radar Detection System
1	Each	907-644-C002	Phase Selector, 4 Channel
1	Each	907-654-A001	Battery Back-up System
230	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
230	Linear Feet	907-657-A005	Fiber Optic Cable, 12 MM
31	Linear Feet	907-657-B002	Fiber Optic Drop Cable, 12 MM
1	Each	907-658-A005	Network Switch, Type A
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
2,068	Ton	907-304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NO. 2			
2,068	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NO. 3			
2,068	Ton	907-304-F004	Size 825B Crushed Stone Base

CALL No. 07

	ALTERNATE GROUP BB NO. 1
443 Ton	907-403-A001 Hot Mix Asphalt, HT, 12.5-mm mixture
	ALTERNATE GROUP BB NO. 2
443 Ton	907-403-M010 Warm Mix Asphalt, HT, 12.5-mm mixture
	ALTERNATE GROUP CC NO. 1
627 Ton	907-403-A002 Hot Mix Asphalt, HT, 19-mm mixture
	ALTERNATE GROUP CC NO. 2
627 Ton	907-403-M011 Warm Mix Asphalt, HT, 19-mm mixture
	ALTERNATE GROUP DD NO. 1
724 Ton	907-403-A012 Hot Mix Asphalt, ST, 19-mm mixture
	ALTERNATE GROUP DD NO. 2
724 Ton	907-403-M004 Warm Mix Asphalt, ST, 19-mm mixture
	ALTERNATE GROUP EE NO. 1
443 Ton	907-403-D001 Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
	ALTERNATE GROUP EE NO. 2
443 Ton	907-403-P002 Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
	ALTERNATE GROUP FF NO. 1
1,300 Ton	907-403-D004 Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
	ALTERNATE GROUP FF NO. 2
1,300 Ton	907-403-P001 Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Bridge Maintenance on I-55 at Riverside Drive on Bridge No. 96.7A&B, known as Federal Aid Project No. BR-0055-02(237) / 106533301 & State Project No. MRP-5055-25(201) / 304990301 in Hinds County.

PROJECT COMPLETION: June 27, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

40	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
10	Square Yard	202-B035	Removal of Concrete Sidewalk
135	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
50	Linear Feet	202-B076	Removal of Traffic Stripe
25	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D012	Guard Rail, Bridge End Section, Type I
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
46	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
40	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
	Lump Sum	618-A001	Maintenance of Traffic
100	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
101	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
130	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
380	Linear Feet	619-F1001	Concrete Median Barrier, Precast
90	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
66	Linear Feet	619-G4001	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
1	Unit	619-J1001	Impact Attenuator, 40 MPH
	Lump Sum	620-A001	Mobilization
15	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
3	Each	630-F001	Delineators, Guard Rail, White
3	Each	630-F002	Delineators, Guard Rail, Yellow
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
10	Square Yard	907-216-A001	Solid Sodding
100	Linear Feet	907-237-A003	Wattles, 20"
4	Each	907-619-E3001	Changeable Message Sign
1	Each	907-619-J3001	Remove and Reset Impact Attenuator
187	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
200	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
365	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
320	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
95	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
236	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
154	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
1	Each	907-630-O006	Remove and Reset Signs, Post Mounted

Bridge Items

620	Linear Feet	202-B298	Removal of Existing Joint Material
1,280	Linear Feet	503-C001	Saw Cut, 1-inch
620	Linear Feet	503-C010	Saw Cut, 4-inch
29,680	Pounds	805-A001	Reinforcement
320	Linear Feet	808-A001	Joint Preparation

CALL No. 08

640	Linear Feet	813-A002	Concrete Railing, 32"
320	Linear Feet	813-E010	Pedestrian Railing
	Lump Sum	816-A001	Maintenance Painting of Metal Structures
139	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
620	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
	Lump Sum	907-824-PP102	Bridge Repair, Removal of Areas A & B

Mill & Overlay approximately 7 miles of I-59 from Laurel to Jasper County Line, known as Federal Aid Project No. IM-0059-02(103) / 106408301 in Jones County.

PROJECT COMPLETION: October 16, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

270	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,815	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
51	Linear Feet	202-B022	Removal of Concrete Median Barrier
9	Each	202-B042	Removal of Flared End Section, All Sizes
8,273	Linear Feet	202-B076	Removal of Traffic Stripe
1	Each	202-B079	Removal of Headwall
270	Square Yard	202-B081	Removal of Continuously Reinforced Concrete Pavement, 8-inchDepth
5,407	Linear Feet	202-B102	Removal of Guard Rail
264	Linear Feet	202-B196	Removal of Debris and Sand From Pipe, All Sizes
2	Each	202-B219	Removal of and Replacement of SS-2 Inlet Top
67	Square Yard	202-B262	Removal of Reinforced Concrete Pavement, 8" Depth
177	Linear Feet	202-B298	Removal of Existing Joint Material
44	Cubic Yard	206-A001	Structure Excavation
32	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
75,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,120	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
704	Linear Feet	413-B001	Cleaning and Sealing Joints
2,080	Linear Feet	413-D001	Cleaning and Filling Joints
28	Mile	423-A001	Rumble Strips, Ground In
12	Linear Feet	501-D001	Expansion Joints, With Dowels
12	Each	501-G001	Dowels, Drilled and Installed
24	Linear Feet	501-I001	Joint Filler, Wooden Board
252	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,720	Linear Feet	503-C002	Saw Cut, 3-inch
336	Linear Feet	503-C005	Saw Cut, 8-inch
168	Linear Feet	503-C010	Saw Cut, 4-inch
29	Cubic Yard	503-D001	Concrete for Base Repair
126	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
2	Each	603-CB002	24" Reinforced Concrete End Section
8	Linear Feet	603-RA002	18" Pipe Removed and Relaid
32	Linear Feet	603-RA003	24" Pipe Removed and Relaid
8	Linear Feet	603-RA004	30" Pipe Removed and Relaid
1	Each	603-RB002	18" End Section Removed and Relaid
7	Each	603-RB003	24" End Section Removed and Relaid
1	Each	603-RB004	30" End Section Removed and Relaid
4,582	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
14	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
9	Each	606-D001	Guard Rail, Bridge End Section, Type A
23	Each	606-E002	Guard Rail, Terminal End Section, Flared
51	Linear Feet	615-A001	Concrete Type I Cast-in-Place Median Barrier
25	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch

CALL No. 09

	Lump Sum	618-A001	Maintenance of Traffic
44	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
40	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
38	Mile	619-A3006	Temporary Traffic Stripe, Skip White
16,766	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
144	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
484	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
1,600	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
47	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
107	Each	630-F001	Delineators, Guard Rail, White
80	Each	630-F002	Delineators, Guard Rail, Yellow
23	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,576	Linear Feet	808-A001	Joint Preparation
915	Square Yard	907-216-A001	Solid Sodding
1,000	Linear Feet	907-237-A003	Wattles, 20"
16,906	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
26,835	Gallon	907-402-B001	Bituminous Tack Coat
27,243	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
30,981	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
41	Mile	907-403-S004	Joint Sealant
46,116	Gallon	907-407-A001	Asphalt for Tack Coat
2,080	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
270	Square Yard	907-503-A002	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
67	Square Yard	907-503-A003	8" and Variable Jointed Concrete Pavement
6	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
20	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
21	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,704	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
21	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
8,724	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,288	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
569	Linear Feet	907-626-H004	Thermoplastic Legend, White
784	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
84	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,040	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NO. 1
13,107	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
13,107	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
13,107	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
24,134	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2

CALL No. 09

24,134	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP CC NO. 1
3,144	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture ALTERNATE GROUP CC NO. 2
3,144	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture

Mill and Overlay approximately 3 Miles of SR 57 from US 90 to Ocean Springs Road, known as Federal Aid Project No. STP-0066-01(013) / 106754301 in Jackson County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**Roadway Items**

4,600	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
11	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A3006	Temporary Traffic Stripe, Skip White
16,300	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
900	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
150	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
880	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
20	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12,000	Gallon	907-407-A001	Asphalt for Tack Coat
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
8,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
900	Linear Feet	907-626-H004	Thermoplastic Legend, White
350	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
2,032	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
			ALTERNATE GROUP AA NO. 2
2,032	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NO. 3
2,032	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP BB NO. 1
7,207	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
7,207	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
4,345	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 2
4,345	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP DD NO. 1
3,702	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP DD NO. 2
3,702	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Interchange Reconstruction at Old Taylor Rd. and SR 6 Interchange, known as Federal Aid Project No. STP-0070-04(018) / 106296301 in Lafayette County.

PROJECT COMPLETION: November 03, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
9,712 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
125 Square Yard	202-B010	Removal of Bridge End Pavement
359 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
312 Square Yard	202-B025	Removal of Concrete Paved Ditch
254 Square Yard	202-B035	Removal of Concrete Sidewalk
2,341 Linear Feet	202-B038	Removal of Curb, All Types
298 Linear Feet	202-B041	Removal of Fence, All Types
4 Each	202-B042	Removal of Flared End Section, All Sizes
692 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
178 Linear Feet	202-B064	Removal of Pipe, 8" And Above
19 Each	202-B070	Removal of Sign Including Post & Footing
4 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
5 Each	202-B098	Removal of Inlet and Junction Box, All Types & Sizes
5 Each	202-B099	Removal of Existing Light and Foundation
115 Linear Feet	202-B103	Removal of Retaining Wall
5 Each	202-B105	Removal of Pipe Headwall, All Sizes
1 Mile	202-B149	Removal of Traffic Stripe
2 Each	202-B162	Removal of Secondary Power Controller
13,523 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
63,849 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
1,525 Cubic Yard	206-A001	Structure Excavation
108 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
20,494 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
4,183 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5 Ton	213-C001	Superphosphate
130 Square Yard	217-A001	Ditch Liner
20 Thousand Gallon	219-A001	Watering
10 Acre	220-A001	Insect Pest Control
72 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
10 Acre	223-A001	Mowing
9,750 Linear Feet	234-A001	Temporary Silt Fence
250 Bale	235-A001	Temporary Erosion Checks
450 Linear Feet	239-A001	Temporary Slope Drains
12,103 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
128 Linear Feet	501-E001	Expansion Joints, Without Dowels
293 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
98,260 Pounds	602-A001	Reinforcing Steel

CALL No. 11

1,224	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
496	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
88	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
48	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
400	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
60	Linear Feet	603-CA087	12" Reinforced Concrete Pipe, Class III
5	Each	603-CB001	18" Reinforced Concrete End Section
6	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
1	Each	603-CB004	36" Reinforced Concrete End Section
4	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-SB004	24" Branch Connections, Stub into Box Culvert
1	Each	603-SB024	18" Branch Connections, Stub into Existing Median Inlet
1,985	Pounds	604-A001	Castings
1,000	Pounds	604-B001	Gratings
325	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
6	Each	606-D012	Guard Rail, Bridge End Section, Type I
7	Each	606-E001	Guard Rail, Terminal End Section
298	Linear Feet	607-A002	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
40	Linear Feet	607-B041	72" Type I Chain Link Fence, Class I, With Top Guard
2	Each	607-G105	Gate, 24' x 6' Double Chain Link w/ Top Guard
2	Each	607-P1002	Line Post, 10' x 4" Timber
12	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
11	Each	607-P1020	Line Post, 7' x 4" Timber
2	Each	607-P1021	Line Post, 9' x 4" Timber
7	Each	607-P2001	Brace Post, 8' x 6" Timber
2	Each	607-P2002	Brace Post, 10' x 6" Timber
1	Each	607-P2003	Brace Post, 12' x 6" Timber
4	Each	607-P3009	Gate Post, 10' x 3 1/2" Galvanized Steel
1,246	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
40	Linear Feet	609-B002	Concrete Curb, Doweled
2,998	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
552	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
1,147	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
227	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
445	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place MedianBarrier
41	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
984	Square Yard	616-A007	Concrete Median and/or Island Pavement, 11-inch
	Lump Sum	618-A001	Maintenance of Traffic
4	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2,503	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
4	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2,739	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
480	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape
2	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint

CALL No. 11

12,614	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
406	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
3,433	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
1,329	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
166	Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
30	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
317	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
927	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,030	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,400	Linear Feet	619-F1005	Portable Median Barrier, Less Than or Equal to 45 MPH
320	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
12	Linear Feet	619-G4001	Barricades, Type III, Single Faced
132	Linear Feet	619-G4005	Barricades, Type III, Double Faced
318	Each	619-G5001	Free Standing Plastic Drums
5	Unit	619-J1002	Impact Attenuator, 50 MPH
	Lump Sum	620-A001	Mobilization
527	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
154	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
150	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
301	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
80	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
13	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
470	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
152	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
147	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
492	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
168	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
34	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
420	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
3,660	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
570	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
475	Linear Feet	682-C028	Structure Mounted Branch Circuit, AWG 6, 3 Conductor
2	Each	682-D001	Underground Pull Box
4	Each	682-D003	Structure Mounted Pull Box
2	Each	682-E001	Underground Junction Box
1	Each	682-F001	Secondary Power Controllers
18	Each	683-B003	Lighting Assembly, Low Mast, Type 30-1-12-250
3	Each	683-B003	Lighting Assembly, Low Mast, Type 30-1-12-250(Bridge Mounted)
699	Square Feet	809-A004	Mechanically Stabilized Earth Wall System
169	Ton	815-A009	Loose Riprap, Size 300
314	Square Yard	815-E001	Geotextile under Riprap
982	Square Yard	907-216-B004	Solid Sodding, Bermuda
10	Acre	907-225-A001	Grassing
5	Ton	907-225-B001	Agricultural Limestone

CALL No. 11

20	Ton	907-225-C001	Mulch, Vegetative Mulch
10	Acre	907-226-A001	Temporary Grassing
6	Each	907-234-D001	Inlet Siltation Guard
6	Each	907-234-E001	Reset Inlet Siltation Guard
1,775	Linear Feet	907-237-A003	Wattles, 20"
450	Linear Feet	907-246-A001	Sandbags
450	Linear Feet	907-246-B001	Rockbags
4	Each	907-247-A001	Temporary Stream Diversion
288	Ton	907-249-A001	Riprap for Erosion Control
6,041	Ton	907-304-B009	Granular Material, Class 3, Group D
2,705	Gallon	907-407-A001	Asphalt for Tack Coat
455	Cubic Yard	907-601-A001	Class "B" Structural Concrete
115	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
138	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
260	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
1	Each	907-604-PP003	Modify Existing Inlet, Per Plans
208	Square Feet	907-611-PP003	Detectable Warning, Per Plans
33	Each	907-617-A001	Right-of-Way Marker
6	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-J3001	Remove and Reset Impact Attenuator
4,389	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
1,236	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
6,336	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
3,193	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,652	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
8,016	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,395	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,251	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,963	Square Feet	907-626-H005	Thermoplastic Legend, White
18	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
8	Each	907-682-E001	Underground Junction Box With Concrete Pad
8	Each	907-683-H1027	Repair of Low Mast Lighting Assembly, Type 30-1-15-400
18	Each	907-684-PP002	Pole Foundation, Auger Base
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
7,654	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
7,654	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
7,654	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
3,016	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
3,016	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1
3,348	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture

CALL No. 11

ALTERNATE GROUP CC NO. 2

3,348 Ton 907-403-M007 Warm Mix Asphalt, MT, 19-mm mixture

ALTERNATE GROUP DD NO. 1

2,729 Ton 907-403-A010 Hot Mix Asphalt, MT, 9.5-mm mixture

ALTERNATE GROUP DD NO. 2

2,729 Ton 907-403-M006 Warm Mix Asphalt, MT, 9.5-mm mixture

ALTERNATE GROUP EE NO. 1

480 Linear Feet 907-626-I003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

464 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

464 Linear Feet 907-626-L001 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP EE NO. 2

480 Linear Feet 628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip White

464 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, Continuous White

464 Linear Feet 628-M002 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

460 Linear Feet 202-B287 Removal of Bridge Deck, Curb and Railing

1 Each 803-B002 Conventional Static Pile Load Test

2,275 Linear Feet 803-D002 HP 12 x 53 Steel Piling

2 Each 803-I001 PDA Test Pile

2 Each 803-J001 Pile Restrike

96,087 Pounds 805-A001 Reinforcement

464 Linear Feet 813-A002 Concrete Railing, 32"

265 Linear Feet 813-B001 Concrete-Steel Railing

125 Cubic Yard 815-D001 Concrete Slope Paving

462 Cubic Yard 907-804-A001 Bridge Concrete, Class AA

474 Linear Feet 907-804-C002 60' Prestressed Concrete Beam, Type III

434 Linear Feet 907-804-C262 55' Prestressed Concrete Beam, Type III

Lump Sum 907-824-PP001 Bridge Repair, Joint Repair, Per Plans

2 Each 907-875-PP001 Bridge Name Plate

Bridge Replacement on SR 309 between US 78 and Barton, known as Federal Aid Project No. BR-0914-00(007) / 100299301 in Marshall County.

PROJECT COMPLETION: November 13, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
7,286	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
109	Linear Feet	202-B064	Removal of Pipe, 8" And Above
3,000	Linear Feet	202-B076	Removal of Traffic Stripe
900	Linear Feet	202-B102	Removal of Guard Rail
7,598	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
65,329	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
5,322	Cubic Yard	203-G003	Excess Excavation, FM, AH
9,490	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
20	Ton	213-C001	Superphosphate
2,015	Square Yard	217-A001	Ditch Liner
2	Thousand Gallon	219-A001	Watering
20	Acre	220-A001	Insect Pest Control
27	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
35	Acre	223-A001	Mowing
1,690	Square Yard	224-A001	Soil Reinforcing Mat
1,376	Linear Feet	234-A001	Temporary Silt Fence
3	Each	236-A004	Silt Basin, Type D
223	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3	Mile	423-A001	Rumble Strips, Ground In
94	Linear Feet	501-E001	Expansion Joints, Without Dowels
204	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
216	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
22,895	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
22,895	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,950	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
5,440	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
105	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
176	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
404	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
121	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"

CALL No. 12

	Lump Sum	620-A001	Mobilization
105	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,134	Ton	815-A009	Loose Riprap, Size 300
803	Square Yard	815-E001	Geotextile under Riprap
164	Ton	815-F002	Sediment Control Stone
92	Square Yard	907-216-A001	Solid Sodding
35	Acre	907-225-A001	Grassing
105	Ton	907-225-B001	Agricultural Limestone
105	Ton	907-225-C001	Mulch, Vegetative Mulch
35	Acre	907-226-A001	Temporary Grassing
500	Linear Feet	907-234-C002	Super Silt Fence
300	Linear Feet	907-234-F001	Turbidity Barrier
320	Linear Feet	907-237-A003	Wattles, 20"
100	Linear Feet	907-245-A001	Triangular Silt Dike
1,000	Linear Feet	907-246-A001	Sandbags
377	Ton	907-249-A001	Riprap for Erosion Control
188	Cubic Yard	907-249-B001	Remove and Reset Riprap
10,731	Ton	907-304-B009	Granular Material, Class 3, Group D
2,420	Gallon	907-407-A001	Asphalt for Tack Coat
94	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
334	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
28	Each	907-617-A001	Right-of-Way Marker
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
	Lump Sum	907-699-A002	Roadway Construction Stakes
720	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NO. 1
3,788	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
3,788	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
3,788	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
1,953	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
1,953	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
2,603	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 2
2,603	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP DD NO. 1
2,346	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP DD NO. 2
2,346	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP EE NO. 1
3,954	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White

CALL No. 12

1,977 Linear Feet 628-L002 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
 ALTERNATE GROUP EE NO. 2

3,954 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

1,977 Linear Feet 907-626-K003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

Bridge Items

8,600 Square Yard 501-K001 Transverse Grooving

1 Each 803-B002 Conventional Static Pile Load Test

16,020 Linear Feet 803-C004 18" x 18" Prestressed Concrete Piling

10 Each 803-I001 PDA Test Pile

1 Each 803-J001 Pile Restrike

30 Linear Feet 803-N001 Exploration

240 Linear Feet 803-O005 Permanent Casing, 66" Diameter

120 Linear Feet 803-O011 Temporary Casing, 66" Diameter

792,971 Pounds 805-A001 Reinforcement

3,873 Linear Feet 813-A002 Concrete Railing, 32"

1,398 Square Yard 815-A004 Loose Riprap, Size 300

2,153 Square Yard 815-E001 Geotextile under Riprap

459 Linear Feet 907-803-K005 Drilled Shaft, 66" Diameter

1 Each 907-803-L001 Test Shaft, 66" Diameter

85 Linear Feet 907-803-M004 Trial Shaft, 66" Diameter

3,803 Cubic Yard 907-804-A001 Bridge Concrete, Class AA

943 Linear Feet 907-804-C012 135' Prestressed Concrete Beam, Type BT-72

10,607 Linear Feet 907-804-C016 40' Prestressed Concrete Beam, Type I+2

Bridge Replacement on US 11 at Waterfall Creek, Bridge #85.2, known as Federal Aid Project No. BR-2170-00(021) / 105120301 in Jones County.

PROJECT COMPLETION: July 21, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
250 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,623 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
6,586 Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
675 Cubic Yard	203-F001	Channel Excavation, FM
1,000 Cubic Yard	203-G004	Excess Excavation, LVM, AH
2,293 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1,290 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
1,940 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4 Ton	213-C001	Superphosphate
1,040 Square Yard	217-A001	Ditch Liner
26 Thousand Gallon	219-A001	Watering
3 Acre	220-A001	Insect Pest Control
2 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
6 Acre	223-A001	Mowing
1,020 Linear Feet	234-A001	Temporary Silt Fence
1 Mile	423-A001	Rumble Strips, Ground In
94 Linear Feet	501-E001	Expansion Joints, Without Dowels
204 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
400 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
4 Each	606-E001	Guard Rail, Terminal End Section
40 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
Lump Sum	618-A001	Maintenance of Traffic
2,820 Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
1,410 Linear Feet	619-A4002	Temporary Traffic Stripe, Skip Yellow, Paint
19 Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
437 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
501 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
96 Linear Feet	619-G4001	Barricades, Type III, Single Faced
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
25 Each	619-G5001	Free Standing Plastic Drums
Lump Sum	620-A001	Mobilization
32 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
21 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22 Each	630-F001	Delineators, Guard Rail, White
4 Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,824 Ton	815-A009	Loose Riprap, Size 300
2,176 Square Yard	815-E001	Geotextile under Riprap

CALL No. 13

150 Ton	815-F002	Sediment Control Stone
220 Square Yard	907-216-A001	Solid Sodding
6 Acre	907-225-A001	Grassing
19 Ton	907-225-B001	Agricultural Limestone
13 Ton	907-225-C001	Mulch, Vegetative Mulch
6 Acre	907-226-A001	Temporary Grassing
450 Linear Feet	907-234-C002	Super Silt Fence
40 Linear Feet	907-237-A003	Wattles, 20"
75 Each	907-246-A002	Sandbags
75 Ton	907-249-A001	Riprap for Erosion Control
375 Gallon	907-407-A001	Asphalt for Tack Coat
55 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
14 Each	907-617-A001	Right-of-Way Marker
2,820 Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,410 Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
Lump Sum	907-699-A002	Roadway Construction Stakes
		ALTERNATE GROUP AA NO. 1
1,834 Ton	907-304-F002	Size 610 Crushed Stone Base
		ALTERNATE GROUP AA NO. 2
1,834 Ton	907-304-F003	3/4" and Down Crushed Stone Base
		ALTERNATE GROUP AA NO. 3
1,834 Ton	907-304-F004	Size 825B Crushed Stone Base
		ALTERNATE GROUP BB NO. 1
405 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 2
405 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP CC NO. 1
314 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
		ALTERNATE GROUP CC NO. 2
314 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
		ALTERNATE GROUP DD NO. 1
538 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
		ALTERNATE GROUP DD NO. 2
538 Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
		Bridge Items
540 Square Yard	501-K001	Transverse Grooving
1 Each	803-B002	Conventional Static Pile Load Test
855 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
495 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2 Each	803-I001	PDA Test Pile
1 Each	803-J001	Pile Restrike
44,858 Pounds	805-A001	Reinforcement
243 Linear Feet	813-A002	Concrete Railing, 32"
471 Ton	815-A009	Loose Riprap, Size 300
562 Square Yard	815-E001	Geotextile under Riprap
231 Cubic Yard	907-804-A001	Bridge Concrete, Class AA

CALL No. 13

709 Linear Feet 907-804-C016 40' Prestressed Concrete Beam, Type I+2

CALL No. 14

Bridge Joint Repairs on I-55 between Louisiana State Line and Copiah County Line, known as Federal Aid Project No. BR-9999-07(008) / 106647303 in Pike & Lincoln Counties.

PROJECT COMPLETION: June 23, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,252	Linear Feet	202-B298	Removal of Existing Joint Material
9,334	Linear Feet	503-C002	Saw Cut, 3-inch
224	Linear Feet	503-C010	Saw Cut, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
9,558	Linear Feet	808-A001	Joint Preparation
4,667	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
112	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

Drainage Correction on SR 8 Between Jameson Drive and Hickory Road, known as State Project No. SP-0016-02(036) / 106710302
in Grenada County

PROJECT COMPLETION: June 26, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1	Each	202-B142	Removal of Junction Box
6,000	Cubic Yard	206-A001	Structure Excavation
350	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
600	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2	Ton	213-C001	Superphosphate
2	Acre	220-A001	Insect Pest Control
2,000	Linear Feet	234-A001	Temporary Silt Fence
50	Bale	235-A001	Temporary Erosion Checks
449	Pounds	602-A001	Reinforcing Steel
16	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
850	Linear Feet	603-CA023	72" Reinforced Concrete Pipe, Class IV(State Furnished)
1	Each	603-CB010	72" Reinforced Concrete End Section(State Furnished)
250	Pounds	604-B001	Gratings
1	Each	613-D005	Adjustment of Manhole
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
800	Ton	815-A009	Loose Riprap, Size 300
640	Square Yard	815-E001	Geotextile under Riprap
3	Acre	907-225-A001	Grassing
6	Ton	907-225-B001	Agricultural Limestone
6	Ton	907-225-C001	Mulch, Vegetative Mulch
100	Linear Feet	907-237-A003	Wattles, 20"
60	Linear Feet	907-262-A014	12" Sanitary Sewer Main(Ductile Iron)
20	Linear Feet	907-262-D003	16" Steel Pipe Encasement
13	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
5	Cubic Yard	907-601-B004	Class "C" Structural Concrete, Minor Structures
300	Linear Feet	907-619-L001	Construction Safety Fence
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
300	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
300	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
300	Ton	907-304-F003	3/4" and Down Crushed Stone Base

Overlay approximately 6 miles of SR 27 from I-55 to Hinds County Line, known as State Project No. MP-3027-15(007) / 305096301 in Copiah County.

PROJECT COMPLETION: June 28, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,181	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
495	Linear Feet	202-B076	Removal of Traffic Stripe
400	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
3	Mile	423-A001	Rumble Strips, Ground In
688	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-F002	Special Sections, Guard Rail Bridge End Connector
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
10	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
3,500	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,400	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
650	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
650	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
46	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2,000	Ton	907-304-B002	Granular Material, Class 5, Group D
6,000	Gallon	907-407-A001	Asphalt for Tack Coat
12	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,300	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,300	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,400	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
			ALTERNATE GROUP AA NO. 1
8,200	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
8,200	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
1,750	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 2
1,750	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 1
330	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
165	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
			ALTERNATE GROUP CC NO. 2
330	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
165	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

Overlay Cross-overs on SR 25 between SR 475 & SR 471, known as State Project No. MP-5025-61(009) / 305116301 in Rankin County.

PROJECT COMPLETION: May 28, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
59,837	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
46,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
13,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,500	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,160	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
600	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
60	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,676	Linear Feet	635-A001	Vehicle Loop Assemblies
200	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
3,000	Gallon	907-407-A001	Asphalt for Tack Coat
11,000	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
35,000	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
17,000	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
1,500	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
		ALTERNATE GROUP AA NO. 1	
7,160	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
7,160	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
250	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
		ALTERNATE GROUP BB NO. 2	
250	Ton	907-403-N009	Warm Mix Asphalt, HT, 12.5-mm mixture, Leveling

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR