

MARSHALL (47)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Lehman-Roberts Company	Standard Construction Company, Inc.	
Paving approximately 4 miles of SR 304/I-269 from SR 302 to the Tennessee Line, known as Federal Aid Project No. STP-0029-03(011) / 102556308 in Marshall County.					\$13,347,107.45	\$11,308,279.76	\$11,815,448.88	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
0010	201-A001	Clearing and Grubbing	1.000	LS		5,732.19	6,500.00	
0020	202-B005	Removal of Asphalt Pavement, All Depths	558.000	SY		9.87	7.50	
0030	202-B025	Removal of Concrete Paved Ditch	114.000	SY		7.30	3.55	
0035	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware	500.000	LF		3.50	12.20	
0040	202-B057	Removal of Inlets, All Sizes	1.000	EA		234.50	810.00	
0050	202-B093	Removal of Curb & Gutter, All Types	60.000	LF		7.56	6.10	
0060	202-B102	Removal of Guard Rail	300.000	LF		0.01	0.01	
0070	202-B141	Removal of Edge Drain	6,684.000	LF		1.04	4.20	
0080	202-B149	Removal of Traffic Stripe	5.000	MI		2,500.00	2,550.00	
0090	202-B216	Removal of Island Pavement, All Types	42.000	SY		15.63	5.10	
0100	203-A003	Unclassified Excavation, FM, AH	8,544.000	CY		7.61	6.15	
0110	203-EX017	Borrow Excavation, AH, FME, Class B9	838.000	CY		10.68	6.50	
0120	203-EX018	Borrow Excavation, AH, LVM, Class B9	15,999.000	CY		7.03	5.25	
0130	203-G003	Excess Excavation, FM, AH	1,117.000	CY		15.63	6.15	
0140	203-G004	Excess Excavation, LVM, AH	5,000.000	CY		10.42	4.30	
0150	204-A003	Geogrid, Type II, Biaxial	600.000	SY		2.81	3.00	
0160	206-A001	Structure Excavation	201.000	CY		6.77	5.90	
0170	209-A004	Geotextile Stabilization, Type V, Non-Woven	3,825.000	SY		1.56	2.00	
0180	213-C001	Superphosphate	88.000	TON		500.00	525.00	
0190	217-A001	Ditch Liner	135.000	SY		2.00	1.10	
0200	219-A001	Watering	5.000	KGAL		20.00	20.00	
0210	220-A001	Insect Pest Control	32.000	ACRE		30.00	30.00	
0220	221-A001	Portland Cement Concrete Paved Ditch	40.000	CY		425.00	565.00	
0230	223-A001	Mowing	175.000	ACRE		50.00	50.00	
0240	224-A001	Soil Reinforcing Mat	118.000	SY		2.00	1.60	
0250	234-A001	Temporary Silt Fence	3,000.000	LF		2.75	2.95	

MARSHALL (47)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Lehman-Roberts Company	Standard Construction Company, Inc.	
Paving approximately 4 miles of SR 304/I-269 from SR 302 to the Tennessee Line, known as Federal Aid Project No. STP-0029-03(011) / 102556308 in Marshall County.					\$13,347,107.45	\$11,308,279.76	\$11,815,448.88	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
0260	321-A001	6" In-Grade Preparation	3.000	MI		8,754.61	20,000.00	
0270	406-A001	Cold Milling of Bituminous Pavement, All Depths	1,683.000	SY		9.19	6.00	
0280	423-A001	Rumble Strips, Ground In	17.000	MI		304.68	325.00	
0290	501-E001	Expansion Joints, Without Dowels	295.000	LF		14.00	12.30	
0300	502-A001	Reinforced Cement Concrete Bridge End Pavement	654.000	SY		92.00	117.00	
0310	503-C002	Saw Cut, 3-inch	390.000	LF		10.00	10.20	
0320	503-C010	Saw Cut, 4-inch	580.000	LF		12.00	15.30	
0330	602-A001	Reinforcing Steel	1,207.000	LBS		2.02	5.00	
0340	603-CA002	18" Reinforced Concrete Pipe, Class III	172.000	LF		38.15	53.50	
0350	603-CA003	24" Reinforced Concrete Pipe, Class III	76.000	LF		47.94	62.00	
0360	603-CB002	24" Reinforced Concrete End Section	1.000	EA		812.93	1,000.00	
0370	603-SB044	18" Branch Connections, Stub into Existing Box Culvert	1.000	EA		1,667.55	2,050.00	
0380	603-SB045	18" Branch Connections, Stub into Existing Inlet	2.000	EA		442.94	900.00	
0390	604-A001	Castings	488.000	LBS		2.08	2.90	
0400	604-B001	Gratings	900.000	LBS		2.34	3.25	
0410	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection	144.000	LF		11.62	10.60	
0411	605-W001	Filter Material for Combination Storm Drain and/or Underdrai	11.000	CY		92.97	56.00	
0412	605-W002	Filter Material for Combination Storm Drain and/or Underdrai	11.000	CY		92.97	56.00	
0415	605-AA003	Geotextile for Subsurface Drainage, Type III	125.000	SY		4.69	1.30	
0420	606-B001	Guard Rail, Class A, Type 1	1,638.000	LF		19.00	19.20	
0430	606-C003	Guard Rail, Cable Anchor, Type 1	4.000	EA		950.00	960.00	
0440	606-D012	Guard Rail, Bridge End Section, Type I	7.000	EA		1,950.00	1,970.00	
0450	606-E002	Guard Rail, Terminal End Section, Flared	9.000	EA		2,100.00	2,120.00	
0460	609-D007	Combination Concrete Curb and Gutter Type 2 Modified	2,302.000	LF		15.25	18.00	
0470	615-A018	Concrete Bridge End Barrier, 33.5"	120.000	LF		190.00	230.00	
0480	616-A001	Concrete Median and/or Island Pavement, 4-inch	1,939.000	SY		26.25	49.50	

MARSHALL (47)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Lehman-Roberts Company	Standard Construction Company, Inc.	
Paving approximately 4 miles of SR 304/I-269 from SR 302 to the Tennessee Line, known as Federal Aid Project No. STP-0029-03(011) / 102556308 in Marshall County.					\$13,347,107.45	\$11,308,279.76	\$11,815,448.88	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
0490	616-A003	Concrete Median and/or Island Pavement, 10-inch	28.000	SY		77.00	250.00	
0500	618-A001	Maintenance of Traffic	1.000	LS		16,000.00	46,000.00	
0510	619-A1004	Temporary Traffic Stripe, Continuous White, Paint	7.000	MI		800.00	810.00	
0520	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape	1,000.000	LF		1.50	1.50	
0530	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint	6.000	MI		800.00	810.00	
0540	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape	1,000.000	LF		1.50	1.50	
0550	619-A3006	Temporary Traffic Stripe, Skip White	7.000	MI		800.00	81.00	
0560	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Fe	129.000	SF		6.00	6.60	
0570	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	600.000	SF		6.00	6.60	
0580	619-E1001	Flashing Arrow Panel, Type C	2.000	EA		1,743.11	3,025.00	
0590	619-G4001	Barricades, Type III, Single Faced	144.000	LF		16.00	15.15	
0600	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White	288.000	LF		36.00	16.15	
0610	619-G7001	Warning Lights, Type "B"	4.000	EA		100.00	136.50	
0620	620-A001	Mobilization	1.000	LS		386,552.34	735,000.00	
0630	627-K001	Red-Clear Reflective High Performance Raised Markers	971.000	EA		5.00	5.05	
0640	627-L001	Two-Way Yellow Reflective High Performance Raised Markers	1,226.000	EA		5.00	6.05	
0650	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	121.000	SF		19.00	17.50	
0660	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	943.000	SF		20.00	20.00	
0670	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panel	512.000	SF		21.00	30.00	
0680	630-C001	Steel U-Section Posts, 2.0 lb/ft	165.000	LF		7.00	7.00	
0690	630-C003	Steel U-Section Posts, 3.0 lb/ft	163.000	LF		8.00	8.00	
0700	630-D002	Structural Steel Beams, S4 x 7.7	224.000	LF		35.00	40.00	
0710	630-D003	Structural Steel Beams, W6 x 9	47.000	LF		45.00	45.00	
0720	630-D006	Structural Steel Beams, W8 x 18	103.000	LF		65.00	50.00	
0730	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles	287.000	LBS		2.00	2.00	
0740	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angle	148.000	LBS		2.00	2.00	

MARSHALL (47)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Lehman-Roberts Company	Standard Construction Company, Inc.	
Paving approximately 4 miles of SR 304/I-269 from SR 302 to the Tennessee Line, known as Federal Aid Project No. STP-0029-03(011) / 102556308 in Marshall County.					\$13,347,107.45	\$11,308,279.76	\$11,815,448.88	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
0750	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar	1,010.000	LBS		2.00	2.00	
0760	630-F001	Delineators, Guard Rail, White	41.000	EA		16.00	35.00	
0770	630-F002	Delineators, Guard Rail, Yellow	18.000	EA		16.00	35.00	
0780	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green	2.000	EA		35.00	35.35	
0790	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yello	2.000	EA		35.00	40.40	
0800	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II	2.000	EA		40.00	35.35	
0810	630-F006	Delineators, Post Mounted, Single White	38.000	EA		35.00	35.35	
0820	630-F007	Delineators, Post Mounted, Single Yellow	9.000	EA		35.00	60.60	
0830	630-F008	Delineators, Post Mounted, Double White	60.000	EA		40.00	40.40	
0840	630-F009	Delineators, Post Mounted, Double Yellow	15.000	EA		40.00	40.40	
0850	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted	6.000	EA		65.00	65.65	
0860	630-K001	Welded & Seamless Steel Pipe Posts, 3"	46.000	LF		40.00	40.40	
0870	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"	73.000	LF		45.00	45.45	
0880	630-K003	Welded & Seamless Steel Pipe Posts, 4"	489.000	LF		55.00	55.55	
0890	630-K004	Welded & Seamless Steel Pipe Posts, 5"	55.000	LF		60.00	60.60	
0900	640-A016	Traffic Signal Heads, Type 1 LED	4.000	EA		770.00	855.00	
0910	640-A017	Traffic Signal Heads, Type 2 LED	3.000	EA		715.00	810.00	
0920	640-A063	Traffic Signal Heads, Type 2U, LED	1.000	EA		880.00	970.00	
0930	642-A008	Solid State Traffic Actuated Controllers, Type 8A	1.000	EA		10,000.00	12,900.00	
0940	647-A002	Pullbox, Type 3	2.000	EA		600.00	645.00	
0950	647-A003	Pullbox, Type 4	19.000	EA		850.00	1,300.00	
0960	647-A004	Pullbox, Type 5	17.000	EA		965.00	1,770.00	
0970	647-A005	Pullbox, Type 2	25.000	EA		500.00	740.00	
0980	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5	425.000	LF		3.80	1.65	
0990	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2	455.000	LF		3.80	1.15	
1000	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Cond	9,389.000	LF		4.40	2.90	

MARSHALL (47)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Lehman-Roberts Company	Standard Construction Company, Inc.	
Paving approximately 4 miles of SR 304/I-269 from SR 302 to the Tennessee Line, known as Federal Aid Project No. STP-0029-03(011) / 102556308 in Marshall County.					\$13,347,107.45	\$11,308,279.76	\$11,815,448.88	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
1010	666-B037	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 4 Con	2,680.000	LF		11.50	7.70	
1020	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Cond	6,072.000	LF		5.00	5.05	
1030	666-B039	Electric Cable, Underground in Conduit, THHN, AWG #10, 3 Con	1,423.000	LF		3.65	1.30	
1040	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Cond	12,426.000	LF		4.00	1.60	
1050	666-B049	Electric Cable, Underground in Conduit, THHN, AWG #10, 2 Con	1,910.000	LF		3.40	1.20	
1060	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8	570.000	LF		4.75	1.55	
1070	666-B055	Electric Cable, Underground in Conduit, THHN, AWG #3/0, 3 Co	975.000	LF		13.00	4.25	
1080	666-B056	Electric Cable, Underground in Conduit, THHN, AWG #12, 2 Con	1,690.000	LF		3.00	1.20	
1090	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"	165.000	LF		3.00	10.40	
1100	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolle	520.000	LF		15.00	9.80	
1110	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolle	275.000	LF		18.00	11.00	
1120	808-A001	Joint Preparation	970.000	LF		15.00	15.25	
1130	815-A009	Loose Riprap, Size 300	57.000	TON		57.32	52.50	
1140	815-E001	Geotextile under Riprap	142.000	SY		4.69	3.50	
1150	907-216-A001	Solid Sodding	338.000	SY		3.50	6.00	
1160	907-225-A001	Grassing	32.000	ACRE		800.00	700.00	
1170	907-225-B001	Agricultural Limestone	96.000	TON		30.00	56.00	
1180	907-225-C001	Mulch, Vegetative Mulch	64.000	TON		150.00	153.00	
1190	907-226-A001	Temporary Grassing	32.000	ACRE		550.00	500.00	
1200	907-234-D001	Inlet Siltation Guard	2.000	EA		600.00	500.00	
1210	907-234-E001	Reset Inlet Siltation Guard	2.000	EA		300.00	255.00	
1220	907-237-A002	Wattles, 12"	6,000.000	LF		2.75	3.00	
1230	907-304-B009	Granular Material, Class 3, Group D	7,826.000	TON		18.92	18.00	
1240	907-304-B011	Granular Material, Class 9, Group B	67,049.000	TON		7.66	7.80	
1250	907-307-C003	6" Soil-Lime-Water Mixing, Class C	71,523.000	SY		1.00	1.00	
1260	907-307-D001	Lime	966.000	TON		233.14	205.00	

MARSHALL (47)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Lehman-Roberts Company	Standard Construction Company, Inc.	
Paving approximately 4 miles of SR 304/I-269 from SR 302 to the Tennessee Line, known as Federal Aid Project No. STP-0029-03(011) / 102556308 in Marshall County.					\$13,347,107.45	\$11,308,279.76	\$11,815,448.88	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
1270	907-307-S001	Bituminous Curing Seal	25,033.000	GAL		2.68	3.05	
1280	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture	3,123.000	TON		98.37	105.00	
1290	907-402-B001	Bituminous Tack Coat	4,259.000	GAL		3.11	3.80	
1300	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture	8,018.000	TON		102.29	98.00	
1310	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture	10,396.000	TON		100.74	95.60	
1320	907-407-A001	Asphalt for Tack Coat	29,991.000	GAL		2.34	3.00	
1330	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement	475.000	LF		5.00	6.00	
1340	907-601-B003	Class "B" Structural Concrete, Minor Structures	25.000	CY		1,118.58	270.00	
1341	907-605-I001	Edge Drain Outlets/Vents	144.000	LF		46.48	21.00	
1342	907-605-O003	4" Perforated Sewer Pipe for Underdrains, SDR 23.5	280.000	LF		25.57	9.60	
1345	907-605-P003	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5	90.000	LF		25.57	8.50	
1350	907-619-E3001	Changeable Message Sign	2.000	EA		2,905.18	9,700.00	
1360	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White	8.000	MI		1,000.00	1,010.00	
1370	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White	8.000	MI		2,400.00	2,425.00	
1371	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White	15,914.000	LF		0.49	0.50	
1372	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow	15,720.000	LF		0.20	0.20	
1375	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow	16,652.000	LF		0.49	0.50	
1380	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	8.000	MI		2,400.00	2,425.00	
1390	907-626-G004	Thermoplastic Detail Stripe, White	19,592.000	LF		1.00	1.01	
1400	907-626-G005	Thermoplastic Detail Stripe, Yellow	10,128.000	LF		1.00	1.01	
1410	907-626-H004	Thermoplastic Legend, White	1,024.000	LF		2.00	2.02	
1420	907-626-H005	Thermoplastic Legend, White	1,305.000	SF		5.00	5.05	
1430	907-630-M001	Pedestal Sign Support, Assembly No 1, Contractor Designed	1.000	LS		35,000.00	63,000.00	
1440	907-630-M002	Pedestal Sign Support, Assembly No 2, Contractor Designed	1.000	LS		35,000.00	63,000.00	
1450	907-630-M003	Pedestal Sign Support, Assembly No 5, Contractor Designed	1.000	LS		35,000.00	63,000.00	
1460	907-630-M004	Pedestal Sign Support, Assembly No 8, Contractor Designed	1.000	LS		35,000.00	63,000.00	

MARSHALL (47)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Lehman-Roberts Company	Standard Construction Company, Inc.	
Paving approximately 4 miles of SR 304/I-269 from SR 302 to the Tennessee Line, known as Federal Aid Project No. STP-0029-03(011) / 102556308 in Marshall County.					\$13,347,107.45	\$11,308,279.76	\$11,815,448.88	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
1465	907-637-A001	Equipment Cabinet, Type B	7.000	EA		4,500.00	4,050.00	
1470	907-639-A001	Traffic Signal Equipment Pole, Type 1, Wood	3.000	EA		1,350.00	2,475.00	
1480	907-639-A119	Traffic Signal Equipment Pole, Type II, 17' Shaft, 80' Arm	1.000	EA		16,000.00	25,800.00	
1490	907-639-E001	Camera Pole with Foundation, 50' Pole	6.000	EA		5,000.00	8,200.00	
1500	907-639-F001	Detector Pole with Foundation, 35' Pole	3.000	EA		3,900.00	5,700.00	
1510	907-641-C001	Signal Radar Detection System	1.000	EA		32,000.00	30,300.00	
1520	907-641-D001	Signal Radar Detection Training	1.000	LS		3,200.00	2,350.00	
1530	907-650-A003	On Street Video Equipment, PTZ Type	6.000	EA		8,000.00	5,100.00	
1540	907-656-A002	Dynamic Message Sign, Type 2	4.000	EA		85,000.00	89,500.00	
1550	907-656-B001	Dynamic Message Sign Training	1.000	LS		5,000.00	5,150.00	
1560	907-657-A001	Fiber Optic Cable, 72 SM	21,456.000	LF		2.00	1.65	
1570	907-657-B001	Fiber Optic Drop Cable, 12 SM	2,180.000	LF		13.00	1.40	
1580	907-658-A005	Network Switch, Type A	10.000	EA		2,000.00	2,750.00	
1590	907-658-A007	Network Switch, Type C	1.000	EA		115,000.00	113,500.00	
1600	907-658-B001	Terminal Server	6.000	EA		1,350.00	810.00	
1610	907-659-A001	Traffic Management Center Modifications	1.000	LS		90,000.00	59,500.00	
1620	907-659-C001	Traffic Management Center Modifications - Training	1.000	LS		8,450.00	8,250.00	
1630	907-660-A001	OTN Node	1.000	EA		86,000.00	104,500.00	
1640	907-660-B002	Communications Hut	1.000	EA		50,000.00	59,500.00	
1650	907-660-C001	OTN Node Training	1.000	LS		35,000.00	34,750.00	
1660	907-662-A001	Video Encoder, Type A	6.000	EA		3,500.00	2,850.00	
1680	907-662-C001	Video Encoder / Decoder Chassis	1.000	EA		9,000.00	6,100.00	
1690	907-662-E001	Video Decoder Card	6.000	EA		5,000.00	4,200.00	
1700	907-668-E001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"	27,780.000	LF		1.90	6.10	
1710	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2	1,200.000	LF		3.35	11.00	
1720	907-668-F001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,	4,070.000	LF		15.00	10.40	

MARSHALL (47)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Lehman-Roberts Company	Standard Construction Company, Inc.	
Paving approximately 4 miles of SR 304/I-269 from SR 302 to the Tennessee Line, known as Federal Aid Project No. STP-0029-03(011) / 102556308 in Marshall County.					\$13,347,107.45	\$11,308,279.76	\$11,815,448.88	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
1730	907-670-A001	ITS Radar Detection System	6.000	EA		8,000.00	5,550.00	
1740	907-670-B001	ITS RDS Comm Cable	910.000	LF		2.00	7.35	
1750	907-688-C001	Traffic Recorder Induction Loop System	1.000	EA		27,800.00	26,200.00	
1760	907-699-A002	Roadway Construction Stakes	1.000	LS		82,230.84	62,000.00	
1770	907-823-A001	Preformed Joint Seal, Type I	195.000	LF		25.00	26.00	
1780	907-823-A002	Preformed Joint Seal, Type II	290.000	LF		29.00	30.00	
1790	907-906001	Trainees	1,040.000	HRS		5.00	5.00	
1800	907-304-F003	3/4" and Down Crushed Stone Base	15,579.000	TON		27.26		
1810	907-304-F002	Size 610 Crushed Stone Base	15,579.000	TON				
1820	907-304-F004	Size 825B Crushed Stone Base	15,579.000	TON			25.00	
1830	907-308-A001	Portland Cement	1,577.000	TON		120.90	125.00	
1840	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base	135,556.000	SY		0.94	1.00	
1850	907-308-S001	Bituminous Curing Seal	47,445.000	GAL		2.68	3.05	
1860	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick	135,556.000	SY				
1870	907-311-B001	Lime	1,044.000	TON				
1880	907-311-C001	Fly Ash, Class C	4,173.000	TON				
1890	907-311-S001	Bituminous Curing Seal	47,445.000	GAL				
1900	907-308-A001	Portland Cement	606.000	TON		120.90	125.00	
1910	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil	71,523.000	SY		0.94	1.00	
1920	907-308-S001	Bituminous Curing Seal	25,033.000	GAL		2.68	3.05	
1930	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick	71,523.000	SY				
1940	907-311-B001	Lime	483.000	TON				
1950	907-311-C001	Fly Ash, Class C	1,932.000	TON				
1960	907-311-S001	Bituminous Curing Seal	25,033.000	GAL				
1970	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture	11,394.000	TON		68.89		
1980	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture	11,394.000	TON			68.50	

MARSHALL (47)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Lehman-Roberts Company	Standard Construction Company, Inc.	
Paving approximately 4 miles of SR 304/I-269 from SR 302 to the Tennessee Line, known as Federal Aid Project No. STP-0029-03(011) / 102556308 in Marshall County.					\$13,347,107.45	\$11,308,279.76	\$11,815,448.88	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
1990	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture	15,678.000	TON		66.02		
2000	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture	15,678.000	TON			65.50	
2010	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture	3,915.000	TON		75.43		
2020	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture	3,915.000	TON			79.50	
2030	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture	5,278.000	TON		72.78		
2040	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture	5,278.000	TON			69.00	
2050	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture	16,388.000	TON		62.28		
2060	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture	16,388.000	TON			63.50	
2070	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture	1,808.000	TON		83.26		
2080	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture	1,808.000	TON			80.50	
2090	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White	560.000	LF				
2100	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous	560.000	LF				
2110	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous	560.000	LF				
2120	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White	560.000	LF		6.00	6.05	
2130	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous	560.000	LF		6.00	6.05	
2140	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous	560.000	LF		6.00	6.05	