

| JONES (34) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | T. L. Wallace Construction, Inc. | N. L. Carson Construction Company, Inc. | Joe McGee Construction Company, Inc. |
|---|-----------|---|-----------|-------|--|-------------------------------------|---|--|
| Bridge Replacement on US 11 at Waterfall Creek, Bridge #85.2, known as Federal Aid Project No. BR-2170-00(021) / 105120301 in Jones County. | | | | | \$1,071,336.41 | \$999,578.87 | \$1,016,365.53 | \$1,085,063.91 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0010 | 201-A001 | Clearing and Grubbing | 1.000 | LS | | 30,000.00 | 30,000.00 | 78,000.00 |
| 0020 | 202-A001 | Removal of Obstructions | 1.000 | LS | | 16,000.00 | 8,500.00 | 7,900.00 |
| 0030 | 202-B005 | Removal of Asphalt Pavement, All Depths | 250.000 | SY | | 8.90 | 3.33 | 35.00 |
| 0040 | 203-A003 | Unclassified Excavation, FM, AH | 2,623.000 | CY | | 5.00 | 4.50 | 2.95 |
| 0050 | 203-EX039 | Borrow Excavation, AH, LVM, Class B7-6 | 6,586.000 | CY | | 8.60 | 7.59 | 19.56 |
| 0060 | 203-F001 | Channel Excavation, FM | 675.000 | CY | | 11.00 | 5.50 | 5.00 |
| 0070 | 203-G004 | Excess Excavation, LVM, AH | 1,000.000 | CY | | 5.00 | 3.76 | 8.00 |
| 0080 | 209-A004 | Geotextile Stabilization, Type V, Non-Woven | 2,293.000 | SY | | 1.85 | 3.00 | 2.00 |
| 0090 | 211-A001 | Topsoil for Slope Treatment, From Right-of-Way | 1,290.000 | SY | | 1.15 | 0.76 | 0.10 |
| 0100 | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished | 1,940.000 | CY | | 2.00 | 9.38 | 0.10 |
| 0110 | 213-C001 | Superphosphate | 4.000 | TON | | 610.00 | 577.50 | 550.00 |
| 0120 | 217-A001 | Ditch Liner | 1,040.000 | SY | | 1.50 | 1.42 | 1.35 |
| 0130 | 219-A001 | Watering | 26.000 | KGAL | | 20.00 | 20.00 | 20.00 |
| 0140 | 220-A001 | Insect Pest Control | 3.000 | ACRE | | 30.00 | 30.00 | 30.00 |
| 0150 | 221-A001 | Portland Cement Concrete Paved Ditch | 2.000 | CY | | 1,100.00 | 382.50 | 1,000.00 |
| 0160 | 223-A001 | Mowing | 6.000 | ACRE | | 50.00 | 50.00 | 50.00 |
| 0170 | 234-A001 | Temporary Silt Fence | 1,020.000 | LF | | 3.60 | 3.41 | 5.25 |
| 0180 | 423-A001 | Rumble Strips, Ground In | 1.000 | MI | | 333.50 | 315.00 | 300.00 |
| 0190 | 501-E001 | Expansion Joints, Without Dowels | 94.000 | LF | | 13.35 | 10.00 | 15.00 |
| 0200 | 502-A001 | Reinforced Cement Concrete Bridge End Pavement | 204.000 | SY | | 103.00 | 105.00 | 90.00 |
| 0210 | 606-B001 | Guard Rail, Class A, Type 1 | 400.000 | LF | | 21.00 | 19.95 | 19.00 |
| 0220 | 606-D012 | Guard Rail, Bridge End Section, Type I | 4.000 | EA | | 2,000.00 | 1,890.00 | 1,800.00 |
| 0230 | 606-E001 | Guard Rail, Terminal End Section | 4.000 | EA | | 2,200.00 | 2,047.50 | 1,950.00 |
| 0240 | 615-A018 | Concrete Bridge End Barrier, 33.5" | 40.000 | LF | | 55.00 | 54.39 | 49.00 |
| 0250 | 618-A001 | Maintenance of Traffic | 1.000 | LS | | 5,300.00 | 11,950.00 | 9,000.00 |
| 0260 | 619-A1003 | Temporary Traffic Stripe, Continuous White, Paint | 2,820.000 | LF | | 1.10 | 0.26 | 0.75 |

| JONES (34) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | T. L. Wallace Construction, Inc. | N. L. Carson Construction Company, Inc. | Joe McGee Construction Company, Inc. |
|---|--------------|--|-----------|-------|--|-------------------------------------|---|--|
| Bridge Replacement on US 11 at Waterfall Creek, Bridge #85.2, known as Federal Aid Project No. BR-2170-00(021) / 105120301 in Jones County. | | | | | \$1,071,336.41 | \$999,578.87 | \$1,016,365.53 | \$1,085,063.91 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0270 | 619-A4002 | Temporary Traffic Stripe, Skip Yellow, Paint | 1,410.000 | LF | | 0.85 | 0.26 | 0.75 |
| 0280 | 619-C7001 | Two-Way Yellow Reflective High Performance Raised Marker | 19.000 | EA | | 50.00 | 10.50 | 25.00 |
| 0290 | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Fe | 437.000 | SF | | 10.00 | 7.35 | 7.00 |
| 0300 | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More | 501.000 | SF | | 8.00 | 7.35 | 7.00 |
| 0310 | 619-G4001 | Barricades, Type III, Single Faced | 96.000 | LF | | 8.90 | 36.75 | 35.00 |
| 0320 | 619-G4005 | Barricades, Type III, Double Faced | 24.000 | LF | | 11.00 | 36.75 | 35.00 |
| 0330 | 619-G5001 | Free Standing Plastic Drums | 25.000 | EA | | 50.00 | 57.75 | 55.00 |
| 0340 | 620-A001 | Mobilization | 1.000 | LS | | 60,000.00 | 69,370.00 | 20,000.00 |
| 0350 | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness | 32.000 | SF | | 28.00 | 26.25 | 25.00 |
| 0360 | 630-C003 | Steel U-Section Posts, 3.0 lb/ft | 21.000 | LF | | 11.00 | 10.50 | 10.00 |
| 0370 | 630-F001 | Delineators, Guard Rail, White | 22.000 | EA | | 17.80 | 16.80 | 16.00 |
| 0380 | 630-G002 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted | 4.000 | EA | | 72.00 | 68.25 | 65.00 |
| 0390 | 815-A009 | Loose Riprap, Size 300 | 1,824.000 | TON | | 54.00 | 55.00 | 76.00 |
| 0400 | 815-E001 | Geotextile under Riprap | 2,176.000 | SY | | 2.00 | 2.11 | 1.35 |
| 0410 | 815-F002 | Sediment Control Stone | 150.000 | TON | | 52.50 | 63.00 | 45.00 |
| 0420 | 907-216-A001 | Solid Sodding | 220.000 | SY | | 4.50 | 4.20 | 4.00 |
| 0430 | 907-225-A001 | Grassing | 6.000 | ACRE | | 833.50 | 787.50 | 750.00 |
| 0440 | 907-225-B001 | Agricultural Limestone | 19.000 | TON | | 83.00 | 78.75 | 75.00 |
| 0450 | 907-225-C001 | Mulch, Vegetative Mulch | 13.000 | TON | | 200.00 | 189.00 | 180.00 |
| 0460 | 907-226-A001 | Temporary Grassing | 6.000 | ACRE | | 833.50 | 787.50 | 750.00 |
| 0470 | 907-234-C002 | Super Silt Fence | 450.000 | LF | | 11.00 | 10.50 | 12.00 |
| 0480 | 907-237-A003 | Wattles, 20" | 40.000 | LF | | 5.50 | 5.25 | 4.25 |
| 0490 | 907-246-A002 | Sandbags | 75.000 | EA | | 3.90 | 3.68 | 9.00 |
| 0500 | 907-249-A001 | Riprap for Erosion Control | 75.000 | TON | | 61.31 | 63.00 | 76.00 |
| 0510 | 907-407-A001 | Asphalt for Tack Coat | 375.000 | GAL | | 4.00 | 3.78 | 3.60 |
| 0520 | 907-413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement | 55.000 | LF | | 16.75 | 21.95 | 10.00 |

| JONES (34) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | T. L. Wallace Construction, Inc. | N. L. Carson Construction Company, Inc. | Joe McGee Construction Company, Inc. |
|---|--------------|--|------------|-------|--|-------------------------------------|---|--|
| Bridge Replacement on US 11 at Waterfall Creek, Bridge #85.2, known as Federal Aid Project No. BR-2170-00(021) / 105120301 in Jones County. | | | | | \$1,071,336.41 | \$999,578.87 | \$1,016,365.53 | \$1,085,063.91 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0530 | 907-617-A001 | Right-of-Way Marker | 14.000 | EA | | 167.00 | 210.00 | 200.00 |
| 0540 | 907-626-C007 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White | 2,820.000 | LF | | 1.70 | 1.05 | 1.50 |
| 0550 | 907-626-D004 | 6" Thermoplastic Traffic Stripe, Skip Yellow | 1,410.000 | LF | | 1.10 | 1.05 | 1.50 |
| 0560 | 907-699-A002 | Roadway Construction Stakes | 1.000 | LS | | 15,000.00 | 36,750.00 | 16,000.00 |
| 0570 | 907-304-F002 | Size 610 Crushed Stone Base | 1,834.000 | TON | | 47.35 | 43.00 | 43.00 |
| 0580 | 907-304-F003 | 3/4" and Down Crushed Stone Base | 1,834.000 | TON | | | | |
| 0590 | 907-304-F004 | Size 825B Crushed Stone Base | 1,834.000 | TON | | | | |
| 0600 | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture | 405.000 | TON | | | | |
| 0610 | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture | 405.000 | TON | | 128.00 | 120.75 | 115.00 |
| 0620 | 907-403-A006 | Hot Mix Asphalt, MT, 12.5-mm mixture | 314.000 | TON | | | | |
| 0630 | 907-403-M002 | Warm Mix Asphalt, MT, 12.5-mm mixture | 314.000 | TON | | 121.00 | 114.45 | 109.00 |
| 0640 | 907-403-A007 | Hot Mix Asphalt, MT, 19-mm mixture | 538.000 | TON | | | | |
| 0650 | 907-403-M007 | Warm Mix Asphalt, MT, 19-mm mixture | 538.000 | TON | | 100.00 | 94.50 | 90.00 |
| 0660 | 501-K001 | Transverse Grooving | 540.000 | SY | | 2.00 | 2.19 | 2.00 |
| 0670 | 803-B002 | Conventional Static Pile Load Test | 1.000 | EA | | 5,000.00 | 5,000.00 | 5,000.00 |
| 0680 | 803-C002 | 14" x 14" Prestressed Concrete Piling | 855.000 | LF | | 41.50 | 34.00 | 38.00 |
| 0690 | 803-C003 | 16" x 16" Prestressed Concrete Piling | 495.000 | LF | | 45.00 | 40.00 | 45.00 |
| 0700 | 803-I001 | PDA Test Pile | 2.000 | EA | | 5,900.00 | 6,957.00 | 5,000.00 |
| 0710 | 803-J001 | Pile Restrike | 1.000 | EA | | 1,000.00 | 600.00 | 500.00 |
| 0720 | 805-A001 | Reinforcement | 44,858.000 | LBS | | 0.84 | 0.88 | 0.95 |
| 0730 | 813-A002 | Concrete Railing, 32" | 243.000 | LF | | 55.50 | 54.39 | 49.00 |
| 0740 | 815-A009 | Loose Riprap, Size 300 | 471.000 | TON | | 56.00 | 55.00 | 76.00 |
| 0750 | 815-E001 | Geotextile under Riprap | 562.000 | SY | | 2.00 | 2.11 | 1.35 |
| 0760 | 907-804-A001 | Bridge Concrete, Class AA | 231.000 | CY | | 540.00 | 530.50 | 550.00 |
| 0770 | 907-804-C016 | 40' Prestressed Concrete Beam, Type I+2 | 709.000 | LF | | 60.80 | 78.00 | 51.00 |

| | | | | | | | | |
|---|-----------|---|-----------|-------|----------------|--|--|--|
| JONES (34) | | | | | Key, LLC | | | |
| Bridge Replacement on US 11 at Waterfall Creek, Bridge #85.2, known as Federal Aid Project No. BR-2170-00(021) / 105120301 in Jones County. | | | | | \$1,577,278.45 | | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | | | |
| 0010 | 201-A001 | Clearing and Grubbing | 1.000 | LS | 25,000.00 | | | |
| 0020 | 202-A001 | Removal of Obstructions | 1.000 | LS | 20,000.00 | | | |
| 0030 | 202-B005 | Removal of Asphalt Pavement, All Depths | 250.000 | SY | 8.50 | | | |
| 0040 | 203-A003 | Unclassified Excavation, FM, AH | 2,623.000 | CY | 12.85 | | | |
| 0050 | 203-EX039 | Borrow Excavation, AH, LVM, Class B7-6 | 6,586.000 | CY | 26.00 | | | |
| 0060 | 203-F001 | Channel Excavation, FM | 675.000 | CY | 17.25 | | | |
| 0070 | 203-G004 | Excess Excavation, LVM, AH | 1,000.000 | CY | 11.50 | | | |
| 0080 | 209-A004 | Geotextile Stabilization, Type V, Non-Woven | 2,293.000 | SY | 3.15 | | | |
| 0090 | 211-A001 | Topsoil for Slope Treatment, From Right-of-Way | 1,290.000 | SY | 4.65 | | | |
| 0100 | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished | 1,940.000 | CY | 21.50 | | | |
| 0110 | 213-C001 | Superphosphate | 4.000 | TON | 1,000.00 | | | |
| 0120 | 217-A001 | Ditch Liner | 1,040.000 | SY | 3.00 | | | |
| 0130 | 219-A001 | Watering | 26.000 | KGAL | 20.00 | | | |
| 0140 | 220-A001 | Insect Pest Control | 3.000 | ACRE | 30.00 | | | |
| 0150 | 221-A001 | Portland Cement Concrete Paved Ditch | 2.000 | CY | 2,000.00 | | | |
| 0160 | 223-A001 | Mowing | 6.000 | ACRE | 50.00 | | | |
| 0170 | 234-A001 | Temporary Silt Fence | 1,020.000 | LF | 5.00 | | | |
| 0180 | 423-A001 | Rumble Strips, Ground In | 1.000 | MI | 300.00 | | | |
| 0190 | 501-E001 | Expansion Joints, Without Dowels | 94.000 | LF | 15.00 | | | |
| 0200 | 502-A001 | Reinforced Cement Concrete Bridge End Pavement | 204.000 | SY | 195.00 | | | |
| 0210 | 606-B001 | Guard Rail, Class A, Type 1 | 400.000 | LF | 19.00 | | | |
| 0220 | 606-D012 | Guard Rail, Bridge End Section, Type I | 4.000 | EA | 1,800.00 | | | |
| 0230 | 606-E001 | Guard Rail, Terminal End Section | 4.000 | EA | 1,950.00 | | | |
| 0240 | 615-A018 | Concrete Bridge End Barrier, 33.5" | 40.000 | LF | 60.00 | | | |
| 0250 | 618-A001 | Maintenance of Traffic | 1.000 | LS | 10,000.00 | | | |
| 0260 | 619-A1003 | Temporary Traffic Stripe, Continuous White, Paint | 2,820.000 | LF | 0.25 | | | |

| | | | | | | | | |
|---|--------------|--|-----------|-------|----------------|--|--|--|
| JONES (34) | | | | | Key, LLC | | | |
| Bridge Replacement on US 11 at Waterfall Creek, Bridge #85.2, known as Federal Aid Project No. BR-2170-00(021) / 105120301 in Jones County. | | | | | \$1,577,278.45 | | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | | | |
| 0270 | 619-A4002 | Temporary Traffic Stripe, Skip Yellow, Paint | 1,410.000 | LF | 0.25 | | | |
| 0280 | 619-C7001 | Two-Way Yellow Reflective High Performance Raised Marker | 19.000 | EA | 10.00 | | | |
| 0290 | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Fe | 437.000 | SF | 9.30 | | | |
| 0300 | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More | 501.000 | SF | 9.30 | | | |
| 0310 | 619-G4001 | Barricades, Type III, Single Faced | 96.000 | LF | 17.80 | | | |
| 0320 | 619-G4005 | Barricades, Type III, Double Faced | 24.000 | LF | 18.30 | | | |
| 0330 | 619-G5001 | Free Standing Plastic Drums | 25.000 | EA | 50.00 | | | |
| 0340 | 620-A001 | Mobilization | 1.000 | LS | 155,000.00 | | | |
| 0350 | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness | 32.000 | SF | 25.00 | | | |
| 0360 | 630-C003 | Steel U-Section Posts, 3.0 lb/ft | 21.000 | LF | 10.00 | | | |
| 0370 | 630-F001 | Delineators, Guard Rail, White | 22.000 | EA | 16.00 | | | |
| 0380 | 630-G002 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted | 4.000 | EA | 65.00 | | | |
| 0390 | 815-A009 | Loose Riprap, Size 300 | 1,824.000 | TON | 85.00 | | | |
| 0400 | 815-E001 | Geotextile under Riprap | 2,176.000 | SY | 3.15 | | | |
| 0410 | 815-F002 | Sediment Control Stone | 150.000 | TON | 95.00 | | | |
| 0420 | 907-216-A001 | Solid Sodding | 220.000 | SY | 5.00 | | | |
| 0430 | 907-225-A001 | Grassing | 6.000 | ACRE | 1,500.00 | | | |
| 0440 | 907-225-B001 | Agricultural Limestone | 19.000 | TON | 100.00 | | | |
| 0450 | 907-225-C001 | Mulch, Vegetative Mulch | 13.000 | TON | 250.00 | | | |
| 0460 | 907-226-A001 | Temporary Grassing | 6.000 | ACRE | 750.00 | | | |
| 0470 | 907-234-C002 | Super Silt Fence | 450.000 | LF | 12.50 | | | |
| 0480 | 907-237-A003 | Wattles, 20" | 40.000 | LF | 5.00 | | | |
| 0490 | 907-246-A002 | Sandbags | 75.000 | EA | 10.00 | | | |
| 0500 | 907-249-A001 | Riprap for Erosion Control | 75.000 | TON | 90.00 | | | |
| 0510 | 907-407-A001 | Asphalt for Tack Coat | 375.000 | GAL | 3.50 | | | |
| 0520 | 907-413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement | 55.000 | LF | 15.00 | | | |

| | | | | | | | | |
|---|--------------|--|------------|-------|----------------|--|--|--|
| JONES (34) | | | | | Key, LLC | | | |
| Bridge Replacement on US 11 at Waterfall Creek, Bridge #85.2, known as Federal Aid Project No. BR-2170-00(021) / 105120301 in Jones County. | | | | | \$1,577,278.45 | | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | | | |
| 0530 | 907-617-A001 | Right-of-Way Marker | 14.000 | EA | 250.00 | | | |
| 0540 | 907-626-C007 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White | 2,820.000 | LF | 1.00 | | | |
| 0550 | 907-626-D004 | 6" Thermoplastic Traffic Stripe, Skip Yellow | 1,410.000 | LF | 1.00 | | | |
| 0560 | 907-699-A002 | Roadway Construction Stakes | 1.000 | LS | 12,500.00 | | | |
| 0570 | 907-304-F002 | Size 610 Crushed Stone Base | 1,834.000 | TON | 78.00 | | | |
| 0580 | 907-304-F003 | 3/4" and Down Crushed Stone Base | 1,834.000 | TON | | | | |
| 0590 | 907-304-F004 | Size 825B Crushed Stone Base | 1,834.000 | TON | | | | |
| 0600 | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture | 405.000 | TON | | | | |
| 0610 | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture | 405.000 | TON | 115.00 | | | |
| 0620 | 907-403-A006 | Hot Mix Asphalt, MT, 12.5-mm mixture | 314.000 | TON | | | | |
| 0630 | 907-403-M002 | Warm Mix Asphalt, MT, 12.5-mm mixture | 314.000 | TON | 109.00 | | | |
| 0640 | 907-403-A007 | Hot Mix Asphalt, MT, 19-mm mixture | 538.000 | TON | | | | |
| 0650 | 907-403-M007 | Warm Mix Asphalt, MT, 19-mm mixture | 538.000 | TON | 90.00 | | | |
| 0660 | 501-K001 | Transverse Grooving | 540.000 | SY | 2.00 | | | |
| 0670 | 803-B002 | Conventional Static Pile Load Test | 1.000 | EA | 5,000.00 | | | |
| 0680 | 803-C002 | 14" x 14" Prestressed Concrete Piling | 855.000 | LF | 55.00 | | | |
| 0690 | 803-C003 | 16" x 16" Prestressed Concrete Piling | 495.000 | LF | 74.00 | | | |
| 0700 | 803-I001 | PDA Test Pile | 2.000 | EA | 10,000.00 | | | |
| 0710 | 803-J001 | Pile Restrike | 1.000 | EA | 1,000.00 | | | |
| 0720 | 805-A001 | Reinforcement | 44,858.000 | LBS | 1.05 | | | |
| 0730 | 813-A002 | Concrete Railing, 32" | 243.000 | LF | 58.00 | | | |
| 0740 | 815-A009 | Loose Riprap, Size 300 | 471.000 | TON | 85.00 | | | |
| 0750 | 815-E001 | Geotextile under Riprap | 562.000 | SY | 3.00 | | | |
| 0760 | 907-804-A001 | Bridge Concrete, Class AA | 231.000 | CY | 860.00 | | | |
| 0770 | 907-804-C016 | 40' Prestressed Concrete Beam, Type I+2 | 709.000 | LF | 95.00 | | | |