


Proposal & Plan Sales Will Begin on February 3, 2014



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for February – February 25, 2014



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR FEBRUARY - Tuesday, February 25, 2014

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 03, 2014

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
 Jackson, MS
 Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
 Jackson, MS
 Telephone: (601) 359-7460
 e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
01	STP-0014-01(061) / 106748301	Amite
* 02	NH-0015-02(096) / 106755301	Jones
* 03	STP-0018-02(053) / 106758301	Attala
04	IM-0055-02(239) / 106613301	Hinds
05	IM-0059-02(104) / 106408302	Jasper
* 06	STP-0071-01(015) / 106771301	Monroe
* 07	STP-0079-02(016) / 106770301 & MP-1045-48(012) / 305115301	Monroe
08	BR-0510-00(009) / 103321301	Yazoo
09	BR-0845-00(006) / 103326301	Lafayette
* 10	STP-2920-00(012) / 106757301	Desoto
* 11	STP-9205-00(012) / 106761301	Washington
* 12	SP-0002-08(012) / 106788301	Alcorn
* 13	SP-0055-03(006) / 106789301	Yalobusha
* 15	SP-9999-06(017) / 106791301 & SP-9999-06(017) / 106791302	Forrest & Perry
* 17	MP-1006-00(069)/305105301& 302	Pontotoc & Lee
18	LWO-1033-41(005) / 501637302	Lee

Mill and Overlay approximately 2 miles of SR 24 from Tanyard Creek Bridge to Liberty, known as Federal Aid Project No. STP-0014-01(061) / 106748301 in Amite County.

PROJECT COMPLETION: August 08, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

53	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
31,147	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
128	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7,322	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,432	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
490	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
279	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
448	Linear Feet	635-A001	Vehicle Loop Assemblies
330	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
3,646	Gallon	907-407-A001	Asphalt for Tack Coat
5,957	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
1,986	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
19,855	Pounds	907-420-A001	Undersealing Concrete Pavement
4	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
4	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
144	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
3,307	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,433	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
2,352	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
30	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
30	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
30	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
3,903	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
3,903	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
22	Ton	907-403-B005	Hot Mix Asphalt, MT, 19-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 2
22	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
686	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP DD NO. 2

686 Ton

907-403-N005 Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Mill and Overlay approximately 4 miles of US 84 from SR 28 to SR 15, known as Federal Aid Project No. NH-0015-02(096) / 106755301 in Jones County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**Roadway Items**

1,700	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
2,846	Linear Feet	202-B076	Removal of Traffic Stripe
650	Square Yard	202-B078	Removal of Pavement, All Types and Depths
200	Cubic Yard	203-G004	Excess Excavation, LVM, AH
534	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
57,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
1,300	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D015	Guard Rail, Bridge End Section
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
7,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,750	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
234	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,125	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
749	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Each	630-F001	Delineators, Guard Rail, White
28	Each	630-F002	Delineators, Guard Rail, Yellow
4	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
2,126	Linear Feet	635-A001	Vehicle Loop Assemblies
12,700	Gallon	907-407-A001	Asphalt for Tack Coat
9,744	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
7	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
21,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
15,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,408	Linear Feet	907-626-H004	Thermoplastic Legend, White
882	Square Feet	907-626-H005	Thermoplastic Legend, White
840	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
		ALTERNATE GROUP AA NO. 1	
3,300	Ton	907-304-F002	Size 610 Crushed Stone Base
		ALTERNATE GROUP AA NO. 2	

CALL No. 02

3,300 Ton	907-304-F003 3/4" and Down Crushed Stone Base ALTERNATE GROUP AA NO. 3
3,300 Ton	907-304-F004 Size 825B Crushed Stone Base ALTERNATE GROUP BB NO. 1
14,600 Ton	907-403-A005 Hot Mix Asphalt, HT, 9.5-mm mixture ALTERNATE GROUP BB NO. 2
14,600 Ton	907-403-M009 Warm Mix Asphalt, HT, 9.5-mm mixture ALTERNATE GROUP CC NO. 1
375 Ton	907-403-A002 Hot Mix Asphalt, HT, 19-mm mixture ALTERNATE GROUP CC NO. 2
375 Ton	907-403-M011 Warm Mix Asphalt, HT, 19-mm mixture ALTERNATE GROUP DD NO. 1
3,700 Ton	907-403-B003 Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling ALTERNATE GROUP DD NO. 2
3,700 Ton	907-403-N008 Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling

Widen and Overlay approximately 5.5 miles of SR 12 from the Holmes County Line to 0.03 miles West of SR 431, known as Federal Aid Project No. STP-0018-02(053) / 106758301 in Attala County.

PROJECT COMPLETION: June 19, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

200 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
72 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
91,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10 Mile	423-A001	Rumble Strips, Ground In
40 Linear Feet	503-C002	Saw Cut, 3-inch
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
20 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
12,274 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,928 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
Lump Sum	620-A001	Mobilization
460 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,254 Ton	907-304-B009	Granular Material, Class 3, Group D
5,000 Gallon	907-407-A001	Asphalt for Tack Coat
10 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,471 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,054 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
964 Linear Feet	907-626-H004	Thermoplastic Legend, White
	ALTERNATE GROUP AA NO. 1	
6,700 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
	ALTERNATE GROUP AA NO. 2	
6,700 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
	ALTERNATE GROUP BB NO. 1	
7,000 Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
	ALTERNATE GROUP BB NO. 2	
7,000 Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling
	ALTERNATE GROUP CC NO. 1	
2,000 Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
	ALTERNATE GROUP CC NO. 2	
2,000 Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Sign Truss Removal and Replacement on I-55 Northbound at Atkins-Beasley exit ramp , known as Federal Aid Project No. IM-0055-02(239) / 106613301 in Hinds County.

PROJECT COMPLETION: September 10, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Each	202-B305	Removal of Overhead Sign Assembly, Truss and Supports Only
555	Pounds	602-A001	Reinforcing Steel
	Lump Sum	618-A001	Maintenance of Traffic
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
96	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
	Lump Sum	630-I001	Metal Overhead Sign Supports, Assembly No. 1
3	Cubic Yard	907-601-A001	Class "B" Structural Concrete
3	Each	907-619-E3001	Changeable Message Sign
578	Square Feet	907-630-O008	Remove and Reset Sign, Overhead Sign

Mill & Overlay approximately 13 miles of I-59 from Jones County Line to Vossburg, known as Federal Aid Project No. IM-0059-02(104) / 106408302 in Jasper County.

PROJECT COMPLETION: April 16, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

478	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
259	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
86	Square Yard	202-B025	Removal of Concrete Paved Ditch
10	Each	202-B042	Removal of Flared End Section, All Sizes
24	Linear Feet	202-B064	Removal of Pipe, 8" And Above
9,180	Linear Feet	202-B076	Removal of Traffic Stripe
259	Square Yard	202-B081	Removal of Continuously Reinforced Concrete Pavement, 8-inchDepth
7,038	Linear Feet	202-B102	Removal of Guard Rail
181	Square Yard	202-B262	Removal of Reinforced Concrete Pavement, 8" Depth
202	Linear Feet	202-B298	Removal of Existing Joint Material
100	Cubic Yard	203-EX014	Borrow Excavation, AH, LVM, Class B7
8	Cubic Yard	206-A001	Structure Excavation
135	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
20,157	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
560	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
1,974	Linear Feet	413-B001	Cleaning and Sealing Joints
288	Linear Feet	413-D001	Cleaning and Filling Joints
51	Mile	423-A001	Rumble Strips, Ground In
108	Linear Feet	501-D001	Expansion Joints, With Dowels
66	Each	501-G001	Dowels, Drilled and Installed
108	Linear Feet	501-I001	Joint Filler, Wooden Board
230	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,858	Linear Feet	503-C002	Saw Cut, 3-inch
1,228	Linear Feet	503-C005	Saw Cut, 8-inch
46	Cubic Yard	503-D001	Concrete for Base Repair
131	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
24	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
4	Each	603-CB001	18" Reinforced Concrete End Section
5	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB003	30" Reinforced Concrete End Section
16	Linear Feet	603-RA003	24" Pipe Removed and Relaid
2	Each	603-RB003	24" End Section Removed and Relaid
5,711	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
16	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
48	Each	606-E002	Guard Rail, Terminal End Section, Flared
202	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place MedianBarrier
	Lump Sum	618-A001	Maintenance of Traffic
52	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
52	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
52	Mile	619-A3006	Temporary Traffic Stripe, Skip White

CALL No. 05

1,408	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
104	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
304	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
2,197	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
105	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
186	Each	630-F001	Delineators, Guard Rail, White
52	Each	630-F002	Delineators, Guard Rail, Yellow
24	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
630	Linear Feet	808-A001	Joint Preparation
350	Square Yard	907-216-A001	Solid Sodding
1,000	Linear Feet	907-237-A003	Wattles, 20"
19,962	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
31,686	Gallon	907-402-B001	Bituminous Tack Coat
33,208	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
44,277	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
51	Mile	907-403-S004	Joint Sealant
58,205	Gallon	907-407-A001	Asphalt for Tack Coat
288	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
259	Square Yard	907-503-A002	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
149	Square Yard	907-503-A003	8" and Variable Jointed Concrete Pavement
4	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
26	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
26	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7,283	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
26	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
596	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
812	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
815	Linear Feet	907-626-H004	Thermoplastic Legend, White
378	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,040	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NO. 1
19,220	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
19,220	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
19,220	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
31,164	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
31,164	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
1,973	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 2
1,973	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture

Level and Seal approximately 6 miles of SR 371 from SR 6 to the Itawamba County Line, known as Federal Aid Project No. STP-0071-01(015) / 106771301 in Monroe County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

125	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
100	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
73,700	Square Yard	907-405-D001	Scrub Seal
4	Mile	907-625-B002	Traffic Stripe, Skip Yellow, 4" Width
11	Mile	907-625-C002	Traffic Stripe, Continuous White, 4" Width
6	Mile	907-625-D002	Traffic Stripe, Continuous Yellow, 4" Width
5,200	Linear Feet	907-625-E001	Detail Traffic Stripe, 4" Equivalent Length
1,244	Linear Feet	907-625-F002	Legend, 4" Equivalent Length
ALTERNATE GROUP AA NO. 1			
600	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
600	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Base-Pave approximately 7 miles of US 45A from Wilson-Hill Loop to SR 8, known as Federal Aid Project No. STP-0079-02(016) / 106770301 and State Project No. MP-1045-48(012) / 305115301 in Monroe County.

PROJECT COMPLETION: October 16, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

320	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
3,000	Linear Feet	202-B076	Removal of Traffic Stripe
2,400	Cubic Yard	203-G003	Excess Excavation, FM, AH
162,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
24	Mile	423-A001	Rumble Strips, Ground In
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A3006	Temporary Traffic Stripe, Skip White
34,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,400	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
1,210	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
50	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Each	630-F001	Delineators, Guard Rail, White
28	Each	630-F002	Delineators, Guard Rail, Yellow
36	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
36	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
7,800	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
25,500	Gallon	907-407-A001	Asphalt for Tack Coat
227,500	Square Yard	907-499-A002	Roadbed Reclamation with Portland Cement
3,100	Ton	907-499-B001	Portland Cement
260	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
15	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
14	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
12	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
17,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
17,250	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,300	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
480	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NO. 2			
480	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NO. 3			
480	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NO. 1			
25,050	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 2			

CALL No. 07

25,050	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP CC NO. 1
1,200	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified ALTERNATE GROUP CC NO. 2
1,200	Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified ALTERNATE GROUP DD NO. 1
22,500	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP DD NO. 2
22,500	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP EE NO. 1
1,325	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,325	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
1,325	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow ALTERNATE GROUP EE NO. 2
1,325	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,325	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1,325	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Replace Bridge Nos. 15.7, 17.4, & 19.1 on SR 433, known as Federal Aid Project No. BR-0510-00(009) / 103321301 in Yazoo County.

PROJECT COMPLETION: April 11, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
13,544 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3 Each	202-B009	Removal of Bridge
1 Each	202-B019	Removal of Concrete Headwall
148 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,000 Linear Feet	202-B076	Removal of Traffic Stripe
1 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
1,275 Linear Feet	202-B102	Removal of Guard Rail
102,028 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
26,780 Cubic Yard	203-G003	Excess Excavation, FM, AH
364 Cubic Yard	206-A001	Structure Excavation
250 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
14,184 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
243 Square Yard	212-B001	Standard Ground Preparation
14 Ton	213-B001	Combination Fertilizer, 13-13-13
4 Ton	213-C001	Superphosphate
500 Square Yard	217-A001	Ditch Liner
5 Thousand Gallon	219-A001	Watering
14 Acre	220-A001	Insect Pest Control
31 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
3,070 Linear Feet	234-A001	Temporary Silt Fence
108 Bale	235-A001	Temporary Erosion Checks
15 Each	236-A004	Silt Basin, Type D
1,984 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
3 Mile	423-A001	Rumble Strips, Ground In
172 Linear Feet	501-E001	Expansion Joints, Without Dowels
334 Square Yard	501-K001	Transverse Grooving
350 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
25,230 Pounds	602-A001	Reinforcing Steel
66 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
120 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
52 Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
4 Each	603-CB001	18" Reinforced Concrete End Section
2 Each	603-CB002	24" Reinforced Concrete End Section
1 Each	603-CB006	48" Reinforced Concrete End Section
850 Linear Feet	606-B001	Guard Rail, Class A, Type 1
8 Each	606-D012	Guard Rail, Bridge End Section, Type I
8 Each	606-E001	Guard Rail, Terminal End Section

CALL No. 08

273	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
80	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1,017	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
1,017	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
264	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,438	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
564	Linear Feet	619-G4001	Barricades, Type III, Single Faced
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
217	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
130	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
139	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
13	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
52	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
158	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
44	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
155,296	Pounds	805-A001	Reinforcement
540	Ton	815-A006	Loose Riprap, Size 100
1,862	Ton	815-A009	Loose Riprap, Size 300
382	Square Yard	815-E001	Geotextile under Riprap
310	Ton	815-F002	Sediment Control Stone
243	Square Yard	907-216-A001	Solid Sodding
7	Acre	907-225-A001	Grassing
21	Ton	907-225-B001	Agricultural Limestone
14	Ton	907-225-C001	Mulch, Vegetative Mulch
4	Acre	907-226-A001	Temporary Grassing
1,265	Linear Feet	907-234-C002	Super Silt Fence
776	Linear Feet	907-237-A003	Wattles, 20"
540	Linear Feet	907-245-A001	Triangular Silt Dike
540	Each	907-246-A002	Sandbags
12,330	Ton	907-304-B002	Granular Material, Class 5, Group D
1,470	Gallon	907-407-A001	Asphalt for Tack Coat
172	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
115	Cubic Yard	907-601-A001	Class "B" Structural Concrete
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
548	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
60	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
66	Each	907-617-A001	Right-of-Way Marker
12,444	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
1,200	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
10,972	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 08

1,034	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
207	Linear Feet	907-626-H004	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
889	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
			ALTERNATE GROUP AA NO. 1
3,991	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
3,991	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
3,991	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
1,759	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
1,759	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1
2,860	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP CC NO. 2
2,860	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
2,240	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP DD NO. 2
2,240	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP EE NO. 1
160	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
			ALTERNATE GROUP EE NO. 2
160	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
			ALTERNATE GROUP FF NO. 1
1,655	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1,655	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,655	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
			ALTERNATE GROUP FF NO. 2
1,655	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
1,655	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,655	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
			Bridge Items
2,656	Square Yard	501-K001	Transverse Grooving
4	Each	803-B002	Conventional Static Pile Load Test
1,980	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
4,895	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
2,300	Linear Feet	803-F005	18" Pre-Formed Pile Hole
800	Linear Feet	803-F007	16" Pre-Formed Pile Hole
8	Each	803-I001	PDA Test Pile
4	Each	803-J001	Pile Restrike
81	Linear Feet	803-N001	Exploration
210	Linear Feet	803-O020	Permanent Casing, 54" Diameter
260,950	Pounds	805-A001	Reinforcement

CALL No. 08

1,497	Linear Feet	813-A002	Concrete Railing, 32"
1,623	Ton	815-A009	Loose Riprap, Size 300
1,728	Square Yard	815-E001	Geotextile under Riprap
484	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
90	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
1,220	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
809	Linear Feet	907-804-C012	135' Prestressed Concrete Beam, Type BT-72
2,129	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
957	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
539	Linear Feet	907-804-C155	90' Prestressed Concrete Beam, Type III

Replacing 8 Bridges on SR 328 from SR 7 to SR 315, known as Federal Aid Project No. BR-0845-00(006) / 103326301 in Lafayette County.

PROJECT COMPLETION: May 26, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
31,381 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
250 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
150 Linear Feet	202-B023	Removal of Concrete Median Barrier, Precast
16 Each	202-B043	Removal of Guard Rail Bridge End Section
220 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
574 Linear Feet	202-B064	Removal of Pipe, 8" And Above
2,400 Linear Feet	202-B076	Removal of Traffic Stripe
23,946 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
31,755 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
5,558 Cubic Yard	203-G003	Excess Excavation, FM, AH
1,318 Cubic Yard	206-A001	Structure Excavation
104 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
20,764 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1 Ton	213-C001	Superphosphate
1,664 Square Yard	217-A001	Ditch Liner
8 Thousand Gallon	219-A001	Watering
16 Acre	220-A001	Insect Pest Control
1 Acre	223-A001	Mowing
573 Square Yard	224-A001	Soil Reinforcing Mat
3,613 Linear Feet	234-A001	Temporary Silt Fence
856 Bale	235-A001	Temporary Erosion Checks
21 Each	236-A004	Silt Basin, Type D
1,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4 Mile	423-A001	Rumble Strips, Ground In
489 Linear Feet	501-E001	Expansion Joints, Without Dowels
1,890 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
60,865 Pounds	602-A001	Reinforcing Steel
4 Each	603-CB001	18" Reinforced Concrete End Section
2 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB005	42" Reinforced Concrete End Section
2 Each	603-CB006	48" Reinforced Concrete End Section
2 Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
2 Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
2 Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
2 Each	603-CF008	73" x 45" Concrete Arch Pipe End Section
232 Pounds	604-B001	Gratings
300 Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III

CALL No. 09

25	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
38	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
2,375	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D008	Guard Rail, Bridge End Section, Type H
20	Each	606-D012	Guard Rail, Bridge End Section, Type I
24	Each	606-E001	Guard Rail, Terminal End Section
178	Square Yard	614-B001	Concrete Driveway, With Reinforcement
200	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
2	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
780	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
12,837	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
60	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
720	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,018	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
528	Linear Feet	619-F1001	Concrete Median Barrier, Precast
150	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
36	Each	619-F3004	Delineators, Guard Rail, White
162	Linear Feet	619-G4001	Barricades, Type III, Single Faced
174	Linear Feet	619-G4005	Barricades, Type III, Double Faced
170	Each	619-G5001	Free Standing Plastic Drums
26	Each	619-G7001	Warning Lights, Type "B"
12	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
12	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
216	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
99	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
168	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
126	Each	630-F001	Delineators, Guard Rail, White
32	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2,900	Ton	815-A009	Loose Riprap, Size 300
3,650	Square Yard	815-E001	Geotextile under Riprap
1,176	Ton	815-F002	Sediment Control Stone
375	Square Yard	907-216-A001	Solid Sodding
31	Acre	907-225-A001	Grassing
93	Ton	907-225-B001	Agricultural Limestone
77	Ton	907-225-C001	Mulch, Vegetative Mulch
31	Acre	907-226-A001	Temporary Grassing
200	Linear Feet	907-234-F001	Turbidity Barrier
175	Linear Feet	907-237-A002	Wattles, 12"
75	Linear Feet	907-237-A003	Wattles, 20"
75	Linear Feet	907-245-A001	Triangular Silt Dike
102	Linear Feet	907-246-A001	Sandbags
3	Each	907-247-A001	Temporary Stream Diversion

CALL No. 09

365	Ton	907-249-A001	Riprap for Erosion Control
20,343	Ton	907-304-B009	Granular Material, Class 3, Group D
3,276	Gallon	907-407-A001	Asphalt for Tack Coat
489	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
326	Cubic Yard	907-601-A001	Class "B" Structural Concrete
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,048	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
236	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
36	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
88	Linear Feet	907-603-ALT06	48" Type A Alternate Pipe
48	Linear Feet	907-603-ALT12	36" x 23" Type A Alternate Pipe
40	Linear Feet	907-603-ALT14	22" x 13" Type A Alternate Pipe
96	Linear Feet	907-603-ALT15	29" x 18" Type A Alternate Pipe
88	Linear Feet	907-603-ALT19	73" x 45" Type A Alternate Pipe
400	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
400	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
83	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge
3,200	Linear Feet	907-618-E001	Detour Bridge Piling
	Lump Sum	907-618-F003	Detour Bridge PDA Test Pile
6	Each	907-619-E3001	Changeable Message Sign
4	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
270	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
100	Linear Feet	907-626-H004	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
113	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
			ALTERNATE GROUP AA NO. 1
60	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
			ALTERNATE GROUP AA NO. 2
72	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
			ALTERNATE GROUP BB NO. 1
9,842	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP BB NO. 2
9,842	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP BB NO. 3
9,842	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP CC NO. 1
8,435	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP CC NO. 2
8,435	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
4,164	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP DD NO. 2
4,164	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

CALL No. 09

ALTERNATE GROUP EE NO. 1

471 Ton 907-403-C005 Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening

ALTERNATE GROUP EE NO. 2

471 Ton 907-403-O001 Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

ALTERNATE GROUP FF NO. 1

2,360 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite

728 Linear Feet 907-626-K003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

904 Linear Feet 907-626-L001 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP FF NO. 2

2,360 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite

728 Linear Feet 628-L002 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

904 Linear Feet 628-M002 6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Bridge Items

3,267 Square Yard 501-K001 Transverse Grooving

5 Each 803-B002 Conventional Static Pile Load Test

3,305 Linear Feet 803-C004 18" x 18" Prestressed Concrete Piling

600 Linear Feet 803-F006 24" Pre-Formed Pile Hole

20 Each 803-I001 PDA Test Pile

10 Each 803-J001 Pile Restrike

343,181 Pounds 805-A001 Reinforcement

1,978 Linear Feet 813-A002 Concrete Railing, 32"

1,641 Ton 815-A009 Loose Riprap, Size 300

2,648 Square Yard 815-E001 Geotextile under Riprap

4,030 Linear Feet 907-803-P003 24" Steel Pipe Piling, Wall Thickness 0.500"

1,621 Cubic Yard 907-804-A001 Bridge Concrete, Class AA

2,958 Linear Feet 907-804-C016 40' Prestressed Concrete Beam, Type I+2

1,488 Linear Feet 907-804-C019 60' Prestressed Concrete Beam, Type II+2

399 Linear Feet 907-804-C030 80' Prestressed Concrete Beam, Type III

Widen and Overlay approximately 7 miles of US 51 from Tate/Desoto County Line to the Maintenance Headquarters, known as Federal Aid Project No. STP-2920-00(012) / 106757301 in Desoto County.

PROJECT COMPLETION: October 06, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

30,460	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
702	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
800	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
250	Cubic Yard	203-G003	Excess Excavation, FM, AH
91,379	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
4,161	Linear Feet	503-C007	Saw Cut, Full Depth
427	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
550	Linear Feet	609-B001	Concrete Curb, Header
255	Square Yard	616-A002	Concrete Median and/or Island Pavement, 6-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
26	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
18	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
8	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
8,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
900	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
	Lump Sum	620-A001	Mobilization
542	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,900	Ton	907-304-B009	Granular Material, Class 3, Group D
11,000	Gallon	907-407-A001	Asphalt for Tack Coat
18,000	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,800	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,200	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
450	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
9,250	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
9,250	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
700	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP BB NO. 2	
700	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP CC NO. 1	
6,500	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
		ALTERNATE GROUP CC NO. 2	
6,500	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

CALL No. 10

ALTERNATE GROUP DD NO. 1

10,052 Ton 907-403-C005 Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening

ALTERNATE GROUP DD NO. 2

10,052 Ton 907-403-O001 Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Overlay approximately 7 miles of US 82 from the MS River Bridge to Greenville, known as Federal Aid Project No. STP-9205-00(012) / 106761301 in Washington County.

PROJECT COMPLETION: September 10, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

600	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
200	Cubic Yard	203-G003	Excess Excavation, FM, AH
29,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
28	Mile	423-A001	Rumble Strips, Ground In
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
16	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
16	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
37,350	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
4,400	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
269	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
490	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,900	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
280	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,800	Linear Feet	635-A001	Vehicle Loop Assemblies
17,500	Ton	907-304-B002	Granular Material, Class 5, Group D
27,300	Gallon	907-407-A001	Asphalt for Tack Coat
16	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
16	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
16	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
24,800	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
12,550	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,100	Linear Feet	907-626-H004	Thermoplastic Legend, White
269	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
375	Ton	907-304-F002	Size 610 Crushed Stone Base
		ALTERNATE GROUP AA NO. 2	
375	Ton	907-304-F003	3/4" and Down Crushed Stone Base
		ALTERNATE GROUP AA NO. 3	
375	Ton	907-304-F004	Size 825B Crushed Stone Base
		ALTERNATE GROUP BB NO. 1	
29,150	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 2	
29,150	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
		ALTERNATE GROUP CC NO. 1	
700	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
		ALTERNATE GROUP CC NO. 2	
700	Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified
		ALTERNATE GROUP DD NO. 1	

CALL No. 11

550	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP DD NO. 2
550	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP EE NO. 1
360	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
340	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
370	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow ALTERNATE GROUP EE NO. 2
360	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
340	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
370	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 12

Maintenance Painting of Bridge No. 274.3 on US 45 near Kossuth, known as State Project No. SP-0002-08(012) / 106788301 in Alcorn County.

PROJECT COMPLETION: May 20, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
1 Each	816-B001	Maintenance Painting of Metal Structures(Bridge ID No. 10106) Kossuth Road

CALL No. 13

Maintenance Painting of Bridge Nos. 231.9 A&B on I-55 at Yocona River, known as State Project No. SP-0055-03(006) / 106789301 in Yalobusha County.

PROJECT COMPLETION: May 28, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
1 Each	816-B001	Maintenance Painting of Metal Structures(Bridge ID No. 15157) Yocona River
1 Each	816-B001	Maintenance Painting of Metal Structures(Bridge ID No. 15158) Yocona River

CALL No. 15

Maintenance Painting of Bridge No. 35.0 on SR 29 at Leaf River & Bridge No. 49.3A on US 49 at Black Creek, known as State Project Nos. SP-9999-06(017) / 106791301 & 302 in Forrest & Perry Counties.

PROJECT COMPLETION: June 16, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
1 Each	816-B001	Maintenance Painting of Metal Structures(Bridge ID No. 11020) Black Creek
1 Each	816-B001	Maintenance Painting of Metal Structures(Bridge ID No. 13915) Leaf River

Mill & Overlay approximately 12 miles of SR 6 from SR 76 to just West of US 45, known as State Project Nos. MP-1006-00(069) / 305105301 & 302 in Pontotoc & Lee Counties.

PROJECT COMPLETION: June 17, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

45	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
15	Cubic Yard	203-G003	Excess Excavation, FM, AH
290,600	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
45	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
28	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
21	Mile	619-A3006	Temporary Traffic Stripe, Skip White
30	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
42,900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
10,100	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,850	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
2,050	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4,950	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
13,050	Linear Feet	635-A001	Vehicle Loop Assemblies
925	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
15,250	Gallon	907-407-A001	Asphalt for Tack Coat
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
24	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
15	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
14	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
15,700	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
8,650	Linear Feet	907-626-H004	Thermoplastic Legend, White
3,500	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
475	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NO. 2
475	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NO. 3
475	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
			ALTERNATE GROUP BB NO. 1
24,500	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			ALTERNATE GROUP BB NO. 2
24,500	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Lot Improvement at District 1 Headquarters in Tupelo, known as State Project No. LWO-1033-41(005) / 501637302 in Lee County.

PROJECT COMPLETION: October 09, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
3,638	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
713	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
290	Square Yard	202-B035	Removal of Concrete Sidewalk
1,369	Linear Feet	202-B038	Removal of Curb, All Types
5	Each	202-B057	Removal of Inlets, All Sizes
263	Linear Feet	202-B103	Removal of Retaining Wall
3	Each	202-B115	Removal of Trees 10" to 20"
2	Each	202-B116	Removal of Trees Greater Than 20"
4,778	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
434	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
2,813	Cubic Yard	203-H003	Surplus Excavation, FM, AH
434	Cubic Yard	206-A001	Structure Excavation
5,999	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
994	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
36	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
108	Cubic Yard	211-D001	Topsoil for Plant Pits, Contractor Furnished
1	Ton	213-B002	Combination Fertilizer, 8-8-8
2	Ton	213-C001	Superphosphate
17	Square Yard	217-A001	Ditch Liner
3	Acre	220-A001	Insect Pest Control
3	Acre	223-A001	Mowing
3	Thousand	232-A002	Fertilizer for Woody Plant Material, Tablet, 21 gram
1,400	Linear Feet	234-A001	Temporary Silt Fence
200	Bale	235-A001	Temporary Erosion Checks
391	Linear Feet	503-C007	Saw Cut, Full Depth
950	Pounds	602-A001	Reinforcing Steel
176	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
384	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1	Each	603-CB002	24" Reinforced Concrete End Section
1,952	Pounds	604-A001	Castings
1,600	Pounds	604-B001	Gratings
1	Each	607-G099	Gate, 6' x 12' Double Chain Link
378	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
40	Linear Feet	609-A001	Concrete Gutter, Special Design
2,495	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
2	Each	613-D005	Adjustment of Manhole
200	Linear Feet	619-G4001	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization

CALL No. 18

25 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
56 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
255 Linear Feet	635-A001	Vehicle Loop Assemblies
485 Linear Feet	636-A003	Shielded Cable, 4 Conductor
2,600 Linear Feet	666-B039	Electric Cable, Underground in Conduit, THHN, AWG #10, 3 Conductor
50 Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
440 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
550 Linear Feet	668-A021	Traffic Signal Conduit, Underground, Type 4, 3/4"
3 Each	682-D001	Underground Pull Box
2 Each	682-E002	Structure Mounted Junction Box
8 Each	683-B062	Lighting Assembly, Low Mast, Type 40-1-4-400
8 Cubic Yard	684-A002	Pole Foundation, 18" Diameter
2 Ton	815-A006	Loose Riprap, Size 100
72 Square Yard	815-E001	Geotextile under Riprap
2 Ton	815-F002	Sediment Control Stone
4,650 Square Yard	907-216-B004	Solid Sodding, Bermuda
2 Acre	907-225-A001	Grassing
9 Ton	907-225-B001	Agricultural Limestone
6 Ton	907-225-C001	Mulch, Vegetative Mulch
3 Acre	907-226-A001	Temporary Grassing
53 Each	907-230-A009	Shrub Planting, Carissa Holly
37 Each	907-230-A057	Shrub Planting, Shi-Shi Gashira Camellia
33 Each	907-230-A082	Shrub Planting, Dwarf Gardenia
14 Each	907-230-A094	Shrub Planting, Rose Creek Abelia
10 Each	907-230-A097	Shrub Planting, Radtko Double Knockout Rose
25 Each	907-230-A127	Shrub Planting, 'Rothundifolium' Ligustrum
31 Each	907-230-A128	Shrub Planting, 'Purple Diamond' Loropetalum
138 Each	907-230-A131	Shrub Planting, Pink Drift Rose
7 Each	907-230-A132	Shrub Planting, Podocarpus
4 Each	907-230-A133	Shrub Planting, 'Green Mountain' Boxwood
31 Each	907-230-A134	Shrub Planting, Purpleleaf Loropetalum
18 Each	907-230-B006	Tree Planting, Muskogee Crape Myrtle
50 Each	907-230-B007	Tree Planting, Natchez Crape Myrtle
9 Each	907-230-B013	Tree Planting, Willow Oak
10 Each	907-230-B069	Tree Planting, Red Maple
15 Each	907-230-B083	Tree Planting, Drake Chinese Elm
10 Each	907-230-B098	Tree Planting, Eagleston Holly
5 Each	907-230-B099	Tree Planting, Sweet Bay Magnolia
6 Each	907-230-B100	Tree Planting, Emerald Green Arborvitae
9 Each	907-230-B101	Tree Planting, Chaste Tree
372 Linear Feet	907-230-C001	Bed Edging
2,905 Square Feet	907-230-D001	Bed Preparation
47 Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
36 Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
7 Each	907-234-D001	Inlet Siltation Guard
50 Linear Feet	907-237-A002	Wattles, 12"

CALL No. 18

50	Linear Feet	907-237-A003	Wattles, 20"
1	Each	907-243-A001	Landscape Mowing
50	Each	907-246-A002	Sandbags
50	Ton	907-249-A001	Riprap for Erosion Control
4	Each	907-258-K001	Bollard
1	Each	907-258-PP007	Sign, Masonry and Stone
1	Each	907-258-PP027	Plaque Display
2	Each	907-258-PP028	Sign with Post
1	Each	907-259-D001	Lighting Assembly, Sign Lighting
1	Each	907-259-PP003	Lighting Assembly, "Area"
	Lump Sum	907-282-A019	Automatic Irrigation System
325	Linear Feet	907-282-C001	Sleeves, 2"
185	Linear Feet	907-282-C002	Sleeves, 4"
105	Linear Feet	907-282-C005	Sleeves, 3"
317	Gallon	907-407-A001	Asphalt for Tack Coat
12	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
510	Linear Feet	907-607-PP012	Fencing, Per Plans
1	Each	907-607-PP018	Gate, 27' Aluminum, Cantilever, Per Plans
72	Square Feet	907-611-B001	Brick Pavers
300	Linear Feet	907-619-L001	Construction Safety Fence
2,000	Linear Feet	907-626-B001	4" Thermoplastic Traffic Stripe, Continuous White
100	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
200	Square Feet	907-626-H001	Thermoplastic Legend, Blue-ADA
270	Linear Feet	907-626-H003	Thermoplastic Legend, White, 4" Equivalent Length
7	Each	907-630-PP001	Handicap Parking Sign with Post
9	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1	Each	907-682-PP001	Photoelectric Control Assembly
			ALTERNATE GROUP AA NO. 1
6,748	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
6,748	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
6,748	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
5,134	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP BB NO. 2
5,134	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP CC NO. 1
1,738	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 2
1,738	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR