


Proposal & Plan Sales Will Begin on March 31, 2014



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for April – April 22, 2014



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR APRIL - Tuesday, April 22, 2014

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 31, 2014

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
01	BWO-9718-25(001) / 502350304 & LWO-9023-25(003) / 502350305	Hinds
02	BR-0014-02(068) / 106437301	Marion
03	IM-0020-01(212) / 106651301 & IM-0020-01(212) / 106651302	Hinds
04	BR/STP-0049-01(039) / 106298302	Franklin
05	IM-0055-02(239) / 106613301	Hinds
06	STP-0241-00(013) / 106589301	Monroe
* 07	MP-5021-62(010) / 305111301	Scott
* 08	MP-5503-51(004) / 305114301	Newton
* 09	MP-6026-66(011) / 305194301	Stone
* 10	MP-6057-21(007) / 305186301	Greene
* 11	MP-7000-00(177) / 305157301	District 7
12	MP-7184-39(001) / 305148301	Lawrence

Construction necessary to Construct a Shop at the Materials Lab, known as State Project Nos. BWO-9718-25(001) & LWO-9023-25(003) / 502350304 & 305 in Hinds County.

PROJECT COMPLETION: October 30, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,773	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
379	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
61	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
134	Square Yard	202-B035	Removal of Concrete Sidewalk
11	Linear Feet	202-B038	Removal of Curb, All Types
4	Each	202-B070	Removal of Sign Including Post & Footing
1	Each	202-B218	Removal of Inlet Tops
1,500	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
520	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
250	Cubic Yard	203-G004	Excess Excavation, LVM, AH
40	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
40	Thousand Gallon	219-A001	Watering
269	Each	230-A001	Shrub Planting, Asiatic Jasmine
3	Each	230-A041	Shrub Planting, Anthony Waterer Spirea
3	Each	230-B032	Tree Planting, Natchez Crape Myrtle
1	Ton	233-C002	Straw Mulch, Class II
400	Linear Feet	234-A001	Temporary Silt Fence
93	Bale	235-A001	Temporary Erosion Checks
525	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5,325	Pounds	602-A001	Reinforcing Steel
143	Linear Feet	603-CA001	15" Reinforced Concrete Pipe, Class III
650	Pounds	604-B001	Gratings
450	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
142	Linear Feet	609-B001	Concrete Curb, Header
1,158	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
171	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
1	Each	613-D004	Adjustment of Inlet
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
5	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G6001	Warning Lights, Type "A"
5	Each	619-G8001	Warning Lights, Type "C"
	Lump Sum	620-A001	Mobilization
955	Linear Feet	625-D001	Traffic Stripe, Continuous Yellow
1,750	Linear Feet	625-E001	Detail Traffic Stripe
1,033	Linear Feet	625-F002	Legend
26	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
93	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
1,120	Square Yard	907-216-B004	Solid Sodding, Bermuda

CALL No. 01

114	Each	907-230-A011	Shrub Planting, Dwarf Yaupon Holly
4	Each	907-230-A019	Shrub Planting, Nellie R. Stevens Holly
12	Each	907-230-A033	Shrub Planting, Japanese Cleyera
32	Each	907-230-A044	Shrub Planting, Parsons Juniper
77	Each	907-230-A045	Shrub Planting, Clara Indian Hawthorn
9	Each	907-230-A113	Shrub Planting, Loropetalum 'Dwarf'
45	Each	907-230-B004	Tree Planting, Burkii Eastern Red Cedar
4	Each	907-230-B032	Tree Planting, Sweetbay Magnolia
5,083	Square Feet	907-230-D001	Bed Preparation
341	Each	907-230-F001	Shrub and Groundcover Planting, Big Blue Lily Grass Liriope
5	Each	907-234-D001	Inlet Siltation Guard
150	Linear Feet	907-237-A002	Wattles, 12"
	Lump Sum	907-242-A011	Installation of (Water and Sewer Improvements)
100	Linear Feet	907-246-A001	Sandbags
100	Linear Feet	907-246-B001	Rockbags
12	Each	907-258-PP016	Bollard
15	Each	907-258-PP025	Decorative Bollard
4	Each	907-258-PP026	Car Stop
	Lump Sum	907-282-A019	Automatic Irrigation System
55	Ton	907-308-A001	Portland Cement
5,168	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
755	Gallon	907-407-A001	Asphalt for Tack Coat
355	Square Yard	907-501-A003	9" Reinforced Cement Concrete Pavement, Broom Finish
5	Cubic Yard	907-601-A002	Class "AA" Structural Concrete
20	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
4	Linear Feet	907-603-PP003	10" Solid Wall PVC Pipe, Schedule 40
1	Each	907-607-PP005	Gate, Barrier Fence, Per Plans
495	Linear Feet	907-607-PP020	Fence, Barrier Fence, Per Plans
100	Square Feet	907-611-PP003	Detectable Warning, Per Plans
200	Linear Feet	907-619-L001	Construction Safety Fence
250	Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
6	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
12	Each	907-630-O004	Remove and Reset Sign, 1 U-post
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
1,950	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP AA NO. 2
1,950	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP BB NO. 1
615	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
615	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			Building Items
	Lump Sum	907-242-A006	Construction of Shop Building

Bridge Replacement on US 98 over Silver Creek, known as Federal Aid Project No. BR-0014-02(068) / 106437301 in Marion County.

PROJECT COMPLETION: April 29, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2 Acre	201-B001	Clearing and Grubbing
12,397 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2 Each	202-B009	Removal of Bridge
604 Square Yard	202-B025	Removal of Concrete Paved Ditch
20 Each	202-B070	Removal of Sign Including Post & Footing
5,845 Linear Feet	202-B076	Removal of Traffic Stripe
1,800 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
267 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
8 Each	202-B150	Removal of Object Markers
25,811 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
12,100 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
2 Ton	213-C001	Superphosphate
2,378 Square Yard	217-A001	Ditch Liner
265 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
152 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4 Acre	223-A001	Mowing
8,406 Linear Feet	234-A001	Temporary Silt Fence
4 Each	236-A001	Silt Basin, Type A
1,867 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4 Mile	423-A001	Rumble Strips, Ground In
94 Linear Feet	501-E001	Expansion Joints, Without Dowels
184 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
48 Linear Feet	503-C007	Saw Cut, Full Depth
880 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
13,933 Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
1,338 Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
100 Linear Feet	606-B008	Guard Rail, Class A, Type 1, Thrie Beam
4 Linear Feet	606-B016	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section, Steel Posts, Wood Blockouts
5 Each	606-D012	Guard Rail, Bridge End Section, Type I
2 Each	606-D020	Guard Rail, Bridge End Section, Type C Modified
7 Each	606-E002	Guard Rail, Terminal End Section, Flared
4 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
40 Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
Lump Sum	618-A001	Maintenance of Traffic
4 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
3 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
4 Mile	619-A3006	Temporary Traffic Stripe, Skip White
24,204 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint

CALL No. 02

5,778	Linear Feet	619-A5005	Temporary Traffic Stripe, Detail, Type 2 Tape
263	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
96	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
223	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,928	Square Feet	619-D2002	Standard Roadside Construction Signs, 10 Square Feet or More, Permanent
4	Each	619-E1001	Flashing Arrow Panel, Type C
560	Linear Feet	619-F1001	Concrete Median Barrier, Precast
8,221	Linear Feet	619-F1002	Portable Median Barrier
35	Each	619-F3003	Delineators, Guard Rail, Yellow
24	Each	619-F3004	Delineators, Guard Rail, White
216	Linear Feet	619-G4001	Barricades, Type III, Single Faced
102	Linear Feet	619-G4005	Barricades, Type III, Double Faced
38	Each	619-G8001	Warning Lights, Type "C"
5	Unit	619-J1002	Impact Attenuator, 50 MPH
1	Unit	619-J2004	Impact Attenuator, 50 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
461	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
153	Each	629-A002	Vehicular Impact Attenuator, 60 MPH
89	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
302	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
20	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
4	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
956	Linear Feet	635-A001	Vehicle Loop Assemblies
10,236	Square Feet	809-A003	Retaining Wall System
5	Ton	815-A009	Loose Riprap, Size 300
2	Ton	815-F002	Sediment Control Stone
13,251	Square Yard	907-216-A001	Solid Sodding
4	Acre	907-225-A001	Grassing
8	Ton	907-225-B001	Agricultural Limestone
8	Ton	907-225-C001	Mulch, Vegetative Mulch
4	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
312	Linear Feet	907-237-A003	Wattles, 20"
30	Linear Feet	907-246-A001	Sandbags
4,794	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
4,655	Gallon	907-407-A001	Asphalt for Tack Coat
2,472	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
80	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
4	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
9,639	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,339	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,895	Linear Feet	907-626-H004	Thermoplastic Legend, White
263	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 02

	Lump Sum	907-699-A002	Roadway Construction Stakes
	Lump Sum	907-899-A001	Railway-Highway Provisions
			ALTERNATE GROUP AA NO. 1
2,831	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
2,831	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
2,831	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
5,113	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP BB NO. 2
5,113	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP CC NO. 1
6,353	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 2
6,353	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP DD NO. 1
1,315	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP DD NO. 2
1,315	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			Bridge Items
2,112	Square Yard	501-K001	Transverse Grooving
220	Linear Feet	607-B025	120" Type I Chain Link Fence, Class I
2,210	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
75	Linear Feet	803-N001	Exploration
540	Linear Feet	803-O009	Temporary Casing, 54" Diameter
250,147	Pounds	805-A001	Reinforcement
1,061	Linear Feet	813-A002	Concrete Railing, 32"
615	Ton	815-A009	Loose Riprap, Size 300
97	Cubic Yard	815-D001	Concrete Slope Paving
973	Square Yard	815-E001	Geotextile under Riprap
900	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
1	Each	907-803-L005	Test Shaft, 54" Diameter
75	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
1,095	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
535	Linear Feet	907-804-C259	90' Prestressed Concrete Beam, Type BT-54
1,302	Linear Feet	907-804-C260	109' Prestressed Concrete Beam, Type BT-54
1,310	Linear Feet	907-804-C261	110' Prestressed Concrete Beam, Type BT-54

Mill & Overlay, Bridge Repair, & Landscaping approximately 7 miles of I-20 from Natchez Trace to SR 18, known as Federal Aid Project No. IM-0020-01(212) / 106651301 & 302 in Hinds County.

PROJECT COMPLETION: September 04, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

369	Square Yard	202-B010	Removal of Bridge End Pavement
241	Square Yard	202-B036	Removal of Concrete Slope Paving
15	Square Yard	202-B307	Removal of Bridge Deck
433	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
308	Cubic Yard	801-A001	Foundation Excavation for Bridges
2	Each	803-B002	Conventional Static Pile Load Test
13,875	Linear Feet	803-D007	HP 14 x 89 Steel Piling
3	Each	803-I001	PDA Test Pile
1	Each	803-J001	Pile Restrike
180	Linear Feet	803-N001	Exploration
180	Linear Feet	803-O007	Temporary Casing, 42" Diameter
107,982	Pounds	805-A001	Reinforcement
290	Linear Feet	813-A002	Concrete Railing, 32"
2,816	Ton	815-A009	Loose Riprap, Size 300
17	Cubic Yard	815-D001	Concrete Slope Paving
510	Linear Feet	907-803-K007	Drilled Shaft, 42" Diameter
85	Linear Feet	907-803-M006	Trial Shaft, 42" Diameter
578	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
	Lump Sum	907-809-PP001	Support Wall System
14	Linear Feet	907-813-PP001	Concrete Railing, 32", Per Plans
14	Each	907-824-PP038	Neoprene Bearing Pads
2	Each	907-824-PP095	Bridge Repair, Emergency Support System Installation
2	Each	907-824-PP095	Bridge Repair, Emergency Support System Materials

Roadway Items

408	Station	201-D001	Random Clearing
7,769	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6	Each	202-B021	Removal of Concrete Lug Anchor
3,758	Linear Feet	202-B022	Removal of Concrete Median Barrier
26	Square Yard	202-B025	Removal of Concrete Paved Ditch
11,350	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
622	Linear Feet	202-B041	Removal of Fence, All Types
1,000	Linear Feet	202-B064	Removal of Pipe, 8" And Above
4	Each	202-B069	Removal of Sign
4,920	Linear Feet	202-B076	Removal of Traffic Stripe
3,038	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
14	Each	202-B114	Removal of Tree Less Than 10"
5,925	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
24,039	Cubic Yard	203-G003	Excess Excavation, FM, AH
16,000	Square Yard	204-A003	Geogrid, Type II, Biaxial
3,091	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
22,245	Square Yard	209-A007	Geotextile Stabilization, Type VII, Non-Woven

CALL No. 03

263	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
1	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Ton	213-B002	Combination Fertilizer, 8-8-8
2	Ton	213-C001	Superphosphate
2	Acre	220-A001	Insect Pest Control
8	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4	Acre	223-A001	Mowing
2	Thousand	232-A002	Fertilizer for Woody Plant Material, Tablet, 21 gram
8	Thousand	232-A003	Fertilizer for Woody Plant Material, Tablet, 10 gram
3,037	Linear Feet	234-A001	Temporary Silt Fence
3,637	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
29,890	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
25	Mile	423-A001	Rumble Strips, Ground In
111	Linear Feet	501-E001	Expansion Joints, Without Dowels
80	Linear Feet	501-F001	Concrete Lug Anchors
216	Square Yard	501-K001	Transverse Grooving
604	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
474	Linear Feet	503-C002	Saw Cut, 3-inch
630	Linear Feet	503-C007	Saw Cut, Full Depth
39	Cubic Yard	503-D001	Concrete for Base Repair
151	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
966	Each	512-A001	Holes
605	Linear Feet	603-A006	6" Steel Pipe, Jacked or Bored, Wall Thickness 0.250"
240	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
1	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
3,438	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-C003	Guard Rail, Cable Anchor, Type 1
6	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
4	Each	606-D004	Guard Rail, Bridge End Section, Type E
1	Each	606-D012	Guard Rail, Bridge End Section, Type I
18	Each	606-E001	Guard Rail, Terminal End Section
622	Linear Feet	607-B002	60" Type II Chain Link Fence, Class I
1	Each	607-G132	Gate, 3' x 60" Chain Link
63	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
9	Each	607-P2008	Brace Post, 7 1/2' x 2" Galvanized Steel
1	Each	607-P2017	Brace Post, 5' x 2 1/2" Galvanized Steel
2	Each	607-P3003	Gate Post, 8' x 2 1/2" Galvanized Steel
	Lump Sum	618-A001	Maintenance of Traffic
45	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
46	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
17	Mile	619-A3006	Temporary Traffic Stripe, Skip White
3,845	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,348	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
2,254	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
118	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
230	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

CALL No. 03

719	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
9,700	Linear Feet	619-F1001	Concrete Median Barrier, Precast
12,100	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
66	Linear Feet	619-G4001	Barricades, Type III, Single Faced
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
138	Each	619-G5001	Free Standing Plastic Drums
10	Each	619-G7001	Warning Lights, Type "B"
3	Unit	619-J1003	Impact Attenuator, 60 MPH
1	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
2,884	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
206	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
79	Each	630-F001	Delineators, Guard Rail, White
82	Each	630-F002	Delineators, Guard Rail, Yellow
786	Linear Feet	635-A001	Vehicle Loop Assemblies
46	Ton	815-A007	Loose Riprap, Size 150
141	Ton	815-A009	Loose Riprap, Size 300
1,000	Square Yard	907-216-B004	Solid Sodding, Bermuda
4	Acre	907-225-A001	Grassing
12	Ton	907-225-B001	Agricultural Limestone
8	Ton	907-225-C001	Mulch, Vegetative Mulch
4	Acre	907-226-A001	Temporary Grassing
620	Each	907-230-A135	Shrub Planting, Elaeagnus
1,380	Each	907-230-A136	Shrub Planting, Pfitzer Juniper
40	Each	907-230-B026	Tree Planting, Nutall Oak
350	Each	907-230-B044	Tree Planting, Crape Myrtle 'Natchez'
150	Each	907-230-B050	Tree Planting, Bracken's Southern Magnolia
180	Each	907-230-B102	Tree Planting, Columnar Tulip Poplar
52	Each	907-230-B103	Tree Planting, Green Giant Western Cedar
164	Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
1,619	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
4,000	Linear Feet	907-237-A003	Wattles, 20"
945	Linear Feet	907-245-A001	Triangular Silt Dike
945	Linear Feet	907-246-A001	Sandbags
189	Ton	907-249-A001	Riprap for Erosion Control
14	Each	907-282-A004	Sprinkler Head, 1812-PRS-15EST
343	Each	907-282-A006	Sprinkler Head, 1812-PRS-15CST
26	Each	907-282-A065	Sprinkler Head, 1812-PRS-R-Van 1724
93	Each	907-282-A066	Sprinkler Head, 5012-PL-FC-R
68	Each	907-282-A067	Sprinkler Head, 5012-PL-PC-R
2,484	Linear Feet	907-282-B001	Piping, 1/2" Diameter
3,264	Linear Feet	907-282-B002	Piping, 3/4" Diameter
3,600	Linear Feet	907-282-B003	Piping, 1" Diameter
1,825	Linear Feet	907-282-B004	Piping, 1 1/4" Diameter
356	Linear Feet	907-282-B005	Piping, 1 1/2" Diameter
334	Linear Feet	907-282-B006	Piping, 2" Diameter

CALL No. 03

7,137	Linear Feet	907-282-B008	Piping, 3" Diameter
55,517	Linear Feet	907-282-D001	Valve Control Wire
18,450	Linear Feet	907-282-E001	Trench Excavation and Backfill
1	Each	907-282-F001	Meter with Meter Box, 2"
1	Each	907-282-G002	Electric Controller, 24 Station
3	Each	907-282-H001	Electric Control Valve, 1"
10	Each	907-282-H002	Electric Control Valve, 1 1/2"
10	Each	907-282-H003	Electric Control Valve, 2"
1	Each	907-282-I004	Backflow Preventer, 3"
8	Each	907-282-J002	Isolation Valve, 3"
4	Each	907-282-K001	Quick Coupler Key with Hose and Swivel
484	Ton	907-304-B005	Granular Material, Class 9, Group C
22,649	Ton	907-304-B007	Granular Material, Class 5, Group E
25	Mile	907-403-S004	Joint Sealant
26,500	Gallon	907-407-A001	Asphalt for Tack Coat
468	Square Yard	907-503-A002	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
96,600	Pounds	907-512-B001	Portland Cement Pressure Grout Slurry, Type 1
4	Each	907-619-E3001	Changeable Message Sign
5	Each	907-619-J3001	Remove and Reset Impact Attenuator
80,225	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
81,327	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,060	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
78,799	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
39,351	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
363	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
684	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
608	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,040	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NO. 1
26,132	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
26,132	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
26,132	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
5,898	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 2
5,898	Ton	907-403-N002	Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 1
18,333	Ton	907-403-E001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling
			ALTERNATE GROUP CC NO. 2
18,333	Ton	907-403-Q002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling
			ALTERNATE GROUP DD NO. 1
206	Ton	907-403-E002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified, Leveling
			ALTERNATE GROUP DD NO. 2

CALL No. 03

206	Ton	907-403-Q003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified, Leveling ALTERNATE GROUP EE NO. 1
12,296	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP EE NO. 2
12,296	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP FF NO. 1
2,336	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP FF NO. 2
2,336	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP GG NO. 1
6,491	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP GG NO. 2
6,491	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP HH NO. 1
25,335	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP HH NO. 2
25,335	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP II NO. 1
22,640	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP II NO. 2
22,640	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

Bridge Lengthening on SR 33 over the Homochitto River, known as Federal Aid Project No. BR/STP-0049-01(039) / 106298302 in Franklin County.

PROJECT COMPLETION: October 16, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
5,387	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
81	Square Yard	202-B010	Removal of Bridge End Pavement
4	Each	202-B070	Removal of Sign Including Post & Footing
4,155	Linear Feet	202-B076	Removal of Traffic Stripe
325	Linear Feet	202-B102	Removal of Guard Rail
2	Each	202-B150	Removal of Object Markers
5,924	Cubic Yard	203-EX009	Borrow Excavation, AH, FME, Class B5
26,188	Cubic Yard	203-G003	Excess Excavation, FM, AH
7,397	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
478	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
20	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
6	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2	Acre	223-A001	Mowing
2,660	Linear Feet	234-A001	Temporary Silt Fence
24	Bale	235-A001	Temporary Erosion Checks
100	Linear Feet	239-A001	Temporary Slope Drains
1,408	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
38	Linear Feet	501-E001	Expansion Joints, Without Dowels
81	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
200	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D012	Guard Rail, Bridge End Section, Type I
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
30	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
8,770	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
4,380	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
2,305	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6,120	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
3,330	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
224	Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
70	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
36	Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
58	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
353	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
18	Each	619-D3001	Remove and Reset Signs, All Sizes

CALL No. 04

1,360	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,125	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
18	Each	619-F3004	Delineators, Guard Rail, White
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
30	Linear Feet	619-G4005	Barricades, Type III, Double Faced
84	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
2	Unit	619-J1001	Impact Attenuator, 40 MPH
1	Unit	619-J2005	Impact Attenuator, 40 MPH, Replacement Package
400	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
1	Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
3	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
42	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
91	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
11	Each	630-F001	Delineators, Guard Rail, White
2	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
1,000	Square Yard	907-216-A001	Solid Sodding
2	Acre	907-225-A001	Grassing
4	Ton	907-225-B001	Agricultural Limestone
4	Ton	907-225-C001	Mulch, Vegetative Mulch
2	Acre	907-226-A001	Temporary Grassing
185	Linear Feet	907-237-A003	Wattles, 20"
45	Linear Feet	907-245-A001	Triangular Silt Dike
360	Linear Feet	907-246-A001	Sandbags
11	Ton	907-249-A001	Riprap for Erosion Control
6	Cubic Yard	907-249-B001	Remove and Reset Riprap
550	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
300	Gallon	907-407-A001	Asphalt for Tack Coat
80	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
3	Each	907-619-J3001	Remove and Reset Impact Attenuator
6,660	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,330	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
195	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2	Each	907-671-A001	Portable Traffic Signal, Type 1
	Lump Sum	907-671-B001	Portable Traffic Signal Training
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
1,031	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
1,031	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
1,031	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1

CALL No. 04

387	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP BB NO. 2
387	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP CC NO. 1
621	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP CC NO. 2
621	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
Bridge Items			
2,095	Square Yard	501-K001	Transverse Grooving
317	Cubic Yard	801-A001	Foundation Excavation for Bridges
1	Each	803-B002	Conventional Static Pile Load Test
780	Linear Feet	803-D006	HP 14 x 117 Steel Piling
1	Each	803-I001	PDA Test Pile
1	Each	803-J001	Pile Restrike
564	Linear Feet	803-O022	Permanent Casing, 96" Diameter
215,025	Pounds	805-A001	Reinforcement
1,258	Linear Feet	813-A002	Concrete Railing, 32"
2,494	Ton	815-A009	Loose Riprap, Size 300
3,835	Square Yard	815-E001	Geotextile under Riprap
960	Linear Feet	907-803-K012	Drilled Shaft, 96" Diameter
1	Each	907-803-L008	Test Shaft, 96" Diameter
120	Linear Feet	907-803-M009	Trial Shaft, 96" Diameter
1,070	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,313	Linear Feet	907-804-C228	132' Prestressed Concrete Beam, Type BT-72
1,529	Linear Feet	907-804-C263	118' Prestressed Concrete Beam, Type BT-72
687	Linear Feet	907-809-PP006	Temporary Shoring System
35	Linear Feet	907-822-B001	Reinforced Elastomeric Molded Rubber Expansion Joint

Sign Truss Removal and Replacement on I-55 Northbound at Atkins-Beasley exit ramp, known as Federal Aid Project No. IM-0055-02(239) / 106613301 in Hinds County.

PROJECT COMPLETION: February 19, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Each	202-B305	Removal of Overhead Sign Assembly, Truss and Supports Only
555	Pounds	602-A001	Reinforcing Steel
	Lump Sum	618-A001	Maintenance of Traffic
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
96	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
	Lump Sum	630-I001	Metal Overhead Sign Supports, Assembly No. 1
3	Cubic Yard	907-601-A001	Class "B" Structural Concrete
3	Each	907-619-E3001	Changeable Message Sign
578	Square Feet	907-630-O008	Remove and Reset Sign, Overhead Sign

Construction necessary to build a Walking Trail in Smithville, known as Federal Aid Project No. STP-0241-00(013) / 106589301 in Monroe County.

PROJECT COMPLETION: October 08, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
60	Linear Feet	202-B064	Removal of Pipe, 8" And Above
500	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
1,900	Cubic Yard	203-G003	Excess Excavation, FM, AH
25	Cubic Yard	206-A001	Structure Excavation
70	Thousand Gallon	219-A001	Watering
500	Linear Feet	234-A001	Temporary Silt Fence
68	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
168	Linear Feet	603-CE049	18" x 11" Concrete Arch Pipe, Class A III
6	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
8	Each	603-CF010	18" x 11" Concrete Arch Pipe End Section
16	Linear Feet	619-G4001	Barricades, Type III, Single Faced
12	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
50	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
20	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
60	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
120	Square Yard	815-A001	Loose Riprap, Size 100
120	Square Yard	815-E001	Geotextile under Riprap
3,500	Square Yard	907-216-A001	Solid Sodding
1	Acre	907-225-A001	Grassing
3	Ton	907-225-B001	Agricultural Limestone
2	Ton	907-225-C001	Mulch, Vegetative Mulch
150	Linear Feet	907-237-A002	Wattles, 12"
2	Each	907-258-K001	Bollard
28	Each	907-258-PP026	Car Stop
135	Linear Feet	907-625-C001	Traffic Stripe, Continuous White, 4" Width
166	Square Feet	907-625-F001	Legend, 4" Equivalent Length
50	Square Feet	907-625-F003	Legend, Blue-ADA
	Lump Sum	907-699-A002	Roadway Construction Stakes
	Lump Sum	907-899-A001	Railway-Highway Provisions
		ALTERNATE GROUP AA NO. 1	
1,950	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
		ALTERNATE GROUP AA NO. 2	
1,950	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
		ALTERNATE GROUP AA NO. 3	
1,950	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
		ALTERNATE GROUP BB NO. 1	
300	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP BB NO. 2	

CALL No. 06

300 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
		Add Option 1 Items
1,820 Linear Feet	907-625-C001	Traffic Stripe, Continuous White, 4" Width
		ALTERNATE GROUP CC NO. 1
600 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP CC NO. 2
600 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture

Mill & Overlay approximately 7 miles of SR 21 from Steele to Sebastopol, known as State Project No. MP-5021-62(010) / 305111301 in Scott County.

PROJECT COMPLETION: September 09, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,287	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3,354	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
5,432	Linear Feet	202-B076	Removal of Traffic Stripe
1,266	Linear Feet	202-B254	Removal of Guard Rail, Including Rail, Posts & Cable Anchors
804	Cubic Yard	203-G003	Excess Excavation, FM, AH
267	Square Yard	217-A001	Ditch Liner
6	Thousand Gallon	219-A001	Watering
110,890	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
460	Linear Feet	413-B001	Cleaning and Sealing Joints
4,091	Linear Feet	503-C007	Saw Cut, Full Depth
1,275	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
4	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
8	Each	606-D010	Guard Rail, Bridge End Section, Type H, Metal Post
13	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
27	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,585	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
944	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
126	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
527	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
234	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
122	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
616	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
96	Each	630-F001	Delineators, Guard Rail, White
638	Linear Feet	808-A001	Joint Preparation
267	Square Yard	907-216-A001	Solid Sodding
950	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
8,775	Gallon	907-407-A001	Asphalt for Tack Coat
56	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
149	Linear Feet	907-606-PP009	Remove and Replace Blockouts & Add Rub-Rail
14	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,709	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
876	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
944	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
126	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White

CALL No. 07

666	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,276	Linear Feet	907-823-B001	Saw Cut, Type I
	Lump Sum	907-899-A001	Railway-Highway Provisions
			ALTERNATE GROUP AA NO. 1
14,162	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP AA NO. 2
14,162	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 1
3,019	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 2
3,019	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Overlay approximately 11 miles on SR 503 beginning just south of the railroad tracks in Hickory and ending at the intersection of SR 15 in Decatur, known as State Project No. MP-5503-51(004) / 305114301 in Newton County.

PROJECT COMPLETION: October 03, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

6,509	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
229	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
61	Square Yard	202-B035	Removal of Concrete Sidewalk
297	Linear Feet	202-B038	Removal of Curb, All Types
1	Each	202-B069	Removal of Sign
4,698	Linear Feet	202-B076	Removal of Traffic Stripe
320	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
3,500	Cubic Yard	203-G004	Excess Excavation, LVM, AH
325	Linear Feet	234-A001	Temporary Silt Fence
50	Ton	305-B003	Size I Stabilizer Aggregate, Coarse
106,200	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
2,314	Linear Feet	503-C007	Saw Cut, Full Depth
8	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1	Each	603-CB001	18" Reinforced Concrete End Section
57	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
90	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
192	Linear Feet	609-E001	Bituminous Curb
	Lump Sum	618-A001	Maintenance of Traffic
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
13,700	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,075	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
475	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
860	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
580	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
570	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
35	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,274	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone
1	Ton	907-225-C001	Mulch, Vegetative Mulch
500	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
13,500	Gallon	907-407-A001	Asphalt for Tack Coat
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
29	Square Feet	907-611-PP003	Detectable Warning, Per Plans
20	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
13	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

CALL No. 08

1,120	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
7,540	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
5,775	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
6	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
3,075	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
400	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
6	Each	907-630-PP001	Handicap Parking Sign with Post
	Lump Sum	907-899-A001	Railway-Highway Provisions
			ALTERNATE GROUP AA NO. 1
40	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
40	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
40	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
18,974	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
18,974	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1
5,650	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
			ALTERNATE GROUP CC NO. 2
5,650	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Overlay approximately 7 miles of SR 26 from SR 15 to George County Line, known as State Project No. MP-6026-66(011) / 305194301 in Stone County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

85	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3,300	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
650	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
250	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
625	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
120	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,000	Ton	907-304-F004	Size 825B Crushed Stone Base
10,000	Gallon	907-411-B001	Bituminous Tack Coat
24	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
14	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
650	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
250	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
8,025	Ton	907-411-A001	Ultra Thin Asphalt Pavement, UHMA
ALTERNATE GROUP AA NO. 2			
8,025	Ton	907-411-A002	Ultra Thin Asphalt Pavement, UWMA

Overlay approximately 8 miles of SR 57 from George County Line to SR 198, known as State Project No. MP-6057-21(007) / 305186301 in Greene County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

193	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,210	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,310	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
963	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
473	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
935	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,200	Ton	907-304-F004	Size 825B Crushed Stone Base
6,000	Gallon	907-411-B001	Bituminous Tack Coat
1	Square Feet	907-412-A002	Pre-Grinding
17	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,310	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,540	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,089	Linear Feet	907-626-H004	Thermoplastic Legend, White
139	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
5,110	Ton	907-411-A001	Ultra Thin Asphalt Pavement, UHMA
ALTERNATE GROUP AA NO. 2			
5,110	Ton	907-411-A002	Ultra Thin Asphalt Pavement, UWMA

Scrub Seal of various routes in District 7, known as State Project No. MP-7000-00(177) / 305157301 in District 7.

PROJECT COMPLETION: September 16, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,136	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
58	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
16	Mile	625-B002	Traffic Stripe, Skip Yellow
85	Mile	625-C002	Traffic Stripe, Continuous White
58	Mile	625-D002	Traffic Stripe, Continuous Yellow
20,356	Linear Feet	625-E001	Detail Traffic Stripe
6,609	Linear Feet	625-F002	Legend
4,212	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
2,349	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
4,521	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
567,717	Square Yard	907-405-D001	Scrub Seal

ALTERNATE GROUP AA NO. 1

1,568	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
242	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,184	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NO. 2

1,568	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
242	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,184	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Mill and Overlay approximately 7 miles of SR 184 from US 84 through Monticello to US 84, known as State Project No. MP-7184-39(001) / 305148301 in Lawrence County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

267	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
4,864	Linear Feet	202-B076	Removal of Traffic Stripe
272	Cubic Yard	203-G004	Excess Excavation, LVM, AH
25,354	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
420	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
500	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
30,254	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,608	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
485	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1,111	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
62	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
991	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,404	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
7,947	Gallon	907-407-A001	Asphalt for Tack Coat
16,411	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
500	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
250	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
14,900	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
5,175	Linear Feet	907-626-H004	Thermoplastic Legend, White
275	Square Feet	907-626-H005	Thermoplastic Legend, White
17	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
	Lump Sum	907-899-A001	Railway-Highway Provisions
ALTERNATE GROUP AA NO. 1			
120	Ton	907-304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NO. 2			
120	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NO. 3			
120	Ton	907-304-F004	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NO. 1			
900	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 2			

CALL No. 12

900 Ton	907-403-N005 Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling ALTERNATE GROUP CC NO. 1
11,687 Ton	907-403-A010 Hot Mix Asphalt, MT, 9.5-mm mixture ALTERNATE GROUP CC NO. 2
11,687 Ton	907-403-M006 Warm Mix Asphalt, MT, 9.5-mm mixture ALTERNATE GROUP DD NO. 1
191 Ton	907-403-A007 Hot Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP DD NO. 2
191 Ton	907-403-M007 Warm Mix Asphalt, MT, 19-mm mixture

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR