


Proposal & Plan Sales Will Begin on May 5, 2014



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

## ***Notice to Contractors***

**Letting Date for May – May 28, 2014**



**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**NOTICE TO CONTRACTORS**  
**LETTING DATE FOR MAY - Wednesday, May 28, 2014**

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

**PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 05, 2014**

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Wednesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR MAY**

CALL	CONTRACT	COUNTY
* 01	BR-0008-01(132) / 106791302	Forrest
02	BR-0010-01(147) / 106598301	Hancock
03	NH-0070-04(013) / 102221302	Lafayette
04	STP-9999-06(015) / 106495301, STP-9999-06(015) / 106495302, & STP-9999-06(015) / 106495303	Forrest, Harrison, & Jackson
05	ER-0015-03(009) / 106506301	Wayne
* 06	MP-1278-58(001) / 305199301	Pontotoc
* 07	MP-2008-00(073) / 305156301 & MP-2008-00(073) / 305156302	Leflore & Tallahatchie
* 08	MP-3000-00(096) / 305215301	District 3
* 09	MP-5080-62(019) / 305113301	Scott
* 10	MP-5469-61(011) / 305112301	Rankin
* 11	MP-6000-00(246) / 305225301	District 6
* 12	MP-6000-00(247) / 305226301	District 6
* 13	MP-6098-56(004) / 305201301	Perry
14	MP-7049-16(015) / 305149301	Covington

CALL No. 01

Maintenance Painting of Bridge No. 49.3A on US 49 at Black Creek, known as Federal Aid Project No. BR-0008-01(132) / 106791302 in Forrest County.

PROJECT COMPLETION: August 22, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
	Lump Sum	907-845-A002	Coating Existing Structural Steel(Bridge ID No. 49.3A) Black Creek

Bridge Joint Repairs on I-10 over East Pearl River, known as Federal Aid Project No. BR-0010-01(147) / 106598301 in Hancock County.

PROJECT COMPLETION: July 24, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

570	Linear Feet	615-B001	Precast Concrete Median Barrier
	Lump Sum	618-A001	Maintenance of Traffic
454	Square Feet	619-D4001	Directional Signs
2	Each	619-E1001	Flashing Arrow Panel, Type C
570	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
570	Each	619-F3001	Delineators, Median Barrier Mounted, White
570	Each	619-F3002	Delineators, Median Barrier Mounted, Yellow
81	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
6	Each	907-619-E3001	Changeable Message Sign

**Bridge Items**

1,535	Pounds	805-A001	Reinforcement
3,053	Pounds	810-A004	Structural Steel
7	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
62	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
	Lump Sum	907-824-PP093	Bridge Repair, Concrete Removal
	Lump Sum	907-824-PP093	Bridge Repair, Removal of Joint Armor
128	Linear Feet	907-824-PP097	Bridge Repair, Fiberglass Reinforced Plastic (FRP) Drain Pipes

Intersection Improvements on SR 6 at Jackson Avenue, known as Federal Aid Project No. NH-0070-04(013) / 102221302 in Lafayette County.

PROJECT COMPLETION: August 03, 2015

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
600 Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
4,127 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4,127 Square Yard	202-B013	Removal of Cement Treated Base, All Depths
13 Square Yard	202-B025	Removal of Concrete Paved Ditch
4 Each	202-B042	Removal of Flared End Section, All Sizes
4 Each	202-B057	Removal of Inlets, All Sizes
167 Linear Feet	202-B064	Removal of Pipe, 8" And Above
5,000 Linear Feet	202-B076	Removal of Traffic Stripe
2,779 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
1 Each	202-B162	Removal of Secondary Power Controller
9 Each	202-B186	Removal of Low Mast Lighting Assembly and Foundation
1,996 Square Yard	202-B216	Removal of Island Pavement, All Types
6,210 Linear Feet	202-B252	Removal of Electrical Conductors
8,832 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
15,737 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
3,086 Cubic Yard	206-A001	Structure Excavation
15,785 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2,183 Square Yard	209-A006	Geotextile Stabilization, Type III
3 Ton	213-C001	Superphosphate
2 Thousand Gallon	219-A001	Watering
3 Acre	220-A001	Insect Pest Control
16 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
5 Acre	223-A001	Mowing
6,200 Linear Feet	234-A001	Temporary Silt Fence
254 Bale	235-A001	Temporary Erosion Checks
17,600 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2 Mile	423-A001	Rumble Strips, Ground In
150 Linear Feet	503-C007	Saw Cut, Full Depth
4,740 Pounds	602-A001	Reinforcing Steel
320 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,744 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
24 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
320 Linear Feet	603-CA017	36" Reinforced Concrete Pipe, Class IV
280 Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
8 Each	603-CB002	24" Reinforced Concrete End Section
1 Each	603-CB003	30" Reinforced Concrete End Section
1 Each	603-CB004	36" Reinforced Concrete End Section

CALL No. 03

1	Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
7,564	Pounds	604-A001	Castings
6,950	Pounds	604-B001	Gratings
184	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
278	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
6,534	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
3	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
2,140	Linear Feet	615-B001	Precast Concrete Median Barrier
3,685	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
804	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
22,426	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
16,203	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
16,844	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White, Paint
351	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
825	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
139	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
590	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4,280	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
180	Linear Feet	619-G4005	Barricades, Type III, Double Faced
163	Each	619-G5001	Free Standing Plastic Drums
10	Unit	619-J1001	Impact Attenuator, 40 MPH
	Lump Sum	620-A001	Mobilization
1	Each	622-A003	Engineer's Field Office Building, Type 3
281	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
62	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
384	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
327	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
303	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
128	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
195	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
133	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
48	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
143	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
45	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
689	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
5	Each	630-F001	Delineators, Guard Rail, White
5	Each	630-F002	Delineators, Guard Rail, Yellow
5	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
293	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
95	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
2,135	Linear Feet	635-A001	Vehicle Loop Assemblies
9,124	Linear Feet	636-A002	Shielded Cable
10	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel

CALL No. 03

11	Each	639-A120	Traffic Signal Equipment Pole, Type 1, Wood
26	Each	640-A016	Traffic Signal Heads, Type 1 LED
16	Each	640-A017	Traffic Signal Heads, Type 2 LED
4	Each	640-A018	Traffic Signal Heads, Type 3 LED
3	Each	640-A022	Traffic Signal Heads, Type 7 LED
10	Each	640-A043	Traffic Signal Heads, Type 2A LED
1	Each	642-A001	Solid State Traffic Actuated Controllers, Type 8M
1	Each	642-A004	Solid State Traffic Actuated Controllers, Type 4A
2	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
10	Each	644-A001	Optical Detector
2,050	Linear Feet	644-B001	Optical Detector Cable
4	Each	644-C002	Phase Selector, 4 Channel
5	Each	645-A001	Flasher Assembly
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
9	Each	647-A001	Pullbox, Type 1
2	Each	647-A002	Pullbox, Type 3
5	Each	647-A003	Pullbox, Type 4
13	Each	647-A005	Pullbox, Type 2
2,571	Linear Feet	666-B007	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4Conductor
516	Linear Feet	666-B033	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 4, 3Conductor
96	Linear Feet	666-B041	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3Conductor
3,540	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
100	Linear Feet	666-C013	Electric Cable, Aerial Supported, IMSA 20-1, AWG 8, 3 Conductor
1,870	Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
1,634	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
1,413	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
1,162	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
4,301	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1,242	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
55	Linear Feet	682-A001	Underground Branch Circuit, AWG 1, 3 Conductor
359	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
4,210	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
131	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
161	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
3	Each	682-D001	Underground Pull Box
1	Each	682-F001	Secondary Power Controllers
19	Each	683-B049	Lighting Assembly, Low Mast, Type 40-1-0-400
1	Each	683-B147	Lighting Assembly, Low Mast, Type 40-2-0-400
10	Cubic Yard	684-A007	Pole Foundation, 30" Diameter
11	Linear Feet	684-B007	Slip Casing, 30" Diameter
129	Square Yard	815-A001	Loose Riprap, Size 100
77	Square Yard	815-E001	Geotextile under Riprap
25	Ton	815-F002	Sediment Control Stone
95	Square Yard	907-216-A001	Solid Sodding
5	Acre	907-225-A001	Grassing
15	Ton	907-225-B001	Agricultural Limestone



CALL No. 03

10 Ton	907-225-C001	Mulch, Vegetative Mulch
5 Acre	907-226-A001	Temporary Grassing
28 Each	907-234-D001	Inlet Siltation Guard
80 Linear Feet	907-237-A002	Wattles, 12"
240 Linear Feet	907-237-A003	Wattles, 20"
42 Linear Feet	907-245-A001	Triangular Silt Dike
48 Linear Feet	907-246-A001	Sandbags
100 Ton	907-249-A001	Riprap for Erosion Control
50 Cubic Yard	907-249-B001	Remove and Reset Riprap
5,808 Ton	907-304-B009	Granular Material, Class 3, Group D
2,440 Ton	907-304-B011	Granular Material, Class 9, Group B
3,914 Gallon	907-407-A001	Asphalt for Tack Coat
76 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
40 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
2,875 Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
9 Each	907-617-A001	Right-of-Way Marker
5 Each	907-619-E3001	Changeable Message Sign
7,430 Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6,130 Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,947 Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
8,215 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
6,914 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
998 Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
825 Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
10 Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1 Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
2 Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1 Each	907-639-A014	Traffic Signal Equipment Pole, Type III, 17' Shaft, 55' & 60' Arms
1 Each	907-639-A046	Traffic Signal Equipment Pole, Type III, 17' Shaft, 35' & 45' Arms
5 Each	907-639-A047	Traffic Signal Equipment Pole, Type V, 14' Shaft
1 Each	907-639-A060	Traffic Signal Equipment Pole, Type V, 8' Shaft
1 Each	907-639-A089	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 55' Arms
1 Each	907-639-A117	Traffic Signal Equipment Pole, Type III, 17' Shaft, 20' & 45' Arms
32 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
5 Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
1 Linear Feet	907-639-D001	Slip Casing, 36" Diameter
1 Linear Feet	907-639-D003	Slip Casing, 24" Diameter
2 Each	907-651-B009	Magnetometer Detection System Component, Repeater
1 Each	907-651-B010	Magnetometer Detection System Component, Access Point
1 Each	907-651-B011	Magnetometer Detection System Component, Closure Card
1 Each	907-651-B012	Magnetometer Detection System Component, Extension Card
20 Each	907-651-B013	Magnetometer Detection System Component, Wireless DetectionSensor
1 Each	907-654-A001	Battery Back-up System
4,720 Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
135 Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM

CALL No. 03

494	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
20	Each	907-682-E001	Underground Junction Box With Concrete Pad
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
5,746	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
5,746	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
5,746	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
2,693	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP BB NO. 2
2,693	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP CC NO. 1
2,687	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP CC NO. 2
2,687	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
63	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
			ALTERNATE GROUP DD NO. 2
63	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
			ALTERNATE GROUP EE NO. 1
4,197	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP EE NO. 2
4,197	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP FF NO. 1
3,148	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			ALTERNATE GROUP FF NO. 2
3,148	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Sign Truss Replacement on various routes in District 6, known as Federal Aid Project No. STP-9999-06(015) / 106495301, 106495302, and 106495303 in Forrest, Harrison, and Jackson Counties.

PROJECT COMPLETION: November 10, 2015

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

27	Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
410	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2	Each	202-B090	Removal of Terminal End Section
2	Each	202-B137	Removal of Guard Rail Cable Anchor
440	Linear Feet	202-B252	Removal of Electrical Conductors
400	Linear Feet	503-C007	Saw Cut, Full Depth
8,431	Pounds	602-A001	Reinforcing Steel
613	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D008	Guard Rail, Bridge End Section, Type H
3	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
132	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness, Overhead Mounted
64	Square Feet	630-A004	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness, Overhead Mounted
3,373	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
9	Each	630-F001	Delineators, Guard Rail, White
17	Each	630-F002	Delineators, Guard Rail, Yellow
	Lump Sum	630-I001	Metal Overhead Sign Supports, Assembly No. 1, Truss #9942
	Lump Sum	630-I002	Metal Overhead Sign Supports, Assembly No. 2, Truss #9947
	Lump Sum	630-I003	Metal Overhead Sign Supports, Assembly No. 3, Truss #9948
	Lump Sum	630-I004	Metal Overhead Sign Supports, Assembly No. 4, Truss #9950
	Lump Sum	630-I005	Metal Overhead Sign Supports, Assembly No. 5, Truss #9951
	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 6, Truss #9954
	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 7, Truss #9660
	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 8, Truss #9678
	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 9, Truss #9967
2	Each	645-A001	Flasher Assembly
400	Linear Feet	666-B041	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor
83	Linear Feet	666-D004	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 5 Conductor
300	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
290	Linear Feet	668-A031	Traffic Signal Conduit, Structure Mounted, Type I Rigid Galvanized Steel, 2"
68	Cubic Yard	907-601-A001	Class "B" Structural Concrete
4	Each	907-619-E3001	Changeable Message Sign
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed, Truss #9937
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed, Truss #9938

CALL No. 04

Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed, Truss # 9955
Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed, Truss # 9956
Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed, Truss # 9962
Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed, Truss # 9964
Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed, Truss #9968
Lump Sum	907-630-I008	Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed, Truss #9969
Lump Sum	907-630-I009	Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed, Truss #9979
Lump Sum	907-630-I010	Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed, Truss #9980
Lump Sum	907-630-I012	Metal Overhead Sign Supports, Assembly No. 11, Contractor Designed, Truss #9984
Lump Sum	907-630-M011	Pedestal Sign Support, Assembly No 1, Truss #9459
Lump Sum	907-630-M012	Pedestal Sign Support, Assembly No 2, Truss #9945
Lump Sum	907-630-M013	Pedestal Sign Support, Assembly No 3, Rest Area Sign
3,446 Square Feet	907-630-O008	Remove and Reset Sign, Overhead Sign
1 Each	907-637-A003	Equipment Cabinet, Type A
150 Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
136 Linear Feet	907-670-B001	ITS RDS Comm Cable
3 Each	907-672-A002	Remove and Reset ITS Equipment

Slide Repair on US 84 Westbound near Big Rock Road / Gretna Drive, known as Federal Aid Project No. ER-0015-03(009) / 106506301 in Wayne County.

PROJECT COMPLETION: November 21, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
1,000 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
163 Square Yard	202-B025	Removal of Concrete Paved Ditch
8 Linear Feet	202-B064	Removal of Pipe, 8" And Above
10,960 Linear Feet	202-B076	Removal of Traffic Stripe
1 Each	202-B105	Removal of Pipe Headwall, All Sizes
37,698 Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
12,157 Cubic Yard	203-G004	Excess Excavation, LVM, AH
2,020 Square Yard	204-A003	Geogrid, Type II, Biaxial
3 Cubic Yard	206-A001	Structure Excavation
4,137 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
377 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2 Ton	213-C001	Superphosphate
500 Square Yard	217-A001	Ditch Liner
41 Thousand Gallon	219-A001	Watering
2 Acre	220-A001	Insect Pest Control
1 Acre	223-A001	Mowing
1,000 Linear Feet	234-A001	Temporary Silt Fence
200 Bale	235-A001	Temporary Erosion Checks
467 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1 Mile	423-A001	Rumble Strips, Ground In
774 Linear Feet	503-C007	Saw Cut, Full Depth
20 Pounds	602-A001	Reinforcing Steel
40 Linear Feet	603-CA097	36" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
1 Each	603-CB004	36" Reinforced Concrete End Section
11,070 Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
1,255 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
90 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
Lump Sum	618-A001	Maintenance of Traffic
8,233 Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
10,346 Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
199 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,132 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2 Each	619-E1001	Flashing Arrow Panel, Type C
83 Unit	619-F4001	Snap-Back Delineator
83 Unit	619-F5001	Snap-Back Delineator, Replacement
276 Linear Feet	619-G4001	Barricades, Type III, Single Faced
174 Each	619-G5001	Free Standing Plastic Drums
2 Each	619-G7001	Warning Lights, Type "B"
Lump Sum	620-A001	Mobilization

CALL No. 05

26	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
540	Ton	815-A006	Loose Riprap, Size 100
2	Ton	815-A009	Loose Riprap, Size 300
2,265	Square Yard	907-216-A001	Solid Sodding
4	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone
8	Ton	907-225-C001	Mulch, Vegetative Mulch
4	Acre	907-226-A001	Temporary Grassing
600	Linear Feet	907-237-A003	Wattles, 20"
60	Linear Feet	907-246-A001	Sandbags
166	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
130	Cubic Yard	907-304-E004	Granular Material, LVM, Size 57
300	Gallon	907-407-A001	Asphalt for Tack Coat
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
48	Linear Feet	907-604-A003	18" Trench Drain
1,265	Linear Feet	907-605-O006	12" Perforated Sewer Pipe for Underdrains, SDR 35
120	Linear Feet	907-605-P007	12" Non-Perforated Sewer Pipe for Underdrains, SDR 35
40	Linear Feet	907-605-P008	8" Non-Perforated Sewer Pipe for Underdrains, SDR 23.5
4	Each	907-617-A001	Right-of-Way Marker
5,460	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5,460	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,460	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
400	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,670	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,500	Square Yard	907-815-G001	Concrete Filled Cellular Confinement System
ALTERNATE GROUP AA NO. 1			
2,187	Ton	907-304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NO. 2			
2,187	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NO. 3			
2,187	Ton	907-304-F004	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NO. 1			
128	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP BB NO. 2			
128	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP CC NO. 1			
193	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP CC NO. 2			
193	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP DD NO. 1			
96	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP DD NO. 2			
96	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Reconstruction of SR 6/278/76 from Lafayette County Line to Old SR 6, known as State Project No. MP-1278-58(001) / 305199301 in Pontotoc County.

PROJECT COMPLETION: November 06, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

975	Linear Feet	202-B076	Removal of Traffic Stripe
1,550	Cubic Yard	203-G003	Excess Excavation, FM, AH
68,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
23	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
13	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A3006	Temporary Traffic Stripe, Skip White
32,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,275	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
900	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
120	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
34	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
34	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
8,600	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
70,000	Square Yard	907-405-D001	Scrub Seal
21,000	Gallon	907-407-A001	Asphalt for Tack Coat
145,000	Square Yard	907-499-A002	Roadbed Reclamation with Portland Cement
2,000	Ton	907-499-B001	Portland Cement
14	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
11	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
18,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,500	Linear Feet	907-626-H004	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
225	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NO. 2			
225	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NO. 3			
225	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NO. 1			
16,100	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 2			
16,100	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP CC NO. 1			
2,800	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP CC NO. 2			

CALL No. 06

2,800	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
22,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP DD NO. 2
22,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP EE NO. 1
850	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
			ALTERNATE GROUP EE NO. 2
850	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening
			ALTERNATE GROUP FF NO. 1
430	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
430	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
430	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
			ALTERNATE GROUP FF NO. 2
430	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
430	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
430	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow



Widen & Overlay approximately 11 miles of SR 8 from US 49 to Tallahatchie County Line and from Leflore County Line to Grenada County Line, known as State Project Nos. MP-2008-00(073) / 305156301 & 302 in Leflore & Tallahatchie Counties.

PROJECT COMPLETION: October 27, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

350	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
117	Cubic Yard	203-G003	Excess Excavation, FM, AH
7,111	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
22	Mile	423-A001	Rumble Strips, Ground In
735	Each	606-B025	Guard Rail, Replace Metal Blockout
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
44	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
6,165	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,375	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
920	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7,350	Ton	907-304-B009	Granular Material, Class 3, Group D
17,500	Gallon	907-407-A001	Asphalt for Tack Coat
22	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
11	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,165	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,375	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
220	Ton	907-304-F002	Size 610 Crushed Stone Base
		ALTERNATE GROUP AA NO. 2	
220	Ton	907-304-F003	3/4" and Down Crushed Stone Base
		ALTERNATE GROUP AA NO. 3	
220	Ton	907-304-F004	Size 825B Crushed Stone Base
		ALTERNATE GROUP BB NO. 1	
75	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP BB NO. 2	
75	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP CC NO. 1	
16,275	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP CC NO. 2	
16,275	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP DD NO. 1	
10,175	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
		ALTERNATE GROUP DD NO. 2	
10,175	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling
		ALTERNATE GROUP EE NO. 1	
4,130	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening

CALL No. 07

ALTERNATE GROUP EE NO. 2

4,130	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
-------	-----	--------------	--

ALTERNATE GROUP FF NO. 1

2,691	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
-------	-------------	--------------	--

420	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
-----	-------------	--------------	---

1,850	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
-------	-------------	--------------	---

ALTERNATE GROUP FF NO. 2

2,691	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
-------	-------------	----------	--

420	Linear Feet	628-D001	6" Cold Plastic Traffic Stripe, Skip Yellow
-----	-------------	----------	---

1,850	Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow
-------	-------------	----------	---

Scrub Seal on Various Routes throughout the District, known as State Project No. MP-3000-00(096) / 305215301 in District 3.

PROJECT COMPLETION: October 03, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
21 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
60 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
342 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,148 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
8,670 Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
15,348 Ton	907-304-B002	Granular Material, Class 5, Group D
173,747 Square Yard	907-405-D001	Scrub Seal
206,250 Gallon	907-410-A001	Asphalt for Surface Treatment, Grade CRS-2P
7,645 Cubic Yard	907-410-C002	Seal Aggregate Cover Material, Size 7, Limestone
13,758 Gallon	907-411-B001	Bituminous Tack Coat
ALTERNATE GROUP AA NO. 1		
11,029 Ton	907-411-A001	Ultra Thin Asphalt Pavement, UHMA
ALTERNATE GROUP AA NO. 2		
11,029 Ton	907-411-A002	Ultra Thin Asphalt Pavement, UWMA

Mill & Overlay approximately 3 miles of US 80 from the East end of the 3-Lane Section in Forest to the West end of the 3-Lane Section at Raytheon, known as State Project No. MP-5080-62(019) / 305113301 in Scott County.

## PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change****Roadway Items**

1,800	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
58	Linear Feet	202-B038	Removal of Curb, All Types
190	Square Yard	202-B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
1,400	Linear Feet	202-B134	Removal of Guard Rail, Including Rails & Posts
100	Cubic Yard	203-G004	Excess Excavation, LVM, AH
110	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
42,897	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4	Mile	423-A001	Rumble Strips, Ground In
4,131	Linear Feet	503-C007	Saw Cut, Full Depth
1,200	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
8	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
6	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,358	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
728	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
89	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
180	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
40	Each	619-F3004	Delineators, Guard Rail, White
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
176	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
284	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
275	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
4,290	Gallon	907-407-A001	Asphalt for Tack Coat
8,990	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
11,496	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
964	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
394	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
728	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
ALTERNATE GROUP AA NO. 1			
5,271	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP AA NO. 2			
5,271	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 1			
460	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling

CALL No. 09

ALTERNATE GROUP BB NO. 2

460 Ton

907-403-N006 Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Overlay approximately 7 miles of SR 469 from Simpson County Line to Florence City Limits, known as State Project No. MP-5469-61(011) / 305112301 in Rankin County.

## PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change****Roadway Items**

1,276	Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
218	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
1,000	Linear Feet	202-B076	Removal of Traffic Stripe
873	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
91	Cubic Yard	203-G004	Excess Excavation, LVM, AH
108,114	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
1,163	Linear Feet	606-B001	Guard Rail, Class A, Type 1
3	Each	606-D005	Guard Rail, Bridge End Section, Type F
10	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
13	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,482	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
960	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
360	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
650	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
54	Each	630-F001	Delineators, Guard Rail, White
10	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
100	Linear Feet	907-237-A003	Wattles, 20"
180	Ton	907-304-B007	Granular Material, Class 5, Group E
10,939	Gallon	907-407-A001	Asphalt for Tack Coat
13	Mile	907-626-B006	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
12	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,002	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
480	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
960	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
ALTERNATE GROUP AA NO. 1			
12,033	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP AA NO. 2			
12,033	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 1			
97	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 2			
97	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Level and Seal Various Routes throughout the District, known as State Project No. MP-6000-00(246) / 305225301 in District 6.

PROJECT COMPLETION: October 17, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

130	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,600	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
9,970	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
5,000	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
9,500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,000	Ton	907-304-F004	Size 825B Crushed Stone Base
13,000	Gallon	907-407-A001	Asphalt for Tack Coat
470,000	Gallon	907-410-A001	Asphalt for Surface Treatment, Grade CRS-2P
11,000	Cubic Yard	907-410-C002	Seal Aggregate Cover Material, Size 7, Limestone
ALTERNATE GROUP AA NO. 1			
100	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP AA NO. 2			
100	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP BB NO. 1			
850	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2			
850	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP CC NO. 1			
12,000	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 2			
12,000	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

CALL No. 12

Raised Pavement Marker Installation on various routes districtwide, known as State Project No. MP-6000-00(247) / 305226301 in District 6.

PROJECT COMPLETION: September 17, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
25,000 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
56,150 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
11,930 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers



Overlay approximately 6 miles of US 98 from 1 mile east of SR 29 to 1 mile west of Lake Perry Road, known as State Project No. MP-6098-56(004) / 305201301 in Perry County.

PROJECT COMPLETION: October 10, 2014

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,500	Linear Feet	202-B076	Removal of Traffic Stripe
11,200	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
560	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
20	Mile	423-A001	Rumble Strips, Ground In
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3006	Temporary Traffic Stripe, Skip White
30,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,900	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
150	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,100	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
130	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Each	630-F001	Delineators, Guard Rail, White
18	Each	630-F002	Delineators, Guard Rail, Yellow
28	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
9,700	Ton	907-304-F004	Size 825B Crushed Stone Base
20,410	Gallon	907-407-A001	Asphalt for Tack Coat
12	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
12	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
12	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
13,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
16,800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,900	Linear Feet	907-626-H004	Thermoplastic Legend, White
64	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
5,300	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
5,300	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
8,100	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 2			
8,100	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 1			
16,200	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP CC NO. 2			
16,200	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Overlay approximately 6 miles of US 49 from Forrest County Line to SR 598, known as State Project No. MP-7049-16(015) / 305149301 in Covington County.

## PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change****Roadway Items**

967	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
11	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A3006	Temporary Traffic Stripe, Skip White
11,450	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,240	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
20	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
61	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,575	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
5,216	Gallon	907-407-A001	Asphalt for Tack Coat
1	Square Feet	907-412-A002	Pre-Grinding
32,881	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,630	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,820	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,490	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
1,068	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
1,068	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
7,535	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 2			
7,535	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP CC NO. 1			
537	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
ALTERNATE GROUP CC NO. 2			
537	Ton	907-403-Q001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH  
EXECUTIVE DIRECTOR

## Legal Notice

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**Project No. BR-0015-01(120) / 106487-301000**  
**Westbound US 84 Mississippi River Bridge Pin and Link Replacements**  
**Adams County, Mississippi**

MDOT intends to solicit Statements of Qualifications (SOQs) from firms interested in providing services necessary to replace structural items associated with primary load carrying members on the Westbound US 84 Mississippi River Bridge in Natchez, MS, Project No. BR-0015-01(120) / 106487-301000 in Adams County.

The Mississippi Transportation Commission (Commission) will use a two-step process to award a contract for this Project.

The Request For Qualifications (RFQ) represents the first step in the process. The RFQ will be to solicit qualifications from firms interested in providing the services necessary for the aforementioned work.

After evaluation and scoring of responsive submittals to the RFQ, MDOT intends to short-list a minimum of two (2) responders. The selection of the short-listed responders will be based on the highest score in association with the criteria established in the RFQ.

Stamped contract plans and a contract proposal will be provided to the short-listed responders. The short-listed responders will then be asked to submit bids based on the stamped contract plans and contract proposal. The Commission intends to select a Bidder based on the lowest responsive bid.

The RFQ can be obtained at the MDOT website [www.goMDOT.com](http://www.goMDOT.com) (go to [www.gomdot.com](http://www.gomdot.com); under Contracts and Lettings, click Design Build & Special Projects, then click the referenced project). This direct link has also been provided below.

<http://sp.mdot.ms.gov/Contract%20Administration/DesignBuild/Pages/projects.aspx>

All questions related to this RFQ shall be e-mailed to:

Scot Ehrgott, P.E.  
[sehrgott@mdot.ms.gov](mailto:sehrgott@mdot.ms.gov)

and copy

Gina Colon  
[gcolon@mdot.ms.gov](mailto:gcolon@mdot.ms.gov)

E-mailed questions will be accepted according to the dates established in the Milestone Schedule in the RFQ. Only e-mailed requests to the above addressees will be considered. No requests for additional information or clarification to any other MDOT office, consultant, or employee will be considered. All responses and addenda will be in writing and will be posted to the MDOT website at [www.gomdot.com](http://www.gomdot.com) (go to [www.gomdot.com](http://www.gomdot.com); under Contracts and Lettings, click Design Build & Special Projects, then click the referenced project). This direct link has also been provided above.

Responders shall be solely responsible for checking the website for updates. Neither the Commission nor MDOT will be responsible for any oral exchange or any other exchange of information that occurs outside the official process specified herein.

To be considered, SOQs must be received by the date and time specified in the Milestone Schedule in the RFQ. Responders shall submit **seven (7)** copies of the SOQ and one (1) CD containing the SOQ (PDF Format preferred). SOQs should be sequentially numbered on the lower right hand cover sheet from 1 to 7. SOQs must be delivered to:

Mr. Billy Owen, P.E.  
Contract Administration Engineer  
Mississippi Department of Transportation  
401 North West Street  
Post Office Box 1850  
Jackson, Mississippi 39215-1850  
Phone: (601) 359-7730  
Fax: (601) 359-7732

**MELINDA MCGRATH, PE, EXECUTIVE DIRECTOR**  
**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**