


[Proposal & Plan Sales Will Begin on June 30, 2014](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for July – July 22, 2014



Two Month Projects
Have An (*)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JULY - Tuesday, July 22, 2014

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 30, 2014

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
 Jackson, MS
 Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
 Jackson, MS
 Telephone: (601) 359-7460
 e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JULY

CALL	CONTRACT	COUNTY
* -01	HSIP-0020-01(214) / 106780301, HSIP-0020-01(215) / 106780302, & HSIP-0020-02(086) / 106780303	Rankin, Lauderdale, & Hinds
* 01	BR-0002-08(018) / 106788301	Alcorn
* 02	BR-0224-00(047) / 106791301	Perry
* 03	MP-1008-09(009) / 305277301	Chickasaw
* 04	MP-1009-78(004) / 305279301	Webster
* 05	MP-1336-58(009) / 305278301	Pontotoc
* 06	MP-2032-07(004) / 305154301	Calhoun
* 07	MP-2315-00(075) / 305293301, MP-2315-00(075) / 305293302, & MP-2315-00(075) / 305293303	Panola, Lafayette, & Yalobusha
* 08	MP-3000-00(099) / 305276301	District 3
* 09	MP-3051-00(098) / 305272301 & MP-3051-00(098) / 305272302	Yazoo & Holmes
* 10	MP-3061-32(004) / 305289301	Jefferson
* 11	MP-5011-38(008) / 305286301	Lauderdale
* 12	MP-5015-51(019) / 305282301	Newton
* 13	MP-5035-62(015) / 305281301	Scott
* 14	MP-5045-38(008) / 305288301	Lauderdale
* 15	MP-5145-52(001) / 305140301	Noxubee
* 16	MP-6042-37(004) / 305291301	Lamar
* 17	MP-6049-18(021) / 305290301	Forrest
* 18	MP-6149-66(002) / 305292301	Stone
19	MP-7024-57(002) / 305273301	Pike
20	MP-7532-16(005) / 305275301	Covington
21	MP-7570-03(009) / 305274301	Amite

CALL CONTRACT
22 MP-7584-03(007) / 305147301

COUNTY
Amite

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, August 26, 2014; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR AUGUST

CALL CONTRACT
01 HSIP-0020-01(191) , & SP-0020-01(063) / 105536301, & 302

COUNTY
Rankin

Installing Median Cable Barriers, known as Federal Aid Project Nos. HSIP-0020-01(214), HSIP-0020-01(215), and HSIP-0020-02(086) / 106780301, 302, & 303 in Hinds, Rankin, and Lauderdale Counties.

PROJECT COMPLETION: June 30, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

19,247	Cubic Yard	203-G004	Excess Excavation, LVM, AH
6,600	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,000	Linear Feet	234-A001	Temporary Silt Fence
750	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
128	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,060	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
192	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
18	Each	630-F002	Delineators, Guard Rail, Yellow
2	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
5	Each	907-234-D001	Inlet Siltation Guard
5,000	Linear Feet	907-237-A003	Wattles, 20"
16,036	Ton	907-304-F003	3/4" and Down Crushed Stone Base
178,339	Linear Feet	907-606-G001	Cable Barrier
74	Each	907-606-H001	Cable Barrier Terminal Section
550	Each	907-606-I001	Cable Barrier Post Repair

CALL No. 01

Maintenance Painting of Bridge No. 274.3 on US 45 near Kossuth, known as Federal Aid Project No. BR-0002-08(018) / 106788301 in Alcorn County.

PROJECT COMPLETION: November 05, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	620-A001	Mobilization
Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
Lump Sum	907-845-A002	Coating Existing Structural Steel(Bridge ID No. 10106) Kossuth Road

Maintenance Painting of Bridge No. 35.0 on SR 29 at Leaf River, known as Federal Aid Project No. BR-0224-00(047) / 106791301 in Perry County.

PROJECT COMPLETION: October 22, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	620-A001	Mobilization
Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
Lump Sum	907-845-A002	Coating Existing Structural Steel(Bridge ID No. 13915) Leaf River

Mill and Overlay of approximately 10 miles of SR 8 from The Trace Regional Hospital Center to Long Creek, known as State Project No. MP-1008-09(009) / 305277301, in Chickasaw County.

PROJECT COMPLETION: October 02, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

420	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
145,235	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
37	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
11,210	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,472	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
808	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,400	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
7,262	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
18	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,135	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,470	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,736	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
13,250	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
13,250	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Mill and Overlay SR 9 From the Choctaw County Line to SR 182, known as State Project No. MP-1009-78(004) / 305279301 in Webster County.

PROJECT COMPLETION: September 16, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

340	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
120	Cubic Yard	203-G003	Excess Excavation, FM, AH
61,404	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
17,886	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,408	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,026	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
20	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,050	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
500	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
3,070	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
4	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,943	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,649	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,704	Linear Feet	907-626-H004	Thermoplastic Legend, White
738	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
5,800	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
5,800	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
720	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
360	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
		ALTERNATE GROUP BB NO. 2	
720	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
360	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

Mill and Overlay of approximately 9 miles of SR 336 from Coleman Road to SR 15, known as State Project No. MP-1336-58(009) / 305278301, in Pontotoc County.

PROJECT COMPLETION: October 10, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

11,693	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
640	Linear Feet	202-B076	Removal of Traffic Stripe
7,800	Cubic Yard	203-G003	Excess Excavation, FM, AH
103,013	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
32	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
52	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,200	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,340	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
78	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
7	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
900	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
6,250	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
17	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
26	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,963	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,236	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,340	Linear Feet	907-626-H004	Thermoplastic Legend, White
40	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
7,800	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
		ALTERNATE GROUP AA NO. 2	
7,800	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
		ALTERNATE GROUP AA NO. 3	
7,800	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
		ALTERNATE GROUP BB NO. 1	
15,850	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 2	
15,850	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Widen & Overlay approximately 17 miles of SR 32 from SR 330 to Calhoun/Chickasaw County Line, known as State Project No. MP-2032-07(004) / 305154301 in Calhoun County.

PROJECT COMPLETION: May 07, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

5,066	Linear Feet	202-B076	Removal of Traffic Stripe
19,300	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
32	Mile	423-A001	Rumble Strips, Ground In
900	Linear Feet	503-C007	Saw Cut, Full Depth
1,216	Each	606-B025	Guard Rail, Replace Metal Blockout
66	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
36	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
10,456	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
12,416	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
15	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,530	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	640-A018	Traffic Signal Heads, Type 3 LED
11,030	Ton	907-304-B009	Granular Material, Class 3, Group D
30,000	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
33	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
11	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
19	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
600	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
5,508	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,349	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
10	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
12,416	Linear Feet	907-626-H004	Thermoplastic Legend, White
386	Square Feet	907-626-H005	Thermoplastic Legend, White
4,221	Linear Feet	907-626-Y001	Thermoplastic Detail Traffic Stripe, White, 4" Equivalent Length, 40-mil. min.
4	Each	907-641-A002	Signal Stop Bar Radar Detection
			ALTERNATE GROUP AA NO. 1
25,000	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
25,000	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
14,000	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 2
14,000	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 1
6,400	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
			ALTERNATE GROUP CC NO. 2
6,400	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

CALL No. 06

ALTERNATE GROUP DD NO. 1

3,748	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
1,423	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
904	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP DD NO. 2

3,748	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1,423	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
904	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Overlay approximately 16 miles of SR 315 from SR 7 Bypass to SR 6 in Panola County, known as State Project No. MP-2315-00(075) / 305293301, 302, & 303 in Yalobusha, Lafayette, & Panola Counties.

PROJECT COMPLETION: November 06, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,382	Linear Feet	202-B076	Removal of Traffic Stripe
12,823	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
62	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
45	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
29,243	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,268	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
1,496	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8,784	Ton	907-304-B009	Granular Material, Class 3, Group D
24,662	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
3	Square Feet	907-618-B001	Additional Construction Signs
31	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
23	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
12,541	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,081	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,634	Linear Feet	907-626-H004	Thermoplastic Legend, White
119	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
22,592	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
22,592	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
14,000	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 2
14,000	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 1
3,896	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,948	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
			ALTERNATE GROUP CC NO. 2
3,896	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
1,948	Linear Feet	628-D001	6" Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 08

Raised Pavement Marker Installation on various routes Districtwide, known as State Project No. MP-3000-00(099) / 305276301 in District 3.

PROJECT COMPLETION: November 20, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

39,111	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
22,815	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
	Lump Sum	907-618-A001	Maintenance of Traffic

Overlay approximately 4 miles of US 51 from Yazoo/Madison County Line to End of Maintenance, known as State Project Nos. MP-3051-00(098) / 305272301 & 302 in Yazoo and Holmes Counties.

PROJECT COMPLETION: October 24, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,147	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
803	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
268	Cubic Yard	203-G003	Excess Excavation, FM, AH
13,946	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
350	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
320	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
500	Ton	907-304-B002	Granular Material, Class 5, Group D
6,600	Gallon	907-407-A001	Asphalt for Tack Coat
2	Square Feet	907-412-A002	Pre-Grinding
9,360	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
	Lump Sum	907-618-A001	Maintenance of Traffic
2	Square Feet	907-618-B001	Additional Construction Signs
8	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,850	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
			ALTERNATE GROUP AA NO. 1
500	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
500	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
500	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
6,965	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
6,965	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
300	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP CC NO. 2
300	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
4,800	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
			ALTERNATE GROUP DD NO. 2
4,800	Ton	907-403-N002	Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling

Overlay approximately 4 miles of US 61 at the Fayette Bypass, known as State Project No. MP-3061-32(004) / 305289301 in Jefferson County.

PROJECT COMPLETION: October 10, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

650 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
14 Mile	423-A001	Rumble Strips, Ground In
15 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
14 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
15 Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
3,200 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,500 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
1,000 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
50 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20 Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
20 Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
6,000 Ton	907-304-B002	Granular Material, Class 5, Group D
14,000 Gallon	907-407-A001	Asphalt for Tack Coat
Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
7 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
7 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
18,000 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,000 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,500 Linear Feet	907-626-H004	Thermoplastic Legend, White
12,750 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2
12,750 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1
3,300 Ton	907-411-A001	Ultra Thin Asphalt Pavement, UHMA
		ALTERNATE GROUP BB NO. 2
3,300 Ton	907-411-A002	Ultra Thin Asphalt Pavement, UWMA

Mill & Overlay approximately 4 miles of US 11 from Clark County Line to Savoy, known as State Project No. MP-5011-38(008) / 305286301 in Lauderdale County.

PROJECT COMPLETION: April 22, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

55	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,050	Linear Feet	202-B076	Removal of Traffic Stripe
250	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
100	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
54,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7	Mile	423-A001	Rumble Strips, Ground In
1,100	Linear Feet	503-C007	Saw Cut, Full Depth
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
620	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
252	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
159	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
180	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
73	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
302	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
150	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
2,725	Gallon	907-407-A001	Asphalt for Tack Coat
16,410	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
24,038	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
	Lump Sum	907-618-A001	Maintenance of Traffic
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
485	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
128	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
252	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
		ALTERNATE GROUP AA NO. 1	
6,300	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
6,300	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
200	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
		ALTERNATE GROUP BB NO. 2	
200	Ton	907-403-N002	Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling

CALL No. 12

Mill & Overlay approximately 3 miles of SR 15 South of Old SR 15 to Neshoba County Line, known as State Project No. MP-5015-51(019) / 305282301 in Newton County.

PROJECT COMPLETION: September 15, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,000	Linear Feet	202-B076	Removal of Traffic Stripe
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
50	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
61,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5	Mile	423-A001	Rumble Strips, Ground In
6	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
13,617	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
952	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
229	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
148	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
250	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
375	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
100	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
3,050	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
11,157	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,460	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
952	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
			ALTERNATE GROUP AA NO. 1
5,300	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
5,300	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Overlay approximately 13 miles of SR 35 From North of SR 21 to Leake County Line, known as State Project No. MP-5035-62(015) / 305281301 in Scott County.

PROJECT COMPLETION: October 27, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

769	Linear Feet	202-B001	Removal of Asphalt Curb
530	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,077	Linear Feet	202-B102	Removal of Guard Rail
412	Cubic Yard	203-G003	Excess Excavation, FM, AH
50	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
222,880	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
26	Mile	423-A001	Rumble Strips, Ground In
1,802	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D001	Guard Rail, Bridge End Section, Type A
18	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
2	Each	606-F001	Special Sections, Bridge Connector
26	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,970	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,800	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
66	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
638	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
452	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
117	Each	619-F3004	Delineators, Guard Rail, White
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
20	Each	627-C001	Red-Clear Reflective Raised Markers
650	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,583	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
8,142	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
11,144	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
26	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
12	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
269	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
5,792	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,800	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
80	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
		ALTERNATE GROUP AA NO. 1	
21,738	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
21,738	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
1,153	Ton	907-403-B005	Hot Mix Asphalt, MT, 19-mm mixture, Leveling

CALL No. 13

ALTERNATE GROUP BB NO. 2

1,153 Ton 907-403-N007 Warm Mix Asphalt, MT, 19-mm mixture, Leveling

ALTERNATE GROUP CC NO. 1

5,608 Ton 907-403-C003 Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening

ALTERNATE GROUP CC NO. 2

5,608 Ton 907-403-O003 Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

CALL No. 14

Striping approximately 12 miles of US 45 from Clarke County Line to SR 19, known as State Project No. MP-5045-38(008) / 305288301 in Lauderdale County.

PROJECT COMPLETION: October 02, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,718	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	907-618-A001	Maintenance of Traffic
24	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
24	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
24	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
46,872	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
14,625	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,419	Linear Feet	907-626-H004	Thermoplastic Legend, White
72	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlay approximately 4 miles of SR 145 at Shuqualak Bypass, known as State Project No. MP-5145-52(001) / 305140301 in Noxubee County.

PROJECT COMPLETION: April 15, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

48	Linear Feet	202-B001	Removal of Asphalt Curb
147	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
100	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
10,160	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
440	Linear Feet	503-C007	Saw Cut, Full Depth
70	Linear Feet	609-E001	Bituminous Curb
16	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
6,910	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
528	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
339	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
148	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
296	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
385	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,060	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
6,765	Gallon	907-407-A001	Asphalt for Tack Coat
1	Square Feet	907-412-A002	Pre-Grinding
14,340	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
15,774	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
	Lump Sum	907-618-A001	Maintenance of Traffic
8	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,315	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,140	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
924	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
			ALTERNATE GROUP AA NO. 1
7,685	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP AA NO. 2
7,685	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 1
334	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 2
334	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Overlay approximately 6 miles of SR 42 from Jefferson Davis County Line to Mill Creek Bridge in Sumrall, known as State Project No. MP-6042-37(004) / 305291301 in Lamar County.

PROJECT COMPLETION: October 08, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,800	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
14,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
240	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
40	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
780	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F001	Delineators, Guard Rail, White
10	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
10	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
4,000	Ton	907-304-F004	Size 825B Crushed Stone Base
4,300	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
800	Linear Feet	907-626-H004	Thermoplastic Legend, White
36	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-630-O003	Remove and Reset Sign, All Sizes
			ALTERNATE GROUP AA NO. 1
4,000	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP AA NO. 2
4,000	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 1
8,000	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
8,000	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Overlay approximately 5 miles of US 49 from Peps Point Road to Covington County Line, known as State Project No. MP-6049-18(021) / 305290301 in Forrest County.

PROJECT COMPLETION: October 31, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

150 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
40,000 Linear Feet	202-B076	Removal of Traffic Stripe
15,500 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
400 Linear Feet	413-B001	Cleaning and Sealing Joints
15 Mile	423-A001	Rumble Strips, Ground In
70 Linear Feet	501-D001	Expansion Joints, With Dowels
140 Linear Feet	501-I001	Joint Filler, Wooden Board
70 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
140 Linear Feet	503-C007	Saw Cut, Full Depth
10 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
100 Each	503-E003	Tie Bars, No. 8 Deformed Drilled and Epoxied or Grouted
30 Each	503-F005	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted
7 Each	606-E002	Guard Rail, Terminal End Section, Flared
1 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
18 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
18 Mile	619-A3006	Temporary Traffic Stripe, Skip White
34,600 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,600 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
300 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,550 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
160 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12 Each	630-F001	Delineators, Guard Rail, White
12 Each	630-F002	Delineators, Guard Rail, Yellow
38 Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
906 Linear Feet	635-A001	Vehicle Loop Assemblies
5,000 Ton	907-304-F004	Size 825B Crushed Stone Base
9,700 Gallon	907-407-A001	Asphalt for Tack Coat
500 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
150 Square Yard	907-503-A001	9" and Variable Reinforced Concrete Pavement, Broom Finish
Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
9 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1 Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
9 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7 Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
16,600 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
13,400 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,600 Linear Feet	907-626-H004	Thermoplastic Legend, White
39 Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 17

1	Each	907-630-O007	Remove and Reset Signs, Ground Mounted ALTERNATE GROUP AA NO. 1
7,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP AA NO. 2
7,500	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP BB NO. 1
3,200	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling ALTERNATE GROUP BB NO. 2
3,200	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling ALTERNATE GROUP CC NO. 1
6,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP CC NO. 2
6,000	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP DD NO. 1
10,500	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP DD NO. 2
10,500	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture

Overlay approximately 4 miles of SR 149 from East Frontage Road Drive North to Junction Hwy 49/N Magnolia, known as State Project No. MP-6149-66(002) / 305292301 in Stone County.

PROJECT COMPLETION: October 07, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

150	Square Yard	202-B078	Removal of Pavement, All Types and Depths
25,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
16,042	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
20	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
45	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,555	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,600	Ton	907-304-F004	Size 825B Crushed Stone Base
42,000	Gallon	907-407-A001	Asphalt for Tack Coat
11,400	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
8	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,196	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,033	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,825	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,026	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
6,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
6,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
2,350	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 2
2,350	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Overlay approximately 4 miles of SR 24 between Pike County Line and I-55, known as State Project No. MP-7024-57(002) / 305273301 in Pike County.

PROJECT COMPLETION: October 03, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

325	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1,452	Linear Feet	202-B076	Removal of Traffic Stripe
8,110	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7	Mile	423-A001	Rumble Strips, Ground In
25	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
950	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
200	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
374	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
48	Each	630-F001	Delineators, Guard Rail, White
2,183	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
5,014	Gallon	907-407-A001	Asphalt for Tack Coat
1	Square Feet	907-412-A002	Pre-Grinding
160	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,900	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
950	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
5,516	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
5,516	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
750	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
		ALTERNATE GROUP BB NO. 2	
750	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Overlay SR 532 between Vester Pickering Rd. and US 84, known as State Project No. MP-7532-16(005) / 305275301 in Covington County.

PROJECT COMPLETION: October 02, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

425	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1,716	Linear Feet	202-B076	Removal of Traffic Stripe
183	Cubic Yard	203-G004	Excess Excavation, LVM, AH
5,720	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
25	Linear Feet	606-B001	Guard Rail, Class A, Type 1
16	Each	606-E002	Guard Rail, Terminal End Section, Flared
12	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,008	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
424	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
146	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
440	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
72	Each	630-F001	Delineators, Guard Rail, White
1,496	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
5,326	Gallon	907-407-A001	Asphalt for Tack Coat
1	Square Feet	907-412-A002	Pre-Grinding
96	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
706	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
302	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,414	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
6,081	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
6,081	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
1,000	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
		ALTERNATE GROUP BB NO. 2	
1,000	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling
		ALTERNATE GROUP CC NO. 1	
469	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP CC NO. 2	
469	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

Widen & Overlay approximately 7 miles of SR 570 beginning at Junction SR 569 East to Tangipahoa River Bridge, known as State Project No. MP-7570-03(009) / 305274301 in Amite County.

PROJECT COMPLETION: October 14, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,600	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1,800	Linear Feet	202-B076	Removal of Traffic Stripe
2,333	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
850	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-B014	Guard Rail, Bridge Connector, Per Plans
8	Each	606-D001	Guard Rail, Bridge End Section, Type A
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,934	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
672	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
310	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
601	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
48	Each	630-F001	Delineators, Guard Rail, White
2,906	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
6,710	Gallon	907-407-A001	Asphalt for Tack Coat
1	Square Feet	907-412-A002	Pre-Grinding
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
13	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
2,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
734	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
672	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
147	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP AA NO. 2	
147	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP BB NO. 1	
8,740	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 2	
8,740	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP CC NO. 1	
1,187	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
		ALTERNATE GROUP CC NO. 2	
1,187	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Overlay approximately 7 miles of SR 584 from Intersection of SR 568 East to Pike County Line, known as State Project No. MP-7584-03(007) / 305147301 in Amite County.

PROJECT COMPLETION: October 22, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,608	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
1,737	Linear Feet	202-B076	Removal of Traffic Stripe
8,375	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,605	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
762	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
297	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
903	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,968	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
86,743	Square Yard	907-405-D001	Scrub Seal
8,446	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,679	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
926	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,842	Linear Feet	907-626-H004	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
543	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NO. 2
543	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NO. 3
543	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
			ALTERNATE GROUP BB NO. 1
8,108	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
8,108	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
647	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 2
647	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling
			ALTERNATE GROUP DD NO. 1
354	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP DD NO. 2
354	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

Work necessary for Interchange Improvements on I-20 at the West Brandon Interchange, known as Federal Aid Project No. HSIP-0020-01(191) / 105536301 and State Project No. SP-0020-01(063) / 105536302 in Rankin County.

PROJECT COMPLETION: June 24, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
3,424 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
308 Square Yard	202-B025	Removal of Concrete Paved Ditch
387 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
245 Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
2,130 Square Yard	202-B036	Removal of Concrete Slope Paving
3,900 Linear Feet	202-B038	Removal of Curb, All Types
35 Each	202-B039	Removal of Delineator, All Types
1,826 Linear Feet	202-B041	Removal of Fence, All Types
1 Each	202-B042	Removal of Flared End Section, All Sizes
154 Square Feet	202-B059	Removal of Legend, All Types
1 Each	202-B061	Removal of Low Mast Lighting Foundation
224 Linear Feet	202-B064	Removal of Pipe, 8" And Above
38 Each	202-B070	Removal of Sign Including Post & Footing
4,002 Square Yard	202-B072	Removal of Soil Cement Treated Base, All Depths
2,598 Linear Feet	202-B076	Removal of Traffic Stripe
1 Each	202-B079	Removal of Headwall
680 Linear Feet	202-B102	Removal of Guard Rail
150 Square Yard	202-B138	Removal of Riprap
495 Linear Feet	202-B141	Removal of Edge Drain
6 Each	202-B215	Removal of Curb Inlet
1,388 Square Yard	202-B216	Removal of Island Pavement, All Types
375 Linear Feet	202-B252	Removal of Electrical Conductors
2,258 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
61,594 Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
36,804 Cubic Yard	203-G003	Excess Excavation, FM, AH
112 Cubic Yard	206-A001	Structure Excavation
1,523 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
7 Ton	213-C001	Superphosphate
23 Square Yard	217-A001	Ditch Liner
24 Thousand Gallon	219-A001	Watering
7 Acre	220-A001	Insect Pest Control
151 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
1,556 Linear Feet	234-A001	Temporary Silt Fence
5 Each	236-A004	Silt Basin, Type D
1,000 Linear Feet	239-A001	Temporary Slope Drains
9,153 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
404 Linear Feet	413-B001	Cleaning and Sealing Joints
1 Mile	423-A001	Rumble Strips, Ground In

CALL No. 01

86	Linear Feet	501-E001	Expansion Joints, Without Dowels
187	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2,040	Linear Feet	503-C007	Saw Cut, Full Depth
903	Pounds	602-A001	Reinforcing Steel
170	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
212	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
248	Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
5	Each	603-CB001	18" Reinforced Concrete End Section
4	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB003	30" Reinforced Concrete End Section
3	Each	603-CB004	36" Reinforced Concrete End Section
250	Pounds	604-B001	Gratings
66	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
2,425	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
224	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
120	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
1,768	Linear Feet	607-B001	60" Type I Chain Link Fence, Class I
2	Each	607-G132	Gate, 3' x 60" Chain Link
171	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
15	Each	607-P2008	Brace Post, 7 1/2' x 2" Galvanized Steel
2	Each	607-P2017	Brace Post, 5' x 2 1/2" Galvanized Steel
4	Each	607-P3003	Gate Post, 8' x 2 1/2" Galvanized Steel
1,075	Linear Feet	609-B001	Concrete Curb, Header
944	Linear Feet	609-B004	Concrete Curb, Special Design Header
443	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
493	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
548	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place Median Barrier
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
269	Linear Feet	615-A020	Concrete Type III Modified Cast-in-Place Median Barrier, 42" High
190	Linear Feet	615-A022	Concrete Pier Protection Barrier, 54"
2,818	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,835	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
120	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
10,932	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,963	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,444	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
97	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
962	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
3	Each	619-E1001	Flashing Arrow Panel, Type C
3,645	Linear Feet	619-F1001	Concrete Median Barrier, Precast
109	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
186	Linear Feet	619-G4001	Barricades, Type III, Single Faced

CALL No. 01

183	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
1	Unit	619-J1001	Impact Attenuator, 40 MPH
1	Unit	619-J2005	Impact Attenuator, 40 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
380	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
53	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
41	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
9	Each	627-N001	One-Way Yellow Reflective High Performance Raised Markers
2	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
2	Each	629-B001	Median Barrier End Section
162	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
233	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
210	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
36	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
189	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
195	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
192	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
337	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
11	Each	630-F001	Delineators, Guard Rail, White
2	Each	630-F006	Delineators, Post Mounted, Single White
6	Each	630-F007	Delineators, Post Mounted, Single Yellow
39	Each	630-F008	Delineators, Post Mounted, Double White
5	Each	630-F009	Delineators, Post Mounted, Double Yellow
10	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
98	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
145	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
71	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
24	Linear Feet	635-A001	Vehicle Loop Assemblies
800	Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
2	Each	640-A003	Traffic Signal Heads, Type 1A
16	Each	640-A016	Traffic Signal Heads, Type 1 LED
3	Each	640-A017	Traffic Signal Heads, Type 2 LED
3	Each	640-A018	Traffic Signal Heads, Type 3 LED
4	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
2	Each	647-A001	Pullbox, Type 1
3	Each	647-A002	Pullbox, Type 3
7	Each	647-A003	Pullbox, Type 4
8	Each	647-A004	Pullbox, Type 5
15	Each	647-A005	Pullbox, Type 2
3	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
106	Square Feet	653-B001	Street Name Sign, Encapsulated Lens

CALL No. 01

347	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
740	Linear Feet	666-B037	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 4 Conductor
305	Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
1,832	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
1,346	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
132	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
931	Linear Feet	668-A026	Traffic Signal Conduit, Underground, Rolled Pipe, 3"
175	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
200	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
1	Each	686-A001	Relocation of Existing Lighting Assemblies
1,392	Linear Feet	808-A001	Joint Preparation
119	Ton	815-A007	Loose Riprap, Size 150
1,366	Ton	815-A009	Loose Riprap, Size 300
875	Square Yard	815-E001	Geotextile under Riprap
250	Square Yard	907-216-A001	Solid Sodding
14	Acre	907-225-A001	Grassing
28	Ton	907-225-B001	Agricultural Limestone
28	Ton	907-225-C001	Mulch, Vegetative Mulch
14	Acre	907-226-A001	Temporary Grassing
8,000	Linear Feet	907-237-A003	Wattles, 20"
250	Each	907-246-B002	Rockbags
1,651	Ton	907-249-A001	Riprap for Erosion Control
980	Cubic Yard	907-249-B001	Remove and Reset Riprap
7,977	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
1,345	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
3,570	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
49	Ton	907-307-D001	Lime
893	Gallon	907-307-S001	Bituminous Curing Seal
1,043	Gallon	907-407-A001	Asphalt for Tack Coat
72	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
14	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
400	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
400	Linear Feet	907-605-O006	12" Perforated Sewer Pipe for Underdrains, SDR 35
500	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
500	Linear Feet	907-605-P007	12" Non-Perforated Sewer Pipe for Underdrains, SDR 35
6,000	Square Feet	907-616-C002	Colored and Imprinted Concrete Median and Island Pavement, 6-inch Thickness
238	Square Feet	907-616-C003	Colored and Imprinted Concrete Median and Island Pavement, 10-inch Thickness
1,290	Square Feet	907-616-C004	Colored and Imprinted Concrete Median and Island Pavement, 4-inch Thickness
14	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
5	Each	907-619-E3001	Changeable Message Sign
4	Each	907-619-J3001	Remove and Reset Impact Attenuator
9,440	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White

CALL No. 01

2,668	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3,383	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,657	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,657	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,156	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
9,437	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,215	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,963	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
1,444	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
1	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-637-A002	Equipment Cabinet, Type C
1	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
3	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A087	Traffic Signal Equipment Pole, Type III, 17' Shaft, 30' & 35' Arms
1	Each	907-639-A120	Traffic Signal Equipment Pole, Type III, 17' Shaft, 30' & 30' Arms
6	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
13	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
3	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
3	Each	907-641-C001	Signal Radar Detection System
	Lump Sum	907-641-D001	Signal Radar Detection Training
3	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
3	Each	907-644-C002	Phase Selector, 4 Channel
8	Each	907-650-A002	On Street Video Equipment, Fixed Type
3	Each	907-650-A003	On Street Video Equipment, PTZ Type
3,890	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
85	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
3	Each	907-658-A005	Network Switch, Type A
1	Each	907-658-A006	Network Switch, Type B
1,180	Linear Feet	907-668-E001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
2,005	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
165	Linear Feet	907-668-E003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
320	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
390	Linear Feet	907-668-F003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 3 @ 2"
455	Linear Feet	907-668-G002	Traffic Signal Conduit Bank, Aerial Supported, Type I, 2 @2"
	Lump Sum	907-699-A002	Roadway Construction Stakes
239	Ton	907-815-F001	Sediment Control Stone
696	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,392	Linear Feet	907-823-B001	Saw Cut, Type I
7,600	Square Feet	907-825-A001	Soil Nail Retaining Walls
5	Each	907-825-B001	Soil Nail Verification Tests
35	Each	907-825-C001	Soil Nail Proof Tests
	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 01

		ALTERNATE GROUP AA NO. 1
305 Ton	907-304-F002	Size 610 Crushed Stone Base
		ALTERNATE GROUP AA NO. 2
305 Ton	907-304-F003	3/4" and Down Crushed Stone Base
		ALTERNATE GROUP AA NO. 3
305 Ton	907-304-F004	Size 825B Crushed Stone Base
		ALTERNATE GROUP BB NO. 1
198 Ton	907-308-A001	Portland Cement
		ALTERNATE GROUP BB NO. 1
16,745 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
		ALTERNATE GROUP BB NO. 1
4,187 Gallon	907-308-S001	Bituminous Curing Seal
		ALTERNATE GROUP BB NO. 2
16,745 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
		ALTERNATE GROUP BB NO. 2
81 Ton	907-311-B001	Lime
		ALTERNATE GROUP BB NO. 2
453 Ton	907-311-C001	Fly Ash, Class C
		ALTERNATE GROUP BB NO. 2
4,187 Gallon	907-311-S001	Bituminous Curing Seal
		ALTERNATE GROUP CC NO. 1
12 Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
		ALTERNATE GROUP CC NO. 2
12 Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
		ALTERNATE GROUP DD NO. 1
976 Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
976 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
		ALTERNATE GROUP EE NO. 1
202 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
		ALTERNATE GROUP EE NO. 2
202 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
		ALTERNATE GROUP FF NO. 1
302 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
		ALTERNATE GROUP FF NO. 2
201 Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
		ALTERNATE GROUP GG NO. 1
857 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP GG NO. 2
857 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP HH NO. 1
155 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP HH NO. 2
155 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP II NO. 1
1,545 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP II NO. 2

CALL No. 01

1,545	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP JJ NO. 1
214	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP JJ NO. 2
214	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP KK NO. 1
787	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP KK NO. 2
787	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP LL NO. 1
590	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP LL NO. 2
590	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
Bridge Items			
2,700	Square Yard	501-K001	Transverse Grooving
1	Each	803-B002	Conventional Static Pile Load Test
1,290	Linear Feet	803-D006	HP 14 x 117 Steel Piling
2	Each	803-I001	PDA Test Pile
1	Each	803-J001	Pile Restrike
190	Linear Feet	803-N001	Exploration
75	Linear Feet	803-O009	Temporary Casing, 54" Diameter
118	Linear Feet	803-O010	Temporary Casing, 60" Diameter
125	Linear Feet	803-O020	Permanent Casing, 54" Diameter
293,556	Pounds	805-A001	Reinforcement
1,354	Linear Feet	813-A002	Concrete Railing, 32"
143	Cubic Yard	815-D001	Concrete Slope Paving
270	Linear Feet	907-607-PP019	Safety Fence, Per Plans
495	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
436	Linear Feet	907-803-K006	Drilled Shaft, 60" Diameter
1	Each	907-803-L005	Test Shaft, 54" Diameter(Multi-Level Load Cell Test)
1	Each	907-803-L005	Test Shaft, 54" Diameter(Single-Level Load Cell Test)
66	Linear Feet	907-803-M005	Trial Shaft, 60" Diameter
1,450	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,077	Linear Feet	907-804-C012	135' Prestressed Concrete Beam, Type BT-72
2,885	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
411	Linear Feet	907-804-C231	60' Prestressed Concrete Beam, Type IV
	Lump Sum	907-824-PP093	Bridge Repair, Remove & Repair Damaged Concrete Pile Encasements, Per Plans

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR