


[Proposal & Plan Sales Will Begin on August 4, 2014](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for August – August 26, 2014



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR AUGUST - Tuesday, August 26, 2014

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 04, 2014

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
01	HSIP-0020-01(191) / 105536301 & SP-0020-01(063) / 105536302	Rankin
* 02	STP-0002-03(087) / 106881301	Kemper
* 03	HSIP-0002-08(016) / 106666301	Alcorn
* 04	STP-0006-01(088) / 106885301	Union
05	STP-0008-02(103) / 106883301	Simpson
* 06	STP-0009-03(051) / 106886301	Washington
07	BR-0010-01(147) / 106598301	Hancock
* 08	STP-0014-03(068) / 106884301	Greene
* 09	STP-0021-01(057) / 106882301 & STP-0021-01(057) / 106882302	Marshall & Desoto
* 10	BR-0037-01(055) / 106792301	Marion
* 11	BR-9999-02(250) / 106598303	Montgomery
12	STP-9999-06(015) / 106495301, STP-9999-06(015) / 106495302, & STP-9999-06(015) / 106495303	Forrest, Harrison, & Jackson

Work necessary for Interchange Improvements on I-20 at the West Brandon Interchange, known as Federal Aid Project No. HSIP-0020-01(191) / 105536301 and State Project No. SP-0020-01(063) / 105536302 in Rankin County.

PROJECT COMPLETION: June 24, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
3,424 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
308 Square Yard	202-B025	Removal of Concrete Paved Ditch
387 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
245 Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
2,130 Square Yard	202-B036	Removal of Concrete Slope Paving
3,900 Linear Feet	202-B038	Removal of Curb, All Types
35 Each	202-B039	Removal of Delineator, All Types
1,826 Linear Feet	202-B041	Removal of Fence, All Types
1 Each	202-B042	Removal of Flared End Section, All Sizes
154 Square Feet	202-B059	Removal of Legend, All Types
1 Each	202-B061	Removal of Low Mast Lighting Foundation
224 Linear Feet	202-B064	Removal of Pipe, 8" And Above
38 Each	202-B070	Removal of Sign Including Post & Footing
4,002 Square Yard	202-B072	Removal of Soil Cement Treated Base, All Depths
2,598 Linear Feet	202-B076	Removal of Traffic Stripe
1 Each	202-B079	Removal of Headwall
680 Linear Feet	202-B102	Removal of Guard Rail
150 Square Yard	202-B138	Removal of Riprap
495 Linear Feet	202-B141	Removal of Edge Drain
6 Each	202-B215	Removal of Curb Inlet
1,388 Square Yard	202-B216	Removal of Island Pavement, All Types
375 Linear Feet	202-B252	Removal of Electrical Conductors
2,258 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
61,594 Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
36,804 Cubic Yard	203-G003	Excess Excavation, FM, AH
112 Cubic Yard	206-A001	Structure Excavation
1,523 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
7 Ton	213-C001	Superphosphate
23 Square Yard	217-A001	Ditch Liner
24 Thousand Gallon	219-A001	Watering
7 Acre	220-A001	Insect Pest Control
151 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
1,556 Linear Feet	234-A001	Temporary Silt Fence
5 Each	236-A004	Silt Basin, Type D
1,000 Linear Feet	239-A001	Temporary Slope Drains
9,153 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
404 Linear Feet	413-B001	Cleaning and Sealing Joints
1 Mile	423-A001	Rumble Strips, Ground In

CALL No. 01

86	Linear Feet	501-E001	Expansion Joints, Without Dowels
187	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2,040	Linear Feet	503-C007	Saw Cut, Full Depth
1,008	Pounds	602-A001	Reinforcing Steel
170	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
84	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
212	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
248	Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
5	Each	603-CB001	18" Reinforced Concrete End Section
5	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB003	30" Reinforced Concrete End Section
3	Each	603-CB004	36" Reinforced Concrete End Section
250	Pounds	604-B001	Gratings
66	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
2,425	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
224	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
120	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
1,768	Linear Feet	607-B001	60" Type I Chain Link Fence, Class I
2	Each	607-G132	Gate, 3' x 60" Chain Link
171	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
15	Each	607-P2008	Brace Post, 7 1/2' x 2" Galvanized Steel
2	Each	607-P2017	Brace Post, 5' x 2 1/2" Galvanized Steel
4	Each	607-P3003	Gate Post, 8' x 2 1/2" Galvanized Steel
1,075	Linear Feet	609-B001	Concrete Curb, Header
944	Linear Feet	609-B004	Concrete Curb, Special Design Header
443	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
493	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
548	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place Median Barrier
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
269	Linear Feet	615-A020	Concrete Type III Modified Cast-in-Place Median Barrier, 42" High
190	Linear Feet	615-A022	Concrete Pier Protection Barrier, 54"
2,818	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,835	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
120	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
10,932	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,963	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,444	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
97	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
962	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
3	Each	619-E1001	Flashing Arrow Panel, Type C
3,645	Linear Feet	619-F1001	Concrete Median Barrier, Precast
109	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast

CALL No. 01

186	Linear Feet	619-G4001	Barricades, Type III, Single Faced
183	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
1	Unit	619-J1001	Impact Attenuator, 40 MPH
1	Unit	619-J2005	Impact Attenuator, 40 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
380	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
53	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
41	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
9	Each	627-N001	One-Way Yellow Reflective High Performance Raised Markers
2	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
2	Each	629-B001	Median Barrier End Section
162	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
233	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
210	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
36	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
189	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
195	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
192	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
337	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
11	Each	630-F001	Delineators, Guard Rail, White
2	Each	630-F006	Delineators, Post Mounted, Single White
6	Each	630-F007	Delineators, Post Mounted, Single Yellow
39	Each	630-F008	Delineators, Post Mounted, Double White
5	Each	630-F009	Delineators, Post Mounted, Double Yellow
10	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
98	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
145	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
71	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
24	Linear Feet	635-A001	Vehicle Loop Assemblies
800	Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
2	Each	640-A003	Traffic Signal Heads, Type 1A
16	Each	640-A016	Traffic Signal Heads, Type 1 LED
3	Each	640-A017	Traffic Signal Heads, Type 2 LED
3	Each	640-A018	Traffic Signal Heads, Type 3 LED
4	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
2	Each	647-A001	Pullbox, Type 1
3	Each	647-A002	Pullbox, Type 3
7	Each	647-A003	Pullbox, Type 4
8	Each	647-A004	Pullbox, Type 5
15	Each	647-A005	Pullbox, Type 2
3	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet

CALL No. 01

106	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
347	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
740	Linear Feet	666-B037	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 4 Conductor
305	Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
1,832	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
1,346	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
132	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
931	Linear Feet	668-A026	Traffic Signal Conduit, Underground, Rolled Pipe, 3"
175	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
200	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
1	Each	686-A001	Relocation of Existing Lighting Assemblies
1,392	Linear Feet	808-A001	Joint Preparation
165	Ton	815-A007	Loose Riprap, Size 150
1,366	Ton	815-A009	Loose Riprap, Size 300
875	Square Yard	815-E001	Geotextile under Riprap
250	Square Yard	907-216-A001	Solid Sodding
14	Acre	907-225-A001	Grassing
28	Ton	907-225-B001	Agricultural Limestone
28	Ton	907-225-C001	Mulch, Vegetative Mulch
14	Acre	907-226-A001	Temporary Grassing
8,000	Linear Feet	907-237-A003	Wattles, 20"
250	Each	907-246-B002	Rockbags
1,651	Ton	907-249-A001	Riprap for Erosion Control
980	Cubic Yard	907-249-B001	Remove and Reset Riprap
7,977	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
1,345	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
3,570	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
49	Ton	907-307-D001	Lime
893	Gallon	907-307-S001	Bituminous Curing Seal
1,043	Gallon	907-407-A001	Asphalt for Tack Coat
72	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
16	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
400	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
400	Linear Feet	907-605-O006	12" Perforated Sewer Pipe for Underdrains, SDR 35
500	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
500	Linear Feet	907-605-P007	12" Non-Perforated Sewer Pipe for Underdrains, SDR 35
6,000	Square Feet	907-616-C002	Colored and Imprinted Concrete Median and Island Pavement, 6-inch Thickness
238	Square Feet	907-616-C003	Colored and Imprinted Concrete Median and Island Pavement, 10-inch Thickness
1,290	Square Feet	907-616-C004	Colored and Imprinted Concrete Median and Island Pavement, 4-inch Thickness
14	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
5	Each	907-619-E3001	Changeable Message Sign
4	Each	907-619-J3001	Remove and Reset Impact Attenuator

CALL No. 01

9,440	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,668	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3,383	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,657	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,657	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,156	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
9,437	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,215	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,963	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
1,444	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
1	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-637-A002	Equipment Cabinet, Type C
1	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
3	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A087	Traffic Signal Equipment Pole, Type III, 17' Shaft, 30' & 35' Arms
1	Each	907-639-A120	Traffic Signal Equipment Pole, Type III, 17' Shaft, 30' & 30' Arms
6	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
13	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
3	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
3	Each	907-641-C001	Signal Radar Detection System
	Lump Sum	907-641-D001	Signal Radar Detection Training
3	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
3	Each	907-644-C002	Phase Selector, 4 Channel
8	Each	907-650-A002	On Street Video Equipment, Fixed Type
3	Each	907-650-A003	On Street Video Equipment, PTZ Type
3,890	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
85	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
3	Each	907-658-A005	Network Switch, Type A
1	Each	907-658-A006	Network Switch, Type B
1,180	Linear Feet	907-668-E001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
2,005	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
165	Linear Feet	907-668-E003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
320	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
390	Linear Feet	907-668-F003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 3 @ 2"
455	Linear Feet	907-668-G002	Traffic Signal Conduit Bank, Aerial Supported, Type I, 2 @ 2"
	Lump Sum	907-699-A002	Roadway Construction Stakes
239	Ton	907-815-F001	Sediment Control Stone
696	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,392	Linear Feet	907-823-B001	Saw Cut, Type I
6,560	Square Feet	907-825-A001	Soil Nail Retaining Walls
5	Each	907-825-B001	Soil Nail Verification Tests
35	Each	907-825-C001	Soil Nail Proof Tests

CALL No. 01

Lump Sum	907-899-A001	Railway-Highway Provisions ALTERNATE GROUP AA NO. 1
305 Ton	907-304-F002	Size 610 Crushed Stone Base ALTERNATE GROUP AA NO. 2
305 Ton	907-304-F003	3/4" and Down Crushed Stone Base ALTERNATE GROUP AA NO. 3
305 Ton	907-304-F004	Size 825B Crushed Stone Base ALTERNATE GROUP BB NO. 1
198 Ton	907-308-A001	Portland Cement
16,745 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
4,187 Gallon	907-308-S001	Bituminous Curing Seal ALTERNATE GROUP BB NO. 2
16,745 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
81 Ton	907-311-B001	Lime
453 Ton	907-311-C001	Fly Ash, Class C
4,187 Gallon	907-311-S001	Bituminous Curing Seal ALTERNATE GROUP CC NO. 1
12 Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling ALTERNATE GROUP CC NO. 2
12 Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling ALTERNATE GROUP DD NO. 1
976 Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture ALTERNATE GROUP DD NO. 2
976 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture ALTERNATE GROUP EE NO. 1
202 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture ALTERNATE GROUP EE NO. 2
202 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture ALTERNATE GROUP FF NO. 1
302 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP FF NO. 2
302 Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP GG NO. 1
857 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture ALTERNATE GROUP GG NO. 2
857 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture ALTERNATE GROUP HH NO. 1
155 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP HH NO. 2
155 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP II NO. 1
1,545 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP II NO. 2
1,545 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP JJ NO. 1
214 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

CALL No. 01

ALTERNATE GROUP JJ NO. 2

214 Ton 907-403-M001 Warm Mix Asphalt, ST, 9.5-mm mixture

ALTERNATE GROUP KK NO. 1

787 Ton 907-403-D001 Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

ALTERNATE GROUP KK NO. 2

787 Ton 907-403-P002 Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

ALTERNATE GROUP LL NO. 1

590 Ton 907-403-D004 Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

ALTERNATE GROUP LL NO. 2

590 Ton 907-403-P001 Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Bridge Items

2,700 Square Yard	501-K001	Transverse Grooving
1 Each	803-B002	Conventional Static Pile Load Test
1,290 Linear Feet	803-D006	HP 14 x 117 Steel Piling
2 Each	803-I001	PDA Test Pile
1 Each	803-J001	Pile Restrike
190 Linear Feet	803-N001	Exploration
75 Linear Feet	803-O009	Temporary Casing, 54" Diameter
118 Linear Feet	803-O010	Temporary Casing, 60" Diameter
125 Linear Feet	803-O020	Permanent Casing, 54" Diameter
293,556 Pounds	805-A001	Reinforcement
1,354 Linear Feet	813-A002	Concrete Railing, 32"
143 Cubic Yard	815-D001	Concrete Slope Paving
270 Linear Feet	907-607-PP019	Safety Fence, Per Plans
495 Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
436 Linear Feet	907-803-K006	Drilled Shaft, 60" Diameter
1 Each	907-803-L005	Test Shaft, 54" Diameter(Multi-Level Load Cell Test)
1 Each	907-803-L005	Test Shaft, 54" Diameter(Single-Level Load Cell Test)
66 Linear Feet	907-803-M005	Trial Shaft, 60" Diameter
1,450 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,077 Linear Feet	907-804-C012	135' Prestressed Concrete Beam, Type BT-72
2,885 Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
411 Linear Feet	907-804-C231	60' Prestressed Concrete Beam, Type IV
Lump Sum	907-824-PP093	Bridge Repair, Remove & Repair Damaged Concrete Pile Encasements, Per Plans

Mill and Overlay of approximately 10 miles of US 45 from Porterville to Scooba, known as Federal Aid Project No. STP-0002-03(087) / 106881301 in Kemper County.

PROJECT COMPLETION: June 09, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,433	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
14,013	Linear Feet	202-B076	Removal of Traffic Stripe
152	Cubic Yard	203-G004	Excess Excavation, LVM, AH
310	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
365,273	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
569	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
36	Mile	423-A001	Rumble Strips, Ground In
5,276	Linear Feet	503-C007	Saw Cut, Full Depth
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
17	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3006	Temporary Traffic Stripe, Skip White
33,114	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,096	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
488	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,211	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
91	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
42	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
42	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
2,064	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
19,000	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
20	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
20	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
17	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
14,762	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
18,352	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
4,096	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
63	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
		ALTERNATE GROUP AA NO. 1	
2,854	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
2,854	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
3,213	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
		ALTERNATE GROUP BB NO. 2	
3,213	Ton	907-403-N009	Warm Mix Asphalt, HT, 12.5-mm mixture, Leveling
		ALTERNATE GROUP CC NO. 1	
26,499	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

CALL No. 02

ALTERNATE GROUP CC NO. 2

26,499 Ton

907-403-P001 Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Median Cable Barrier Installation approximately 7 miles on US 45 from South of Harper Road to the Tennessee State Line, known as Federal Aid Project No. HSIP-0002-08(016) / 106666301 in Alcorn County.

PROJECT COMPLETION: April 24, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

175	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
25	Cubic Yard	203-G004	Excess Excavation, LVM, AH
325	Square Yard	203-I001	Site Grading
7	Thousand Gallon	219-A001	Watering
1,720	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,000	Linear Feet	234-A001	Temporary Silt Fence
325	Square Yard	907-216-A001	Solid Sodding
20	Each	907-234-D001	Inlet Siltation Guard
200	Linear Feet	907-237-A002	Wattles, 12"
34,600	Linear Feet	907-606-G001	Cable Barrier
42	Each	907-606-H001	Cable Barrier Terminal Section
350	Each	907-606-I001	Cable Barrier Post Repair
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs

Mill & Overlay approximately 8 miles of US 78 from Benton County Line to the Bois'De Arc Overpass, known as Federal Aid Project No. STP-0006-01(088) / 106885301 in Union County.

PROJECT COMPLETION: June 16, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,200	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4,500	Linear Feet	202-B076	Removal of Traffic Stripe
2,135	Cubic Yard	203-G003	Excess Excavation, FM, AH
378,230	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
31	Mile	423-A001	Rumble Strips, Ground In
18	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
17	Mile	619-A3006	Temporary Traffic Stripe, Skip White
41,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,600	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,750	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
20,700	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
25,000	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
16	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
18	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
16	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
18,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,200	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
500	Linear Feet	907-626-H004	Thermoplastic Legend, White
77	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
1,375	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
1,375	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
1,375	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
8,250	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
8,250	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
4,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 2
4,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP DD NO. 1
3,200	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling

CALL No. 04

ALTERNATE GROUP DD NO. 2

3,200 Ton 907-403-N008 Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling

ALTERNATE GROUP EE NO. 1

840 Linear Feet 628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip White

1,560 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite

2,690 Linear Feet 628-M002 6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP EE NO. 2

840 Linear Feet 907-626-I003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

1,560 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite

2,690 Linear Feet 907-626-L001 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

Mill & Overlay approximately 6 miles of US 49 North & Southbound Lanes from Mendenhall to D'Lo, known as Federal Aid Project No. STP-0008-02(103) / 106883301 in Simpson County.

PROJECT COMPLETION: May 21, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,988	Linear Feet	202-B076	Removal of Traffic Stripe
17,477	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
17	Mile	423-A001	Rumble Strips, Ground In
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A3006	Temporary Traffic Stripe, Skip White
48,007	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,299	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
230	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
900	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,000	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
91	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
4	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
36	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
6,255	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
27,423	Gallon	907-407-A001	Asphalt for Tack Coat
1	Square Feet	907-412-A002	Pre-Grinding
1,256	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
144	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
11,642	Pounds	907-420-A001	Undersealing Concrete Pavement
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
12	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
27,272	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
20,735	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,299	Linear Feet	907-626-H004	Thermoplastic Legend, White
230	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
2,210	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
		ALTERNATE GROUP AA NO. 2	
2,210	Ton	907-403-Q001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
		ALTERNATE GROUP BB NO. 1	
15,982	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
		ALTERNATE GROUP BB NO. 2	
15,982	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
		ALTERNATE GROUP CC NO. 1	
9,763	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP CC NO. 2	

9,763 Ton

907-403-M001 Warm Mix Asphalt, ST, 9.5-mm mixture

Mill & Overlay approximately 11 miles of US 61 from start of 4-Lane Section to the Bolivar County Line, known as Federal Aid Project No. STP-0009-03(051) / 106886301 in Washington County.

PROJECT COMPLETION: June 26, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

530	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
350	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
175	Cubic Yard	203-G003	Excess Excavation, FM, AH
32,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
36	Mile	423-A001	Rumble Strips, Ground In
20	Each	606-E001	Guard Rail, Terminal End Section
23	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
20	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
21	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
20,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint(White)
20,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint(Yellow)
2,500	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
250	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1,500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
25,000	Ton	907-304-B002	Granular Material, Class 5, Group D
31,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Square Feet	907-412-A002	Pre-Grinding
40,000	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
21	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
23	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
20	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
26,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
22,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,500	Linear Feet	907-626-H004	Thermoplastic Legend, White
250	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
320	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NO. 2
320	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NO. 3
320	Ton	907-304-F004	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NO. 1
3,500	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
3,500	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
35,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

CALL No. 06

ALTERNATE GROUP CC NO. 2

35,000 Ton 907-403-P001 Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

ALTERNATE GROUP DD NO. 1

1,200 Linear Feet 628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip White

600 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite

600 Linear Feet 628-M002 6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP DD NO. 2

1,200 Linear Feet 907-626-I003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

600 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite

600 Linear Feet 907-626-L001 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

Bridge Joint Repairs on I-10 over East Pearl River, known as Federal Aid Project No. BR-0010-01(147) / 106598301 in Hancock County.

PROJECT COMPLETION: October 23, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

570	Linear Feet	615-B001	Precast Concrete Median Barrier
40	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
414	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
570	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
570	Each	619-F3001	Delineators, Median Barrier Mounted, White
570	Each	619-F3002	Delineators, Median Barrier Mounted, Yellow
81	Each	619-G5001	Free Standing Plastic Drums
2	Unit	619-J1004	Impact Attenuator, 70 MPH
	Lump Sum	620-A001	Mobilization
	Lump Sum	907-618-A001	Maintenance of Traffic
6	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-J3001	Remove and Reset Impact Attenuator

Bridge Items

1,535	Pounds	805-A001	Reinforcement
3,053	Pounds	810-A004	Structural Steel
7	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
62	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
	Lump Sum	907-824-PP093	Bridge Repair, Concrete Removal
	Lump Sum	907-824-PP093	Bridge Repair, Removal of Joint Armor
128	Each	907-824-PP095	Bridge Repair, Fiberglass Reinforced Plastic (FRP) Drain Pipes

Overlay of approximately 9 miles of US 98 beginning east of SR 57 to the George County Line, known as Federal Aid Project No. STP-0014-03(068) / 106884301 in Greene County.

PROJECT COMPLETION: April 14, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,328	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
15,650	Linear Feet	202-B076	Removal of Traffic Stripe
12,130	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
27	Mile	423-A001	Rumble Strips, Ground In
2,328	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
16	Each	606-D015	Guard Rail, Bridge End Section
16	Each	606-E001	Guard Rail, Terminal End Section
30	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
27	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
32	Mile	619-A3006	Temporary Traffic Stripe, Skip White
24	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
790	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
240	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,945	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
40	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
56	Each	630-F001	Delineators, Guard Rail, White
56	Each	630-F002	Delineators, Guard Rail, Yellow
8	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
8	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
7,655	Ton	907-304-F004	Size 825B Crushed Stone Base
28,000	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
17	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
17	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
15	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,235	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
15,700	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,638	Linear Feet	907-626-H004	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
23,000	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
23,000	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
2,600	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
2,600	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 1
12,000	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 2
12,000	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling

Mill and Overlay SR 302 from East of Polk Rd. to SR 309, known as Federal Aid Project Nos, STP-0021-01(057) / 106882301 & 302 in Desoto and Marshall Counties.

PROJECT COMPLETION: April 07, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

220,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
18	Mile	423-A001	Rumble Strips, Ground In
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3006	Temporary Traffic Stripe, Skip White
65,408	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail, White
71,640	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail, Yellow
7,460	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,550	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
1,400	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,400	Linear Feet	635-A001	Vehicle Loop Assemblies
3,650	Ton	907-304-B009	Granular Material, Class 3, Group D
11,500	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
2	Square Feet	907-618-B001	Additional Construction Signs
10	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
10	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
32,704	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
35,820	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,730	Linear Feet	907-626-H004	Thermoplastic Legend, White
775	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
500	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP AA NO. 2
500	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 1
24,211	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP BB NO. 2
24,211	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

CALL No. 10

Maintenance Painting of Bridge No. 19.4 on SR 35, known as Federal Aid Project No. BR-0037-01(055) / 106792301 in Marion County.

PROJECT COMPLETION: February 20, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	620-A001	Mobilization
Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
Lump Sum	907-845-A002	Coating Existing Structural Steel

Joint Repair on 17 Bridges on Various Routes, known as Federal Aid Project No. BR-9999-02(250) / 106598303 in Montgomery County.

PROJECT COMPLETION: May 27, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

533	Linear Feet	202-B298	Removal of Existing Joint Material
	Lump Sum	620-A001	Mobilization
5,242	Linear Feet	808-A001	Joint Preparation
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
543	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
2,078	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,086	Linear Feet	907-823-B001	Saw Cut, Type I
4,156	Linear Feet	907-823-B002	Saw Cut, Type II
28	Linear Feet	907-824-PP097	Bridge Repair, (Endwall Repair)

Sign Truss Replacement on various routes in District 6, known as Federal Aid Project No. STP-9999-06(015) / 106495301, 106495302, and 106495303 in Forrest, Harrison, and Jackson Counties.

PROJECT COMPLETION: February 09, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

27	Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
410	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2	Each	202-B090	Removal of Terminal End Section
2	Each	202-B137	Removal of Guard Rail Cable Anchor
440	Linear Feet	202-B252	Removal of Electrical Conductors
400	Linear Feet	503-C007	Saw Cut, Full Depth
8,431	Pounds	602-A001	Reinforcing Steel
613	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D008	Guard Rail, Bridge End Section, Type H
3	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
132	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness, Overhead Mounted
64	Square Feet	630-A004	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness, Overhead Mounted
3,373	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
9	Each	630-F001	Delineators, Guard Rail, White
17	Each	630-F002	Delineators, Guard Rail, Yellow
	Lump Sum	630-I001	Metal Overhead Sign Supports, Assembly No. 1, Truss #9942
	Lump Sum	630-I002	Metal Overhead Sign Supports, Assembly No. 2, Truss #9947
	Lump Sum	630-I003	Metal Overhead Sign Supports, Assembly No. 3, Truss #9948
	Lump Sum	630-I004	Metal Overhead Sign Supports, Assembly No. 4, Truss #9950
	Lump Sum	630-I005	Metal Overhead Sign Supports, Assembly No. 5, Truss #9951
	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No.6 , Truss #9954
	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No.7 , Truss #9660
	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No.8 , Truss #9678
	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No.9 , Truss #9967
2	Each	645-A001	Flasher Assembly
400	Linear Feet	666-B041	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3Conductor
83	Linear Feet	666-D004	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 5 Conductor
300	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
290	Linear Feet	668-A031	Traffic Signal Conduit, Structure Mounted, Type I Rigid Galvanized Steel, 2"
68	Cubic Yard	907-601-A001	Class "B" Structural Concrete
4	Each	907-619-E3001	Changeable Message Sign
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed, Truss #9937
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed, Truss

CALL No. 12

		#9938	
Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed, Truss #9955	
Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed, Truss #9956	
Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed, Truss #9962	
Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed, Truss #9964	
Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed, Truss #9968	
Lump Sum	907-630-I008	Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed, Truss #9969	
Lump Sum	907-630-I009	Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed, Truss #9979	
Lump Sum	907-630-I010	Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed, Truss #9980	
Lump Sum	907-630-I012	Metal Overhead Sign Supports, Assembly No. 11, Contractor Designed, Truss #9984	
Lump Sum	907-630-M011	Pedestal Sign Support, Assembly No 1, Truss #9459	
Lump Sum	907-630-M012	Pedestal Sign Support, Assembly No 2, Truss #9945	
Lump Sum	907-630-M013	Pedestal Sign Support, Assembly No 3, Rest Area Sign	
3,446 Square Feet	907-630-O008	Remove and Reset Sign, Overhead Sign	
1 Each	907-637-A003	Equipment Cabinet, Type A	
150 Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM	
136 Linear Feet	907-670-B001	ITS RDS Comm Cable	
3 Each	907-672-A002	Remove and Reset ITS Equipment	

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR