


[Proposal & Plan Sales Will Begin on September 1, 2014](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for September – September 23, 2014



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR SEPTEMBER - Tuesday, September 23, 2014

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 01, 2014

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR SEPTEMBER

CALL	CONTRACT	COUNTY
01	NHPP-0009-01(129) / 106653301	Wilkinson
* 02	HSIP-0059-01(114) / 106818301	Forrest
03	BR-0638-00(005) / 102374301 & BR-0638-00(004) / 102374302	Holmes
* 04	MP-5145-52(001) / 305140301	Noxubee
* 05	MP-6613-30(025) / 305344301	Jackson

Slide Repair on US 61 at Cold Spring Road Intersection, known as Federal Aid Project No. NHPP-0009-01(129) / 106653301 in Wilkinson County.

PROJECT COMPLETION: September 25, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2,380 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B057	Removal of Inlets, All Sizes
125 Square Yard	202-B138	Removal of Riprap
143 Each	202-B153	Removal of Steel Piling
71,432 Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
8,850 Cubic Yard	203-F001	Channel Excavation, FM
12,203 Cubic Yard	203-G004	Excess Excavation, LVM, AH
3,638 Square Yard	204-A003	Geogrid, Type II, Biaxial
9,547 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
6 Ton	213-C001	Superphosphate
92 Thousand Gallon	219-A001	Watering
12 Acre	220-A001	Insect Pest Control
12 Acre	223-A001	Mowing
800 Linear Feet	234-A001	Temporary Silt Fence
325 Bale	235-A001	Temporary Erosion Checks
850 Cubic Yard	309-A002	Crushed Stone Drainage Layer
1 Mile	423-A001	Rumble Strips, Ground In
154 Linear Feet	503-C007	Saw Cut, Full Depth
48 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
11,608 Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
600 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
971 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
591 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,000 Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape
363 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
132 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
738 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
83 Unit	619-F4001	Snap-Back Delineator
84 Linear Feet	619-G4001	Barricades, Type III, Single Faced
101 Each	619-G5001	Free Standing Plastic Drums
Lump Sum	620-A001	Mobilization
27 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
3,890 Ton	815-A006	Loose Riprap, Size 100
550 Ton	815-A008	Loose Riprap, Size 200
2,810 Ton	815-A009	Loose Riprap, Size 300
275 Ton	815-A010	Loose Riprap, Size 500
4,600 Square Yard	907-216-A001	Solid Sodding
12 Acre	907-225-A001	Grassing
36 Ton	907-225-B001	Agricultural Limestone

CALL No. 01

24	Ton	907-225-C001	Mulch, Vegetative Mulch
24	Ton	907-225-D001	Mulch, Hydromulch
12	Acre	907-226-A001	Temporary Grassing
1,630	Linear Feet	907-237-A003	Wattles, 20"
240	Linear Feet	907-245-A001	Triangular Silt Dike
950	Linear Feet	907-246-A001	Sandbags
407	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
1,200	Cubic Yard	907-304-E004	Granular Material, LVM, Size 57
800	Ton	907-304-F004	Size 825B Crushed Stone Base
293	Gallon	907-407-A001	Asphalt for Tack Coat
780	Linear Feet	907-603-PE208	36" Corrugated Polyethylene Pipe
100	Linear Feet	907-603-PE211	12" Corrugated Polyethylene Pipe
1,145	Linear Feet	907-605-Q002	6" Perforated Corrugated Polyethylene Drainage Tubing for Underdrains
2	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
1,000	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
971	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
591	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
151	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
212	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
1,549	Cubic Yard	907-304-G001	Size 825B Crushed Stone Base, AEA
			ALTERNATE GROUP AA NO. 2
1,549	Cubic Yard	907-304-G002	Size 610 Crushed Stone Base, AEA
			ALTERNATE GROUP AA NO. 3
1,549	Cubic Yard	907-304-G003	Size 3/4" and Down Crushed Stone Base, AEA
			ALTERNATE GROUP BB NO. 1
324	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
324	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1
389	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP CC NO. 2
389	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
389	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP DD NO. 2
389	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP EE NO. 1
289	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP EE NO. 2
289	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Overlay I-59 Loop Ramps at US 49 with High Friction Surface Treatment, known as Federal Aid Project No. HSIP-0059-01(114) / 106818301 in Forrest County.

PROJECT COMPLETION: November 21, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

7,300	Linear Feet	202-B076	Removal of Traffic Stripe
1,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
	Lump Sum	620-A001	Mobilization
100	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100	Gallon	907-407-A001	Asphalt for Tack Coat
8,100	Square Yard	907-410-D001	High Friction Surface Treatment
400	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
2	Each	907-619-E3001	Changeable Message Sign
4,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
		ALTERNATE GROUP AA NO. 1	
100	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
100	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture

Bridge Replacement on SR 14 & SR 433 between SR 17 and Ebenezer, known as Federal Aid Project Nos. BR-0638-00(005) & BR-0638-00(004) / 102374301 & 302 in Holmes County.

PROJECT COMPLETION: July 15, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2 Each	202-B009	Removal of Bridge
142 Linear Feet	202-B011	Removal of Bridge Railing
375 Linear Feet	202-B064	Removal of Pipe, 8" And Above
6,800 Square Yard	202-B078	Removal of Pavement, All Types and Depths
70 Square Yard	202-B138	Removal of Riprap
4 Each	202-B150	Removal of Object Markers
913 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
52,468 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
960 Cubic Yard	203-G003	Excess Excavation, FM, AH
486 Cubic Yard	206-A001	Structure Excavation
84 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
12,746 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
7 Ton	213-C001	Superphosphate
3 Thousand Gallon	219-A001	Watering
7 Acre	220-A001	Insect Pest Control
18 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
14 Acre	223-A001	Mowing
3,350 Linear Feet	234-A001	Temporary Silt Fence
128 Bale	235-A001	Temporary Erosion Checks
3 Each	236-A004	Silt Basin, Type D
50 Linear Feet	239-A001	Temporary Slope Drains
104 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
538 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
3 Mile	423-A001	Rumble Strips, Ground In
156 Linear Feet	501-E001	Expansion Joints, Without Dowels
338 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
53,320 Pounds	602-A001	Reinforcing Steel
456 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
8 Each	603-CB001	18" Reinforced Concrete End Section
150 Linear Feet	603-PA007	6' x 6' Precast Concrete Box Culvert
2 Each	603-PB007	6' x 6' Precast Concrete Box Culvert End Section
800 Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
8 Each	606-D012	Guard Rail, Bridge End Section, Type I
8 Each	606-E001	Guard Rail, Terminal End Section
119 Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
80 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
160 Linear Feet	615-B001	Precast Concrete Median Barrier
8,383 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
14,841 Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape

CALL No. 03

500	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
1,958	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
233	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
382	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
108	Linear Feet	619-G4001	Barricades, Type III, Single Faced
30	Linear Feet	619-G4005	Barricades, Type III, Double Faced
126	Each	619-G5001	Free Standing Plastic Drums
5	Each	619-G7001	Warning Lights, Type "B"
1	Unit	619-J1003	Impact Attenuator, 60 MPH
	Lump Sum	620-A001	Mobilization
276	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
58	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
56	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
44	Each	630-F001	Delineators, Guard Rail, White
20	Ton	815-A006	Loose Riprap, Size 100
1,178	Ton	815-A009	Loose Riprap, Size 300
1,047	Square Yard	815-E001	Geotextile under Riprap
118	Square Yard	907-216-A001	Solid Sodding
15	Acre	907-225-A001	Grassing
45	Ton	907-225-B001	Agricultural Limestone
45	Ton	907-225-C001	Mulch, Vegetative Mulch
15	Acre	907-226-A001	Temporary Grassing
2,250	Linear Feet	907-234-C002	Super Silt Fence
860	Linear Feet	907-237-A003	Wattles, 20"
330	Linear Feet	907-245-A001	Triangular Silt Dike
330	Linear Feet	907-246-A001	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
50	Ton	907-249-A001	Riprap for Erosion Control
3,855	Ton	907-304-B002	Granular Material, Class 5, Group D
1,272	Gallon	907-407-A001	Asphalt for Tack Coat
144	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
114	Cubic Yard	907-601-A001	Class "B" Structural Concrete
6	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
120	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
848	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
63	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-A001	Maintenance of Traffic
11,465	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
500	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
10,506	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
164	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
120	Linear Feet	907-626-H004	Thermoplastic Legend, White
490	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
	Lump Sum	907-699-A002	Roadway Construction Stakes
196	Cubic Yard	907-804-A015	Bridge Concrete, Class B, Self-Consolidating/Self-Compacting

CALL No. 03

92	Cubic Yard	907-815-F002	Sediment Control Stone ALTERNATE GROUP AA NO. 1
3,450	Ton	907-304-F002	Size 610 Crushed Stone Base ALTERNATE GROUP AA NO. 2
3,450	Ton	907-304-F003	3/4" and Down Crushed Stone Base ALTERNATE GROUP AA NO. 3
3,450	Ton	907-304-F004	Size 825B Crushed Stone Base ALTERNATE GROUP BB NO. 1
1,322	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP BB NO. 2
1,322	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP CC NO. 1
1,128	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP CC NO. 2
1,128	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP DD NO. 1
1,754	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP DD NO. 2
1,754	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP EE NO. 1
438	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening ALTERNATE GROUP EE NO. 2
438	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening ALTERNATE GROUP FF NO. 1
887	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
887	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
887	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow ALTERNATE GROUP FF NO. 2
887	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
887	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
887	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
Bridge Items			
1,576	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
3,085	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,595	Linear Feet	803-D003	HP 14 x 73 Steel Piling
6	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
120,913	Pounds	805-A001	Reinforcement
866	Linear Feet	813-A002	Concrete Railing, 32"
518	Ton	815-A009	Loose Riprap, Size 300
1,261	Square Yard	815-E001	Geotextile under Riprap
558	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,771	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
399	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III

Overlay approximately 4 miles of SR 145 at Shuqualak Bypass, known as State Project No. MP-5145-52(001) / 305140301 in Noxubee County.

PROJECT COMPLETION: June 12, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

48	Linear Feet	202-B001	Removal of Asphalt Curb
147	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
100	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
10,160	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
440	Linear Feet	503-C007	Saw Cut, Full Depth
70	Linear Feet	609-E001	Bituminous Curb
16	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
6,910	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
528	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
339	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
148	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
296	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
385	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,060	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
6,765	Gallon	907-407-A001	Asphalt for Tack Coat
1	Square Feet	907-412-A002	Pre-Grinding
7,170	Linear Feet	907-413-D002	Cleaning and Filling Joints in PCC Pavement, 10" or Less
7,170	Linear Feet	907-413-D003	Cleaning and Filling Joints in PCC Pavement, Greater Than 10"
15,774	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
	Lump Sum	907-618-A001	Maintenance of Traffic
8	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,315	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,140	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
924	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
		ALTERNATE GROUP AA NO. 1	
7,685	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
7,685	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
334	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
		ALTERNATE GROUP BB NO. 2	
334	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Overlay approximately 6 miles of SR 613 from I-10 to SR 63, known as State Project No. MP-6613-30(025) / 305344301 in Jackson County.

PROJECT COMPLETION: December 04, 2014

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,534	Linear Feet	202-B134	Removal of Guard Rail, Including Rails & Posts
5,653	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
12	Mile	423-A001	Rumble Strips, Ground In
666	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D006	Guard Rail, Bridge End Section, Type G
16	Each	606-E002	Guard Rail, Terminal End Section, Flared
24	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,644	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
100	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,373	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
76	Each	619-F3004	Delineators, Guard Rail, White
	Lump Sum	620-A001	Mobilization
1,200	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
20	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,816	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L
972	Linear Feet	635-A001	Vehicle Loop Assemblies
4,887	Ton	907-304-F004	Size 825B Crushed Stone Base
11,873	Gallon	907-407-A001	Asphalt for Tack Coat
	Lump Sum	907-618-A001	Maintenance of Traffic
12	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,514	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,526	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,512	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,373	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
11,534	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
11,534	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
4,989	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
		ALTERNATE GROUP BB NO. 2	
4,989	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR