


[Proposal & Plan Sales Will Begin on October 6, 2014](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for October – October 28, 2014



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR OCTOBER - Tuesday, October 28, 2014

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 06, 2014

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR OCTOBER

CALL	CONTRACT	COUNTY
01	HSIP-0010-01(148) / 106776301	Hancock
02	BR-0041-01(011) / 100435301	Holmes
03	HSIP-0055-02(241) / 106870301 & HSIP-0055-02(241) / 106870302	Rankin & Hinds
04	HSIP-2177-00(012) / 106859301 & HSIP-0008-03(055) / 106859302	Copiah & Rankin
* 05	BR-9999-02(250) / 106598303	Montgomery
06	STP-9999-06(015) / 106495301, STP-9999-06(015) / 106495302, & STP-9999-06(015) / 106495303	Forrest, Harrison, & Jackson
07	SP-9999-06(016) / 106672301	Forrest

Overlay I-10 from Louisiana State Line to MS 43/603, known as Federal Aid Project No. HSIP-0010-01(148) / 106776301 in Hancock County.

PROJECT COMPLETION: October 30, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

23,716	Linear Feet	202-B076	Removal of Traffic Stripe
188	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,400	Linear Feet	202-B102	Removal of Guard Rail
12,537	Cubic Yard	203-G003	Excess Excavation, FM, AH
88,384	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1	Acre	223-A001	Mowing
85,951	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
300	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
50	Mile	423-A001	Rumble Strips, Ground In
963	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1	Each	606-D001	Guard Rail, Bridge End Section, Type A
6	Each	606-D002	Guard Rail, Bridge End Section, Type C
7	Each	606-E002	Guard Rail, Terminal End Section, Flared
50	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
50	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
50	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4,860	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
368	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
2,428	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,122	Each	627-N001	One-Way Yellow Reflective High Performance Raised Markers
28	Each	630-F001	Delineators, Guard Rail, White
21	Each	630-F002	Delineators, Guard Rail, Yellow
7	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,204	Linear Feet	808-A001	Joint Preparation
20,113	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
33,521	Gallon	907-402-B001	Bituminous Tack Coat
29,774	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
79	Mile	907-403-S004	Joint Sealant
39,083	Gallon	907-407-A001	Asphalt for Tack Coat
4,145	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
	Lump Sum	907-618-A001	Maintenance of Traffic
29	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
29	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
29	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
5,783	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1	Each	907-688-A033	Traffic Recorder WIM Kistler System, 4-Lane
602	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,204	Linear Feet	907-823-B001	Saw Cut, Type I

CALL No. 01

520 Hours	907-906001 Trainees
	ALTERNATE GROUP AA NO. 1
25,659 Ton	907-304-F002 Size 610 Crushed Stone Base
	ALTERNATE GROUP AA NO. 2
25,659 Ton	907-304-F003 3/4" and Down Crushed Stone Base
	ALTERNATE GROUP AA NO. 3
25,659 Ton	907-304-F004 Size 825B Crushed Stone Base
	ALTERNATE GROUP BB NO. 1
1,403 Ton	907-403-A005 Hot Mix Asphalt, HT, 9.5-mm mixture
	ALTERNATE GROUP BB NO. 2
1,403 Ton	907-403-M009 Warm Mix Asphalt, HT, 9.5-mm mixture
	ALTERNATE GROUP CC NO. 1
16,113 Ton	907-403-A011 Hot Mix Asphalt, ST, 12.5-mm mixture
	ALTERNATE GROUP CC NO. 2
16,113 Ton	907-403-M003 Warm Mix Asphalt, ST, 12.5-mm mixture
	ALTERNATE GROUP DD NO. 1
23,774 Ton	907-403-A015 Hot Mix Asphalt, ST, 9.5-mm mixture
	ALTERNATE GROUP DD NO. 2
23,774 Ton	907-403-M001 Warm Mix Asphalt, ST, 9.5-mm mixture

Bridge Replacements on SR 17 North of Lexington, (Bridge Nos. 45.9, 47.3, 51.9), known as Federal Aid Project No. BR-0041-01(011) / 100435301, in Holmes County.

PROJECT COMPLETION: July 15, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
11,348 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2 Each	202-B042	Removal of Flared End Section, All Sizes
292 Linear Feet	202-B064	Removal of Pipe, 8" And Above
188 Square Yard	202-B138	Removal of Riprap
2 Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
26 Each	202-B194	Removal of Sign Post and Footing
58,670 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
11,608 Cubic Yard	203-G003	Excess Excavation, FM, AH
399 Cubic Yard	206-A001	Structure Excavation
32 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
17,097 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
9,177 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
17 Ton	213-C001	Superphosphate
1,641 Square Yard	217-A001	Ditch Liner
1,084 Square Yard	218-A001	Bituminous Treated Roving
20 Thousand Gallon	219-A001	Watering
17 Acre	220-A001	Insect Pest Control
123 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
68 Acre	223-A001	Mowing
1,641 Square Yard	224-A001	Soil Reinforcing Mat
14,866 Linear Feet	234-A001	Temporary Silt Fence
992 Bale	235-A001	Temporary Erosion Checks
200 Linear Feet	239-A001	Temporary Slope Drains
150 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
3 Mile	423-A001	Rumble Strips, Ground In
257 Linear Feet	501-E001	Expansion Joints, Without Dowels
572 Square Yard	501-K001	Transverse Grooving
572 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
14,833 Pounds	602-A001	Reinforcing Steel
72 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1,275 Linear Feet	606-B001	Guard Rail, Class A, Type I
12 Each	606-D012	Guard Rail, Bridge End Section, Type I
12 Each	606-E001	Guard Rail, Terminal End Section
278 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
120 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
13,512 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
19,231 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3,290 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow

CALL No. 02

1,759	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
536	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
165	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
348	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
704	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
306	Linear Feet	619-G4001	Barricades, Type III, Single Faced
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
104	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	622-A003	Engineer's Field Office Building, Type 3
65	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
135	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
13	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
62	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
66	Each	630-F001	Delineators, Guard Rail, White
14	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,010	Ton	815-A009	Loose Riprap, Size 300
740	Square Yard	815-E001	Geotextile under Riprap
1	Ton	907-215-B001	Hydromulch
1,000	Square Yard	907-216-A001	Solid Sodding
34	Acre	907-225-A001	Grassing
17	Ton	907-225-B001	Agricultural Limestone
68	Ton	907-225-C001	Mulch, Vegetative Mulch
34	Acre	907-226-A001	Temporary Grassing
1,000	Linear Feet	907-234-C002	Super Silt Fence
7,000	Linear Feet	907-237-A003	Wattles, 20"
1	Linear Feet	907-245-A001	Triangular Silt Dike
700	Each	907-246-B002	Rockbags
600	Ton	907-249-A001	Riprap for Erosion Control
300	Cubic Yard	907-249-B001	Remove and Reset Riprap
6,643	Ton	907-304-B007	Granular Material, Class 5, Group E
1,768	Gallon	907-407-A001	Asphalt for Tack Coat
168	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
102	Cubic Yard	907-601-A001	Class "B" Structural Concrete
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
472	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
48	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
41	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-A001	Maintenance of Traffic
11,385	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
4,490	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
8,405	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,325	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
332	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 02

Lump Sum	907-699-A002	Roadway Construction Stakes
		ALTERNATE GROUP AA NO. 1
6,329 Ton	907-304-F002	Size 610 Crushed Stone Base
		ALTERNATE GROUP AA NO. 2
6,329 Ton	907-304-F003	3/4" and Down Crushed Stone Base
		ALTERNATE GROUP AA NO. 3
6,329 Ton	907-304-F004	Size 825B Crushed Stone Base
		ALTERNATE GROUP BB NO. 1
4,287 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP BB NO. 2
4,287 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP CC NO. 1
1,905 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP CC NO. 2
1,905 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP DD NO. 1
1,320 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
260 Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
800 Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
		ALTERNATE GROUP DD NO. 2
1,320 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
260 Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
800 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
		Bridge Items
2,933 Square Yard	501-K001	Transverse Grooving
3 Each	803-B002	Conventional Static Pile Load Test
3,720 Linear Feet	803-D003	HP 14 x 73 Steel Piling
3,350 Linear Feet	803-D006	HP 14 x 117 Steel Piling
5,620 Linear Feet	803-D007	HP 14 x 89 Steel Piling
7 Each	803-I001	PDA Test Pile
6 Each	803-J001	Pile Restrike
259,881 Pounds	805-A001	Reinforcement
1,332 Linear Feet	813-A002	Concrete Railing, 32"
990 Ton	815-A009	Loose Riprap, Size 300
510 Square Yard	815-E001	Geotextile under Riprap
1,327 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
715 Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
2,151 Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
478 Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
598 Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Roadway Weather Information System Installation on I-55 Southbound to the Stack at I-20, known as Federal Aid Project No.HSIP-0055-02(241) / 106870301 & 302 in Rankin & Hinds Counties.

PROJECT COMPLETION: July 11, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items		
Lump Sum	620-A001	Mobilization
25 Each	647-A003	Pullbox, Type 4
28 Each	647-A004	Pullbox, Type 5
28 Each	647-A005	Pullbox, Type 2
4,655 Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
650 Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
265 Linear Feet	666-B048	Electric Cable, Underground in Conduit, THHN, AWG #14, 3 Conductor
Lump Sum	907-618-A001	Maintenance of Traffic
2 Square Feet	907-618-B001	Additional Construction Signs
7 Each	907-637-A001	Equipment Cabinet, Type B
1 Each	907-637-A002	Equipment Cabinet, Type C
4 Each	907-637-B001	ITS Equipment Cabinet Modifications
1 Each	907-639-B001	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount
2 Each	907-639-F001	Detector Pole with Foundation, 35' Pole
2 Each	907-648-D002	Radio Interconnect, Broadband, Short Range
2 Each	907-648-E002	Radio Interconnect, TVBR, Short Range
6 Each	907-650-A002	On Street Video Equipment, Fixed Type
3 Each	907-650-A003	On Street Video Equipment, PTZ Type
27,715 Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
3,700 Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
10 Each	907-658-A005	Network Switch, Type A
1 Each	907-658-A006	Network Switch, Type B
1 Each	907-658-B001	Terminal Server
1,005 Linear Feet	907-658-C001	Category 6 Cable, Installed in Conduit
Lump Sum	907-659-A001	Traffic Management Center Modifications
Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
1 Each	907-664-A002	Roadway Weather Information System
11 Each	907-664-B002	BRIDGE ICES BEFORE ROAD Sign with Flashing Beacons
4,155 Linear Feet	907-668-E001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
15,855 Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
1,415 Linear Feet	907-668-F001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2"
5,410 Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
430 Linear Feet	907-668-F003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 3 @ 2"
675 Linear Feet	907-668-G002	Traffic Signal Conduit Bank, Aerial Supported, Type I, 2 @2"

Installing an Intersection Conflict Warning System at Various Locations on US Highway 51 and US Highway 49, known as Federal Aid Project Nos. HSIP-2177-00(012) / 106859301 and HSIP-0008-03(055) / 106859302 in Copiah and Rankin Counties.

PROJECT COMPLETION: September 18, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4	Each	202-B070	Removal of Sign Including Post & Footing
	Lump Sum	620-A001	Mobilization
3	Each	642-A004	Solid State Traffic Actuated Controllers, Type 4A
4	Each	647-A002	Pullbox, Type 3
15	Each	647-A005	Pullbox, Type 2
4,060	Linear Feet	666-B008	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 5Conductor
135	Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3Conductor
1,325	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
795	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	907-618-A001	Maintenance of Traffic
2	Square Feet	907-618-B001	Additional Construction Signs
5	Each	907-639-F001	Detector Pole with Foundation, 35' Pole
3	Each	907-641-A002	Signal Stop Bar Radar Detection
1	Each	907-641-B002	Signal Advanced Radar Detection
7	Each	907-645-B002	Advanced Warning Flashing Assembly
2	Each	907-651-A002	Magnetometer Detection System
2	Each	907-651-B009	Magnetometer Detection System Component, Repeater
65	Each	907-651-B013	Magnetometer Detection System Component, Wireless DetectionSensor
2	Each	907-651-B014	Magnetometer Detection System Component, 24-foot FiberglassPole
2	Each	907-651-B016	Magnetometer Detection System Component, External Card System
2	Each	907-651-B017	Magnetometer Detection System Component, SPP Digital Radio
2	Each	907-651-B018	Magnetometer Detection System Component, Access Point Controller Card
2	Each	907-651-B019	Magnetometer Detection System Component,, Input/Output Module
2	Each	907-651-B019	Magnetometer Detection System Component,, Isolator Module

Joint Repair on 17 Bridges on Various Routes, known as Federal Aid Project No. BR-9999-02(250) / 106598303 in Montgomery County.

PROJECT COMPLETION: August 03, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

533	Linear Feet	202-B298	Removal of Existing Joint Material
	Lump Sum	620-A001	Mobilization
5,242	Linear Feet	808-A001	Joint Preparation
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
543	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
2,078	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,086	Linear Feet	907-823-B001	Saw Cut, Type I
4,156	Linear Feet	907-823-B002	Saw Cut, Type II
28	Linear Feet	907-824-PP097	Bridge Repair, (Endwall Repair)

Sign Truss Replacement on various routes in District 6, known as Federal Aid Project No. STP-9999-06(015) / 106495301, 106495302, and 106495303 in Forrest, Harrison, and Jackson Counties.

PROJECT COMPLETION: July 12, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

27	Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
410	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2	Each	202-B090	Removal of Terminal End Section
2	Each	202-B137	Removal of Guard Rail Cable Anchor
440	Linear Feet	202-B252	Removal of Electrical Conductors
400	Linear Feet	503-C007	Saw Cut, Full Depth
8,431	Pounds	602-A001	Reinforcing Steel
613	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D008	Guard Rail, Bridge End Section, Type H
3	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	620-A001	Mobilization
132	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness, Overhead Mounted
64	Square Feet	630-A004	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness, Overhead Mounted
3,373	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
9	Each	630-F001	Delineators, Guard Rail, White
17	Each	630-F002	Delineators, Guard Rail, Yellow
	Lump Sum	630-I001	Metal Overhead Sign Supports, Assembly No. 1, Truss #9942
	Lump Sum	630-I002	Metal Overhead Sign Supports, Assembly No. 2, Truss #9947
	Lump Sum	630-I003	Metal Overhead Sign Supports, Assembly No. 3, Truss #9948
	Lump Sum	630-I004	Metal Overhead Sign Supports, Assembly No. 4, Truss #9950
	Lump Sum	630-I005	Metal Overhead Sign Supports, Assembly No. 5, Truss #9951
	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 6, Truss #9954
	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 7, Truss #9660
	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 8, Truss #9678
	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 9, Truss #9967
2	Each	645-A001	Flasher Assembly
400	Linear Feet	666-B041	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor
83	Linear Feet	666-D004	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 5 Conductor
300	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
290	Linear Feet	668-A031	Traffic Signal Conduit, Structure Mounted, Type I Rigid Galvanized Steel, 2"
68	Cubic Yard	907-601-A001	Class "B" Structural Concrete
	Lump Sum	907-618-A001	Maintenance of Traffic
3	Square Feet	907-618-B001	Additional Construction Signs
4	Each	907-619-E3001	Changeable Message Sign
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed, Truss #9937
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed, Truss

CALL No. 06

		#9938
Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed, Truss # 9955
Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed, Truss # 9956
Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed, Truss # 9962
Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed, Truss # 9964
Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed, Truss #9968
Lump Sum	907-630-I008	Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed, Truss #9969
Lump Sum	907-630-I009	Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed, Truss #9979
Lump Sum	907-630-I010	Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed, Truss #9980
Lump Sum	907-630-I012	Metal Overhead Sign Supports, Assembly No. 11, Contractor Designed, Truss #9984
Lump Sum	907-630-M011	Pedestal Sign Support, Assembly No 1, Truss #9459
Lump Sum	907-630-M012	Pedestal Sign Support, Assembly No 2, Truss #9945
Lump Sum	907-630-M013	Pedestal Sign Support, Assembly No 3, Rest Area Sign
3,446 Square Feet	907-630-O008	Remove and Reset Sign, Overhead Sign
1 Each	907-637-A003	Equipment Cabinet, Type A
150 Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
136 Linear Feet	907-670-B001	ITS RDS Comm Cable
3 Each	907-672-A002	Remove and Reset ITS Equipment

Safety Upgrades on US 49 from Camp Shelby to US 98, known as State Project No. SP-9999-06(016) / 106672301 in Forrest County.

PROJECT COMPLETION: October 30, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2 Acre	201-D002	Random Clearing
2,798 Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
10,095 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
265 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
6,803 Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
7 Each	202-B042	Removal of Flared End Section, All Sizes
4 Each	202-B057	Removal of Inlets, All Sizes
1,301 Linear Feet	202-B064	Removal of Pipe, 8" And Above
32 Linear Feet	202-B080	Removal of Box Culvert
30 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
193 Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
40 Each	202-B105	Removal of Pipe Headwall, All Sizes
66 Each	202-B107	Removal of Sign, Ground Mounted with Posts
2 Each	202-B218	Removal of Inlet Tops
87,177 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
35,091 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
66,649 Cubic Yard	203-G003	Excess Excavation, FM, AH
1,773 Cubic Yard	206-A001	Structure Excavation
123 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
34,427 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
141,881 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
11,824 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
24 Ton	213-C001	Superphosphate
10,799 Square Yard	217-A001	Ditch Liner
197 Thousand Gallon	219-A001	Watering
24 Acre	220-A001	Insect Pest Control
60 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
45 Acre	223-A001	Mowing
6,974 Linear Feet	234-A001	Temporary Silt Fence
1,480 Bale	235-A001	Temporary Erosion Checks
1,286 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
621 Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
11 Mile	423-A001	Rumble Strips, Ground In
10,008 Linear Feet	503-C007	Saw Cut, Full Depth
39,188 Pounds	602-A001	Reinforcing Steel
944 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
112 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
304 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
472 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets

CALL No. 07

88	Linear Feet	603-CA092	42" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
17	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
5	Each	603-CB003	30" Reinforced Concrete End Section
3	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-CB005	42" Reinforced Concrete End Section
224	Linear Feet	603-CE039	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
80	Linear Feet	603-CE040	51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
40	Linear Feet	603-CE042	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
8	Linear Feet	603-CE043	58" x 36" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
3	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
4	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
1	Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
1	Each	603-SB028	30" Branch Connections, Stub into Box Culvert
2,196	Pounds	604-A001	Castings
6,300	Pounds	604-B001	Gratings
3,775	Linear Feet	606-B001	Guard Rail, Class A, Type 1
15	Each	606-C003	Guard Rail, Cable Anchor, Type 1
15	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
1,304	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
3,002	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
217	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
3,710	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
170	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A3006	Temporary Traffic Stripe, Skip White
36,263	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,574	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,131	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
98	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
113	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
644	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
264	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
90	Each	619-G5001	Free Standing Plastic Drums
7	Each	619-G7001	Warning Lights, Type "B"
37	Each	619-G8001	Warning Lights, Type "C"
	Lump Sum	619-H1001	Traffic Signals, Us Hwy 49 At Southgate Road
	Lump Sum	620-A001	Mobilization
75	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,009	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
52	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
19	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
420	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

CALL No. 07

498	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
129	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
149	Each	630-F001	Delineators, Guard Rail, White
14	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
14	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
4	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
1	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
93	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
16	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
948	Linear Feet	635-A001	Vehicle Loop Assemblies
2,110	Linear Feet	636-A003	Shielded Cable, 4 Conductor
3	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
6	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
2	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
6	Each	647-A001	Pullbox, Type 1
1	Each	647-A002	Pullbox, Type 3
8	Each	647-A003	Pullbox, Type 4
10	Each	647-A004	Pullbox, Type 5
6	Each	647-A005	Pullbox, Type 2
8	Square Feet	653-A001	Traffic Sign, Encapsulated Lens
44	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
2,420	Linear Feet	666-B007	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4Conductor
140	Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
460	Linear Feet	666-B049	Electric Cable, Underground in Conduit, THHN, AWG #10, 2 Conductor
1,030	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
180	Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
1,500	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
240	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
75	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
80	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
595	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
380	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
8,573	Square Feet	809-A001	Gravity Type Retaining Wall System
164	Ton	815-A008	Loose Riprap, Size 200
242	Square Yard	815-E001	Geotextile under Riprap
9,852	Square Yard	907-216-A001	Solid Sodding
45	Acre	907-225-A001	Grassing
135	Ton	907-225-B001	Agricultural Limestone
90	Ton	907-225-C001	Mulch, Vegetative Mulch
47	Acre	907-226-A001	Temporary Grassing
1,200	Linear Feet	907-234-C002	Super Silt Fence
38	Each	907-234-D001	Inlet Siltation Guard
5,856	Linear Feet	907-237-A003	Wattles, 20"
4,780	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System

CALL No. 07

160	Each	907-246-A002	Sandbags
2,467	Ton	907-249-A001	Riprap for Erosion Control
10,054	Gallon	907-407-A001	Asphalt for Tack Coat
23,544	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
164	Cubic Yard	907-601-A001	Class "B" Structural Concrete
112	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
894	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
170	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
7	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
20,091	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
12,651	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
850	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,131	Square Feet	907-626-H005	Thermoplastic Legend, White
7	Each	907-630-O002	Remove and Reset Sign Assembly
23	Each	907-630-O007	Remove and Reset Signs, Ground Mounted
1	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-639-A026	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' & 50'Arms
1	Each	907-639-A038	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 50'Arms
2	Each	907-639-A047	Traffic Signal Equipment Pole, Type V, 14' Shaft
1	Each	907-639-B001	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount
9	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
2	Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
1	Each	907-642-A005	Solid State Traffic Actuated Controllers, Type 8M
4	Each	907-645-B001	Be Prepared to Stop When Flashing Assembly
2	Each	907-650-A002	On Street Video Equipment, Fixed Type
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
16,960	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
30	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
2,900	Linear Feet	907-657-D001	Relocation of Existing Fiber Optic Cable
1	Each	907-658-A005	Network Switch, Type A
1	Each	907-658-B001	Terminal Server
	Lump Sum	907-659-A001	Traffic Management Center Modifications
8,370	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
8,590	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
1	Each	907-670-A001	ITS Radar Detection System
60	Linear Feet	907-670-B001	ITS RDS Comm Cable
	Lump Sum	907-699-A002	Roadway Construction Stakes
600	Ton	907-815-F001	Sediment Control Stone

ALTERNATE GROUP AA NO. 1

23,912	Ton	907-304-F003	3/4" and Down Crushed Stone Base
--------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NO. 2

CALL No. 07

23,912 Ton	907-304-F004 Size 825B Crushed Stone Base ALTERNATE GROUP AA NO. 3
23,912 Ton	907-304-F002 Size 610 Crushed Stone Base ALTERNATE GROUP BB NO. 1
773 Ton	907-403-A002 Hot Mix Asphalt, HT, 19-mm mixture ALTERNATE GROUP BB NO. 2
773 Ton	907-403-M011 Warm Mix Asphalt, HT, 19-mm mixture ALTERNATE GROUP CC NO. 1
3,264 Ton	907-403-A006 Hot Mix Asphalt, MT, 12.5-mm mixture ALTERNATE GROUP CC NO. 2
3,264 Ton	907-403-M002 Warm Mix Asphalt, MT, 12.5-mm mixture ALTERNATE GROUP DD NO. 1
4,135 Ton	907-403-A007 Hot Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP DD NO. 2
4,135 Ton	907-403-M007 Warm Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP EE NO. 1
3,366 Ton	907-403-A010 Hot Mix Asphalt, MT, 9.5-mm mixture ALTERNATE GROUP EE NO. 2
3,366 Ton	907-403-M006 Warm Mix Asphalt, MT, 9.5-mm mixture ALTERNATE GROUP FF NO. 1
273 Ton	907-403-A011 Hot Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP FF NO. 2
273 Ton	907-403-M003 Warm Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP GG NO. 1
5,662 Ton	907-403-A012 Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP GG NO. 2
5,662 Ton	907-403-M004 Warm Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP HH NO. 1
205 Ton	907-403-A015 Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP HH NO. 2
205 Ton	907-403-M001 Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP II NO. 1
443 Ton	907-403-D001 Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP II NO. 2
443 Ton	907-403-P002 Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP JJ NO. 1
9,834 Ton	907-403-D004 Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP JJ NO. 2
9,834 Ton	907-403-P001 Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR