
Proposal & Plan Sales Will Begin on November 3, 2014



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date for November – November 25, 2014



MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS LETTING DATE FOR NOVEMBER - Tuesday, November 25, 2014

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON NOVEMBER 03, 2014

Proposals must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: Contract Administration Division Jackson, MS Telephone: (601) 359-7700 Plans must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR NOVEMBER

inds
i

Bridge Replacement on SR 315 Between the Panola County Line and Tunica County Line at Pompey Ditch, known as Federal Aid Project No. BR-0017-02(013) / 103319301 in Quitman County.

PROJECT COMPLETION: November 24, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

			Koauway Items
	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
6,139	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
200	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
99	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,540	Linear Feet	202-B076	Removal of Traffic Stripe
4,598	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
11,364	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
10,436	Cubic Yard	203-G003	Excess Excavation, FM, AH
165	Cubic Yard	206-A001	Structure Excavation
5,037	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1	Ton	213-C001	Superphosphate
402	Square Yard	217-A001	Ditch Liner
3	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
19	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
267	Square Yard	224-A001	Soil Reinforcing Mat
2,895	Linear Feet	234-A001	Temporary Silt Fence
168	Bale	235-A001	Temporary Erosion Checks
1	Each	236-A004	Silt Basin, Type D
2,667	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
70	Linear Feet	501-E001	Expansion Joints, Without Dowels
151	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2	Each	603-CB003	30" Reinforced Concrete End Section
61	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
5	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
8	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
148	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
5,850	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,759	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,700	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
2,233	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
159	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend

39	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
95	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
370	Square Feet	619-D2001	
	Each		Delineators, Guard Rail, White
	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Linear Feet		Barricades, Type III, Double Faced
	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
4	Each		Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
	Each	627-L001	
6	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
35	Square Feet		Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
80	Linear Feet		Steel U-Section Posts, 3.0 lb/ft
	Each		Delineators, Guard Rail, White
	Each		Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
703	Ton		Loose Riprap, Size 100
1,296	Ton		Loose Riprap, Size 300
1,695	Square Yard	815-E001	
133	Square Yard	907-216-A001	Solid Sodding
	Acre	907-225-A001	Grassing
3	Ton	907-225-B001	Agricultural Limestone
6	Ton	907-225-C001	Mulch, Vegetative Mulch
1	Acre	907-226-A001	Temporary Grassing
	Linear Feet	907-234-C002	Super Silt Fence
	Linear Feet	907-237-A003	Wattles, 20"
	Linear Feet	907-245-A001	Triangular Silt Dike
	Linear Feet	907-246-A001	Sandbags
1,296			Riprap for Erosion Control
238	Cubic Yard		Remove and Reset Riprap
3,417	Ton		Granular Material, Class 3, Group D
632	Gallon Linear Feet	907-407-A001	•
70	Cubic Yard	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1 280	Linear Feet		Class "B" Structural Concrete, Minor Structures 24" Type A Alternate Pipe
	Linear Feet		30" Type A Alternate Pipe
80	Linear Feet		6" Perforated Sewer Pipe for Underdrains, SDR 23.5
80	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
17	Each	907-617-A001	Right-of-Way Marker
17	Lump Sum	907-618-A001	Maintenance of Traffic
	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge
405	Linear Feet	907-618-E001 907-618-E001	Detour Bridge Piling
-05	Lump Sum		Detour Bridge PDA Test Pile
2 776	Linear Feet		6" Thermoplastic Edge Stripe, Continuous White
	Linear Feet		6" Thermoplastic Traffic Stripe, Skip Yellow
1,005	Lincui i cot	207 020 D004	5 memopuste mune surpe, skip renow

159	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
655	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
159	Linear Feet	907-626-H004	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
107	Ton	907-815-F001	Sediment Control Stone
		AL	FERNATE GROUP AA NO. 1
1,982	Ton	907-304-F002	Size 610 Crushed Stone Base
		AL	FERNATE GROUP AA NO. 2
1,982	Ton	907-304-F003	3/4" and Down Crushed Stone Base
		AL	FERNATE GROUP AA NO. 3
1,982	Ton	907-304-F004	Size 825B Crushed Stone Base
		AL	FERNATE GROUP BB NO. 1
874	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		AL	FERNATE GROUP BB NO. 2
874	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		AL	TERNATE GROUP CC NO. 1
444	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
		AL	TERNATE GROUP CC NO. 2
444	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
		AL	FERNATE GROUP DD NO. 1
1,095	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		AL	FERNATE GROUP DD NO. 2
1,095	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
		AL	TERNATE GROUP EE NO. 1
66	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
			TERNATE GROUP EE NO. 2
66	Ton		Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
		AL	TERNATE GROUP FF NO. 1
194	Linear Feet	907-626-JJ001	6" Inverted Profile Thermoplastic Traffic Stripe, High Contrast, Continuous White
97	Linear Feet	907-626-KK001	6" Inverted Profile Thermoplastic Traffic Stripe, High Contrast, Skip Yellow
		AL	TERNATE GROUP FF NO. 2
194	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
97	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
			Bridge Items
177	Square Yard	501-K001	Transverse Grooving
1	Each	803-B002	Conventional Static Pile Load Test
493	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
377	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
2	Each		PDA Test Pile
	Each		Pile Restrike
	Pounds		Reinforcement
	Linear Feet		Concrete Railing, 32"
268	Ton		Loose Riprap, Size 300
329	1		Geotextile under Riprap
101	Cubic Yard	907-804-A001	Bridge Concrete, Class AA

385 Linear Feet907-804-C24119' Prestressed Concrete Beam, 16" x16"

Bridge Replacement on SR 315 East of Quitman County Line at Indian Creek, known as Federal Aid Project No. BR-0017-02(014) / 103324301 in Panola County.

PROJECT COMPLETION: October 26, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

	Roadway Items			
	Lump Sum	201-A001	Clearing and Grubbing	
1	Acre	201-B001	Clearing and Grubbing	
	Lump Sum	202-A001	Removal of Obstructions(Bridge Pier(S) And Misc. Footings)	
560	Linear Feet	202-B064	Removal of Pipe, 8" And Above	
7,871	Square Yard	202-B078	Removal of Pavement, All Types and Depths	
109	Linear Feet	202-B093	Removal of Curb & Gutter, All Types	
2	Each	202-B105	Removal of Pipe Headwall, All Sizes	
608	Linear Feet	202-B134	Removal of Guard Rail, Including Rails & Posts	
1	Mile	202-B149	Removal of Traffic Stripe	
17,467	Cubic Yard	203-A003	Unclassified Excavation, FM, AH	
23,152	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9	
1,513	Cubic Yard	203-F001	Channel Excavation, FM	
1,000	Cubic Yard	203-G003	Excess Excavation, FM, AH	
66	Cubic Yard	206-A001	Structure Excavation	
12,374	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven	
13	Ton	213-C001	Superphosphate	
544	Square Yard	217-A001	Ditch Liner	
23	Thousand Gallon	219-A001	Watering	
26	Acre	220-A001	Insect Pest Control	
15	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch	
26	Acre	223-A001	Mowing	
1,461	Square Yard	224-A001	Soil Reinforcing Mat	
4,224	Linear Feet	234-A001	Temporary Silt Fence	
5	Each	236-A004	Silt Basin, Type D	
205	Linear Feet	239-A001	Temporary Slope Drains	
2	Mile	423-A001	Rumble Strips, Ground In	
74	Linear Feet	501-E001	Expansion Joints, Without Dowels	
165	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement	
113	Pounds	602-A001	Reinforcing Steel	
8	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III	
1	Each	603-CB003	30" Reinforced Concrete End Section	
52	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III	
2	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section	
152	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III	
90	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM	
100	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM	
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1	
4	Each	606-D012	Guard Rail, Bridge End Section, Type I	
4	Each	606-E002	Guard Rail, Terminal End Section, Flared	
340	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified	

	Mile		Temporary Traffic Stripe, Continuous White, Paint
	Mile		Temporary Traffic Stripe, Continuous Yellow, Paint
	Linear Feet		Temporary Traffic Stripe, Detail, Paint
	Linear Feet		Temporary Traffic Stripe, Legend, Paint
69	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
	1	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
148	Linear Feet		Barricades, Type III, Single Faced
113	Each		Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
136	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
24	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
121	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
27	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
267	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
60	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
30	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
35	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
22	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
30	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
4,154	Ton	815-A009	Loose Riprap, Size 300
5,189	Square Yard	815-E001	Geotextile under Riprap, Type V
1,183	Square Yard	907-216-A001	Solid Sodding
26	Acre	907-225-A001	Grassing
13	Ton	907-225-B001	Agricultural Limestone
104	Ton	907-225-C001	Mulch, Vegetative Mulch
26	Acre	907-226-A001	Temporary Grassing
600	Linear Feet	907-234-C002	Super Silt Fence
1,135	Linear Feet	907-237-A003	Wattles, 20"
7	Ton	907-249-A001	Riprap for Erosion Control
5,931	Ton	907-304-B009	Granular Material, Class 3, Group D
1,664	Gallon	907-407-A001	Asphalt for Tack Coat
74	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
5	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
112	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
160	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
60	Linear Feet	907-603-ALT12	36" x 23" Type A Alternate Pipe
148	Linear Feet	907-603-ALT14	22" x 13" Type A Alternate Pipe
32	Linear Feet	907-603-ALT15	29" x 18" Type A Alternate Pipe
200	Linear Feet	907-605-0001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
36	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-A001	Maintenance of Traffic
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

1			
	Linear Feet		Thermoplastic Detail Stripe, White
460	Linear Feet		Thermoplastic Legend, White
100	Lump Sum		Roadway Construction Stakes
183	Ton		Sediment Control Stone
			TERNATE GROUP AA NO. 1
4,487	Ton		Size 610 Crushed Stone Base
			TERNATE GROUP AA NO. 2
4,487	Ton		3/4" and Down Crushed Stone Base
			TERNATE GROUP AA NO. 3
4,487	Ton		Size 825B Crushed Stone Base
		AL	TERNATE GROUP BB NO. 1
2,295	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
		AL	TERNATE GROUP BB NO. 2
2,295	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
		AL	FERNATE GROUP CC NO. 1
2,092	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		AL	FERNATE GROUP CC NO. 2
2,092	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
		AL	FERNATE GROUP DD NO. 1
1,725	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		AL	TERNATE GROUP DD NO. 2
1,725	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		AL	FERNATE GROUP EE NO. 1
263	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
		AL	FERNATE GROUP EE NO. 2
263	Ton	907-403-0001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
		AL	TERNATE GROUP FF NO. 1
404	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
404	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
		AL	TERNATE GROUP FF NO. 2
404	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
404	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
			Bridge Items
711	Square Yard	501-K001	Transverse Grooving
1	Each	803-B002	Conventional Static Pile Load Test
1,145	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,200	Linear Feet	803-D008	HP 16 x 121 Steel Piling
3	Each	803-I001	PDA Test Pile
1	Each	803-J001	Pile Restrike
68,031	Pounds	805-A001	Reinforcement
400	Linear Feet	813-A002	Concrete Railing, 32"
462	Ton		Loose Riprap, Size 300
638	Square Yard		Geotextile under Riprap
334	•		Bridge Concrete, Class AA
	Linear Feet		40' Prestressed Concrete Beam, Type I+2
	Linear Feet		80' Prestressed Concrete Beam, Type III

Traffic Signal Replacements on SR 25 from I-55 to SR 475, known as Federal Aid Project No. HSIP-0056-01(077) 106860301 & 302 in Hinds and Rankin Counties.

PROJECT COMPLETION: October 23, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

27	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
27	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
162	Linear Feet	635-A001	Vehicle Loop Assemblies
206	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
15	Each	640-A016	Traffic Signal Heads, Type 1 LED
9	Each	640-A050	Traffic Signal Heads, Type 2L LED
5	Each	644-A001	Optical Detector
598	Linear Feet	644-B001	Optical Detector Cable
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
38	Square Feet	653-A001	Traffic Sign, Encapsulated Lens
51	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
742	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
200	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
	Lump Sum	907-618-A001	Maintenance of Traffic
3	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-639-A018	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
1	Each	907-639-A019	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
2	Each	907-639-A101	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 75' Arm
1	Each	907-639-A123	Traffic Signal Equipment Pole, Type II, 17' Shaft, 75' Arm
2	Each	907-639-B001	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount
20	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
6	Each	907-650-A002	On Street Video Equipment, Fixed Type
3	Each	907-650-A003	On Street Video Equipment, PTZ Type
3	Each	907-658-A005	Network Switch, Type A

 $Construction \ necessary \ on \ SR \ 471 \ to \ build \ 5 \ lanes \ of \ traffic \ from \ US \ 80 \ to \ Grants \ Ferry \ Road, \ known \ as \ Federal \ Aid \ Project \ No. \ STP-0062-02(017) \ / \ 100579301 \ in \ Rankin \ County.$

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

			Routh up round
	Lump Sum 2	201-A001	Clearing and Grubbing
1,575	Square Yard 2	202-B002	Removal of Asphalt Driveways, All Depths
31,362	Square Yard 2	202-B005	Removal of Asphalt Pavement, All Depths
1	Each 2	202-B009	Removal of Bridge
107	Square Yard 2	202-B010	Removal of Bridge End Pavement
1,784	Square Yard 2	202-B024	Removal of Concrete Median & Island Pavement, All Depths
773	Square Yard 2	202-B025	Removal of Concrete Paved Ditch
480	Square Yard 2	202-B036	Removal of Concrete Slope Paving
6	Each 2	202-B042	Removal of Flared End Section, All Sizes
9	Each 2	202-B057	Removal of Inlets, All Sizes
2,457	Linear Feet 2	202-B064	Removal of Pipe, 8" And Above
32,750	Linear Feet 2	202-B076	Removal of Traffic Stripe
4	Each 2	202-B079	Removal of Headwall
1,176	Linear Feet 2	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
3,424	Linear Feet 2	202-B093	Removal of Curb & Gutter, All Types
3,930	Square Yard 2	202-B095	Removal of Concrete Sidewalks & Driveways, All Depths
3	Each 2	202-B132	Removal of Traffic Signal
1	Each 2	202-B248	Removal of Manhole
990	Ton 2	202-B308	Removal of Riprap
72,393	Cubic Yard 2	203-A003	Unclassified Excavation, FM, AH
1,000	Cubic Yard 2	203-D001	Muck Excavation, FM
325,117	Cubic Yard 20	3-EX029	Borrow Excavation, AH, FME, Class B15
13,920	Cubic Yard 20	3-EX040	Borrow Excavation, AH, LVM, Class B9-6
1,450	Cubic Yard 2	203-F002	Channel Excavation, LVM
94,339	Cubic Yard 2	203-G003	Excess Excavation, FM, AH
9,840	Cubic Yard 2	203-G004	Excess Excavation, LVM, AH
1,480	Square Yard 2	204-A003	Geogrid, Type II, Biaxial
6,922	Cubic Yard 2	206-A001	Structure Excavation
234	Cubic Yard 2	206-B001	Select Material for Undercuts, Contractor Furnished, FM
5,000	Square Yard 2	209-A004	Geotextile Stabilization, Type V, Non-Woven
5,920	Square Yard 2	209-A007	Geotextile Stabilization, Type VII, Non-Woven
2,000	Cubic Yard 2	211-B001	Topsoil for Slope Treatment, Contractor Furnished
27	Ton 2	213-C001	Superphosphate
4,490	Square Yard 2	217-A001	Ditch Liner
109	Thousand 2 Gallon	219-A001	Watering
27	Acre 2	20-A001	Insect Pest Control
1,866	Cubic Yard 2	21-A001	Portland Cement Concrete Paved Ditch
1	Acre 2	223-A001	Mowing
46,952	Linear Feet 2	234-A001	Temporary Silt Fence
500	Linear Feet 2	239-A001	Temporary Slope Drains

1 000	Ter	210 0002	Size I Stabilizer Agencente Coore
1,000	Square Yard		Size I Stabilizer Aggregate, Coarse
	Linear Feet		Cold Milling of Bituminous Pavement, All Depths Expansion Joints, Without Dowels
555 720			-
	Square Yard Linear Feet	502-A001 503-C007	Reinforced Cement Concrete Bridge End Pavement
229,380			
	Linear Feet		Reinforcing Steel
,	Linear Feet		18" Reinforced Concrete Pipe, Class III
,	Linear Feet		24" Reinforced Concrete Pipe, Class III
	Linear Feet		30" Reinforced Concrete Pipe, Class III
	Linear Feet		36" Reinforced Concrete Pipe, Class III
			42" Reinforced Concrete Pipe, Class III
	Linear Feet	603-CA009	▲ ·
	Linear Feet		72" Reinforced Concrete Pipe, Class III
	Linear Feet		24" Reinforced Concrete Pipe, Class IV
	Linear Feet		24" Reinforced Concrete Pipe, Class V, Jacked or Bored
	Linear Feet		42" Reinforced Concrete Pipe, Class V, Jacked or Bored
	Linear Feet		18" Reinforced Concrete Pipe, Class V, Jacked or Bored
	Each		18" Reinforced Concrete End Section
	Each		24" Reinforced Concrete End Section
	Each		30" Reinforced Concrete End Section
	Each		36" Reinforced Concrete End Section
	Each		42" Reinforced Concrete End Section
2			60" Reinforced Concrete End Section
	Each		72" Reinforced Concrete End Section
	Linear Feet		29" x 18" Concrete Arch Pipe, Class A III
	Linear Feet		36" x 23" Concrete Arch Pipe, Class A III
	Linear Feet		65" x 40" Concrete Arch Pipe, Class A III
	Each		29" x 18" Concrete Arch Pipe End Section
	Each		36" x 23" Concrete Arch Pipe End Section
	Each		65" x 40" Concrete Arch Pipe End Section
1			30" Branch Connections, Stub into Box Bridge
	Pounds	604-A001	
	Pounds	604-B001	0
2,410	1		Geotextile for Subsurface Drainage, Type V, Non-Woven
65	Cubic Yard		Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
	Cubic Yard		Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
	Linear Feet		Guard Rail, Class A, Type 1
	Each		Guard Rail, Bridge End Section, Type I
	Each		Guard Rail, Terminal End Section, Flared
	Linear Feet		60" Type I Chain Link Fence, Class I
2			Gate, 12' x 60" Chain Link
	Each		Line Post, 7' x 1 1/2" Galvanized Steel
3	Each		Line Post, 10' x 1 1/2" Galvanized Steel
	Each		Line Post, 9' x 1 1/2" Galvanized Steel
3	Each		Brace Post, 10' x 2" Galvanized Steel
2	Each	607-P2022	Brace Post, 12' x 2" Galvanized Steel

13	Each	607-P2023	Brace Post, 8' x 2" Galvanized Steel
	Each		Gate Post, 12' x 2 1/2" Galvanized Steel
	Each		Concrete Anchors
	Linear Feet		Combination Concrete Curb and Gutter Type 1
	Linear Feet		Combination Concrete Curb and Gutter Type 3A Modified
<i>,</i>	Linear Feet		Combination Concrete Curb and Gutter Type 2 Modified
619	Square Yard		Concrete Driveway, With Reinforcement
	Linear Feet		Concrete Bridge End Barrier, 43.5"
1,619	Square Yard		Concrete Median and/or Island Pavement, 4-inch
264	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
32	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
7,506	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
34	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
7,506	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
15	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
17	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
74,325	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
11,556	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
3,830	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1,435	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
6,429	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
1,097	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,351	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
2,000	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,890	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
1,122	Linear Feet	619-G4001	Barricades, Type III, Single Faced
132	Linear Feet	619-G4005	Barricades, Type III, Double Faced
334	Each	619-G5001	Free Standing Plastic Drums
11	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	619-H1001	Traffic Signals
2	Unit	619-J1002	Impact Attenuator, 50 MPH
2	Unit	619-J2004	Impact Attenuator, 50 MPH, Replacement Package
2	Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
2	Each		Installation and Removal of Guardrail, Terminal End Section
	Lump Sum		Mobilization
916	Each		Red-Clear Reflective High Performance Raised Markers
2,971	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
445	1	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
280	1	630-A002	
	Linear Feet	630-C004	
	Pounds	630-E004	
	Each		Delineators, Guard Rail, White
8	Each		Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Linear Feet		Welded & Seamless Steel Pipe Posts, 3"
15	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"

	Each		Traffic Signal Heads, Type 1 LED
	Each		Traffic Signal Heads, Type 2 LED
	Each		Traffic Signal Heads, Type 3 LED
	Each		Traffic Signal Heads, Type 2 FYA LED
	Each		Closed Loop On-Street Master System
	Linear Feet	644-B001	
	Each		Pullbox, Type 3
	Each		Pullbox, Type 2
	Each		Radio Interconnect, Installed in New Controller Cabinet
	Linear Feet		Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
	Linear Feet		Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
	Linear Feet		Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
	Linear Feet		Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8Conductor
<i>,</i>	Linear Feet		Traffic Signal Conduit, Underground, Rolled Pipe, 3"
	Linear Feet		Traffic Signal Conduit, Underground, Rolled Pipe, 2"
	Linear Feet		Traffic Signal Conduit, Underground, PVC Coated, 2"
	Linear Feet		Traffic Signal Conduit, Underground, PVC Coated, 3"
6,280			Loose Riprap, Size 100
1,245			Loose Riprap, Size 300
	Square Yard		Geotextile under Riprap
	Square Yard	907-216-A001	-
	Acre	907-225-A001	-
	Ton		Agricultural Limestone
	Ton		Mulch, Vegetative Mulch
	Acre		Temporary Grassing
	Linear Feet		Super Silt Fence
	Each		Inlet Siltation Guard
<i>,</i>	Linear Feet	907-237-A003	
<i>,</i>	Linear Feet		Triangular Silt Dike
1,500		907-246-B002	-
	Each		Temporary Stream Diversion
2,000			Riprap for Erosion Control
	Cubic Yard		Remove and Reset Riprap
46,501	Ton		Granular Material, Class 9, Group C
17,419			Granular Material, Class 5, Group E
1,550			Granular Material, Size 57
12,477			Size 825B Crushed Stone Base
	-		6" Soil-Lime-Water Mixing, Class A
	Ton	907-307-D001	
	Gallon		Bituminous Curing Seal
	Ton		Size III Stabilizer Aggregate, Coarse
24,434			Asphalt for Tack Coat
	Linear Feet		Sawing and Sealing Transverse Joints in Asphalt Pavement
87	Cubic Yard		Class "B" Structural Concrete, Minor Structures
	Linear Feet		18" Type A Alternate Pipe
1,208	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe

52	Linear Feet	907 603 AI TO3	30" Type A Alternate Pipe
	Linear Feet		36" x 23" Type A Alternate Pipe
	Linear Feet		29" x 18" Type A Alternate Pipe
	Linear Feet		6" Perforated Sewer Pipe for Underdrains, SDR 23.5
	Linear Feet		6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
	Each		Right-of-Way Marker
195	Lump Sum		Maintenance of Traffic
12	Each		Changeable Message Sign
12	Each		Engineer's Field Office Building, Type 2 LO
	Mile		6" Thermoplastic Double Drop Traffic Stripe, Skip White
	Linear Feet		6" Thermoplastic Double Drop Traffic Stripe, Continuous White
	Mile		6" Thermoplastic Double Drop Edge Stripe, Continuous White
	Mile		6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile		6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
	Linear Feet		Thermoplastic Double Drop Detail Stripe, White
	Linear Feet		Thermoplastic Double Drop Detail Stripe, Yellow
	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
	Square Feet		Thermoplastic Double Drop Legend, White
	Each	907-630-O007	Remove and Reset Signs, Ground Mounted
	Each		Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
	Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
1	Each	907-639-A010	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' Arm
1	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
1	Each	907-639-A016	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm
3	Each	907-639-A021	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm
3	Each	907-639-A028	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' Arm
3	Each	907-639-A029	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' Arm
45	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
31	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
36	Each	907-641-C001	Signal Radar Detection System
6	Each	907-642-A002	Solid State Traffic Actuated Controllers, Type 8A, State Furnished
23	Each	907-644-A001	Optical Detector
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,236	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
100	Ton	907-815-F001	Sediment Control Stone
	Lump Sum		Railway-Highway Provisions
2,080	Hours	907-906001	
			TERNATE GROUP AA NO. 1
1,747			Portland Cement
	Square Yard		Soil-Cement-Water Mixing, Optional Mixers, Base
41,296	Gallon		Bituminous Curing Seal
165 104	C		TERNATE GROUP AA NO. 2
	Square Yard		Processing Lime and Fly Ash Treated Course, 6" Thick
1,219	TOU	907-311-B001	Line

4,876	Ton	907-311-C002	Fly Ash, Class C or F
41,296	Gallon	907-311-S001	Bituminous Curing Seal
		AL	TERNATE GROUP BB NO. 1
8,565	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
		AL	TERNATE GROUP BB NO. 2
8,565	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
		AL	TERNATE GROUP CC NO. 1
9,205	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
		AL	TERNATE GROUP CC NO. 2
9,205	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
		AL	TERNATE GROUP DD NO. 1
23,814	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		AL	TERNATE GROUP DD NO. 2
23,814	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
		AL	TERNATE GROUP EE NO. 1
6,288	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		AL	TERNATE GROUP EE NO. 2
6,288	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
		AL	TERNATE GROUP FF NO. 1
1,736	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
		AL	TERNATE GROUP FF NO. 2
1,736	Ton	907-403-0001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
		AL	TERNATE GROUP GG NO. 1
2,721	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
		AL	TERNATE GROUP GG NO. 2
2,721	Ton		Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling
		AL	TERNATE GROUP HH NO. 1
10,862	Ton		Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			TERNATE GROUP HH NO. 2
10,862	Ton		Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
		AI	TERNATE GROUP II NO. 1
8,101	Ton		Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			TERNATE GROUP II NO. 2
8,101	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			Bridge Items
	Square Yard		Transverse Grooving
	Cubic Yard		Foundation Excavation for Bridges
	Each		Conventional Static Pile Load Test
	Linear Feet		HP 14 x 73 Steel Piling
	Linear Feet		HP 12 x 63 Steel Piling
	Each		PDA Test Pile
	Each		Pile Restrike
	Linear Feet		Exploration
	Linear Feet		Temporary Casing, 54" Diameter
	Linear Feet		Permanent Casing, 54" Diameter
2,038,201	Pounds	805-A001	Reinforcement

1,275,000	Pounds	810-A003	Structural Steel, A 709, Grade 50
3,743	Linear Feet	813-A003	Concrete Railing, 42"
455	Cubic Yard	815-D001	Concrete Slope Paving
360	Linear Feet	907-607-PP019	Safety Fence, Per Plans
3,638	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
1	Each	907-803-L005	Test Shaft, 54" Diameter
80	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
8,419	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
794	Linear Feet	907-804-C174	80' Prestressed Concrete Beam, Type IV
2,023	Linear Feet	907-804-C201	102' Prestressed Concrete Beam, Type IV
914	Linear Feet	907-804-C207	92' Prestressed Concrete Beam, Type IV
4,446	Linear Feet	907-804-C266	99' Prestressed Concrete Beam, Type BT-72
5,717	Linear Feet	907-804-C267	106' Prestressed Concrete Beam, Type BT-72
27	Each	907-811-D001	Disc Bearing Device

Lighting Repair at the US 78 / US 45 and US 178 / US 145 interchanges, known as State Project No. SP-0002-06(027) / 106908301 in Lee County.

PROJECT COMPLETION: July 16, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

7	Each	202-B055	Removal of High Mast Lighting Assembly
5	Each	202-B056	Removal of High Mast Lighting Foundation
40	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	620-A001	Mobilization
1	Each	682-E001	Underground Junction Box
1	Each	683-A009	Lighting Assembly, High Mast, Type 100-4-S
1	Each	683-A012	Lighting Assembly, High Mast, Type 100-5-S
2	Each	683-A066	Lighting Assembly, High Mast, Type 130-5-S
1	Each	683-A072	Lighting Assembly, High Mast, Type 130-8-S
22	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
7	Cubic Yard	684-A006	Pole Foundation, 48" Diameter
13	Linear Feet	684-B004	Slip Casing, 36" Diameter
15	Linear Feet	684-B006	Slip Casing, 48" Diameter
40	Linear Feet	907-237-A002	Wattles, 12"
	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
2	Each	907-619-E3001	Changeable Message Sign
700	Linear Feet	907-682-A1002	Branch Circuit Wire, AWG #1/0, 3 Conductor
1,400	Linear Feet	907-682-A1004	Branch Circuit Wire, AWG #2, 3 Conductor

Bridge Maintenance on US 49 at Lime Kiln Creek Bridge No. 173.0A, known as State Project No. SP-0008-03(054) / 105337301 in Hinds County.

PROJECT COMPLETION: May 15, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

224	Linear Feet	202-B298	Removal of Existing Joint Material	
45	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	
280	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced	
	Lump Sum	620-A001	Mobilization	
	Lump Sum	907-618-A001	Maintenance of Traffic	
	Bridge Items			
224	Linear Feet	808-A001	Joint Preparation	
187	Linear Feet	907-823-A001	Preformed Joint Seal, Type I	
224	Linear Feet	907-823-B001	Saw Cut, Type I	
20	Each	907-824-PP095	Bridge Repair, Beam Support for 40-Foot Beam, Per Plans	
6	Each	907-824-PP095	Bridge Repair, Pressure Wash and Clean Bent, Per Plans	
20	Each	907-824-PP095	Bridge Repair, Rust Grip Paint, Per Plans	
1	Cubic Yard	907-824-PP100	Bridge Repair, Epoxy Repair, Per Plans	

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at https://shopmdot.ms.gov. Specimen proposals may be viewed and downloaded online at no cost at http://mdot.ms.gov or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at https://shopmdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH EXECUTIVE DIRECTOR