

QUITMAN (60)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Century Construction & Realty, Inc.	Key, LLC	Talbot Bros Contr Co, Inc & Talbot Bros Grading Co, Inc, AJV
Bridge Replacement on SR 315 Between the Panola County Line and Tunica County Line at Pompey Ditch, known as Federal Aid Project No. BR-0017-02(013) / 103319301 in Quitman County.					\$1,500,103.73	\$1,769,699.15	\$1,809,022.90	\$1,816,266.98
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0010	201-A001	Clearing and Grubbing	1.000	LS		11,000.00	10,000.00	30,000.00
0020	201-B001	Clearing and Grubbing	1.000	ACRE		2,750.00	2,000.00	1,500.00
0030	202-A001	Removal of Obstructions	1.000	LS		55,000.00	25,000.00	20,000.00
0040	202-B005	Removal of Asphalt Pavement, All Depths	6,139.000	SY		2.75	2.40	5.00
0050	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware	200.000	LF		5.50	5.00	5.00
0060	202-B064	Removal of Pipe, 8" And Above	99.000	LF		16.50	8.80	15.00
0070	202-B076	Removal of Traffic Stripe	1,540.000	LF		1.10	1.00	1.00
0080	203-A003	Unclassified Excavation, FM, AH	4,598.000	CY		3.30	5.00	5.00
0090	203-EX017	Borrow Excavation, AH, FME, Class B9	11,364.000	CY		5.50	9.50	15.00
0100	203-G003	Excess Excavation, FM, AH	10,436.000	CY		4.95	7.50	11.00
0110	206-A001	Structure Excavation	165.000	CY		11.00	20.00	20.00
0120	209-A004	Geotextile Stabilization, Type V, Non-Woven	5,037.000	SY		2.20	3.25	3.00
0130	213-C001	Superphosphate	1.000	TON		880.00	875.00	800.00
0140	217-A001	Ditch Liner	402.000	SY		2.20	1.55	2.00
0150	219-A001	Watering	3.000	KGAL		20.00	20.00	20.00
0160	220-A001	Insect Pest Control	1.000	ACRE		30.00	30.00	30.00
0170	221-A001	Portland Cement Concrete Paved Ditch	19.000	CY		660.00	600.00	550.00
0180	223-A001	Mowing	1.000	ACRE		50.00	50.00	50.00
0190	224-A001	Soil Reinforcing Mat	267.000	SY		4.40	2.65	4.00
0200	234-A001	Temporary Silt Fence	2,895.000	LF		3.85	5.40	3.50
0210	235-A001	Temporary Erosion Checks	168.000	BALE		8.80	12.50	8.00
0220	236-A004	Silt Basin, Type D	1.000	EA		3,850.00	5,000.00	3,500.00
0230	406-A001	Cold Milling of Bituminous Pavement, All Depths	2,667.000	SY		3.96	3.60	6.25
0240	423-A001	Rumble Strips, Ground In	1.000	MI		330.00	300.00	1,500.00
0250	501-E001	Expansion Joints, Without Dowels	70.000	LF		19.80	18.00	10.00
0260	502-A001	Reinforced Cement Concrete Bridge End Pavement	151.000	SY		140.00	112.00	104.00

QUITMAN (60)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Century Construction & Realty, Inc.	Key, LLC	Talbot Bros Contr Co, Inc & Talbot Bros Grading Co, Inc, AJV
Bridge Replacement on SR 315 Between the Panola County Line and Tunica County Line at Pompey Ditch, known as Federal Aid Project No. BR-0017-02(013) / 103319301 in Quitman County.					\$1,500,103.73	\$1,769,699.15	\$1,809,022.90	\$1,816,266.98
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0270	603-CB003	30" Reinforced Concrete End Section	2.000	EA		1,250.00	1,250.00	900.00
0280	605-AA003	Geotextile for Subsurface Drainage, Type III	61.000	SY		2.75	3.75	3.00
0290	605-W001	Filter Material for Combination Storm Drain and/or Underdrai	5.000	CY		55.00	200.00	60.00
0300	605-W002	Filter Material for Combination Storm Drain and/or Underdrai	8.000	CY		33.00	200.00	35.00
0310	606-B001	Guard Rail, Class A, Type 1	425.000	LF		22.00	20.00	20.00
0320	606-D012	Guard Rail, Bridge End Section, Type I	4.000	EA		2,200.00	2,000.00	2,000.00
0330	606-E001	Guard Rail, Terminal End Section	4.000	EA		2,310.00	2,100.00	2,100.00
0340	609-D007	Combination Concrete Curb and Gutter Type 2 Modified	148.000	LF		44.00	40.00	41.90
0350	615-A018	Concrete Bridge End Barrier, 33.5"	40.000	LF		66.00	60.00	83.70
0360	619-A1001	Temporary Traffic Stripe, Continuous White	5,850.000	LF		0.28	0.25	0.25
0370	619-A2001	Temporary Traffic Stripe, Continuous Yellow	3,759.000	LF		0.28	0.25	0.25
0380	619-A4001	Temporary Traffic Stripe, Skip Yellow	1,700.000	LF		0.22	0.20	0.20
0390	619-A5001	Temporary Traffic Stripe, Detail	2,233.000	LF		0.22	0.20	0.20
0400	619-A6001	Temporary Traffic Stripe, Legend	159.000	LF		1.10	1.00	1.00
0410	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker	39.000	EA		8.80	8.00	8.00
0420	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Fe	95.000	SF		7.76	5.50	7.05
0430	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	370.000	SF		7.76	5.50	7.05
0440	619-F3004	Delineators, Guard Rail, White	12.000	EA		19.80	18.00	18.00
0450	619-G4001	Barricades, Type III, Single Faced	96.000	LF		13.20	14.00	12.00
0460	619-G4005	Barricades, Type III, Double Faced	24.000	LF		15.40	16.00	14.00
0470	619-G5001	Free Standing Plastic Drums	28.000	EA		37.40	45.00	34.00
0480	619-G7001	Warning Lights, Type "B"	8.000	EA		93.50	150.00	85.00
0490	619-K2001	Installation and Removal of Guard Rail, Bridge End Section	4.000	EA		1,980.00	1,800.00	1,800.00
0500	619-K4001	Installation and Removal of Guardrail, Terminal End Section	4.000	EA		2,090.00	1,900.00	1,900.00
0510	620-A001	Mobilization	1.000	LS		170,000.00	190,000.00	150,000.00
0520	627-L001	Two-Way Yellow Reflective High Performance Raised Markers	22.000	EA		8.80	8.00	8.00

QUITMAN (60)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Century Construction & Realty, Inc.	Key, LLC	Talbot Bros Contr Co, Inc & Talbot Bros Grading Co, Inc, AJV
Bridge Replacement on SR 315 Between the Panola County Line and Tunica County Line at Pompey Ditch, known as Federal Aid Project No. BR-0017-02(013) / 103319301 in Quitman County.					\$1,500,103.73	\$1,769,699.15	\$1,809,022.90	\$1,816,266.98
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0530	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	6.000	SF		20.90	19.00	19.00
0540	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	35.000	SF		22.00	20.00	20.00
0550	630-C003	Steel U-Section Posts, 3.0 lb/ft	80.000	LF		9.35	8.50	8.50
0560	630-F001	Delineators, Guard Rail, White	22.000	EA		19.80	18.00	18.00
0570	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted	4.000	EA		82.50	75.00	75.00
0580	815-A006	Loose Riprap, Size 100	703.000	TON		44.00	55.00	60.00
0590	815-A009	Loose Riprap, Size 300	1,296.000	TON		44.00	55.00	48.17
0600	815-E001	Geotextile under Riprap	1,695.000	SY		2.42	3.00	3.00
0610	907-216-A001	Solid Sodding	133.000	SY		5.50	4.25	5.00
0620	907-225-A001	Grassing	3.000	ACRE		1,100.00	985.00	1,000.00
0630	907-225-B001	Agricultural Limestone	3.000	TON		110.00	155.00	100.00
0640	907-225-C001	Mulch, Vegetative Mulch	6.000	TON		220.00	205.00	200.00
0650	907-226-A001	Temporary Grassing	1.000	ACRE		1,100.00	785.00	1,000.00
0660	907-234-C002	Super Silt Fence	400.000	LF		11.00	9.25	10.00
0670	907-237-A003	Wattles, 20"	160.000	LF		8.80	5.25	8.00
0680	907-245-A001	Triangular Silt Dike	12.000	LF		11.00	7.00	10.00
0690	907-246-A001	Sandbags	42.000	LF		11.00	5.00	10.00
0700	907-249-A001	Riprap for Erosion Control	1,296.000	TON		44.00	55.00	56.00
0710	907-249-B001	Remove and Reset Riprap	238.000	CY		33.00	30.00	30.00
0720	907-304-B009	Granular Material, Class 3, Group D	3,417.000	TON		17.60	30.00	25.56
0730	907-407-A001	Asphalt for Tack Coat	632.000	GAL		3.30	3.00	3.14
0740	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement	70.000	LF		16.50	15.00	10.00
0750	907-601-B003	Class "B" Structural Concrete, Minor Structures	1.000	CY		2,500.00	2,500.00	2,000.00
0760	907-603-ALT02	24" Type A Alternate Pipe	280.000	LF		38.50	51.15	32.50
0770	907-603-ALT03	30" Type A Alternate Pipe	176.000	LF		60.50	68.50	37.50
0780	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5	80.000	LF		13.20	20.00	13.00

QUITMAN (60)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Century Construction & Realty, Inc.	Key, LLC	Talbot Bros Contr Co, Inc & Talbot Bros Grading Co, Inc, AJV
Bridge Replacement on SR 315 Between the Panola County Line and Tunica County Line at Pompey Ditch, known as Federal Aid Project No. BR-0017-02(013) / 103319301 in Quitman County.					\$1,500,103.73	\$1,769,699.15	\$1,809,022.90	\$1,816,266.98
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0790	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5	80.000	LF		12.10	20.00	13.00
0800	907-617-A001	Right-of-Way Marker	17.000	EA		262.50	200.00	300.00
0810	907-618-A001	Maintenance of Traffic	1.000	LS		18,500.00	25,000.00	10,000.00
0820	907-618-C001	Construction and Removal of Detour Bridge	1.000	LS		170,000.00	75,000.00	130,000.00
0830	907-618-E001	Detour Bridge Piling	405.000	LF		70.00	65.00	46.00
0840	907-618-F003	Detour Bridge PDA Test Pile	1.000	LS		12,000.00	20,000.00	12,000.00
0850	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White	2,776.000	LF		0.66	0.60	0.60
0860	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow	1,603.000	LF		0.66	0.60	0.60
0870	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow	159.000	LF		5.50	5.00	5.00
0880	907-626-G004	Thermoplastic Detail Stripe, White	655.000	LF		1.10	1.00	1.00
0890	907-626-H004	Thermoplastic Legend, White	159.000	LF		5.50	5.00	5.00
0900	907-699-A002	Roadway Construction Stakes	1.000	LS		44,000.00	35,000.00	30,000.00
0910	907-815-F001	Sediment Control Stone	107.000	TON		55.00	45.00	60.00
0920	907-304-F002	Size 610 Crushed Stone Base	1,982.000	TON		33.00	53.00	
0930	907-304-F003	3/4" and Down Crushed Stone Base	1,982.000	TON				
0940	907-304-F004	Size 825B Crushed Stone Base	1,982.000	TON				37.25
0950	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture	874.000	TON		132.00	120.00	125.65
0960	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture	874.000	TON				
0970	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture	444.000	TON		137.50	125.00	130.89
0980	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture	444.000	TON				
0990	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture	1,095.000	TON		99.00	90.00	94.24
1000	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture	1,095.000	TON				
1010	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening	66.000	TON		137.50	125.00	130.89
1020	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening	66.000	TON				
1030	907-626-JJ001	6" Inverted Profile Thermoplastic Traffic Stripe, High Contr	194.000	LF				
1040	907-626-KK001	6" Inverted Profile Thermoplastic Traffic Stripe, High Contr	97.000	LF				

QUITMAN (60)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Century Construction & Realty, Inc.	Key, LLC	Talbot Bros Contr Co, Inc & Talbot Bros Grading Co, Inc, AJV
Bridge Replacement on SR 315 Between the Panola County Line and Tunica County Line at Pompey Ditch, known as Federal Aid Project No. BR-0017-02(013) / 103319301 in Quitman County.					\$1,500,103.73	\$1,769,699.15	\$1,809,022.90	\$1,816,266.98
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
1050	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous	194.000	LF		7.70	7.00	7.00
1060	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow	97.000	LF		7.70	7.00	7.00
1070	501-K001	Transverse Grooving	177.000	SY		5.50	5.00	5.00
1080	803-B002	Conventional Static Pile Load Test	1.000	EA		5,000.00	5,000.00	5,000.00
1090	803-C002	14" x 14" Prestressed Concrete Piling	493.000	LF		70.00	75.00	47.00
1100	803-C004	18" x 18" Prestressed Concrete Piling	377.000	LF		90.00	115.00	71.00
1110	803-I001	PDA Test Pile	2.000	EA		10,000.00	5,000.00	12,000.00
1120	803-J001	Pile Restrike	1.000	EA		800.00	1,000.00	500.00
1130	805-A001	Reinforcement	17,699.000	LBS		1.17	1.50	0.95
1140	813-A002	Concrete Railing, 32"	114.000	LF		66.00	60.00	83.70
1150	815-A009	Loose Riprap, Size 300	268.000	TON		70.00	55.00	48.17
1160	815-E001	Geotextile under Riprap	329.000	SY		2.97	2.75	3.00
1170	907-804-A001	Bridge Concrete, Class AA	101.000	CY		1,370.00	1,135.00	900.00
1180	907-804-C241	19' Prestressed Concrete Beam, 16" x16"	385.000	LF		106.00	85.00	80.00

QUITMAN (60)					N. L. Carson Construction Company, Inc.	Eutaw Construction Company, Inc.		
Bridge Replacement on SR 315 Between the Panola County Line and Tunica County Line at Pompey Ditch, known as Federal Aid Project No. BR-0017-02(013) / 103319301 in Quitman County.					\$2,030,000.77	\$2,179,382.93		
Ref#	SM Item	Item Description	Item Qty	Units	4	5		
0010	201-A001	Clearing and Grubbing	1.000	LS	145,500.00	154,919.60		
0020	201-B001	Clearing and Grubbing	1.000	ACRE	1,575.00	2,542.77		
0030	202-A001	Removal of Obstructions	1.000	LS	10,000.00	109,425.56		
0040	202-B005	Removal of Asphalt Pavement, All Depths	6,139.000	SY	4.52	4.41		
0050	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware	200.000	LF	5.25	4.83		
0060	202-B064	Removal of Pipe, 8" And Above	99.000	LF	23.10	8.86		
0070	202-B076	Removal of Traffic Stripe	1,540.000	LF	1.05	0.97		
0080	203-A003	Unclassified Excavation, FM, AH	4,598.000	CY	4.20	5.00		
0090	203-EX017	Borrow Excavation, AH, FME, Class B9	11,364.000	CY	14.70	19.67		
0100	203-G003	Excess Excavation, FM, AH	10,436.000	CY	4.73	12.22		
0110	206-A001	Structure Excavation	165.000	CY	4.20	7.85		
0120	209-A004	Geotextile Stabilization, Type V, Non-Woven	5,037.000	SY	1.58	1.53		
0130	213-C001	Superphosphate	1.000	TON	672.00	650.00		
0140	217-A001	Ditch Liner	402.000	SY	1.05	2.00		
0150	219-A001	Watering	3.000	KGAL	20.00	20.00		
0160	220-A001	Insect Pest Control	1.000	ACRE	30.00	30.00		
0170	221-A001	Portland Cement Concrete Paved Ditch	19.000	CY	383.00	579.00		
0180	223-A001	Mowing	1.000	ACRE	50.00	50.00		
0190	224-A001	Soil Reinforcing Mat	267.000	SY	1.37	2.50		
0200	234-A001	Temporary Silt Fence	2,895.000	LF	2.89	3.06		
0210	235-A001	Temporary Erosion Checks	168.000	BALE	3.15	10.15		
0220	236-A004	Silt Basin, Type D	1.000	EA	2,625.00	1,848.46		
0230	406-A001	Cold Milling of Bituminous Pavement, All Depths	2,667.000	SY	5.78	5.95		
0240	423-A001	Rumble Strips, Ground In	1.000	MI	315.00	289.50		
0250	501-E001	Expansion Joints, Without Dowels	70.000	LF	10.00	9.81		
0260	502-A001	Reinforced Cement Concrete Bridge End Pavement	151.000	SY	140.00	151.49		

QUITMAN (60)					N. L. Carson Construction Company, Inc.	Eutaw Construction Company, Inc.		
Bridge Replacement on SR 315 Between the Panola County Line and Tunica County Line at Pompey Ditch, known as Federal Aid Project No. BR-0017-02(013) / 103319301 in Quitman County.					\$2,030,000.77	\$2,179,382.93		
Ref#	SM Item	Item Description	Item Qty	Units	4	5		
0270	603-CB003	30" Reinforced Concrete End Section	2.000	EA	603.75	1,453.51		
0280	605-AA003	Geotextile for Subsurface Drainage, Type III	61.000	SY	2.10	3.43		
0290	605-W001	Filter Material for Combination Storm Drain and/or Underdrai	5.000	CY	210.00	51.48		
0300	605-W002	Filter Material for Combination Storm Drain and/or Underdrai	8.000	CY	194.25	38.61		
0310	606-B001	Guard Rail, Class A, Type 1	425.000	LF	21.00	19.30		
0320	606-D012	Guard Rail, Bridge End Section, Type I	4.000	EA	2,100.00	1,930.00		
0330	606-E001	Guard Rail, Terminal End Section	4.000	EA	2,205.00	2,026.50		
0340	609-D007	Combination Concrete Curb and Gutter Type 2 Modified	148.000	LF	35.00	38.60		
0350	615-A018	Concrete Bridge End Barrier, 33.5"	40.000	LF	63.00	61.13		
0360	619-A1001	Temporary Traffic Stripe, Continuous White	5,850.000	LF	0.26	0.24		
0370	619-A2001	Temporary Traffic Stripe, Continuous Yellow	3,759.000	LF	0.26	0.24		
0380	619-A4001	Temporary Traffic Stripe, Skip Yellow	1,700.000	LF	0.21	0.19		
0390	619-A5001	Temporary Traffic Stripe, Detail	2,233.000	LF	0.21	0.19		
0400	619-A6001	Temporary Traffic Stripe, Legend	159.000	LF	1.05	0.97		
0410	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker	39.000	EA	8.40	7.72		
0420	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Fe	95.000	SF	7.40	3.50		
0430	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	370.000	SF	7.40	3.00		
0440	619-F3004	Delineators, Guard Rail, White	12.000	EA	18.90	17.37		
0450	619-G4001	Barricades, Type III, Single Faced	96.000	LF	12.60	8.00		
0460	619-G4005	Barricades, Type III, Double Faced	24.000	LF	14.70	10.00		
0470	619-G5001	Free Standing Plastic Drums	28.000	EA	35.70	12.00		
0480	619-G7001	Warning Lights, Type "B"	8.000	EA	89.25	15.00		
0490	619-K2001	Installation and Removal of Guard Rail, Bridge End Section	4.000	EA	1,890.00	1,737.00		
0500	619-K4001	Installation and Removal of Guardrail, Terminal End Section	4.000	EA	1,995.00	1,833.50		
0510	620-A001	Mobilization	1.000	LS	271,155.25	201,250.14		
0520	627-L001	Two-Way Yellow Reflective High Performance Raised Markers	22.000	EA	8.40	7.72		

QUITMAN (60)					N. L. Carson Construction Company, Inc.	Eutaw Construction Company, Inc.		
Bridge Replacement on SR 315 Between the Panola County Line and Tunica County Line at Pompey Ditch, known as Federal Aid Project No. BR-0017-02(013) / 103319301 in Quitman County.					\$2,030,000.77	\$2,179,382.93		
Ref#	SM Item	Item Description	Item Qty	Units	4	5		
0530	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	6.000	SF	19.95	18.34		
0540	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	35.000	SF	21.00	19.30		
0550	630-C003	Steel U-Section Posts, 3.0 lb/ft	80.000	LF	8.93	8.20		
0560	630-F001	Delineators, Guard Rail, White	22.000	EA	18.90	17.37		
0570	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted	4.000	EA	78.75	72.38		
0580	815-A006	Loose Riprap, Size 100	703.000	TON	48.30	61.37		
0590	815-A009	Loose Riprap, Size 300	1,296.000	TON	55.65	61.37		
0600	815-E001	Geotextile under Riprap	1,695.000	SY	1.58	2.45		
0610	907-216-A001	Solid Sodding	133.000	SY	3.15	3.85		
0620	907-225-A001	Grassing	3.000	ACRE	1,680.00	1,000.00		
0630	907-225-B001	Agricultural Limestone	3.000	TON	57.75	175.00		
0640	907-225-C001	Mulch, Vegetative Mulch	6.000	TON	105.00	150.00		
0650	907-226-A001	Temporary Grassing	1.000	ACRE	708.75	800.00		
0660	907-234-C002	Super Silt Fence	400.000	LF	10.50	8.88		
0670	907-237-A003	Wattles, 20"	160.000	LF	3.15	3.91		
0680	907-245-A001	Triangular Silt Dike	12.000	LF	5.25	20.25		
0690	907-246-A001	Sandbags	42.000	LF	5.25	6.75		
0700	907-249-A001	Riprap for Erosion Control	1,296.000	TON	57.75	61.37		
0710	907-249-B001	Remove and Reset Riprap	238.000	CY	13.65	38.44		
0720	907-304-B009	Granular Material, Class 3, Group D	3,417.000	TON	17.85	16.62		
0730	907-407-A001	Asphalt for Tack Coat	632.000	GAL	3.15	3.03		
0740	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement	70.000	LF	15.75	14.48		
0750	907-601-B003	Class "B" Structural Concrete, Minor Structures	1.000	CY	1,380.00	2,030.95		
0760	907-603-ALT02 24" Type A Alternate Pipe		280.000	LF	44.10	30.08		
0770	907-603-ALT03 30" Type A Alternate Pipe		176.000	LF	59.85	44.57		
0780	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5	80.000	LF	19.95	10.05		

QUITMAN (60)					N. L. Carson Construction Company, Inc.	Eutaw Construction Company, Inc.		
Bridge Replacement on SR 315 Between the Panola County Line and Tunica County Line at Pompey Ditch, known as Federal Aid Project No. BR-0017-02(013) / 103319301 in Quitman County.					\$2,030,000.77	\$2,179,382.93		
Ref#	SM Item	Item Description	Item Qty	Units	4	5		
0790	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5	80.000	LF	26.25	10.05		
0800	907-617-A001	Right-of-Way Marker	17.000	EA	210.00	170.07		
0810	907-618-A001	Maintenance of Traffic	1.000	LS	19,410.00	33,640.65		
0820	907-618-C001	Construction and Removal of Detour Bridge	1.000	LS	141,790.00	131,859.11		
0830	907-618-E001	Detour Bridge Piling	405.000	LF	61.00	69.45		
0840	907-618-F003	Detour Bridge PDA Test Pile	1.000	LS	15,000.00	9,786.82		
0850	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White	2,776.000	LF	0.63	0.58		
0860	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow	1,603.000	LF	0.63	0.58		
0870	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow	159.000	LF	5.25	4.83		
0880	907-626-G004	Thermoplastic Detail Stripe, White	655.000	LF	1.05	0.97		
0890	907-626-H004	Thermoplastic Legend, White	159.000	LF	5.25	4.83		
0900	907-699-A002	Roadway Construction Stakes	1.000	LS	68,250.00	33,077.50		
0910	907-815-F001	Sediment Control Stone	107.000	TON	47.25	48.82		
0920	907-304-F002	Size 610 Crushed Stone Base	1,982.000	TON	34.65	38.37		
0930	907-304-F003	3/4" and Down Crushed Stone Base	1,982.000	TON				
0940	907-304-F004	Size 825B Crushed Stone Base	1,982.000	TON				
0950	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture	874.000	TON	131.67	121.20		
0960	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture	874.000	TON				
0970	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture	444.000	TON	137.16	126.25		
0980	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture	444.000	TON				
0990	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture	1,095.000	TON	98.75	90.90		
1000	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture	1,095.000	TON				
1010	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening	66.000	TON	136.82	126.25		
1020	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening	66.000	TON				
1030	907-626-JJ001	6" Inverted Profile Thermoplastic Traffic Stripe, High Contr	194.000	LF				
1040	907-626-KK001	6" Inverted Profile Thermoplastic Traffic Stripe, High Contr	97.000	LF				

QUITMAN (60)					N. L. Carson Construction Company, Inc.	Eutaw Construction Company, Inc.		
Bridge Replacement on SR 315 Between the Panola County Line and Tunica County Line at Pompey Ditch, known as Federal Aid Project No. BR-0017-02(013) / 103319301 in Quitman County.					\$2,030,000.77	\$2,179,382.93		
Ref#	SM Item	Item Description	Item Qty	Units	4	5		
1050	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous	194.000	LF	7.35	6.76		
1060	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow	97.000	LF	7.35	6.76		
1070	501-K001	Transverse Grooving	177.000	SY	5.25	4.83		
1080	803-B002	Conventional Static Pile Load Test	1.000	EA	5,000.00	5,000.00		
1090	803-C002	14" x 14" Prestressed Concrete Piling	493.000	LF	46.00	57.53		
1100	803-C004	18" x 18" Prestressed Concrete Piling	377.000	LF	59.00	79.17		
1110	803-I001	PDA Test Pile	2.000	EA	7,400.00	4,134.75		
1120	803-J001	Pile Restrike	1.000	EA	850.00	458.15		
1130	805-A001	Reinforcement	17,699.000	LBS	0.95	1.36		
1140	813-A002	Concrete Railing, 32"	114.000	LF	63.00	61.13		
1150	815-A009	Loose Riprap, Size 300	268.000	TON	55.65	61.37		
1160	815-E001	Geotextile under Riprap	329.000	SY	1.58	2.96		
1170	907-804-A001	Bridge Concrete, Class AA	101.000	CY	1,214.25	1,119.46		
1180	907-804-C241	19' Prestressed Concrete Beam, 16" x16"	385.000	LF	88.00	94.15		