

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.   1   DATED   1/20/2015   ADDENDUM NO.            DATED             
ADDENDUM NO.            DATED            ADDENDUM NO.            DATED           

Number	Description
1	Revised Wage Rates, Revised Bid Items, Revised plan sheets 2, 9, 10, 14, and 19; Amendment EBS Download Required.

TOTAL ADDENDA:   1    
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
Contractor

BY \_\_\_\_\_  
Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

BR-0333-00(013) / 102362301

Scott County(ies)

General Decision Number: MS150217 01/02/2015 MS217

Superseded General Decision Number: MS20140217

State: Mississippi

Construction Type: Highway

County: Scott County in Mississippi.

HIGHWAY CONSTRUCTION PROJECTS

Note: Executive Order (EO) 13658 establishes an hourly minimum wage of \$10.10 for 2015 that applies to all contracts subject to the Davis-Bacon Act for which the solicitation is issued on or after January 1, 2015. If this contract is covered by the EO, the contractor must pay all workers in any classification listed on this wage determination at least \$10.10 (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract. The EO minimum wage rate will be adjusted annually. Additional information on contractor requirements and worker protections under the EO is available at [www.dol.gov/whd/govcontracts](http://www.dol.gov/whd/govcontracts).

Modification Number	Publication Date
0	01/02/2015

\* ELEC0917-006 07/01/2014

	Rates	Fringes
ELECTRICIAN.....	\$ 23.55	6.84

-----  
 SUMS2010-036 08/04/2014

	Rates	Fringes
CARPENTER (Form Work Only).....	\$ 12.85	0.00
CARPENTER, Excludes Form Work....	\$ 14.21	0.00
CEMENT MASON/CONCRETE FINISHER...	\$ 13.49	0.00
HIGHWAY/PARKING LOT STRIPING: Truck Driver (Line Striping Truck).....	\$ 12.26	0.00
INSTALLER - GUARDRAIL.....	\$ 11.68	0.00
INSTALLER - SIGN.....	\$ 12.01	0.00
IRONWORKER, REINFORCING.....	\$ 15.28	0.00
LABORER: Asphalt, Includes Raker, Shoveler, Spreader and Distributor.....	\$ 11.00	0.00
LABORER: Common or General.....	\$ 10.85	0.00
LABORER: Flagger.....	\$ 10.33	0.00

LABORER: Grade Checker.....	\$ 12.67	0.00
LABORER: Mason Tender - Cement/Concrete.....	\$ 11.30	0.00
LABORER: Pipelayer.....	\$ 12.27	0.00
LABORER: Laborer-Cones/ Barricades/Barrels - Setter/Mover/Sweeper.....	\$ 11.23	0.00
OPERATOR: Asphalt Spreader.....	\$ 15.33	0.00
OPERATOR: Backhoe/Excavator/Trackhoe.....	\$ 14.50	0.00
OPERATOR: Broom/Sweeper.....	\$ 10.17	0.00
OPERATOR: Bulldozer.....	\$ 16.50	0.00
OPERATOR: Concrete Saw.....	\$ 14.37	0.00
OPERATOR: Crane.....	\$ 18.35	0.00
OPERATOR: Distributor.....	\$ 11.56	0.00
OPERATOR: Drill.....	\$ 19.22	0.00
OPERATOR: Grader/Blade.....	\$ 15.16	0.00
OPERATOR: Loader.....	\$ 14.31	0.00
OPERATOR: Mechanic.....	\$ 15.41	0.00
OPERATOR: Milling Machine.....	\$ 14.96	0.00
OPERATOR: Mixer.....	\$ 12.42	0.00
OPERATOR: Oiler.....	\$ 13.05	0.00
OPERATOR: Paver (Asphalt, Aggregate, and Concrete).....	\$ 12.75	0.00
OPERATOR: Piledriver.....	\$ 15.13	0.00
OPERATOR: Roller (All Types)....	\$ 12.78	0.00
OPERATOR: Scraper.....	\$ 12.63	0.00
OPERATOR: Tractor.....	\$ 11.02	0.00
OPERATOR: Trencher.....	\$ 13.75	0.00
SURVEYOR (Staking, Marking and Brush Clearing).....	\$ 12.34	0.00
TRUCK DRIVER: Flatbed Truck.....	\$ 13.29	0.00
TRUCK DRIVER: Lowboy Truck.....	\$ 13.09	0.00
TRUCK DRIVER: Mechanic.....	\$ 12.30	0.00

TRUCK DRIVER: Off the Road		
Truck.....	\$ 12.31	0.00
TRUCK DRIVER: Water Truck.....	\$ 9.63	0.00
TRUCK DRIVER: Dump Truck (All		
Types).....	\$ 12.48	0.00
TRUCK DRIVER: Semi/Trailer		
Truck.....	\$ 12.50	0.00

-----  
WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====  
Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

-----  
The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than "SU" or "UAVG" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the "SU" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that

classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

-----  
WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- \* an existing published wage determination
- \* a survey underlying a wage determination
- \* a Wage and Hour Division letter setting forth a position on a wage determination matter
- \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations  
Wage and Hour Division  
U.S. Department of Labor  
200 Constitution Avenue, N.W.

Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION



Bridge Replacement on SR 501 over the Leaf River, known as Federal Aid Project No. BR-0333-00(013)/102362301 in Scott County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
<b>Roadway Items</b>					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-A001		1	Lump Sum	Removal of Obstructions
0030	202-B005		3,197	Square Yard	Removal of Asphalt Pavement, All Depths
0040	202-B053		400	Linear Feet	Removal of Guard Rail Including Post, Blockouts & Hardware
0050	202-B064		20	Linear Feet	Removal of Pipe, 8" And Above
0060	203-A003	(E)	1,686	Cubic Yard	Unclassified Excavation, FM, AH
0070	203-EX035	(E)	27,820	Cubic Yard	Borrow Excavation, AH, FME, Class B9-6
0080	203-G003	(E)	5,058	Cubic Yard	Excess Excavation, FM, AH
0090	211-B001	(E)	50	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0100	213-C001		2	Ton	Superphosphate
0110	217-A001		250	Square Yard	Ditch Liner
0120	219-A001		1	Thousand Gallon	Watering [\$20.00]
0130	220-A001		2	Acre	Insect Pest Control [\$30.00]
0140	221-A001	(S)	4	Cubic Yard	Portland Cement Concrete Paved Ditch
0150	223-A001		4	Acre	Mowing [\$50.00]
0160	234-A001		5,000	Linear Feet	Temporary Silt Fence
0170	236-A004		2	Each	Silt Basin, Type D
0180	239-A001		250	Linear Feet	Temporary Slope Drains
0190	406-A001		976	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0200	423-A001		1	Mile	Rumble Strips, Ground In
0210	501-E001		74	Linear Feet	Expansion Joints, Without Dowels
0220	502-A001	(C)	160	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0230	503-C007		202	Linear Feet	Saw Cut, Full Depth
0240	606-B001		425	Linear Feet	Guard Rail, Class A, Type 1
0250	606-D012		4	Each	Guard Rail, Bridge End Section, Type I
0260	606-E001		4	Each	Guard Rail, Terminal End Section
0270	615-A018	(S)	40	Linear Feet	Concrete Bridge End Barrier, 33.5"
0280	619-A1004		1	Mile	Temporary Traffic Stripe, Continuous White, Paint
0290	619-A2004		1	Mile	Temporary Traffic Stripe, Continuous Yellow, Paint
0300	619-D1001		36	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0310	619-D2001		348	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0320	619-G4001		144	Linear Feet	Barricades, Type III, Single Faced
0330	619-G4005		24	Linear Feet	Barricades, Type III, Double Faced

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0340	619-G5001		54	Each	Free Standing Plastic Drums
0350	619-K4001		1	Each	Installation and Removal of Guardrail, Terminal End Section
0360	620-A001		1	Lump Sum	Mobilization
0370	627-L001		56	Each	Two-Way Yellow Reflective High Performance Raised Markers
0380	630-A001		12	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0390	630-A002		18	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0400	630-C003		66	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
0410	630-F001		22	Each	Delineators, Guard Rail, White
0420	815-A009	(S)	400	Ton	Loose Riprap, Size 300
0430	907-216-A001		30	Square Yard	Solid Sodding
0440	907-225-A001		4	Acre	Grassing
0450	907-225-B001		2	Ton	Agricultural Limestone
0460	907-225-C001		9	Ton	Mulch, Vegetative Mulch
0470	907-226-A001		4	Acre	Temporary Grassing
0480	907-234-C002		500	Linear Feet	Super Silt Fence
0490	907-237-A003		1,000	Linear Feet	Wattles, 20"
0500	907-249-A001		500	Ton	Riprap for Erosion Control
0510	907-304-A010	(GY)	355	Cubic Yard	Granular Material, LVM, Class 5, Group E
0520	907-304-C005	(GY)	1,212	Cubic Yard	Granular Material, AEA, Class 9, Group C
0530	907-307-C003	(M)	4,062	Square Yard	6" Soil-Lime-Water Mixing, Class C
0540	907-307-D001		39	Ton	Lime
0550	907-307-S001	(A3)	1,000	Gallon	Bituminous Curing Seal
0560	907-310-B002	(GY)	460	Cubic Yard	Size III Stabilizer Aggregate, Coarse
0570	907-403-A018	(BA1)	757	Ton	12.5-mm, ST, Asphalt Pavement
0580	907-403-A019	(BA1)	999	Ton	19-mm, ST, Asphalt Pavement
0590	907-403-B013	(BA1)	250	Ton	12.5-mm, ST, Asphalt Pavement, Leveling
0600	907-407-A001	(A2)	200	Gallon	Asphalt for Tack Coat
0610	907-413-E001		64	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0620	907-603-ALT01	(S)	184	Linear Feet	18" Type A Alternate Pipe
0630	907-618-A001		1	Lump Sum	Maintenance of Traffic
0640	907-626-C003		1	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0650	907-626-E006		1	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0660	907-699-B002		1	Lump Sum	Bridge Construction Stakes

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	907-815-F001	(S)	60	Ton	Sediment Control Stone
<b>ALTERNATE GROUP AA NUMBER 1</b>					
0680	907-304-F002	(GT)	506	Ton	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>					
0690	907-304-F003	(GT)	506	Ton	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>					
0700	907-304-F004	(GT)	506	Ton	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP BB NUMBER 1</b>					
0710	907-308-A001		90	Ton	Portland Cement
0720	907-308-B001	(M)	3,854	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Base
0730	907-308-S001	(A3)	1,000	Gallon	Bituminous Curing Seal
<b>ALTERNATE GROUP BB NUMBER 2</b>					
0740	907-311-A003	(M)	3,854	Square Yard	Processing Lime and Fly Ash Treated Course, 6" Thick
0750	907-311-B001		41	Ton	Lime
0760	907-311-C002		198	Ton	Fly Ash, Class C or F
0770	907-311-S001	(A3)	1,000	Gallon	Bituminous Curing Seal
<b>Bridge Items</b>					
0780	501-K001		1,567	Square Yard	Transverse Grooving
0790	803-B002	(S)	1	Each	Conventional Static Pile Load Test [\$5,000.00]
0800	803-D002	(S)	1,080	Linear Feet	HP 12 x 53 Steel Piling
0810	803-D003	(S)	2,045	Linear Feet	HP 14 x 73 Steel Piling
0820	803-I001	(S)	3	Each	PDA Test Pile
0830	803-J001	(S)	2	Each	Pile Restrike
0840	805-A001	(S)	112,395	Pounds	Reinforcement
0850	813-A002	(S)	944	Linear Feet	Concrete Railing, 32"
0860	815-A009	(S)	443	Ton	Loose Riprap, Size 300
0870	815-E001	(S)	399	Square Yard	Geotextile under Riprap
0880	907-804-A001	(S)	633	Cubic Yard	Bridge Concrete, Class AA
0890	907-804-C021	(S)	697	Linear Feet	70' Prestressed Concrete Beam, Type III
0900	907-804-C150	(S)	1,646	Linear Feet	110' Prestressed Concrete Beam, Type IV

**ADDENDUM**

STATE	PROJECT NO.
MISS.	BR-0333-00(013)

DESCRIPTION OF SHEET	REVISION DATE	WKG. NO.	SH. NO.	DESCRIPTION OF SHEET	REVISION DATE	WKG. NO.	SH. NO.
TITLE SHEET ( 1 )			1	SPECIAL DESIGN SHEETS ( CONT. )			
DETAILED INDEX & GENERAL NOTES ( 3 )				TYPICAL INSTALATION AND DETAILS OF DELINEATORS AND DISTANCE REFERENCE SIGNS DETAIL OF CONSTRUCTION SIGNING		SDSN-8 DCS-1	34 35
DETAILED INDEX		DI-1	2				
DETAILED INDEX		DI-2	3	TYPICAL TRAFFIC CONTROL PLAN - PHASE 1 - STA. 151+25 REALIGN S.R. 501 TYPICAL TRAFFIC CONTROL PLAN - PHASE 2 - B.O.C. STA. 135+00 TO STA. 146+50 TYPICAL TRAFFIC CONTROL PLAN - PHASE 2 - STA. 146+50 TO E.O.C. STA. 159+00 TYPICAL TRAFFIC CONTROL PLAN - PHASE 3 - B.O.C. STA. 135+00 TO STA. 146+50 TYPICAL TRAFFIC CONTROL PLAN - PHASE 3 - STA. 146+50 TO E.O.C. STA. 159+00		TC-1 TC-2 TC-3 TC-4 TC-5	36 37 38 39 40
GENERAL NOTES		GN-1	4				
TYPICAL SECTION SHEETS ( 4 )				GUARDRAIL (TEMPORARY): TYPICAL INSTALLATION AT BRIDGE ENDS		SD-TGR-1	41
TYPICAL SECTION - HWY 501 MAIN FACILITY, WIDENING & OVERLAY - STA. 134+50 TO STA. 140+85 / STA. 155+32 TO STA. 159+00		TS-1	5				
TYPICAL SECTION - HWY 501 MAIN FACILITY, NEW CONSTRUCTION - STA. 140+85 TO STA. 143+82 / STA. 148+94 TO STA. 155+32		TS-2	6	HIGHWAY SIGN AND BARRICADE DETAILS FOR CONSTRUCTION PROJECTS		SD-TCP10	42
TYPICAL SECTION - HWY 501 MAIN FACILITY, REMOVAL OF EXISTING ROAD		TS-3	7	TRAFFIC CONTROL DETAIL OF DRUM PLACEMENT AND SHOULDER CLOSURE		TCP-SC	43
TYPICAL SECTION - HWY 501 MAIN FACILITY, BRIDGE END PAVEMENT - RAMP @ STA. 151+25		TS-4	8				
QUANTITY SHEETS ( 10 )				SPEED SIGN DETAIL : R16-3 SIGNS DETAILS OF TYPICAL DITCH TREATMENTS		R16-3 DT-1	44 45
SUMMARY OF QUANTITIES		SQS-1	9				
SUMMARY OF QUANTITIES		SQS-2	10				
SUMMARY OF QUANTITIES		SQS-3	11	TYPICAL TEMPORARY EROSION - CONTROL MEASURES ( TYPE "A" SILT BASIN AND SLOPE DRAIN )		TEC-2	46
				TYPICAL TEMPORARY EROSION - CONTROL MEASURES ( TYPE "D" SILT BASIN ) ( RIPRAP DIKE SILT BASIN )		TEC-D	47
ESTIMATED QUANTITIES - GUARDRAIL AND BRIDGE END PAVEMENT		EQ-1	12				
ESTIMATED QUANTITIES - TEMPORARY RAMPS, PERMANENT RAMPS, & SIDE DRAINS		EQ-2	13	PRELIMINARY EROSON CONTROL PLAN - STATE ROUTE 501 - STA. 137+00 TO STA. 158+00		ECP-3	48
ESTIMATED QUANTITIES - EROSION CONTROL, EARTHWORK, AND SILT BASINS		EQ-3	14	PRELIMINARY EROSON CONTROL PLAN - LEE RAMP - STA. 10+00 TO STA. 14+68		ECP-3A	49
ESTIMATED QUANTITIES - TRAFFIC CONTROL ITEMS		EQ-4	15				
ESTIMATED QUANTITIES - PAVEMENT MARKINGS		EQ-5	16				
ESTIMATED QUANTITIES - REMOVAL ITEMS		EQ-6	17				
ESTIMATED QUANTITIES - TRAFFIC CONTROL SIGNS		TCPQ	18	TYPICAL TEMPORARY EROSION / SEDIMENT - CONTROL APPLICATIONS DETAIL OF SEDIMENT BARRIER APPLICATIONS DETAIL OF SILT FENCE INSTALLATION DITCH CHECK STRUCTURES, TYPICAL APPLICATIONS AND DETAILS TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES, SILT FENCE AND HAY BALE DITCH CHECKS DETAILS OF EROSION CONTROL WATTLE DITCH CHECK DETAIL OF EROSION CONTROL SILT DIKE DITCH CHECK ROCK DITCH CHECK ROCK DITCH CHECK WITH SUMP EXCAVATION INLET PROTECTION TYPICAL APPLICATIONS AND DETAIL INLET PROTECTION DETAILS FOR COARSE AGGREGATE ON GRADES AND SAGS INLET PROTECTION DETAILS OF WATTLES INLET PROTECTION DETAILS OF MANUFACTURED INLET PROTECTION DEVICE INLET PROTECTION DETAILS OF SAND BAG STABILIZED CONSTRUCTION ENTRANCE TEMPORARY CULVERT STREAM CROSSING TEMPORARY STREAM DIVERSION TEMPORARY STREAM DIVERSION ( BOX EXTENSIONS ) FLOATING TURBIDITY CURTAIN DETAILS OF EROSION CONTROL SANDBAG DITCH CHECK		ECD-1 ECD-2 ECD-3 ECD-4 ECD-5 ECD-6 ECD-7 ECD-8 ECD-9 ECD-10 ECD-11 ECD-12 ECD-13 ECD-14 ECD-15 ECD-16 ECD-17 ECD-18 ECD-19 ECD-20	50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69
PLAN & PROFILE SHEETS ( 2 )							
MAIN FACILITY - STATE ROUTE 501 - STA. 135+00 TO STA. 159+00		WK3	19				
LOCAL ROAD - LEE RAMP - STA. 5+31.550 TO STA. 10+00		WK3A	20				
SPECIAL DESIGN SHEETS ( 50 )							
RIGHT-OF-WAY COORDINATE SHEET		ROW-1	21				
RIGHT-OF-WAY MARKER		RW-1	22				
PAVEMENT MARKING DETAILS : B.O.C STA 135+00 TO E.O.C STA 159+00		PMD-1	23				
RUMBLE STRIPES: 2-LANE HIGHWAYS (ASPHALT LANES, 2-FT. ASPHALT SHOULDER)		RSD-1	24				
MISCELLANEOUS DETAIL SHEET		MD-1	25				
SUPERELEVATION CASE I ROTATION ABOUT CENTERLINE ( 2% NORMAL SUBGRADE )		SDSE-2A	26	VEGETATION SCHEDULE		VS-1	70
SUPERELEVATION RUNOFF CASE I ROTATION ABOUT CENTERLINE		SDRO-1	27				
33.5" BRIDGE END PAVEMENT RAIL		BE-PR-1B	28				
GUARDRAIL: BRIDGE END SECTION TYPE "I" (STEEL POSTS)		GR-2G	29				
GUARDRAIL: BRIDGE END SECTION TYPE "I" (WOOD POSTS)		GR-2F	30				
BRIDGE END PAVEMENT WITH RAIL AND OVERLAY		BE-1C	31				
GUARDRAIL: RUB RAIL HARWARE SHEET		GR-RR	32				
SIGNING DETAILS FOR TWO LANE & FOUR LANE BRIDGE APPROACHES		BSD-1	33				

C. BRELAND

PS & E PLANS-DATE 12-01-2014		
FMS CON. # 102362/301000		
REVISIONS		
DATE	SHEET NO.	BY
12-15-14	9, 10, 48	CLB
1-8-15	9, 10, 14, 19	CLB

MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
<b>DETAILED INDEX</b>	
COUNTY: SCOTT	
PROJ. NUM.: BR-0333-00(013)	
FILENAME: DI-1.DGN	
DESIGN TEAM	CHECKED
DATE	DATE



WORKING NUMBER  
**DI-1**

SHEET NUMBER  
**2**

1/28/2015 11:06 AM DI-1.DGN

**ADDENDUM**

STATE	PROJECT NO.
MISS.	BR-0333-00(013)

**SUMMARY OF QUANTITIES (SHEET 1)**

PAY ITEM NO.	PAY ITEM	UNIT	PRELIMINARY	FINAL
201-A001	CLEARING AND GRUBBING	LS	100%	
202-A001	REMOVAL OF OBSTRUCTIONS	LS	100%	
202-B005	REMOVAL OF ASPHALT PAVEMENT, ALL DEPTHS	SY	3197	
202-B053	REMOVAL OF GUARD RAIL INCLUDING POST, BLOCKOUTS & HARDWARE	LF	400	
202-B064	REMOVAL OF PIPE, 8" AND ABOVE	LF	20	
203-A003	UNCLASSIFIED EXCAVATION, FM, AH	CY	1686	
203-EX035	BORROW EXCAVATION, AH, FME, CLASS B9-6	CY	27,820	
203-G003	EXCESS EXCAVATION, FM, AH	CY	5058	
211-B001	TOPSOIL FOR SLOPE TREATMENT, CONTRACTOR FURNISHED	CY	50	
213-C001	SUPERPHOSPHATE	TON	2	
907-216-A001	SOLID SODDING	SY	30	
217-A001	DITCH LINER	SY	250	
219-A001	WATERING	KGAL	1	
220-A001	INSECT PEST CONTROL	ACRE	2	
221-A001	PORTLAND CEMENT CONCRETE PAVED DITCH	CY	4	
223-A001	MOWING	ACRE	4	
907-225-A001	GRASSING	ACRE	4	
907-225-B001	AGRICULTURAL LIMESTONE	TON	2	
907-225-C001	MULCH, VEGETATIVE MULCH	TON	9	
907-226-A001	TEMPORARY GRASSING	ACRE	4	
234-A001	TEMPORARY SILT FENCE	LF	5000	
907-234-C002	SUPER SILT FENCE	LF	500	
236-A004	SILT BASIN, TYPE D	EA	2	
907-237-A003	WATTLES, 20"	LF	1000	
239-A001	TEMPORARY SLOPE DRAINS	LF	250	
907-249-A001	RIPRAP FOR EROSION CONTROL	TON	500	
907-304-A010	GRANULAR MATERIAL, LVM, CLASS 5, GROUP E	CY	355	
907-304-C005	GRANULAR MATERIAL, AEA, CLASS 9, GROUP C	CY	1212	
<b>ALTERNATIVE PAY ITEM</b>				
907-304-F002	SIZE 610 CRUSHED STONE BASE	TON	506	
OR	OR			
907-304-F003	3/4" AND DOWN CRUSHED STONE BASE	TON	506	
OR	OR			
907-304-F004	SIZE 825B CRUSHED STONE BASE	TON	506	
907-307-C003	6" SOIL-LIME-WATER MIXING, CLASS C	SY	4062	
907-307-D001	LIME	TON	39	
907-307-S001	BITUMINOUS CURING SEAL	GAL	1000	
907-310-B002	SIZE III STABILIZER AGGREGATE, COARSE	CY	460	

**SQS FOOTNOTES**

- ① INCLUDES REMOVAL OF BRIDGE NO. 18.7 ON EXIST. HWY. 501. TOTAL SPAN OF 184'-0", INCLUDES 6 SPANS @ 24' & 1 SPAN @ 40'. (CONCRETE DECK ON STEEL GIRDERS.)
- ② INCLUDES TERMINAL SECTIONS, BRIDGE END SECTIONS, FOOTINGS AND OTHER APPURTENANCES.
- ③ REMOVAL OF FENCE & GATES TO BE INCLUDED IN CLEARING & GRUBBING.
- ④ ALL STRIPPED/STOCKPILED TOPSOIL SHALL BE EXHAUSTED BEFORE ANY CONTRACTOR FURNISHED TOPSOIL CAN BE UTILIZED.
- ⑤ INCLUDES 50% SHRINKAGE FACTOR
- ⑥ INCLUDES 60 SY FOR FAILED AREAS.
- ⑦ INCLUDES 20% SHRINKAGE FACTOR

1/28/2015	11:06 AM	SQS-SH-DGN	1/28/15	REVISION	BY	MISSISSIPPI DEPARTMENT OF TRANSPORTATION <b>SUMMARY OF QUANTITIES</b>  HWY. 501  COUNTY: SCOTT PROJ. NUM.: BR-0333-00(013) FILENAME: SQS_SH.DGN DESIGN TEAM _____ CHECKED _____ DATE _____	 WORKING NUMBER <b>SQS-1</b> SHEET NUMBER 9
12/15/14	REVISION	CLB	BY				
	REVISION	CLB	BY				
	REVISION	CLB	BY				

1/28/2015 11:06 AM SQS-SH-DGN

**ADDENDUM**

STATE	PROJECT NO.
MISS.	BR-0333-00(013)

**SUMMARY OF QUANTITIES (SHEET 2)**

PAY ITEM NO.	PAY ITEM	UNIT	PRELIMINARY	FINAL
<b>ALTERNATIVE PAY ITEM</b>				
907-308-A001	PORTLAND CEMENT	TON	90	
907-308-B001	SOIL-CEMENT-WATER MIXING, OPTIONAL MIXERS, BASE	SY	3,854	
907-308-S001	BITUMINOUS CURING SEAL	GAL	1000	
OR	OR			
907-311-A003	PROCESSING LIME AND FLY ASH TREATED COURSE, 6" THICK	SY	3854	
907-311-B001	LIME	TON	41	
907-311-C002	FLY ASH, CLASS C OR F	TON	198	
907-311-S001	BITUMINOUS CURING SEAL	GAL	1000	
<b>ALTERNATE PAY ITEM</b>				
907-403-A011	HOT MIX ASPHALT, ST, 12.5-MM MIXTURE	TON	757	
OR	OR			
907-403-M003	WARM MIX ASPHALT, ST, 12.5-MM MIXTURE	TON	757	
907-403-B007	HOT MIX ASPHALT, ST, 12.5-MM MIXTURE, LEVELING	TON	250	
OR	OR			
907-403-N002	WARM MIX ASPHALT, ST, 12.5-MM MIXTURE, LEVELING	TON	250	
907-403-A012	HOT MIX ASPHALT, ST, 19-MM MIXTURE	TON	999	
OR	OR			
907-403-M004	WARM MIX ASPHALT, ST, 19-MM MIXTURE	TON	999	
406-A001	COLD MILLING OF BITUMINOUS PAVEMENT, ALL DEPTHS	SY	976	
907-407-A001	ASPHALT FOR TACK COAT	GAL	200	
907-413-E001	SAWING AND SEALING TRANSVERSE JOINTS IN ASPHALT PAVEMENT	LF	64	
423-A001	RUMBLE STRIPS, GROUND IN	MI	1	
501-E001	EXPANSION JOINTS, WITHOUT DOWELS	LF	74	
502-A001	REINFORCED CEMENT CONCRETE BRIDGE END PAVEMENT	SY	160	
503-C007	SAW CUT, FULL DEPTH	LF	202	
907-603-ALT01	18" TYPE A ALTERNATE PIPE	LF	184	
606-B001	GUARD RAIL, CLASS A, TYPE 1	LF	425	
606-D012	GUARD RAIL, BRIDGE END SECTION, TYPE I	EA	4	
606-E001	GUARD RAIL, TERMINAL END SECTION	EA	4	
615-A018	CONCRETE BRIDGE END BARRIER, 33.5"	LF	40	
907-618-A001	MAINTENANCE OF TRAFFIC	LS	100%	

**SQS FOOTNOTES**

- ① INCLUDES 36 TONS FOR TREATMENT OF SUBGRADE AND 54 TONS FOR TREATMENT OF GRANULAR MATERIALS.
- ② INCLUDES 15 TONS FOR TREATMENT OF SUBGRADE AND 36 TONS FOR TREATMENT OF GRANULAR MATERIALS.
- ③ INCLUDES 57 TONS FOR TREATMENT OF SUBGRADE AND 141 TONS FOR TREATMENT OF GRANULAR MATERIALS.
- ④ INCLUDES 7 TONS FOR FAILED AREA.
- ⑤ INCLUDES 35 TONS FOR FAILED AREA.
- ⑥ INCLUDES 60 FEET FOR TEMPORARY PIPE.
- ⑦ FOR REMOVAL OF ASPHALT IN FAILED AREAS.

① △  
△  
② △  
③ △  
④ △  
④ △  
⑤ △  
⑤ △  
⑦  
⑥

1/28/2015 11:06 AM SQS-SH.DGN

1/28/15	REVISION	QUANTITY	CLB	BY	MISSISSIPPI DEPARTMENT OF TRANSPORTATION <b>SUMMARY OF QUANTITIES</b>  HWY. 501  COUNTY: SCOTT PROJ. NUM.: BR-0333-00(013) FILENAME: SQS_SH.DGN DESIGN TEAM _____ CHECKED _____ DATE _____	 WORKING NUMBER SQS-2 SHEET NUMBER 10
12/15/14	REVISION	QUANTITIES	CLB			
	REVISION	QUANTITIES	CLB	BY		
	DATE					




# ADDENDUM

STATE	PROJECT NO.
MISS.	BR-0333-00(013)
REVISIONS	
DATE	BY
1-8-15	CLB

T. ALLEN USRY  
MI 9 DB12K PG 525, 531

\* OIL WELLS HAVE BEEN INACTIVE FOR SEVERAL YEARS.  
THERE ARE NO WORKING UTILITIES AT ANY OF THE WELL SITES.



P.C.M. ELEV. 398.955  
N. 1003507.698  
E. 805463.507  
DESC. 3/4" X 30" REBAR  
GPS4

W.C. EICHELBERGER, JR.  
M 12 DB9K PG 693

P.C.M. ELEV. 398.662  
N. 1003886.248  
E. 804927.815  
DESC. 3/4" X 30" REBAR  
GPS3

Curve 501COMBO-1  
Δ = 7° 12' 22.568" (LT)  
D = 1° 25' 56.620"  
L = 503.092'  
T = 251.878'  
R = 4,000.000'  
BK N 58° 05' 03.346" W  
AH N 65° 17' 25.913" W  
PC 136+47.412  
PT 141+50.505

P.C.M. ELEV. 399.502  
N. 1004296.685  
E. 804302.099  
DESC. COTTON PICKER SPINDLE  
IN CONC.

Curve 501COMBO-2  
Δ = 30° 51' 16.341" (RT)  
D = 2° 05' 00.538"  
L = 1,480.912'  
T = 758.885'  
R = 2,750.000'  
BK N 65° 17' 25.913" W  
AH N 34° 26' 09.572" W  
PC 143+90.505  
PT 158+71.416

PHASE 2		PHASE 3	
EARTHWORK TOTAL THIS SHEET			
Cut	1184	Cu.Yds	
Fill	26,451	Cu.Yds	
Excess		Cu.Yds	
Surplus		Cu.Yds	
Borrow		Cu.Yds	

PHASE 2		PHASE 3	
EARTHWORK TOTAL THIS SHEET			
Cut	5120	Cu.Yds	
Fill	50	Cu.Yds	
Excess		Cu.Yds	
Surplus		Cu.Yds	
Borrow		Cu.Yds	

IMPAIRED WATER BODY  
LEAF RIVER IS IMPAIRED  
DUE TO SEDIMENT.

SUPER EL. .035 FT/FT WIDTH  
EXTRA WIDTH ON INSIDE FT  
SEE DWG. SDSE-2A CASE

WETLAND SITE  
TEMPORARILY FILLED 0.064 AC.  
PERMANENTLY FILLED 0.039 AC.  
BRIDGED

SUPER EL. .049 FT/FT WIDTH  
EXTRA WIDTH ON INSIDE FT  
SEE DWG. SDSE-2A CASE

1/8/2015 11:06:57 WK3.DGN

