

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 1/20/2015 ADDENDUM NO. DATED
ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Revised Table of Contents; Add NTB No. 5366; Revised Wage Rates; Revised Bid Items; Amendment EBS Download Required.

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

BR-0020-01(192) / 105022301

Hinds County(ies)

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TABLE OF CONTENTS**

PROJECT: BR-0020-01(192) / 105022301 - Hinds

Section 901 - Advertisement

Section 904 - Notice to Bidders

#1	Governing Specifications
#3	Final Cleanup
#640	Fiber Reinforced Concrete
#1405	Errata & Modifications to 2004 Standard Specifications
#1727	Railway-Highway Provision, w/ Supplement
#1928	Federal Bridge Formula
#2382	Status of ROW, w/ Attachments
#2818	Non-Quality Control / Quality Assurance Concrete
#2937	Reduced Speed Limit Signs
#3131	Temporary Traffic Paint
#3581	Storm Water Discharge Associated w/ Construction Activities (>5 Acres)
#3612	Additional Erosion Control Requirements
#3893	Petroleum Products Base Price
#4084	Stay-In-Place Metal Forms
#4189	Rumble Stripe
#4214	Safety Apparel
#4300	Exposure to Severe Sulfate Areas Below Ground Level
#4473	Alternate Crushed Stone Base Bid Items
#4488	DBE Forms, Participation and Payment
#4526	Electronic Addendum Process
#4565	Manual on Uniform Traffic Control Devices (MUTCD)
#4566	DUNS Requirement for Federal Funded Projects
#4661	Payroll Requirements
#4741	Kansas City Southern Construction Requirements
#5044	Questions Regarding Bidding
#5050	Adjustments for Bituminous Materials
#5053	Contractor Correspondence
#5193	Temporary Steel Bracing
#5194	Intermediate Diaphragms
#5248	Open Burning - Restriction On Ozone Action Days
#5252	Terminal End Sections
#5266	Disadvantaged Business Enterprise, w/ Supplement
#5274	Contract Time
#5275	Specialty Items
#5276	Placement of Fill Material in Federally Regulated Areas
#5296	Traffic Control Devices
#5298	Asphalt Pavements
#5336	Steel Fabrication Schedule
#5366	Pay Item Correction
906	Required Federal Contract Provisions -- FHWA 1273, w/Supplements

PROJECT: BR-0020-01(192) / 105022301 - Hinds

Section 907 - Special Provisions

907-101-4	Definitions
907-102-10	Bidding Requirements and Conditions
907-103-8	Award and Execution of Contract
907-104-5	Scope of Work
907-104-6	Partnering Process
907-105-8	Control of Work
907-107-13	Legal Relations and Responsibility to Public
907-107-14	Contractor's Protection Plan, w/ Supplement
907-108-37	Prosecution and Progress
907-109-7	Measurement and Payment
907-110-2	Wage Rates
907-216-1	Solid Sodding
907-225-4	Grassing
907-226-3	Temporary Grassing
907-227-10	Hydroseeding
907-234-5	Siltation Barriers
907-237-4	Wattles
907-246-3	Sandbags & Rockbags
907-249-1	Riprap for Erosion Control
907-304-13	Granular Courses
907-307-4	Lime Treated Courses
907-308-4	Portland Cement Treated Courses
907-311-3	Lime-Fly Ash Treated Courses
907-401-7	Asphalt Pavements
907-402-6	Open Graded Friction Course, w/ Supplement
907-403-14	Asphalt Pavements
907-406-1	Cold Milling of Shoulders
907-407-2	Tack Coat
907-413-5	Sawing & Sealing Transverse Joints in Asphalt Pavement
907-601-1	Structural Concrete
907-606-8	High Tension Cable Barrier
907-618-13	Temporary Construction Signs
907-619-6	Impact Attenuators
907-626-25	Thermoplastic Traffic Markings
907-699-5	Construction Stakes
907-701-5	Hydraulic Cement w/ Supplement
907-702-5	Specifications for Bituminous Materials
907-703-12	Aggregates
907-707-5	Joint Material
907-708-6	Non-Metal Drainage Structures
907-710-1	Fast Dry Solvent Traffic Paint
907-711-4	Synthetic Structural Fiber Reinforcement
907-713-3	Admixtures for Concrete
907-714-8	Miscellaneous Materials
907-715-4	Roadside Development Materials
907-720-2	Pavement Marking Materials

PROJECT: BR-0020-01(192) / 105022301 - Hinds

907-803-5	Deep Foundations
907-804-16	Concrete Bridges and Structures
907-810-1	Weathering Structural Steel
907-811-4	Disc Bearing
907-899-2	Railway-Highway Provisions, w/ Exhibit
906-7	Training Special Provisions

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

Certification of Performance - Prior Federal-Aid Contracts

Certification Regarding Non-Collusion, Debarment and Suspension(2)

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

Pile Data Form

Progress Schedule

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

01/20/2015 10:29 AM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 5366

CODE: (SP)

DATE: 1/20/2015

SUBJECT: Pay Item Correction

PROJECT: PROJECT: BR-0020-01(192) / 105022301 – Hinds County

The Bidder's attention is called to the Pay Item 810-A007, Structural Steel, A709, Grade 50W. Bidders are hereby advised that the Pay Item Number is incorrect in the Summary of Quantities. The correct Pay item 907-810-A001, Structural Steel, A709, Grade 50W has been corrected in the Bid Items. Please Bid accordingly

LABORER: Luteman.....	\$ 12.88	0.00
LABORER: Mason Tender - Cement/Concrete.....	\$ 12.11	0.00
LABORER: Pipelayer.....	\$ 13.44	0.00
LABORER: Laborer-Cones/ Barricades/Barrels - Setter/Mover/Sweeper.....	\$ 10.39	0.00
OPERATOR: Asphalt Spreader.....	\$ 14.71	0.00
OPERATOR: Backhoe/Excavator/Trackhoe.....	\$ 16.01	0.00
OPERATOR: Bobcat/Skid Steer/Skid Loader.....	\$ 11.64	0.00
OPERATOR: Broom/Sweeper.....	\$ 9.75	0.00
OPERATOR: Bulldozer.....	\$ 13.87	0.00
OPERATOR: Concrete Saw.....	\$ 14.38	0.00
OPERATOR: Crane.....	\$ 21.33	0.00
OPERATOR: Distributor.....	\$ 10.25	0.00
OPERATOR: Grader/Blade.....	\$ 14.31	0.00
OPERATOR: Grinding/Grooving Machine.....	\$ 15.90	0.00
OPERATOR: Loader.....	\$ 11.96	0.00
OPERATOR: Mechanic.....	\$ 15.20	0.00
OPERATOR: Milling Machine.....	\$ 14.68	0.00
OPERATOR: Mixer.....	\$ 14.25	0.00
OPERATOR: Oiler.....	\$ 12.13	0.00
OPERATOR: Paver (Asphalt, Aggregate, and Concrete).....	\$ 11.59	0.00
OPERATOR: Roller (All Types)....	\$ 11.53	0.00
OPERATOR: Scraper.....	\$ 12.25	0.00
OPERATOR: Tractor.....	\$ 11.81	0.00
TRUCK DRIVER: Flatbed Truck.....	\$ 14.06	0.00
TRUCK DRIVER: Lowboy Truck.....	\$ 12.56	0.00
TRUCK DRIVER: Mechanic.....	\$ 13.00	0.00
TRUCK DRIVER: Water Truck.....	\$ 10.00	0.00
TRUCK DRIVER: Dump Truck (All		

Types).....\$ 11.39 0.00

TRUCK DRIVER: Semi/Trailer
Truck.....\$ 14.60 0.00

WELDERS - Receive rate prescribed for craft performing
operation to which welding is incidental.

=====
Unlisted classifications needed for work not included within
the scope of the classifications listed may be added after
award only as provided in the labor standards contract clauses
(29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification
and wage rates that have been found to be prevailing for the
cited type(s) of construction in the area covered by the wage
determination. The classifications are listed in alphabetical
order of "identifiers" that indicate whether the particular
rate is a union rate (current union negotiated rate for local),
a survey rate (weighted average rate) or a union average rate
(weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed
in dotted lines beginning with characters other than "SU" or
"UAVG" denotes that the union classification and rate were
prevailing for that classification in the survey. Example:
PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of
the union which prevailed in the survey for this
classification, which in this example would be Plumbers. 0198
indicates the local union number or district council number
where applicable, i.e., Plumbers Local 0198. The next number,
005 in the example, is an internal number used in processing
the wage determination. 07/01/2014 is the effective date of the
most current negotiated rate, which in this example is July 1,
2014.

Union prevailing wage rates are updated to reflect all rate
changes in the collective bargaining agreement (CBA) governing
this classification and rate.

Survey Rate Identifiers

Classifications listed under the "SU" identifier indicate that
no one rate prevailed for this classification in the survey and
the published rate is derived by computing a weighted average
rate based on all the rates reported in the survey for that
classification. As this weighted average rate includes all
rates reported in the survey, it may include both union and
non-union rates. Example: SULA2012-007 5/13/2014. SU indicates
the rates are survey rates based on a weighted average
calculation of rates and are not majority rates. LA indicates
the State of Louisiana. 2012 is the year of survey on which

these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
 Wage and Hour Division
 U.S. Department of Labor
 200 Constitution Avenue, N.W.
 Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION



Bridge Replacement on I-20 EB at Bridge No. 31.5 Over Railroad West of Norrell Road, known as Federal Aid Project No. BR-0020-01(192) / 105022301 in Hinds County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-D002		2	Acre	Random Clearing
0030	202-B009		1	Each	Removal of Bridge
0040	202-B010		195	Square Yard	Removal of Bridge End Pavement
0050	202-B042		2	Each	Removal of Flared End Section, All Sizes
0060	202-B064		72	Linear Feet	Removal of Pipe, 8" And Above
0070	202-B076		4,620	Linear Feet	Removal of Traffic Stripe
0080	202-B078		20,918	Square Yard	Removal of Pavement, All Types and Depths
0090	202-B102		924	Linear Feet	Removal of Guard Rail
0100	202-B113		2	Each	Removal of Box Culvert Wingwall, All Sizes
0110	202-B131		3	Each	Removal of Box Culvert, Including Headwalls
0120	203-EX035	(E)	123,538	Cubic Yard	Borrow Excavation, AH, FME, Class B9-6
0130	203-G003	(E)	12,790	Cubic Yard	Excess Excavation, FM, AH
0140	206-A001	(S)	700	Cubic Yard	Structure Excavation
0150	206-B001	(E)	62	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0160	209-A004		1,302	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0170	213-C001		6	Ton	Superphosphate
0180	217-A001		500	Square Yard	Ditch Liner
0190	219-A001		11	Thousand Gallon	Watering [\$20.00]
0200	220-A001		26	Acre	Insect Pest Control [\$30.00]
0210	221-A001	(S)	242	Cubic Yard	Portland Cement Concrete Paved Ditch
0220	223-A001		80	Acre	Mowing [\$50.00]
0230	234-A001		13,000	Linear Feet	Temporary Silt Fence
0240	235-A001		50	Bale	Temporary Erosion Checks
0250	239-A001		500	Linear Feet	Temporary Slope Drains
0260	406-A001		1,793	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0270	423-A001		2	Mile	Rumble Strips, Ground In
0280	501-E001		98	Linear Feet	Expansion Joints, Without Dowels
0290	502-A001	(C)	211	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0300	602-A001	(S)	52,822	Pounds	Reinforcing Steel
0310	603-CA002	(S)	120	Linear Feet	18" Reinforced Concrete Pipe, Class III
0320	603-CA003	(S)	104	Linear Feet	24" Reinforced Concrete Pipe, Class III

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	603-CA005	(S)	8	Linear Feet	36" Reinforced Concrete Pipe, Class III
0340	603-CA007	(S)	104	Linear Feet	48" Reinforced Concrete Pipe, Class III
0350	603-CB001	(S)	3	Each	18" Reinforced Concrete End Section
0360	603-CB002	(S)	3	Each	24" Reinforced Concrete End Section
0370	603-CB004	(S)	1	Each	36" Reinforced Concrete End Section
0380	603-CB006	(S)	1	Each	48" Reinforced Concrete End Section
0390	603-SB003	(S)	1	Each	18" Branch Connections, Stub into Concrete Box Culvert
0400	603-SB004	(S)	1	Each	24" Branch Connections, Stub into Box Culvert
0410	606-B001		600	Linear Feet	Guard Rail, Class A, Type 1
0420	606-C003		1	Each	Guard Rail, Cable Anchor, Type 1
0430	606-D012		3	Each	Guard Rail, Bridge End Section, Type I
0440	606-E001		2	Each	Guard Rail, Terminal End Section
0450	615-A018	(S)	40	Linear Feet	Concrete Bridge End Barrier, 33.5"
0460	619-D1001		64	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0470	619-D2001		693	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0480	619-D3001		2	Each	Remove and Reset Signs, All Sizes
0490	619-F1001		2,270	Linear Feet	Concrete Median Barrier, Precast
0500	619-F2001		510	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
0510	619-F3003		15	Each	Delineators, Guard Rail, Yellow
0520	619-F3004		7	Each	Delineators, Guard Rail, White
0530	619-G4001		120	Linear Feet	Barricades, Type III, Single Faced
0540	619-G5001		33	Each	Free Standing Plastic Drums
0550	619-G7001		12	Each	Warning Lights, Type "B"
0560	619-J1004		2	Unit	Impact Attenuator, 70 MPH
0570	619-J2003		2	Each	Impact Attenuator, 70 MPH, Replacement Package
0580	620-A001		1	Lump Sum	Mobilization
0590	627-K001		369	Each	Red-Clear Reflective High Performance Raised Markers
0600	627-N001		86	Each	One-Way Yellow Reflective High Performance Raised Markers
0610	907-216-A001		545	Square Yard	Solid Sodding
0620	907-225-A001		26	Acre	Grassing
0630	907-225-B001		78	Ton	Agricultural Limestone
0640	907-225-C001		52	Ton	Mulch, Vegetative Mulch
0650	907-226-A001		26	Acre	Temporary Grassing
0660	907-234-C002		2,050	Linear Feet	Super Silt Fence

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	907-237-A003		3,000	Linear Feet	Wattles, 20"
0680	907-246-B001		1,000	Linear Feet	Rockbags
0690	907-249-A001		450	Ton	Riprap for Erosion Control
0700	907-304-B005	(GT)	9,280	Ton	Granular Material, Class 9, Group C
0710	907-304-B007	(GT)	2,100	Ton	Granular Material, Class 5, Group E
0720	907-307-C003	(M)	4,885	Square Yard	6" Soil-Lime-Water Mixing, Class C
0730	907-307-D001		66	Ton	Lime
0740	907-307-S001	(A3)	1,222	Gallon	Bituminous Curing Seal
0750	907-402-A004	(BA1)	668	Ton	Open Graded Friction Course, 9.5-mm Mixture
0760	907-402-B001	(A3)	2,225	Gallon	Bituminous Tack Coat
0770	907-403-A017	(BA1)	360	Ton	9.5-mm, ST, Asphalt Pavement
0780	907-403-A018	(BA1)	480	Ton	12.5-mm, ST, Asphalt Pavement
0790	907-403-A019	(BA1)	2,448	Ton	19-mm, ST, Asphalt Pavement
0800	907-403-A029	(BA1)	4,348	Ton	19-mm, HT, Asphalt Pavement
0810	907-403-D010	(BA1)	1,027	Ton	9.5-mm, HT, Asphalt Pavement, Polymer Modified
0820	907-403-D011	(BA1)	1,331	Ton	12.5-mm, HT, Asphalt Pavement, Polymer Modified
0830	907-403-E007	(BA1)	197	Ton	12.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
0840	907-407-A001	(A2)	780	Gallon	Asphalt for Tack Coat
0850	907-413-E001		92	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0860	907-601-A001	(S)	228	Cubic Yard	Class "B" Structural Concrete
0870	907-601-B003	(S)	7	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0880	907-606-G001		4,215	Linear Feet	Cable Barrier
0890	907-606-H001		2	Each	Cable Barrier Terminal Section
0900	907-606-I001		30	Each	Cable Barrier Post Repair
0910	907-618-A001		1	Lump Sum	Maintenance of Traffic
0920	907-619-J3001		1	Each	Remove and Reset Impact Attenuator
0930	907-626-A004		2,620	Linear Feet	6" Thermoplastic Traffic Stripe, Skip White
0940	907-626-A006		6,696	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip White
0950	907-626-C007		6,696	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0960	907-626-C008		2,620	Linear Feet	6" Thermoplastic Edge Stripe, Continuous White
0970	907-626-F005		6,696	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
0980	907-626-F008		2,620	Linear Feet	6" Thermoplastic Edge Stripe, Continuous Yellow
0990	907-699-A002		1	Lump Sum	Roadway Construction Stakes

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1000	907-899-A001		1	Lump Sum	Railway-Highway Provisions
1010	907-906001		720	Hours	Trainees [\$5.00]
ALTERNATE GROUP AA NUMBER 1					
1020	907-304-F002	(GT)	830	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2					
1030	907-304-F003	(GT)	830	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3					
1040	907-304-F004	(GT)	830	Ton	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1					
1050	907-308-A001		236	Ton	Portland Cement
1060	907-308-B001	(M)	23,385	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Base
1070	907-308-S001	(A3)	5,847	Gallon	Bituminous Curing Seal
ALTERNATE GROUP BB NUMBER 2					
1080	907-311-A003	(M)	23,385	Square Yard	Processing Lime and Fly Ash Treated Course, 6" Thick
1090	907-311-B001		164	Ton	Lime
1100	907-311-C002		654	Ton	Fly Ash, Class C or F
1110	907-311-S001	(A3)	5,656	Gallon	Bituminous Curing Seal
Bridge Items					
1120	501-K001		7,073	Square Yard	Transverse Grooving
1130	803-B002	(S)	1	Each	Conventional Static Pile Load Test [\$5,000.00]
1140	803-D003	(S)	2,085	Linear Feet	HP 14 x 73 Steel Piling
1150	803-I001	(S)	3	Each	PDA Test Pile
1160	803-J001	(S)	2	Each	Pile Restrike
1170	803-N001	(S)	60	Linear Feet	Exploration
1180	803-O010	(S)	320	Linear Feet	Temporary Casing, 60" Diameter
1190	803-O021	(S)	80	Linear Feet	Permanent Casing, 78" Diameter
1200	803-O023	(S)	80	Linear Feet	Temporary Casing, 78" Diameter
1210	805-A001	(S)	777,196	Pounds	Reinforcement
1230	813-A002	(S)	3,355	Linear Feet	Concrete Railing, 32"
1240	815-A009	(S)	4,866	Ton	Loose Riprap, Size 300
1250	815-D001	(S)	69	Cubic Yard	Concrete Slope Paving
1260	815-E001	(S)	7,822	Square Yard	Geotextile under Riprap
1270	907-607-PP019		550	Linear Feet	Safety Fence, Per Plans
1280	907-803-K006	(S)	1,040	Linear Feet	Drilled Shaft, 60" Diameter

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1290	907-803-K011	(S)	520	Linear Feet	Drilled Shaft, 78" Diameter
1300	907-803-L007	(S)	1	Each	Test Shaft, 78" Diameter
1310	907-803-M010	(S)	95	Linear Feet	Trial Shaft, 78" Diameter
1320	907-804-A001	(S)	3,320	Cubic Yard	Bridge Concrete, Class AA
1330	907-804-C019	(S)	714	Linear Feet	60' Prestressed Concrete Beam, Type II+2
1340	907-804-C030	(S)	952	Linear Feet	80' Prestressed Concrete Beam, Type III
1350	907-804-C150	(S)	769	Linear Feet	110' Prestressed Concrete Beam, Type IV
1360	907-804-C158	(S)	1,134	Linear Feet	95' Prestressed Concrete Beam, Type IV
1370	907-804-C171	(S)	2,385	Linear Feet	100' Prestressed Concrete Beam, Type IV
1375	907-810-A001	(S)	1,568,973	Pounds	Structural Steel, A 709, Grade 50W
1380	907-810-A002	(S)	134,750	Pounds	Structural Steel, A 709, Grade HPS 70W
1390	907-811-D001	(S)	20	Each	Disc Bearing Device