


Proposal & Plan Sales Will Begin on January 5, 2015



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For January - January 27, 2015



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JANUARY - Tuesday, January 27, 2015

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 5, 2015

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
 For Information Please Contact:
 Contract Administration Division
 Jackson, MS
 Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
 For Information Please Contact:
 MDOT Plans Print Shop
 Jackson, MS
 Telephone: (601) 359-7460
 e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
	01 NH-0007-01(082) / 106945301	TIPPAH
*	02 NH-0009-02(080) / 106957301	WARREN
	03 IM-0010-01(142) / 106407301	HANCOCK
	04 NH-0015-01(130) / 106925301	LINCOLN
	05 BR-0019-02(042) / 105189302	WITHDRAWN
*	06 STP-0019-02(050) / 106922301	LAFAYETTE
	07 BR-0020-01(192) / 105022301	HINDS
*	08 STP-0022-01(079) / 106950301	JASPER
*	09 STP-0024-04(025)/106927301	NESHOBA
	10 HSIP-0064-01(029) / 105293301	HARRISON
	11 BR-0075-01(010) / 102482301	LAUDERDALE
	12 BR-0333-00(013)/102362301	SCOTT
	13 BR-0472-00(015) / 102367302	NEWTON
*	14 STP-1436-00(002) / 106929301	NEWTON
	15 BR-2175-00(010)/101840301	LINCOLN
	16 BWO-5222-25(001)/502891301 &	HINDS

BWO-5223-25(001)/502891302 &
BWO-5224-25(001)/502891303 &
BWO-5225-25(001)/502891304 &
BWO-5226-25(001)/502891305 &
BWO-5228-25(001)/502891307 &
LWO-5052-25(002)/502891306

CALL No. 01

Mill & Overlay approximately 12 miles of US 72 from Benton County Line to Alcorn County Line, known as Federal Aid Project No. NH-0007-01(082) / 106945301 in Tippah County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

5,525	Linear Feet	202-B076	Removal of Traffic Stripe
16	Each	202-B082	Removal of Guard Rail, Terminal Section, MELT
25	Linear Feet	202-B102	Removal of Guard Rail
200	Cubic Yard	203-G003	Excess Excavation, FM, AH
471,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
39	Mile	423-A001	Rumble Strips, Ground In
25	Linear Feet	606-B001	Guard Rail, Class A, Type 1
16	Each	606-E002	Guard Rail, Terminal End Section, Flared
21	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
23	Mile	619-A3006	Temporary Traffic Stripe, Skip White
50,630	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,785	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
3,600	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
150	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
90	Each	630-F001	Delineators, Guard Rail, White
90	Each	630-F002	Delineators, Guard Rail, Yellow
60	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
60	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
6,750	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
1,525	Ton	907-403-C013	19-mm, HT, Asphalt Pavement, Trench Widening
39,000	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
21,560	Gallon	907-407-A001	Asphalt for Tack Coat
147	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts

1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
23	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
125	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
21	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9,075	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
19	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
32,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
22,610	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
10,375	Linear Feet	907-626-H004	Thermoplastic Legend, White
555	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NUMBER 1			
200	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
200	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
200	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1			
2,575	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,575	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,575	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
2,575	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,575	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,575	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 02

Mill & Overlay approximately 6 miles of US 61 from North of Redwood to Issaquena County Line, known as Federal Aid Project No. NH-0009-02(080) / 106957301 in Warren County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,556	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
935	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
1,750	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
312	Cubic Yard	203-G003	Excess Excavation, FM, AH
7,467	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
1,500	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D015	Guard Rail, Bridge End Section
12	Each	606-E001	Guard Rail, Terminal End Section
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,920	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
640	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
160	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
520	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,400	Ton	907-304-B002	Granular Material, Class 5, Group D
7,250	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
4,000	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
8,542	Gallon	907-407-A001	Asphalt for Tack Coat
24,600	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

1,000	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,850	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
900	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
720	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

630	Ton	907-304-F002	Size 610 Crushed Stone Base
-----	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

630	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

630	Ton	907-304-F004	Size 825B Crushed Stone Base
-----	-----	--------------	------------------------------

ALTERNATE GROUP BB NUMBER 1

2,200	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
-------	-------------	----------	---

1,100	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
-------	-------------	----------	--

ALTERNATE GROUP BB NUMBER 2

2,200	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
-------	-------------	--------------	--

1,100	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
-------	-------------	--------------	---

CALL No. 03

Mill and Overlay approximately 3 miles of I-10 at Jordan River Bridge, known as Federal Aid Project No. IM-0010-01(142) / 106407301 in Hancock County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

19,254	Linear Feet	202-B076	Removal of Traffic Stripe
1,825	Linear Feet	202-B102	Removal of Guard Rail
1	Lump Sum	202-B169	Removal of Debris
1	Acre	223-A001	Mowing
57,929	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
8	Mile	423-A001	Rumble Strips, Ground In
1,488	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D002	Guard Rail, Bridge End Section, Type C
2	Each	606-D014	Guard Rail, Bridge End Section, Type I, Metal Post
6	Each	606-E002	Guard Rail, Terminal End Section, Flared
15	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
19	Mile	619-A3006	Temporary Traffic Stripe, Skip White
17,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
264	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
793	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
52	Each	630-F001	Delineators, Guard Rail, White
7	Each	630-F002	Delineators, Guard Rail, Yellow
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,092	Linear Feet	808-A001	Joint Preparation
4,356	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture

6,913	Gallon	907-402-B001	Bituminous Tack Coat
1,422	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
5,078	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
4,957	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
6,798	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
9,063	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
15	Mile	907-403-S004	Joint Sealant
13,413	Gallon	907-407-A001	Asphalt for Tack Coat
232	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
792	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
6,054	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
432	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
115	Linear Feet	907-626-H004	Thermoplastic Legend, White
132	Square Feet	907-626-H005	Thermoplastic Legend, White
546	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,092	Linear Feet	907-823-B001	Saw Cut, Type I

ALTERNATE GROUP AA NUMBER 1

2,687	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

2,687	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

2,687	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

CALL No. 04

Overlay approximately 8 miles of US 84 from SR 184 East to Lawrence County Line, known as Federal Aid Project No. NH-0015-01(130) / 106925301 in Lincoln County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,233	Linear Feet	202-B076	Removal of Traffic Stripe
34,872	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
24	Mile	423-A001	Rumble Strips, Ground In
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
19	Mile	619-A3006	Temporary Traffic Stripe, Skip White
36,330	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
384	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,284	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
654	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,620	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
109	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
38	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
38	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
2	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
10,647	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
4,139	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
21,799	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1,648	Ton	907-403-E006	9.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
21,788	Gallon	907-407-A001	Asphalt for Tack Coat
5,393	Square Feet	907-412-A002	Pre-Grinding
18,000	Pounds	907-420-A001	Undersealing Concrete Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
15	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White

15	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
13	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
16,736	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
19,594	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
384	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,284	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 06

Mill and Overlay approximately 9 miles of SR 7 from 9W to Exit Ramp of SR 30, known as Federal Aid Project No. STP-0019-02(050) / 106922301 in Lafayette County.

PROJECT COMPLETION: 119 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

10	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6,821	Linear Feet	202-B076	Removal of Traffic Stripe
241,844	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
24	Mile	423-A001	Rumble Strips, Ground In
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
38	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
25	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A3006	Temporary Traffic Stripe, Skip White
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
53,256	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,229	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,000	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
885	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,910	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,536	Linear Feet	635-A001	Vehicle Loop Assemblies
11,744	Ton	907-304-B009	Granular Material, Class 3, Group D
22,552	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
10,332	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
24,200	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
2	Each	907-619-E3001	Changeable Message Sign
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White

5 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
13 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
15,737 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
10,892 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,114 Linear Feet	907-626-H004	Thermoplastic Legend, White
1,000 Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

1,479 Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
4,583 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,552 Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,479 Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

1,479 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,583 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,552 Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,479 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 07

Bridge Replacement on I-20 EB at Bridge No. 31.5 Over Railroad West of Norrell Road, known as Federal Aid Project No. BR-0020-01(192) / 105022301 in Hinds County.

PROJECT COMPLETION: 276 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2	Acre	201-D002	Random Clearing
1	Each	202-B009	Removal of Bridge
195	Square Yard	202-B010	Removal of Bridge End Pavement
2	Each	202-B042	Removal of Flared End Section, All Sizes
72	Linear Feet	202-B064	Removal of Pipe, 8" And Above
4,620	Linear Feet	202-B076	Removal of Traffic Stripe
20,918	Square Yard	202-B078	Removal of Pavement, All Types and Depths
924	Linear Feet	202-B102	Removal of Guard Rail
2	Each	202-B113	Removal of Box Culvert Wingwall, All Sizes
3	Each	202-B131	Removal of Box Culvert, Including Headwalls
123,538	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
12,790	Cubic Yard	203-G003	Excess Excavation, FM, AH
700	Cubic Yard	206-A001	Structure Excavation
62	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1,302	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
6	Ton	213-C001	Superphosphate
500	Square Yard	217-A001	Ditch Liner
11	Thousand Gallon	219-A001	Watering
26	Acre	220-A001	Insect Pest Control
242	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
80	Acre	223-A001	Mowing
13,000	Linear Feet	234-A001	Temporary Silt Fence
50	Bale	235-A001	Temporary Erosion Checks
500	Linear Feet	239-A001	Temporary Slope Drains

1,793	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Mile	423-A001	Rumble Strips, Ground In
98	Linear Feet	501-E001	Expansion Joints, Without Dowels
211	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
52,822	Pounds	602-A001	Reinforcing Steel
120	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
104	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
104	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
3	Each	603-CB001	18" Reinforced Concrete End Section
3	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB004	36" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
1	Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
1	Each	603-SB004	24" Branch Connections, Stub into Box Culvert
600	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
3	Each	606-D012	Guard Rail, Bridge End Section, Type I
2	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
693	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-D3001	Remove and Reset Signs, All Sizes
2,270	Linear Feet	619-F1001	Concrete Median Barrier, Precast
510	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
15	Each	619-F3003	Delineators, Guard Rail, Yellow
7	Each	619-F3004	Delineators, Guard Rail, White
120	Linear Feet	619-G4001	Barricades, Type III, Single Faced
33	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"

2	Unit	619-J1004	Impact Attenuator, 70 MPH
2	Each	619-J2003	Impact Attenuator, 70 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
369	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
86	Each	627-N001	One-Way Yellow Reflective High Performance Raised Markers
545	Square Yard	907-216-A001	Solid Sodding
26	Acre	907-225-A001	Grassing
78	Ton	907-225-B001	Agricultural Limestone
52	Ton	907-225-C001	Mulch, Vegetative Mulch
26	Acre	907-226-A001	Temporary Grassing
2,050	Linear Feet	907-234-C002	Super Silt Fence
3,000	Linear Feet	907-237-A003	Wattles, 20"
1,000	Linear Feet	907-246-B001	Rockbags
450	Ton	907-249-A001	Riprap for Erosion Control
9,280	Ton	907-304-B005	Granular Material, Class 9, Group C
2,100	Ton	907-304-B007	Granular Material, Class 5, Group E
4,885	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
66	Ton	907-307-D001	Lime
1,222	Gallon	907-307-S001	Bituminous Curing Seal
668	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
2,225	Gallon	907-402-B001	Bituminous Tack Coat
360	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
480	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
2,448	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
4,348	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
1,027	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1,331	Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
197	Ton	907-403-E007	12.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
780	Gallon	907-407-A001	Asphalt for Tack Coat

92	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
228	Cubic Yard	907-601-A001	Class "B" Structural Concrete
7	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
4,215	Linear Feet	907-606-G001	Cable Barrier
2	Each	907-606-H001	Cable Barrier Terminal Section
30	Each	907-606-I001	Cable Barrier Post Repair
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Each	907-619-J3001	Remove and Reset Impact Attenuator
2,620	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
6,696	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6,696	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,620	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
6,696	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
2,620	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
1	Lump Sum	907-699-A002	Roadway Construction Stakes
1	Lump Sum	907-899-A001	Railway-Highway Provisions
720	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

830	Ton	907-304-F002	Size 610 Crushed Stone Base
-----	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

830	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

830	Ton	907-304-F004	Size 825B Crushed Stone Base
-----	-----	--------------	------------------------------

ALTERNATE GROUP BB NUMBER 1

236	Ton	907-308-A001	Portland Cement
23,385	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
5,847	Gallon	907-308-S001	Bituminous Curing Seal

ALTERNATE GROUP BB NUMBER 2

23,385	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
164	Ton	907-311-B001	Lime
654	Ton	907-311-C002	Fly Ash, Class C or F

5,656 Gallon 907-311-S001 Bituminous Curing Seal

Bridge Items

7,073	Square Yard	501-K001	Transverse Grooving
1	Each	803-B002	Conventional Static Pile Load Test
2,085	Linear Feet	803-D003	HP 14 x 73 Steel Piling
3	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
60	Linear Feet	803-N001	Exploration
320	Linear Feet	803-O010	Temporary Casing, 60" Diameter
80	Linear Feet	803-O021	Permanent Casing, 78" Diameter
80	Linear Feet	803-O023	Temporary Casing, 78" Diameter
777,196	Pounds	805-A001	Reinforcement
1,568,973	Pounds	810-A007	Structural Steel, A 709, Grade 50W
3,355	Linear Feet	813-A002	Concrete Railing, 32"
4,866	Ton	815-A009	Loose Riprap, Size 300
69	Cubic Yard	815-D001	Concrete Slope Paving
7,822	Square Yard	815-E001	Geotextile under Riprap
550	Linear Feet	907-607-PP019	Safety Fence, Per Plans
1,040	Linear Feet	907-803-K006	Drilled Shaft, 60" Diameter
520	Linear Feet	907-803-K011	Drilled Shaft, 78" Diameter
1	Each	907-803-L007	Test Shaft, 78" Diameter
95	Linear Feet	907-803-M010	Trial Shaft, 78" Diameter
3,320	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
714	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
952	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
769	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
1,134	Linear Feet	907-804-C158	95' Prestressed Concrete Beam, Type IV
2,385	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV
134,750	Pounds	907-810-A002	Structural Steel, A 709, Grade HPS 70W
20	Each	907-811-D001	Disc Bearing Device

CALL No. 08

Widen and Overlay approximately 6 miles of SR 15 North of Jones County Line, known as Federal Aid Project No. STP-0022-01(079) / 106950301 in Jasper County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,040	Linear Feet	202-B076	Removal of Traffic Stripe
756	Square Yard	202-B078	Removal of Pavement, All Types and Depths
3,600	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
11	Mile	423-A001	Rumble Strips, Ground In
158	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
4	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
29	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
21	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
21	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1,080	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
340	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
122	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
650	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,350	Ton	907-304-F004	Size 825B Crushed Stone Base
9,100	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
270	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
7,000	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
14,500	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

2,490	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
552	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,080	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 09

Mill and Overlay on SR 16 from the Leake County Line to BIA Road 22, known as Federal Aid Project No. STP-0024-04(025) / 106927301 in Neshoba County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100	Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
471	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,060	Linear Feet	202-B254	Removal of Guard Rail, Including Rail, Posts & Cable Anchor s
20	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
79,664	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
700	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
4	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,072	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,752	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
358	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
212	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
202	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
335	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
34	Each	630-F001	Delineators, Guard Rail, White
230	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
6,899	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
3,983	Gallon	907-407-A001	Asphalt for Tack Coat
124	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
248	Linear Feet	907-415-A002	Asphaltic Plug Joint System

1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
220	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
316	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
876	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White

CALL No. 10

Intersection Improvements on SR 53 at Canal Road and County Farm Road, known as Federal Aid Project No. HSIP-0064-01(029) / 105293301 in Harrison County.

PROJECT COMPLETION: DECEMBER 11, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
784	Linear Feet	202-B064	Removal of Pipe, 8" And Above
2,130	Square Yard	202-B078	Removal of Pavement, All Types and Depths
4,049	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
12,715	Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
400	Cubic Yard	206-A001	Structure Excavation
13,342	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
29,920	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
7	Ton	213-C001	Superphosphate
7	Acre	220-A001	Insect Pest Control
7	Acre	223-A001	Mowing
300	Linear Feet	234-A001	Temporary Silt Fence
2,130	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Mile	423-A001	Rumble Strips, Ground In
8,300	Linear Feet	503-C007	Saw Cut, Full Depth
1,614	Pounds	602-A001	Reinforcing Steel
464	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
96	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
32	Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB004	36" Reinforced Concrete End Section
120	Linear Feet	603-CE041	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
2	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
2,082	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2

441	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
2,961	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
12,286	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
17,931	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
5,105	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
869	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
77	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
560	Square Feet	619-D2002	Standard Roadside Construction Signs, 10 Square Feet or More, Permanent
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
214	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
38	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
157	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
711	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
48	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
148	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
98	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
157	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
144	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,416	Linear Feet	635-A001	Vehicle Loop Assemblies
3,691	Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor
4	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
12	Each	640-A016	Traffic Signal Heads, Type 1 LED
4	Each	640-A018	Traffic Signal Heads, Type 3 LED
4	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
2	Each	642-A001	Solid State Traffic Actuated Controllers, Type 8M
2	Each	645-A001	Flasher Assembly
11	Each	647-A001	Pullbox, Type 1
2	Each	647-A002	Pullbox, Type 3

8	Each	647-A005	Pullbox, Type 2
152	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
303	Linear Feet	666-B002	Electric Cable, Underground in Conduit, IMSA 40-2, AWG 19, 6 pair
1,669	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1,060	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
1,139	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
320	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
100	Ton	815-A009	Loose Riprap, Size 300
13	Acre	907-225-A001	Grassing
40	Ton	907-225-B001	Agricultural Limestone
27	Ton	907-225-C001	Mulch, Vegetative Mulch
7	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
1,808	Linear Feet	907-237-A003	Wattles, 20"
40	Linear Feet	907-246-A001	Sandbags
26	Ton	907-249-A001	Riprap for Erosion Control
3,139	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
1,172	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
2,259	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
1,676	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
3,266	Gallon	907-407-A001	Asphalt for Tack Coat
21	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,478	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
49	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
3	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,366	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

3,504	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,121	Linear Feet	907-626-H004	Thermoplastic Legend, White
944	Square Feet	907-626-H005	Thermoplastic Legend, White
3	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
3	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
2	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
1	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
34	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
120	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
1	Lump Sum	907-699-A002	Roadway Construction Stakes

ALTERNATE GROUP AA NUMBER 1

5,452	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

5,452	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

5,452	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

CALL No. 11

Bridge Replacement on SR 19 between Alabama State Line and SR 496, known as Federal Aid Project No. BR-0075-01(010) / 102482301 in Lauderdale County.

PROJECT COMPLETION: 244 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
1	Each	202-B019	Removal of Concrete Headwall
109	Linear Feet	202-B064	Removal of Pipe, 8" And Above
8	Each	202-B069	Removal of Sign
100	Linear Feet	202-B076	Removal of Traffic Stripe
8,146	Square Yard	202-B078	Removal of Pavement, All Types and Depths
456	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
52,447	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
53,774	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
38,115	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,084	Cubic Yard	206-A001	Structure Excavation
28	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
19,079	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
7,291	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
9	Ton	213-C001	Superphosphate
767	Square Yard	217-A001	Ditch Liner
27	Thousand Gallon	219-A001	Watering
9	Acre	220-A001	Insect Pest Control
23	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
890	Square Yard	224-A001	Soil Reinforcing Mat
7,714	Linear Feet	234-A001	Temporary Silt Fence
3	Each	236-A004	Silt Basin, Type D
400	Linear Feet	239-A001	Temporary Slope Drains

667	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
97	Linear Feet	501-E001	Expansion Joints, Without Dowels
204	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,276	Linear Feet	503-C007	Saw Cut, Full Depth
79	Pounds	602-A001	Reinforcing Steel
96	Linear Feet	603-CA016	30" Reinforced Concrete Pipe, Class IV
160	Linear Feet	603-CA051	24" Reinforced Concrete Pipe, Class V, Class B Bedding
1	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB003	30" Reinforced Concrete End Section
160	Linear Feet	603-RA002	18" Pipe Removed and Relaid
425	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
14,240	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
14,440	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
1,000	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
2,600	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White, Paint
228	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
73	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
214	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
47	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
34	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
184	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
75	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
84	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft

18 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
2 Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
2 Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
15 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
1,000 Ton	815-A009	Loose Riprap, Size 300
283 Square Yard	907-216-A001	Solid Sodding
18 Acre	907-225-A001	Grassing
9 Ton	907-225-B001	Agricultural Limestone
36 Ton	907-225-C001	Mulch, Vegetative Mulch
18 Acre	907-226-A001	Temporary Grassing
1,500 Linear Feet	907-237-A003	Wattles, 20"
270 Linear Feet	907-245-A001	Triangular Silt Dike
200 Each	907-246-B002	Rockbags
450 Ton	907-249-A001	Riprap for Erosion Control
1,195 Cubic Yard	907-304-C010	Granular Material, AEA, Class 5, Group E
980 Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
1,157 Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
1,503 Ton	907-403-A024	19-mm, MT, Asphalt Pavement
7 Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
1,065 Gallon	907-407-A001	Asphalt for Tack Coat
97 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
160 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
18 Each	907-617-A001	Right-of-Way Marker
1 Lump Sum	907-618-A001	Maintenance of Traffic
1,300 Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7,120 Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7,220 Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
114 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White

1 Lump Sum	907-699-B002	Bridge Construction Stakes
155 Ton	907-815-F001	Sediment Control Stone
1 Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

6,845 Ton	907-304-F002	Size 610 Crushed Stone Base
-----------	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

6,845 Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

6,845 Ton	907-304-F004	Size 825B Crushed Stone Base
-----------	--------------	------------------------------

Bridge Items

2,978 Square Yard	501-K001	Transverse Grooving
1 Each	803-B002	Conventional Static Pile Load Test
1,650 Linear Feet	803-D002	HP 12 x 53 Steel Piling
3,365 Linear Feet	803-D007	HP 14 x 89 Steel Piling
4 Each	803-I001	PDA Test Pile
1 Each	803-J001	Pile Restrike
30 Linear Feet	803-N001	Exploration
150 Linear Feet	803-O020	Permanent Casing, 54" Diameter
239,998 Pounds	805-A001	Reinforcement
1,344 Linear Feet	813-A002	Concrete Railing, 32"
2,604 Ton	815-A009	Loose Riprap, Size 300
2,162 Square Yard	815-E001	Geotextile under Riprap
456 Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
86 Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
1,511 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
3,349 Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
659 Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV

CALL No. 12

Bridge Replacement on SR 501 over the Leaf River, known as Federal Aid Project No. BR-0333-00(013)/102362301 in Scott County.

PROJECT COMPLETION: 173 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
3,197	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
400	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
20	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,659	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
27,468	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
5,058	Cubic Yard	203-G003	Excess Excavation, FM, AH
50	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-C001	Superphosphate
250	Square Yard	217-A001	Ditch Liner
1	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
4	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4	Acre	223-A001	Mowing
5,000	Linear Feet	234-A001	Temporary Silt Fence
2	Each	236-A004	Silt Basin, Type D
250	Linear Feet	239-A001	Temporary Slope Drains
976	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
74	Linear Feet	501-E001	Expansion Joints, Without Dowels
160	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
202	Linear Feet	503-C007	Saw Cut, Full Depth
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I

4	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
1	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
1	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
36	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
348	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
144	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
54	Each	619-G5001	Free Standing Plastic Drums
1	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
56	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
66	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F001	Delineators, Guard Rail, White
400	Ton	815-A009	Loose Riprap, Size 300
30	Square Yard	907-216-A001	Solid Sodding
4	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone
9	Ton	907-225-C001	Mulch, Vegetative Mulch
4	Acre	907-226-A001	Temporary Grassing
500	Linear Feet	907-234-C002	Super Silt Fence
1,000	Linear Feet	907-237-A003	Wattles, 20"
500	Ton	907-249-A001	Riprap for Erosion Control
355	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
1,212	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
4,062	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
39	Ton	907-307-D001	Lime
1,000	Gallon	907-307-S001	Bituminous Curing Seal

460	Cubic Yard	907-310-B002	Size III Stabilizer Aggregate, Coarse
737	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
797	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
250	Ton	907-403-B013	12.5-mm, ST, Asphalt Pavement, Leveling
200	Gallon	907-407-A001	Asphalt for Tack Coat
64	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
184	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1	Lump Sum	907-699-B002	Bridge Construction Stakes
60	Ton	907-815-F001	Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

506	Ton	907-304-F002	Size 610 Crushed Stone Base
-----	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

506	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

506	Ton	907-304-F004	Size 825B Crushed Stone Base
-----	-----	--------------	------------------------------

ALTERNATE GROUP BB NUMBER 1

90	Ton	907-308-A001	Portland Cement
3,854	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
1,000	Gallon	907-308-S001	Bituminous Curing Seal

ALTERNATE GROUP BB NUMBER 2

3,854	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
41	Ton	907-311-B001	Lime
198	Ton	907-311-C002	Fly Ash, Class C or F
1,000	Gallon	907-311-S001	Bituminous Curing Seal

Bridge Items

1,567	Square Yard	501-K001	Transverse Grooving
1	Each	803-B002	Conventional Static Pile Load Test
1,080	Linear Feet	803-D002	HP 12 x 53 Steel Piling

2,045	Linear Feet	803-D003	HP 14 x 73 Steel Piling
3	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
112,395	Pounds	805-A001	Reinforcement
944	Linear Feet	813-A002	Concrete Railing, 32"
443	Ton	815-A009	Loose Riprap, Size 300
399	Square Yard	815-E001	Geotextile under Riprap
633	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
697	Linear Feet	907-804-C021	70' Prestressed Concrete Beam, Type III
1,646	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV

CALL No. 13

Bridge Repair on US 80 between Newton & Chunky, Bridge Nos. 119.2 & 119.5, known as Federal Aid Project No. BR-0472-00(015) / 102367302 in Newton County.

PROJECT COMPLETION: 68 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

290	Linear Feet	808-A001	Joint Preparation
135	Ton	815-A009	Loose Riprap, Size 300
83	Square Yard	815-E001	Geotextile under Riprap
145	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
290	Linear Feet	907-823-B001	Saw Cut, Type I
1	Lump Sum	907-824-PP093	Bridge Repair, Column Encasement, Per Plans
1	Lump Sum	907-824-PP093	Bridge Repair, Pressure Washer and Clean
9	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair

Roadway Items

1	Lump Sum	202-A001	Removal of Obstructions
500	Linear Feet	234-A001	Temporary Silt Fence
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
176	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

CALL No. 14

Mill and Overlay approximately 1 mile of SR 883 from US 80 to the EOM, known as Federal Aid Project No. STP-1436-00(002) / 106929301 in Newton County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

502	Cubic Yard	203-G004	Excess Excavation, LVM, AH
50	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
6,690	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
186	Linear Feet	609-E001	Bituminous Curb
1	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
75	Square Yard	616-B003	Bituminous Median and/or Island Pavement
4	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,230	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
836	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
276	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
84	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
85	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
50	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
700	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
1,000	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
450	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
1,300	Gallon	907-407-A001	Asphalt for Tack Coat
2,640	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
2,640	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
834	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White

396	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
836	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White

CALL No. 15

Bridge Repairs on six bridges on US 51 between the Pike County Line and US 84 , known as Federal Aid Project No. BR-2175-00(010) / 101840301 in Lincoln County.

PROJECT COMPLETION: 168 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500	Linear Feet	234-A001	Temporary Silt Fence
128	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,144	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
6	Each	619-G7001	Warning Lights, Type "B"
500	Linear Feet	907-234-C002	Super Silt Fence
500	Linear Feet	907-234-F001	Turbidity Barrier
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs

Bridge Items

1	Lump Sum	202-A001	Removal of Obstructions
960	Linear Feet	808-A001	Joint Preparation
1,258	Ton	815-A009	Loose Riprap, Size 300
277	Square Yard	815-E001	Geotextile under Riprap
480	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
960	Linear Feet	907-823-B001	Saw Cut, Type I
1	Lump Sum	907-824-PP093	Bridge Repair, Pressure Wash and Clean
1	Lump Sum	907-824-PP093	Bridge Repair, Column Encasement, Per Plans
12	Cubic Feet	907-824-PP101	Bridge Repair, Epoxy Repair

CALL No. 16

Construct Maintenance Area Headquarters and Various Support Structures at Clinton, known as State Project Nos. BWO-5222-25(001) / 502891301, BWO-5223-25(001) / 502891302, BWO-5224-25(001) / 502891303, BWO-5225-25(001) / 502891304, BWO-5226-25(001) / 502891305, LWO-5052-25(002) / 502891306, & BWO-5228-25(001) / 502891307 in Hinds County.

PROJECT COMPLETION: JUNE 20, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
738	Linear Feet	202-B041	Removal of Fence, All Types
3,425	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
589	Cubic Yard	203-EX034	Borrow Excavation, AH, LVM, Class B17
200	Cubic Yard	203-G004	Excess Excavation, LVM, AH
12,800	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
5	Ton	213-C001	Superphosphate
11	Thousand Gallon	219-A001	Watering
9	Acre	223-A001	Mowing
3,058	Linear Feet	234-A001	Temporary Silt Fence
831	Pounds	602-A001	Reinforcing Steel
484	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
732	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
84	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
4	Each	603-CB001	18" Reinforced Concrete End Section
1	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
158	Pounds	604-A001	Castings
750	Pounds	604-B001	Gratings
8	Linear Feet	604-C001	Precast Manhole, 48" Diameter
1,657	Linear Feet	607-B009	72" Type I Chain Link Fence, Class I
575	Linear Feet	607-B009	72" Type I Chain Link Fence, Class I During Construction
1	Each	607-G039	Gate, 6' x 6' Chain Link
2	Each	607-G090	Gate, 18' x 6' Double Chain Link

117	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
22	Each	607-P2010	Brace Post, 9' x 2 1/2" Galvanized Steel
4	Each	607-P3004	Gate Post, 9' x 2 1/2" Galvanized Steel
294	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
549	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
1	Lump Sum	620-A001	Mobilization
82	Ton	815-A006	Loose Riprap, Size 100
51	Square Yard	815-E001	Geotextile under Riprap
523	Square Yard	907-216-A001	Solid Sodding
9	Acre	907-225-A001	Grassing
5	Ton	907-225-B001	Agricultural Limestone
18	Ton	907-225-C001	Mulch, Vegetative Mulch
9	Acre	907-226-A001	Temporary Grassing
3	Each	907-234-D001	Inlet Siltation Guard
500	Linear Feet	907-237-A003	Wattles, 20"
1	Lump Sum	907-242-A006	Construction of Maintenance Area Headquarters Office Building-MO
1	Lump Sum	907-242-A006	Construction of Equipment Shed With Enclosed Bay-ES1
1	Lump Sum	907-242-A006	Construction of 100'X200' Open Equipment Shed-ES2
1	Lump Sum	907-242-A006	Construction of Chemical/Salt Storage Building-CS
1	Lump Sum	907-242-A006	Construction of Bulk Storage Bins-SB
1	Lump Sum	907-242-A006	Construction of Maintenance Area Headquarters Shop Building-MS
50	Each	907-246-B002	Rockbags
50	Ton	907-249-A001	Riprap for Erosion Control
2	Each	907-258-PP001	Handicap Parking Sign and Post, Per Plans
114	Ton	907-304-B007	Granular Material, Class 5, Group E
292	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
874	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
353	Gallon	907-407-A001	Asphalt for Tack Coat
8	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures

1	Each	907-607-PP005	Gate, Barrier Fence, Per Plans
300	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
720	Linear Feet	907-626-G002	Thermoplastic Detail Stripe, White, 4" Equivalent Length
2	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
1	Lump Sum	907-699-A002	Roadway Construction Stakes

ALTERNATE GROUP AA NUMBER 1

3,457	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

3,457	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

3,457	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR