


# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

# **Notice to Contractors**

Letting Date For February - February 24, 2015



# MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS

#### LETTING DATE FOR FEBRUARY - Tuesday, February 24, 2015

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

#### PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 2, 2015

Proposals must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: Contract Administration Division Jackson. MS

Telephone: (601) 359-7700

Plans must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460

Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

#### LIST OF CONTRACTS FOR FEBRUARY

	CALL	CONTRACT	COUNTY
	01	NH-0002-06(021)/106946301	LEE
*	02	NH-0014-03(069)/106949301	PERRY
	03	NH-0015-01(131)/106697301	FRANKLIN
	04	IM-0020-02(082)/106187301 & IM-0020-02(082)/106187302 & IM-0059-03(093)/106187303	LAUDERDALE, NEWTON
*	05	HSIP-0059-01(114) / 106818301	FORREST
*	06	STP-1439-00(005)/106928301	LAUDERDALE
	07	ER-2167-00(002)/106530301	WAYNE
*	80	STP-2904-00(014)/106926301	SCOTT

<sup>\*</sup> No plans except Standard Drawings

Mill and Overlay US 45 from Monroe County Line to US 45A, known as Federal Aid Project No. NH-0002-06(021) / 106946301 in Lee County.

#### PROJECT COMPLETION: Flexible

4	Each	202-B042	Removal of Flared End Section, All Sizes
9,200	Linear Feet	202-B076	Removal of Traffic Stripe
150,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
4	Each	606-E001	Guard Rail, Terminal End Section
16	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A3006	Temporary Traffic Stripe, Skip White
44,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,200	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
150	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,000	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
80	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
70	Each	630-F001	Delineators, Guard Rail, White
70	Each	630-F002	Delineators, Guard Rail, Yellow
30	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
30	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
3,350	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
2,300	Ton	907-403-C013	19-mm, HT, Asphalt Pavement, Trench Widening
14,000	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
9,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White

8	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
13,750	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,100	Linear Feet	907-626-H004	Thermoplastic Legend, White
			ALTERNATE GROUP AA NUMBER 1
4,050	Linear Feet	907-626-1003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
4,050	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
4,050	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
			ALTERNATE GROUP AA NUMBER 2
4,050	Linear Feet	628-1002	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,050	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,050	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Overlay approximately 7 miles of US Highway 98 from Lake Perry Road to Green County Line, known as Federal Aid Project No. NH-0014-03(069) / 106949301 in Perry County.

#### PROJECT COMPLETION: Flexible

20,150	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
24	Mile	423-A001	Rumble Strips, Ground In
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A3006	Temporary Traffic Stripe, Skip White
5,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,600	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
600	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,300	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
120	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Each	630-F001	Delineators, Guard Rail, White
28	Each	630-F002	Delineators, Guard Rail, Yellow
26	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
8,800	Ton	907-304-F004	Size 825B Crushed Stone Base
2,800	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
7,700	Ton	907-403-B020	9.5-mm, HT, Asphalt Pavement, Leveling
18,000	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
13,900	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
14	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
13	Mile	907-626-B006	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

11	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,600	Linear Feet	907-626-H004	Thermoplastic Legend, White
143	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlay approximately 5 miles of US 84 from East end of Bude Bypass to Homochitto River Bridge, known as Federal Aid Project No. NH-0015-01(131) / 106697301 in Franklin County.

#### PROJECT COMPLETION: Flexible

837	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
2,119	Linear Feet	202-B076	Removal of Traffic Stripe
51	Cubic Yard	203-G004	Excess Excavation, LVM, AH
20,308	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
625	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A3006	Temporary Traffic Stripe, Skip White
28,292	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,152	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
342	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
303	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
864	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
92	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
49	Each	630-F001	Delineators, Guard Rail, White
49	Each	630-F002	Delineators, Guard Rail, Yellow
14	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
14	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
6	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
6,086	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
14,081	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
830	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling

14,562	Gallon	907-407-A001	Asphalt for Tack Coat
160	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
12,000	Pounds	907-420-A001	Undersealing Concrete Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
8	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
13,188	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
15,104	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,152	Linear Feet	907-626-H004	Thermoplastic Legend, White
342	Square Feet	907-626-H005	Thermoplastic Legend, White

Mill and Overlay I-20 and I-59, known as Federal Aid Project Nos. IM-0020-02(082), IM-0020-02(082), & IM-0059-03(093) / 106187301, 302, & 303 in Newton and Lauderdale.

#### PROJECT COMPLETION: 230 Working Days

			,
10,975	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
10,975	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
28,576	Linear Feet	202-B076	Removal of Traffic Stripe
79	Each	202-B136	Removal of Guard Rail Terminal End Section
60	Each	202-B137	Removal of Guard Rail Cable Anchor
296	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,961	Cubic Yard	203-G003	Excess Excavation, FM, AH
13,459	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
214	Acre	223-A001	Mowing
4,700	Linear Feet	234-A001	Temporary Silt Fence
650,755	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
48	Mile	423-A001	Rumble Strips, Ground In
8,537	Linear Feet	503-C007	Saw Cut, Full Depth
1,400	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
60	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
79	Each	606-E001	Guard Rail, Terminal End Section
13,000	Linear Feet	615-B001	Precast Concrete Median Barrier
82	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
82	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
171	Mile	619-A3006	Temporary Traffic Stripe, Skip White
53,709	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,729	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
3,554	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
650	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

1,452	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4,400	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
72	Linear Feet	619-G4001	Barricades, Type III, Single Faced
200	Each	619-G5001	Free Standing Plastic Drums
450	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,554	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
35	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
854	Each	630-F001	Delineators, Guard Rail, White
399	Each	630-F002	Delineators, Guard Rail, Yellow
28	Each	630-F006	Delineators, Post Mounted, Single White
28	Each	630-F007	Delineators, Post Mounted, Single Yellow
63	Each	630-F008	Delineators, Post Mounted, Double White
17	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
17	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
9,076	Cubic Yard	907-304-C010	Granular Material, AEA, Class 5, Group E
22,085	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
35,326	Gallon	907-402-B001	Bituminous Tack Coat
12,205	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
14,484	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
715	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
4,084	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
2,758	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
3,659	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
39,477	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
42,417	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
122,479	Gallon	907-407-A001	Asphalt for Tack Coat
46,703	Linear Feet	907-606-PP007	Guard Rail Repair, 'W' Beam, Per Plans (HEIGHT ADJUSTMENT)
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
29	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White

28	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,977	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
29	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
16,786	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,083	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
208	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
1,040	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NUMBER 1
2,250	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
2,250	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
2,250	Ton	907-304-F004	Size 825B Crushed Stone Base

Overlay I-59 Loop Ramps at US 49 with High Friction Surface Treatment, known as Federal Aid Project No. HSIP-0059-01(114) / 106818301 in Forrest County.

#### PROJECT COMPLETION: 20 Working Days

7,300	Linear Feet	202-B076	Removal of Traffic Stripe
1,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
100	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
100	Gallon	907-407-A001	Asphalt for Tack Coat
8,100	Square Yard	907-410-D001	High Friction Surface Treatment
400	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
2	Each	907-619-E3001	Changeable Message Sign
4,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

Mill and Overlay US 11 approximately 4 miles from I-59 to Arundel Road, known as Federal Aid Project No. STP-1439-00(005) / 106928301 in Lauderdale County.

#### PROJECT COMPLETION: Flexible

			Roadway Items
223	Linear Feet	202-B001	Removal of Asphalt Curb
85	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,212	Linear Feet	202-B076	Removal of Traffic Stripe
120	Square Yard	202-B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
12	Square Yard	202-B216	Removal of Island Pavement, All Types
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
100	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
85,778	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3	Mile	423-A001	Rumble Strips, Ground In
635	Linear Feet	503-C007	Saw Cut, Full Depth
223	Linear Feet	609-E001	Bituminous Curb
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3006	Temporary Traffic Stripe, Skip White
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,450	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,120	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
114	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
148	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
57	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
420	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,450	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
150	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
7,150	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement

2,475	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
745	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
8,579	Gallon	907-407-A001	Asphalt for Tack Coat
37,000	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
3	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,832	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,434	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,060	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
960	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White

#### CALL No. 07

Slide Repair on SR 184 at Waynesboro, known as Federal Aid Project No. ER-2167-00(002) / 106530301 in Wayne County.

#### PROJECT COMPLETION: JULY 31, 2015

			Noduway items
1	Lump Sum	201-A001	Clearing and Grubbing
275	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1	Lump Sum	202-B169	Removal of Debris
43	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
375	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
1,970	Cubic Yard	203-G004	Excess Excavation, LVM, AH
250	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
21	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
71	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
275	Linear Feet	234-A001	Temporary Silt Fence
20	Bale	235-A001	Temporary Erosion Checks
851	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
316	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D015	Guard Rail, Bridge End Section
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
115	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
141	Square Feet	619-D2002	Standard Roadside Construction Signs, 10 Square Feet or More, Permanent
11	Each	619-F3004	Delineators, Guard Rail, White
48	Unit	619-F4001	Snap-Back Delineator
12	Linear Feet	619-G4005	Barricades, Type III, Double Faced
65	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"

1	Lump Sum	620-A001	Mobilization
6	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
896	Linear Feet	803-D006	HP 14 x 117 Steel Piling
896	Each	803-F015	30" Pre-Formed Pile Hole
1,494	Linear Feet	820-D001	Treated Timber Piling
1,689	Square Yard	907-216-A001	Solid Sodding
1	Acre	907-226-A001	Temporary Grassing
180	Linear Feet	907-237-A003	Wattles, 20"
200	Linear Feet	907-246-A001	Sandbags
150	Cubic Yard	907-304-E004	Granular Material, LVM, Size 57
8	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
18	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
82	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
32	Gallon	907-407-A001	Asphalt for Tack Coat
150	Cubic Yard	907-601-A003	Class "DS" Structural Concrete
1	Lump Sum	907-618-A001	Maintenance of Traffic
633	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
316	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
633	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
5	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1	Lump Sum	907-699-A002	Roadway Construction Stakes
250	Square Yard	907-815-G001	Concrete Filled Cellular Confinement System
			ALTERNATE GROUP AA NUMBER 1
426	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
426	Cubic Yard	007 204 4004	ALTERNATE GROUP AA NUMBER 2 Size 825B Crushed Stone Base, LVM
420	Cubic Talu	301-304-FI004	ALTERNATE GROUP AA NUMBER 3
			ALIERNATE GROUP AA NUMBER 3

Mill & Overlay approximately 6 miles of US 80 from 2.412 miles East of 3-Lane to West of Forest, known as Federal Aid Project No. STP-2904-00(014) / 106926301 in Scott County.

#### PROJECT COMPLETION: Flexible

1,500	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
100	Ton	310-B003	Size I Stabilizer Aggregate, Coarse
95,150	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
8	Mile	423-A001	Rumble Strips, Ground In
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
8,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
550	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
379	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
116	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
6	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
862	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,610	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
11,383	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
2,062	Ton	907-403-B017	12.5-mm, MT, Asphalt Pavement, Leveling
6,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,400	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

5,000 Linear Feet 907-626-G005 Thermoplastic Detail Stripe, Yellow

700 Linear Feet 907-626-H004 Thermoplastic Legend, White

39 Square Feet 907-626-H005 Thermoplastic Legend, White

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at https://shopmdot.ms.gov. Specimen proposals may be viewed and downloaded online at no cost at http://mdot.ms.gov or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at https://shopmdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH EXECUTIVE DIRECTOR