

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 3/18/2015 ADDENDUM NO. DATED
ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Revised Bid Items; Revised or Added Plan Sheet Nos. 2, 18, 27, 51-52; Amendment EBS Download Required.

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

IM-0059-02(099) / 106179301

Jones County(ies)

Mill and Overlay I-59 from Rocky Creek to 13th Avenue, known as Federal Aid Project No. IM-0059-02(099) / 106179301 in Jones County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-B005		1,856	Square Yard	Removal of Asphalt Pavement, All Depths
0030	202-B024		9	Square Yard	Removal of Concrete Median & Island Pavement, All Depths
0040	202-B042		2	Each	Removal of Flared End Section, All Sizes
0050	202-B064		16	Linear Feet	Removal of Pipe, 8" And Above
0060	202-B076		7,612	Linear Feet	Removal of Traffic Stripe
0070	202-B079		1	Each	Removal of Headwall
0080	202-B094		240	Linear Feet	Removal of Curb &/or Curb and Gutter, All Types
0090	202-B102		8,756	Linear Feet	Removal of Guard Rail
0100	202-B189		1	Each	Removal of Impact Attenuator
0110	202-B196		941	Linear Feet	Removal of Debris and Sand From Pipe, All Sizes
0120	202-B298		832	Linear Feet	Removal of Existing Joint Material
0130	203-EX039	(E)	4,000	Cubic Yard	Borrow Excavation, AH, LVM, Class B7-6
0140	203-G003	(E)	1,200	Cubic Yard	Excess Excavation, FM, AH
0150	209-A004		2,505	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0160	219-A001		123	Thousand Gallon	Watering [\$20.00]
0170	221-A001	(S)	68	Cubic Yard	Portland Cement Concrete Paved Ditch
0180	234-A001		2,000	Linear Feet	Temporary Silt Fence
0190	406-A001		147,331	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0200	423-A001		30	Mile	Rumble Strips, Ground In
0210	603-CA088	(S)	16	Linear Feet	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
0220	603-CB001	(S)	2	Each	18" Reinforced Concrete End Section
0230	603-CB002	(S)	1	Each	24" Reinforced Concrete End Section
0240	604-B001		250	Pounds	Gratings
0250	606-B007		5,971	Linear Feet	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
0260	606-C002		7	Each	Guard Rail, Cable Anchor Type 1, Metal Post
0270	606-D001		21	Each	Guard Rail, Bridge End Section, Type A
0280	606-D014		10	Each	Guard Rail, Bridge End Section, Type I, Metal Post
0290	606-E002		38	Each	Guard Rail, Terminal End Section, Flared
0300	609-B001	(S)	240	Linear Feet	Concrete Curb, Header
0310	615-A007	(S)	567	Linear Feet	Concrete Type IV Modified Cast-in-Place Median Barrier
0320	616-A003	(S)	9	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0330	619-A1002		58	Mile	Temporary Traffic Stripe, Continuous White

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0340	619-A2002		58	Mile	Temporary Traffic Stripe, Continuous Yellow
0350	619-A3006		58	Mile	Temporary Traffic Stripe, Skip White
0360	619-A5001		14,820	Linear Feet	Temporary Traffic Stripe, Detail
0370	619-D1001		96	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0380	619-D2001		200	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0390	619-G4001		48	Linear Feet	Barricades, Type III, Single Faced
0400	620-A001		1	Lump Sum	Mobilization
0410	627-K001		2,126	Each	Red-Clear Reflective High Performance Raised Markers
0420	629-A003		1	Each	Vehicular Impact Attenuator, 70 MPH
0430	630-F001		201	Each	Delineators, Guard Rail, White
0440	630-F002		101	Each	Delineators, Guard Rail, Yellow
0450	630-G002		20	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
0460	635-A001		224	Linear Feet	Vehicle Loop Assemblies
0470	808-A001	(S)	2,972	Linear Feet	Joint Preparation
0480	907-216-A001		6,150	Square Yard	Solid Sodding
0490	907-237-A003		1,200	Linear Feet	Wattles, 20"
0500	907-402-A004	(BA1)	12,716	Ton	Open Graded Friction Course, 9.5-mm Mixture
0510	907-402-B001	(A3)	38,530	Gallon	Bituminous Tack Coat
0520	907-403-A017	(BA1)	29,280	Ton	9.5-mm, ST, Asphalt Pavement
0530	907-403-A027	(BA1)	8,530	Ton	9.5-mm, HT, Asphalt Pavement
0540	907-403-AA001	(BA1)	18,718	Ton	Stone Matrix Asphalt, 9.5 mm Mixture
0550	907-403-AA002	(BA1)	24,958	Ton	Stone Matrix Asphalt, 12.5 mm Mixture
0560	907-403-S004		38	Mile	Joint Sealant
0570	907-407-A001	(A2)	80,173	Gallon	Asphalt for Tack Coat
0580	907-413-E001		912	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0590	907-601-B003	(S)	1	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0600	907-618-A001		1	Lump Sum	Maintenance of Traffic
0610	907-626-A003		20	Mile	6" Thermoplastic Traffic Stripe, Skip White
0620	907-626-B003		1,517	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous White
0630	907-626-C003		20	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0640	907-626-F003		20	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
0650	907-626-G004		12,746	Linear Feet	Thermoplastic Detail Stripe, White
0660	907-626-G005		1,961	Linear Feet	Thermoplastic Detail Stripe, Yellow

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	907-626-H004		1,075	Linear Feet	Thermoplastic Legend, White
0680	907-626-H005		269	Square Feet	Thermoplastic Legend, White
0690	907-626-H007		2	Each	Thermoplastic Legend, Interstate Shield
0700	907-687-A018		1	Each	Traffic Recorder Classification Permanent System
0710	907-699-A002		1	Lump Sum	Roadway Construction Stakes
0720	907-823-A001		1,540	Linear Feet	Preformed Joint Seal, Type I
0730	907-823-A002		340	Linear Feet	Preformed Joint Seal, Type II
0740	907-823-B001		2,980	Linear Feet	Saw Cut, Type I
0750	907-823-B002		664	Linear Feet	Saw Cut, Type II
0760	907-906001		520	Hours	Trainees [\$5.00]
ALTERNATE GROUP AA NUMBER 1					
0770	907-304-F002	(GT)	12,009	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2					
0780	907-304-F003	(GT)	12,009	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3					
0790	907-304-F004	(GT)	12,009	Ton	Size 825B Crushed Stone Base

ADDENDUM

SUMMARY OF QUANTITIES (SHEET 2)

PAY ITEM NO.	PAY ITEM	UNIT	PRELIMINARY	FINAL
907-403-S004	JOINT SEALANT	MI	38	
406-A001	COLD MILLING OF BITUMINOUS PAVEMENT, ALL DEPTHS	SY	△ 147,331	
907-407-A001	ASPHALT FOR TACKCOAT	GAL	△ 80,173	
907-413-E001	SAWING AND SEALING TRANSVERSE JOINTS IN ASPHALT PAVEMENT	LF	912	
423-A001	RUMBLE STRIPS, GROUND IN	MI	30	
907-601-B003	CLASS "B" STRUCTURAL CONCRETE, MINOR STRUCTURES	CY	1	
603-CA088	18" REINFORCED CONCRETE PIPE, CLASS III, RUBBER TYPE GASKETS	LF	16	
603-CB001	18" REINFORCED CONCRETE END SECTION	EA	2	
603-CB002	24" REINFORCED CONCRETE END SECTION	EA	1	
604-B001	GRATINGS	LBS	250	
606-B007	GUARD RAIL, CLASS A, TYPE 1, 'W' BEAM, METAL POST	LF	5,971	
606-C002	GUARD RAIL, CABLE ANCHOR TYPE 1, METAL POST	EA	7	
606-D001	GUARD RAIL, BRIDGE END SECTION, TYPE A	EA	21	
606-D014	GUARD RAIL, BRIDGE END SECTION, TYPE I, METAL POST	EA	10	
606-E002	GUARD RAIL, TERMINAL END SECTION, FLARED	EA	38	
609-B001	CONCRETE CURB, HEADER	LF	240	
615-A007	CONCRETE TYPE IV MODIFIED CAST-IN-PLACE MEDIAN BARRIER	LF	△ 567	
616-A003	CONCRETE MEDIAN AND/OR ISLAND PAVEMENT, 10-INCH	SY	9	
907-618-A001	MAINTENANCE OF TRAFFIC	LS	1	
619-A1002	TEMPORARY TRAFFIC STRIPE, CONTINUOUS WHITE	MI	58	
619-A2002	TEMPORARY TRAFFIC STRIPE, CONTINUOUS YELLOW	MI	58	
619-A3006	TEMPORARY TRAFFIC STRIPE, SKIP WHITE	MI	58	
619-A5001	TEMPORARY TRAFFIC STRIPE, DETAIL	LF	14,820	
619-D1001	STANDARD ROADSIDE CONSTRUCTION SIGNS, LESS THAN 10 SQUARE FEET	SF	96	
619-D2001	STANDARD ROADSIDE CONSTRUCTION SIGNS, 10 SQUARE FEET OR MORE	SF	△ 200	
619-G4001	BARRICADES, TYPE III, SINGLE FACED	LF	48	
620-A001	MOBILIZATION	LS	1	

GENERAL NOTES

- ① FLEAT-350, REGENT, SRT-350, ROSS-350 OR APPROVED FLARED EQUAL TO BE INSTALLED FOLLOWING MANUFACTURERS RECOMMENDATION. CONTRACTOR TO PROVIDE TWO COPIES OF MANUFACTURERS INSTALLATION DETAILS TO THE PROJECT ENGINEER. THE ENGINEER SHALL KEEP ONE COPY IN THE PROJECT FILE AND PROVIDE ONE COPY TO THE DISTRICT MAINTENANCE ENGINEER. THE INSTALLATION DETAILS SHALL BE ENGINEERING DRAWINGS, A MINIMUM OF 11"x17" IN SIZE. REFLECTIVE ADHESIVE SHEETING WITH ALTERNATING BLACK AND YELLOW STRIPES (SLOPING DOWNWARD AT AN ANGLE OF 45 DEGREES IN THE DIRECTION OF TRAFFIC IS TO PASS) IS REQUIRED ON THE END OF THE TERMINAL SECTION. THE TYPE OF TERMINAL SECTION ERECTED SHALL BE WRITTEN ON THE BACK OF THE TERMINAL WITH A PERMANENT MARKING STICK OR SOME OTHER MEANS OF PERMANENT IDENTIFICATION.
- ② ALL LENGTH OF GUARDRAIL IS BASED ON A 37.5' TERMINAL END SECTION BEING USED. FOR ANY OTHER LENGTH OF TERMINAL END SECTION THE LENGTH OF NORMAL GUARDRAIL WILL BE ADJUSTED.
- ③ 500 TONS OF R.A.P. TO BE DELIVERED TO THE INTERSECTION OF HWY 590 AND HWY 11 AND BECOME PROPERTY OF MDOT.

STATE	PROJECT NO.
MISS.	IM-0059-02(099)

3/9/15	REVISION QUANTITY	
2/13/15	REVISION NOTE AND QUANTITIES	
KRS	REVISION	
KRS	BY	

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
SUMMARY OF QUANTITIES


FILENAME: SQS-SH.DGN
 JONES COUNTY
 IM-0059-02(099)
 WORKING NUMBER
 SQ-2

DESIGN TEAM: _____ CHECKED: _____ DATE: _____

SHEET NUMBER
 18

ADDENDUM

STATE PROJECT NO.
MISS. IM-0059-02(099)



NOTE: LOCATIONS AND SPACING OF SIGNS MAY BE ADJUSTED TO MEET EXISTING FIELD CONDITIONS OR DIRECTED BY THE ENGINEER.

DATE	BY	REVISION
3/9/15	KRS	REV./DELETED SIGNS, ADDED SIGN SIZES

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TRAFFIC CONTROL PLAN
DETAILS FOR
CONSTRUCTION SIGNING
 IM-0059-02(099)
 JONES COUNTY

WORKING NUMBER
TCP-17

FILENAME: TCP17.DGN
 DESIGN TEAM: SIXTH
 CHECKED: _____
 DATE: 5.7.2014

SHEET NUMBER
51



