


Proposal & Plan Sales Will Begin on March 2, 2015



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For March - March 24, 2015**



Two Month Projects  
Have An (\*)

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR MARCH - Tuesday, March 24, 2015

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 2, 2015

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
 For Information Please Contact:  
 Contract Administration Division  
 Jackson, MS  
 Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
 For Information Please Contact:  
 MDOT Plans Print Shop  
 Jackson, MS  
 Telephone: (601) 359-7460  
 e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR MARCH

CALL	CONTRACT	COUNTY
01	NH-0007-01(082) / 106945301	TIPPAH
* 02	HSIP-0009-03(053)/106962301	WASHINGTON
* 03	NH-0019-02(053)/106986301	BENTON
04	BR-0019-02(054) / 105189302	BENTON
05	IM-0059-02(099)/106179301	JONES
06	IM-0220-03(033)/106186301 & IM-0220-03(033)/106186302	HINDS, MADISON
07	STP-9999-05(018)/104756308	DISTRICT 5

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
01	MEP-5000-25(080) / 502884301 & MEP-5000-25(088) / 502884302	HINDS

CALL No. 01

Mill & Overlay approximately 12 miles of US 72 from Benton County Line to Alcorn County Line, known as Federal Aid Project No. NH-0007-01(082) / 106945301 in Tippah County.

PROJECT COMPLETION: 89 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

5,525	Linear Feet	202-B076	Removal of Traffic Stripe
16	Each	202-B082	Removal of Guard Rail, Terminal Section, MELT
25	Linear Feet	202-B102	Removal of Guard Rail
200	Cubic Yard	203-G003	Excess Excavation, FM, AH
39	Mile	423-A001	Rumble Strips, Ground In
25	Linear Feet	606-B001	Guard Rail, Class A, Type 1
16	Each	606-E002	Guard Rail, Terminal End Section, Flared
42	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
40	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
46	Mile	619-A3006	Temporary Traffic Stripe, Skip White
101,260	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
15,570	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
3,600	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
150	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
90	Each	630-F001	Delineators, Guard Rail, White
90	Each	630-F002	Delineators, Guard Rail, Yellow
60	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
60	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
6,750	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
1,525	Ton	907-403-C013	19-mm, HT, Asphalt Pavement, Trench Widening
39,000	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
471,000	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
21,560	Gallon	907-407-A001	Asphalt for Tack Coat
147	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts

1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
23	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
125	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
21	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9,075	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
19	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
32,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
22,610	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
10,375	Linear Feet	907-626-H004	Thermoplastic Legend, White
555	Square Feet	907-626-H005	Thermoplastic Legend, White
<b>ALTERNATE GROUP AA NUMBER 1</b>			
200	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 2</b>			
200	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 3</b>			
200	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
<b>ALTERNATE GROUP BB NUMBER 1</b>			
2,575	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,575	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,575	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
<b>ALTERNATE GROUP BB NUMBER 2</b>			
2,575	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,575	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,575	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 02

Shoulder Widening approximately 22 miles on US 61 from the Washington County Line to US 82, known as Federal Aid Project No. HSIP-0009-03(053) / 106962301 in Washington County.

PROJECT COMPLETION: 71 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

9,000	Square Yard	202-B078	Removal of Pavement, All Types and Depths
3,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
43	Mile	423-A001	Rumble Strips, Ground In
350	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
5,000	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
25,000	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
3,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
43	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
22	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7,700	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
5,400	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,700	Linear Feet	907-626-H004	Thermoplastic Legend, White

**ALTERNATE GROUP AA NUMBER 1**

500	Ton	907-304-F002	Size 610 Crushed Stone Base
-----	-----	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

500	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----	-----	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

500	Ton	907-304-F004	Size 825B Crushed Stone Base
-----	-----	--------------	------------------------------

CALL No. 03

Mill & Overlay approximately 5 miles of SR 7 from Marshall County Line to US 72, known as Federal Aid Project No. NH-0019-02(053) / 106986301 in Benton County.

PROJECT COMPLETION: 50 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

78,824	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,284	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail White
2,060	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail Yellow
346	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
350	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,600	Ton	907-304-B009	Granular Material, Class 3, Group D
7,523	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
2,041	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
4,132	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
10	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,142	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,030	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
173	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 04

Replacing Bridge Nos. 166.2, 166.4, 167.8, & 168.3 on SR 7, known as Federal Aid Project No. BR-0019-02(054) / 105189302 in Benton County.

PROJECT COMPLETION: 430 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
31,661	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
11	Each	202-B019	Removal of Concrete Headwall
119	Linear Feet	202-B038	Removal of Curb, All Types
414	Linear Feet	202-B064	Removal of Pipe, 8" And Above
9,200	Linear Feet	202-B076	Removal of Traffic Stripe
37	Linear Feet	202-B080	Removal of Box Culvert
2,662	Linear Feet	202-B102	Removal of Guard Rail
57,035	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
195,422	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
33,102	Cubic Yard	203-G003	Excess Excavation, FM, AH
722	Cubic Yard	206-A001	Structure Excavation
34,632	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
35	Ton	213-C001	Superphosphate
100	Square Yard	217-A001	Ditch Liner
5	Thousand Gallon	219-A001	Watering
35	Acre	220-A001	Insect Pest Control
29	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
70	Acre	223-A001	Mowing
2,900	Linear Feet	234-A001	Temporary Silt Fence
230	Bale	235-A001	Temporary Erosion Checks
19	Each	236-A004	Silt Basin, Type D
875	Linear Feet	239-A001	Temporary Slope Drains
1,867	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths



5 Mile	423-A001	Rumble Strips, Ground In
443 Linear Feet	501-E001	Expansion Joints, Without Dowels
1,021 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
178 Pounds	602-A001	Reinforcing Steel
988 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
120 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
100 Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
152 Linear Feet	603-CA015	24" Reinforced Concrete Pipe, Class IV
19 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB003	30" Reinforced Concrete End Section
2 Each	603-CB008	60" Reinforced Concrete End Section
40 Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
2 Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
164 Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
14 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
14 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,700 Linear Feet	606-B001	Guard Rail, Class A, Type 1
16 Each	606-D012	Guard Rail, Bridge End Section, Type I
16 Each	606-E002	Guard Rail, Terminal End Section, Flared
220 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
160 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
6 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3,248 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,047 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
527 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
266 Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
149 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
360 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
192 Linear Feet	619-G4001	Barricades, Type III, Single Faced

24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
152	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
257	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
103	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
182	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
24	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
88	Each	630-F001	Delineators, Guard Rail, White
16	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,943	Ton	815-A006	Loose Riprap, Size 100
3,920	Ton	815-A009	Loose Riprap, Size 300
2,110	Square Yard	815-E001	Geotextile under Riprap
248	Square Yard	907-216-A001	Solid Sodding
70	Acre	907-225-A001	Grassing
208	Ton	907-225-B001	Agricultural Limestone
139	Ton	907-225-C001	Mulch, Vegetative Mulch
70	Acre	907-226-A001	Temporary Grassing
13,735	Linear Feet	907-234-C002	Super Silt Fence
600	Linear Feet	907-234-F001	Turbidity Barrier
570	Linear Feet	907-237-A003	Wattles, 20"
570	Linear Feet	907-245-A001	Triangular Silt Dike
570	Linear Feet	907-246-A001	Sandbags
336	Ton	907-249-A001	Riprap for Erosion Control
107,815	Cubic Yard	907-304-A011	Granular Material, LVM, Class 9, Group A
7,715	Ton	907-304-B009	Granular Material, Class 3, Group D
20,885	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C

192 Ton	907-307-D001	Lime
3,538 Gallon	907-307-S001	Bituminous Curing Seal
3,629 Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
4,025 Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
4,037 Ton	907-403-A024	19-mm, MT, Asphalt Pavement
3,622 Gallon	907-407-A001	Asphalt for Tack Coat
375 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
8 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
472 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
328 Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
368 Linear Feet	907-605-O003	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
120 Linear Feet	907-605-P003	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
66 Each	907-617-A001	Right-of-Way Marker
1 Lump Sum	907-618-A001	Maintenance of Traffic
5 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
741 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
186 Linear Feet	907-626-H004	Thermoplastic Legend, White
11 Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1 Lump Sum	907-699-A002	Roadway Construction Stakes
400 Ton	907-815-F001	Sediment Control Stone
720 Hours	907-906001	Trainees
<b>ALTERNATE GROUP AA NUMBER 1</b>		
13,812 Ton	907-304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>		
13,812 Ton	907-304-F003	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>		
13,812 Ton	907-304-F004	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP BB NUMBER 1</b>		
128 Ton	907-308-A001	Portland Cement

20,885	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
3,538	Gallon	907-308-S001	Bituminous Curing Seal

**ALTERNATE GROUP BB NUMBER 2**

20,885	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
96	Ton	907-311-B001	Lime
431	Ton	907-311-C001	Fly Ash, Class C
3,538	Gallon	907-311-S001	Bituminous Curing Seal

**ALTERNATE GROUP CC NUMBER 1**

5,258	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,240	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,006	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP CC NUMBER 2**

5,258	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,240	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,006	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**Bridge Items**

10,865	Square Yard	501-K001	Transverse Grooving
4	Each	803-B002	Conventional Static Pile Load Test
14,115	Linear Feet	803-D006	HP 14 x 117 Steel Piling
4,080	Linear Feet	803-D007	HP 14 x 89 Steel Piling
1,700	Linear Feet	803-D009	HP 16 x 183 Steel Piling
2,180	Linear Feet	803-D010	HP 18 x 181 Steel Piling
25	Each	803-I001	PDA Test Pile
4	Each	803-J001	Pile Restrike
996,072	Pounds	805-A001	Reinforcement
4,890	Linear Feet	813-A002	Concrete Railing, 32"
3,898	Ton	815-A009	Loose Riprap, Size 300
5,594	Square Yard	815-E001	Geotextile under Riprap
1,760	Linear Feet	907-803-P004	36" Steel Pipe Piling, Wall Thickness 0.750"
4,982	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
674	Linear Feet	907-804-C012	135' Prestressed Concrete Beam, Type BT-72

10,852	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
957	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
659	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
1,197	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

CALL No. 05

Mill and Overlay I-59 from Rocky Creek to 13th Avenue, known as Federal Aid Project No. IM-0059-02(099) / 106179301 in Jones County.

PROJECT COMPLETION: 162 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1,856	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
9	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
2	Each	202-B042	Removal of Flared End Section, All Sizes
16	Linear Feet	202-B064	Removal of Pipe, 8" And Above
7,612	Linear Feet	202-B076	Removal of Traffic Stripe
1	Each	202-B079	Removal of Headwall
240	Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
8,756	Linear Feet	202-B102	Removal of Guard Rail
1	Each	202-B189	Removal of Impact Attenuator
941	Linear Feet	202-B196	Removal of Debris and Sand From Pipe, All Sizes
832	Linear Feet	202-B298	Removal of Existing Joint Material
4,000	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
1,200	Cubic Yard	203-G003	Excess Excavation, FM, AH
2,505	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
123	Thousand Gallon	219-A001	Watering
68	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2,000	Linear Feet	234-A001	Temporary Silt Fence
147,331	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
30	Mile	423-A001	Rumble Strips, Ground In
16	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB001	18" Reinforced Concrete End Section
1	Each	603-CB002	24" Reinforced Concrete End Section
250	Pounds	604-B001	Gratings
5,971	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post

7	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
21	Each	606-D001	Guard Rail, Bridge End Section, Type A
10	Each	606-D014	Guard Rail, Bridge End Section, Type I, Metal Post
38	Each	606-E002	Guard Rail, Terminal End Section, Flared
240	Linear Feet	609-B001	Concrete Curb, Header
567	Linear Feet	615-A007	Concrete Type IV Modified Cast-in-Place Median Barrier
9	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
58	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
58	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
58	Mile	619-A3006	Temporary Traffic Stripe, Skip White
14,820	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
96	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
568	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
2,126	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1	Each	629-A003	Vehicular Impact Attenuator, 70 MPH
201	Each	630-F001	Delineators, Guard Rail, White
101	Each	630-F002	Delineators, Guard Rail, Yellow
20	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
224	Linear Feet	635-A001	Vehicle Loop Assemblies
2,972	Linear Feet	808-A001	Joint Preparation
6,150	Square Yard	907-216-A001	Solid Sodding
1,200	Linear Feet	907-237-A003	Wattles, 20"
12,716	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture
38,530	Gallon	907-402-B001	Bituminous Tack Coat
29,280	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
8,530	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
18,718	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
24,958	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture

38	Mile	907-403-S004	Joint Sealant
80,173	Gallon	907-407-A001	Asphalt for Tack Coat
912	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
20	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1,517	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
20	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
20	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
12,746	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,961	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,075	Linear Feet	907-626-H004	Thermoplastic Legend, White
269	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-626-H007	Thermoplastic Legend, Interstate Shield
1	Each	907-687-A018	Traffic Recorder Classification Permanent System
1	Lump Sum	907-699-A002	Roadway Construction Stakes
1,540	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
340	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
2,980	Linear Feet	907-823-B001	Saw Cut, Type I
664	Linear Feet	907-823-B002	Saw Cut, Type II
520	Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

12,009	Ton	907-304-F002	Size 610 Crushed Stone Base
--------	-----	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

12,009	Ton	907-304-F003	3/4" and Down Crushed Stone Base
--------	-----	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

12,009	Ton	907-304-F004	Size 825B Crushed Stone Base
--------	-----	--------------	------------------------------



CALL No. 06

Mill & Overlay I-220 from US 49 to Madison County Line and from Hinds County Line to I-55, known as Federal Aid Project Nos. IM-0220-03(033) / 106186301 & 302 in Hinds and Madison Counties.

PROJECT COMPLETION: Contractor Determined

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

14,153	Linear Feet	202-B076	Removal of Traffic Stripe
488	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
311	Acre	223-A001	Mowing
50,217	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
24	Mile	423-A001	Rumble Strips, Ground In
50	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
5	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
36	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
37	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
38	Mile	619-A3006	Temporary Traffic Stripe, Skip White
36,357	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,600	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,498	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
4,370	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
140	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,204	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
3,428	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
12	Each	630-F001	Delineators, Guard Rail, White
14	Each	630-F002	Delineators, Guard Rail, Yellow
2,700	Linear Feet	635-A001	Vehicle Loop Assemblies
3,547	Ton	907-304-B007	Granular Material, Class 5, Group E
10,744	Ton	907-402-A004	Open Graded Friction Course, 9.5-mm Mixture

18,695	Gallon	907-402-B001	Bituminous Tack Coat
5,756	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
7,111	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
16,125	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
21,499	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
2,822	Ton	907-403-B021	12.5-mm, HT, Asphalt Pavement, Leveling
7,565	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
28	Mile	907-403-S004	Joint Sealant
29,997	Gallon	907-407-A001	Asphalt for Tack Coat
85	Each	907-606-I001	Cable Barrier Post Repair
2,083	Linear Feet	907-606-PP007	Guard Rail Repair, 'W' Beam, Per Plans (Adjust Height)
1	Lump Sum	907-618-A001	Maintenance of Traffic
16	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,919	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
16	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
22,449	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,600	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
1,498	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
520	Hours	907-906001	Trainees

CALL No. 07

Replacement of Raised Pavement Markers District Wide, known as Federal Aid Project No. STP-9999-05(018) / 104756308 in District (5).

PROJECT COMPLETION: AUGUST 14, 2015

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

7,445	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
37,712	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
20,257	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	907-618-A001	Maintenance of Traffic

CALL No. 01

Remove and Replace the Roof Systems at the MDOT Materials Lab and Administration Building in Jackson, known as State Project Nos. MEP-5000-25(080) & MEP-5000-25(088) / 502884301 & 302 in Hinds County.

PROJECT COMPLETION: DECEMBER 18, 2015

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1	Lump Sum	1570-A001	Remove and Replace Roof System at MDOT Materials Lab
1	Lump Sum	1570-A001	Remove and Replace Roof System at MDOT Administration Building

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH  
EXECUTIVE DIRECTOR