


Proposal & Plan Sales Will Begin on April 6, 2015



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For April - April 28, 2015



Two Month Projects
Have An (*)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR APRIL - Tuesday, April 28, 2015

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 6, 2015

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
 For Information Please Contact:
 Contract Administration Division
 Jackson, MS
 Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
 For Information Please Contact:
 MDOT Plans Print Shop
 Jackson, MS
 Telephone: (601) 359-7460
 e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
01	WITHDRAWN	
02	NHPP-0011-01(066)/106532301	WASHINGTON
03	NH-0015-01(131)/106697301	FRANKLIN
04	BR-0023-02(050)/104211301 & BR-0023-02(050)/104211302	LEAKE, SCOTT
*	05 HSIP-0059-01(114) / 106818301	FORREST
	06 BR-0063-04(003) / 104484301 & BR-0063-04(003) / 104484302	GREENE, PERRY
	07 BR-0359-00(007)/102493301	JASPER
*	08 BR-9999-03(011)/106918302	DISTRICT 3
	09 BR-9999-05(017)/106918303	HINDS
	10 MP-1002-70(005) / 305382301	TIPPAH
	11 MP-1015-70(015) / 305423301	TIPPAH
	12 MP-1015-80(012)/305424301	WINSTON
	13 MP-1178-00(080)/305381301 & MP-1178-00(080)/305381302 & MP-1178-00(080)/305381303	LEE, PONTOTOC, UNION

*	14	MP-5145-52(002)/305442301	NOXUBEE
*	15	MP-6015-31(009)/305495301	JASPER
*	16	MP-6198-20(003)/305492301	GEORGE
*	17	MP-7000-00(182)/305460301	DISTRICT 7
	18	MP-7024-03(010)/305450301	AMITE

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Wednesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
01	MEP-5000-25(080) / 502884301 & MEP-5000-25(088) / 502884302	HINDS

CALL No. 02

US 82 Abandoned RR Bridge Removal in Leland, known as Federal Aid Project No. NHPP-0011-01(066) / 106532301 in Washington County.

PROJECT COMPLETION: AUGUST 26, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2	Each	202-B009	Removal of Bridge
144	Square Yard	202-B010	Removal of Bridge End Pavement
1	Each	202-B012	Removal of Building
149	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
88	Square Yard	202-B025	Removal of Concrete Paved Ditch
821	Square Yard	202-B035	Removal of Concrete Sidewalk
7,462	Linear Feet	202-B038	Removal of Curb, All Types
203	Linear Feet	202-B064	Removal of Pipe, 8" And Above
21,998	Linear Feet	202-B076	Removal of Traffic Stripe
3,630	Square Yard	202-B078	Removal of Pavement, All Types and Depths
2,934	Square Yard	202-B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
2	Each	202-B105	Removal of Pipe Headwall, All Sizes
1	Each	202-B131	Removal of Box Culvert, Including Headwalls
58	Each	202-B161	Removal of Existing Sign
4	Each	202-B215	Removal of Curb Inlet
19,192	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
5,979	Cubic Yard	203-G003	Excess Excavation, FM, AH
54	Cubic Yard	206-A001	Structure Excavation
11,733	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
3	Ton	213-C001	Superphosphate
317	Thousand Gallon	219-A001	Watering
3	Acre	220-A001	Insect Pest Control
243	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch

6 Acre	223-A001	Mowing
43 Each	230-B033	Tree Planting, Natchez White Crape Myrtle
3,000 Linear Feet	234-A001	Temporary Silt Fence
58 Bale	235-A001	Temporary Erosion Checks
2,795 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
4,282 Linear Feet	503-C007	Saw Cut, Full Depth
1,500 Pounds	602-A001	Reinforcing Steel
100 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
20 Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
264 Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
4 Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
395 Pounds	604-A001	Castings
3,248 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
2,170 Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
280 Linear Feet	609-D005	Combination Concrete Curb and Gutter Type 3B Modified
877 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
107 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
3 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3,064 Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
9,789 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
784 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
755 Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
622 Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
157 Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
97 Each	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
1,208 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,212 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2 Each	619-E1001	Flashing Arrow Panel, Type C
396 Linear Feet	619-G4001	Barricades, Type III, Single Faced

48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
337	Each	619-G5001	Free Standing Plastic Drums
5	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	619-H1001	Traffic Signals
1	Lump Sum	620-A001	Mobilization
119	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
270	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
302	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
60	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
294	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
34	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
534	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
264	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
4	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
18	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
55	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
51	Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
1	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment (WARNING FLASHERS)
1	Each	647-A002	Pullbox, Type 3
10	Each	647-A005	Pullbox, Type 2
2,590	Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
1,040	Linear Feet	666-B041	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor
960	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1,385	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
20	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
1,395	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
770	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor

455	Linear Feet	682-B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
5	Each	682-D001	Underground Pull Box
1	Each	682-F001	Secondary Power Controllers
4	Each	683-B153	Lighting Assembly, Low Mast, Type 30-2-0-250
5	Each	683-B154	Lighting Assembly, Low Mast, Type 30-1-0-250
9	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
1	Linear Feet	684-B003	Slip Casing, 24" Diameter
1	Lump Sum	907-202-B003	Removal of Bridge Components
15,858	Square Yard	907-216-A001	Solid Sodding
2	Acre	907-226-A001	Temporary Grassing
3	Each	907-234-D001	Inlet Siltation Guard
200	Linear Feet	907-237-A003	Wattles, 20"
80	Linear Feet	907-245-A001	Triangular Silt Dike
55	Each	907-246-B002	Rockbags
137	Ton	907-249-A001	Riprap for Erosion Control
27	Cubic Yard	907-249-B001	Remove and Reset Riprap
1,397	Ton	907-304-B002	Granular Material, Class 5, Group D
2,480	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
1,911	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement
3,178	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1,550	Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
4,106	Gallon	907-407-A001	Asphalt for Tack Coat
3,903	Square Yard	907-507-A001	Rubblizing Existing Portland Cement Concrete Pavement
18	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
148	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1	Each	907-604-PP003	Modify Existing Inlet, Per Plans (JB-1 TO SS-2 CONVERSION AT STA. 125+08)
1	Lump Sum	907-618-A001	Maintenance of Traffic
6	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-619-M2002	Portable Smart Work Zone, System
1	Each	907-619-M3001	Portable Smart Work Zone, System Monitoring

2 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
389 Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
1 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1,248 Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
3,098 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1 Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
5,926 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,420 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
701 Linear Feet	907-626-H004	Thermoplastic Legend, White
816 Square Feet	907-626-H005	Thermoplastic Legend, White
126 Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
100 Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1 Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
1 Each	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
1 Each	907-639-A028	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' Arm
1 Each	907-639-A031	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 70' Arm
16 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1 Each	907-641-C001	Signal Radar Detection System
4 Each	907-644-A001	Optical Detector
915 Linear Feet	907-644-B001	Optical Detector Cable
1 Each	907-644-C002	Phase Selector, 4 Channel
4 Each	907-645-B001	Be Prepared to Stop When Flashing Assembly
9 Each	907-682-D001	Underground Pull Box With Concrete Pad
1 Lump Sum	907-699-A002	Roadway Construction Stakes
15 Cubic Yard	907-815-F002	Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

7,570 Ton	907-304-F002	Size 610 Crushed Stone Base
-----------	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

7,570 Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

7,570 Ton

907-304-F004 Size 825B Crushed Stone Base

ALTERNATE GROUP AA NUMBER 4

7,570 Ton

907-304-D004 Granular Material, Crushed Concrete

CALL No. 03

Overlay approximately 5 miles of US 84 from East end of Bude Bypass to Homochitto River Bridge, known as Federal Aid Project No. NH-0015-01(131) / 106697301 in Franklin County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
ROADWAY Items

837	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
2,119	Linear Feet	202-B076	Removal of Traffic Stripe
51	Cubic Yard	203-G004	Excess Excavation, LVM, AH
20,308	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
625	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A3006	Temporary Traffic Stripe, Skip White
28,292	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,152	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
342	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
303	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
864	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
92	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
49	Each	630-F001	Delineators, Guard Rail, White
49	Each	630-F002	Delineators, Guard Rail, Yellow
14	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
14	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
6	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
6,086	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
14,081	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
830	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling

14,562	Gallon	907-407-A001	Asphalt for Tack Coat
160	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
12,000	Pounds	907-420-A001	Undersealing Concrete Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
8	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
13,188	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
15,104	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,152	Linear Feet	907-626-H004	Thermoplastic Legend, White
342	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 04

Replacing Bridges Between Harpersville and Walnut Grove, known as Federal Aid Project Nos. BR-0023-02(050) / 104211301 & 302 in Scott and Leake Counties.

PROJECT COMPLETION: 295 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
15,472	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
496	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,950	Linear Feet	202-B076	Removal of Traffic Stripe
1,205	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
10	Each	202-B130	Removal of Piling
109,612	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
62,497	Cubic Yard	203-G003	Excess Excavation, FM, AH
18,538	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
7	Ton	213-C001	Superphosphate
98	Square Yard	217-A001	Ditch Liner
7	Acre	220-A001	Insect Pest Control
170	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2	Acre	223-A001	Mowing
27	Square Yard	224-A001	Soil Reinforcing Mat
6,225	Linear Feet	234-A001	Temporary Silt Fence
100	Bale	235-A001	Temporary Erosion Checks
5,965	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Mile	423-A001	Rumble Strips, Ground In
202	Linear Feet	501-E001	Expansion Joints, Without Dowels
444	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
496	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
850	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D012	Guard Rail, Bridge End Section, Type I

8	Each	606-E002	Guard Rail, Terminal End Section, Flared
80	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
8,105	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
8,105	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
3,546	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,950	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
71	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
90	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
336	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Each	619-F3004	Delineators, Guard Rail, White
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
34	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
200	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
8	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
8	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
44	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
10	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
44	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
220	Ton	815-A006	Loose Riprap, Size 100
20	Ton	815-A009	Loose Riprap, Size 300
315	Square Yard	815-E001	Geotextile under Riprap
13	Acre	907-225-A001	Grassing
39	Ton	907-225-B001	Agricultural Limestone
26	Ton	907-225-C001	Mulch, Vegetative Mulch
13	Acre	907-226-A001	Temporary Grassing

3,390	Linear Feet	907-234-C002	Super Silt Fence
1,000	Linear Feet	907-237-A003	Wattles, 20"
160	Linear Feet	907-245-A001	Triangular Silt Dike
200	Each	907-246-B002	Rockbags
1,887	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
1,426	Cubic Yard	907-304-C010	Granular Material, AEA, Class 5, Group E
7,001	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
95	Ton	907-307-D001	Lime
1,751	Gallon	907-307-S001	Bituminous Curing Seal
1,133	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
2,611	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
2,617	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
275	Ton	907-403-C011	19-mm, MT, Asphalt Pavement, Trench Widening
1,571	Gallon	907-407-A001	Asphalt for Tack Coat
122	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
24	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge (STA. 19+44 - 5@ 31' SPANS)
1	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge (STA. 38+81 - 6 @ 31' SPANS)
2,175	Linear Feet	907-618-E001	Detour Bridge Piling
1	Lump Sum	907-618-F003	Detour Bridge PDA Test Pile
1,984	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
7,410	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,697	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
150	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
80	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
90	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
1	Lump Sum	907-699-B002	Bridge Construction Stakes
ALTERNATE GROUP AA NUMBER 1			
5,800	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM

ALTERNATE GROUP AA NUMBER 2

5,800 Cubic Yard 907-304-H003 Size 610 Crushed Stone Base, LVM

ALTERNATE GROUP AA NUMBER 3

5,800 Cubic Yard 907-304-H004 Size 825B Crushed Stone Base, LVM

ALTERNATE GROUP BB NUMBER 1

107 Ton 907-308-A001 Portland Cement
9,704 Square Yard 907-308-B002 Soil-Cement-Water Mixing, Optional Mixers, Design Soil
2,427 Gallon 907-308-S001 Bituminous Curing Seal

ALTERNATE GROUP BB NUMBER 2

9,704 Square Yard 907-311-A003 Processing Lime and Fly Ash Treated Course, 6" Thick
72 Ton 907-311-B001 Lime
288 Ton 907-311-C001 Fly Ash, Class C
2,427 Gallon 907-311-S001 Bituminous Curing Seal

Bridge Items

4,416 Square Yard 501-K001 Transverse Grooving
1,100 Linear Feet 803-D002 HP 12 x 53 Steel Piling
3,245 Linear Feet 803-D003 HP 14 x 73 Steel Piling
3,170 Linear Feet 803-D007 HP 14 x 89 Steel Piling
1,056 Linear Feet 803-F009 20" Pre-Formed Pile Hole
9 Each 803-I001 PDA Test Pile
4 Each 803-J001 Pile Restrike
337,977 Pounds 805-A001 Reinforcement
1,988 Linear Feet 813-A001 Concrete Railing
1,306 Ton 815-A009 Loose Riprap, Size 300
2,764 Square Yard 815-E001 Geotextile under Riprap
1,783 Cubic Yard 907-804-A001 Bridge Concrete, Class AA
3,780 Linear Feet 907-804-C016 40' Prestressed Concrete Beam, Type I+2
479 Linear Feet 907-804-C030 80' Prestressed Concrete Beam, Type III
659 Linear Feet 907-804-C150 110' Prestressed Concrete Beam, Type IV

CALL No. 05

Overlay I-59 Loop Ramps at US 49 with High Friction Surface Treatment, known as Federal Aid Project No. HSIP-0059-01(114) / 106818301 in Forrest County.

PROJECT COMPLETION: 21 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

7,300	Linear Feet	202-B076	Removal of Traffic Stripe
1,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
100	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
100	Gallon	907-407-A001	Asphalt for Tack Coat
8,100	Square Yard	907-410-D001	High Friction Surface Treatment
400	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
2	Each	907-619-E3001	Changeable Message Sign
4,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

CALL No. 06

Replacing Bridges on SR 42, Bridge Nos. 88.1, 90.0, and 90.1, known as Federal Aid Project Nos. BR-0063--04(003) / 104484301 & 302 in Perry & Greene Counties.

PROJECT COMPLETION: 229 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
316	Linear Feet	202-B064	Removal of Pipe, 8" And Above
2,025	Linear Feet	202-B076	Removal of Traffic Stripe
15,990	Square Yard	202-B078	Removal of Pavement, All Types and Depths
2	Each	202-B088	Removal of Box Culvert Headwall, All Sizes
1,526	Linear Feet	202-B102	Removal of Guard Rail
2	Each	202-B131	Removal of Box Culvert, Including Headwalls
19,323	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
76,949	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
51	Cubic Yard	203-F001	Channel Excavation, FM
29,081	Cubic Yard	203-G003	Excess Excavation, FM, AH
2,186	Cubic Yard	206-A001	Structure Excavation
113	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
20,003	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
106,217	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
14	Ton	213-C001	Superphosphate
250	Square Yard	217-A001	Ditch Liner
24	Thousand Gallon	219-A001	Watering
15	Acre	220-A001	Insect Pest Control
37	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
15	Acre	223-A001	Mowing
7,468	Linear Feet	234-A001	Temporary Silt Fence
17	Each	236-A004	Silt Basin, Type D
195	Linear Feet	239-A001	Temporary Slope Drains

5,757	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Mile	423-A001	Rumble Strips, Ground In
281	Linear Feet	501-E001	Expansion Joints, Without Dowels
613	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
42,929	Pounds	602-A001	Reinforcing Steel
112	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB001	18" Reinforced Concrete End Section
3	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
2	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
1,188	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
12	Each	606-D014	Guard Rail, Bridge End Section, Type I, Metal Post
12	Each	606-E001	Guard Rail, Terminal End Section
538	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
120	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
3	Mile	619-A1006	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
2	Linear Feet	619-A4002	Temporary Traffic Stripe, Skip Yellow, Paint
392	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
51	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
990	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
63	Each	619-F3004	Delineators, Guard Rail, White
600	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
167	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
256	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
232	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
25	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

104	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
263	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
2,475	Ton	815-A009	Loose Riprap, Size 300
125	Square Yard	815-E001	Geotextile under Riprap
1,219	Square Yard	907-216-A001	Solid Sodding
30	Acre	907-225-A001	Grassing
8	Ton	907-225-B001	Agricultural Limestone
59	Ton	907-225-C001	Mulch, Vegetative Mulch
30	Acre	907-226-A001	Temporary Grassing
1,553	Linear Feet	907-234-C002	Super Silt Fence
120	Linear Feet	907-237-A003	Wattles, 20"
30	Each	907-246-A002	Sandbags
3	Each	907-247-A001	Temporary Stream Diversion
2,888	Ton	907-249-A001	Riprap for Erosion Control
460	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
449	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
505	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
2,266	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
1,920	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
4,126	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
100	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
829	Ton	907-403-C011	19-mm, MT, Asphalt Pavement, Trench Widening
2,755	Gallon	907-407-A001	Asphalt for Tack Coat
168	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
159	Cubic Yard	907-601-A001	Class "B" Structural Concrete
13	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
848	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
60	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
84	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe

62	Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
48	Linear Feet	907-603-ALT15	29" x 18" Type A Alternate Pipe
126	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,790	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
568	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Lump Sum	907-699-A002	Roadway Construction Stakes
176	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
470	Ton	907-815-F001	Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

9,256	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
-------	------------	--------------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

9,256	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
-------	------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

9,256	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
-------	------------	--------------	-----------------------------------

Bridge Items

3,377	Square Yard	501-K001	Transverse Grooving
3	Each	803-B002	Conventional Static Pile Load Test
1,950	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
6,110	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
1,800	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
6	Each	803-I001	PDA Test Pile
6	Each	803-J001	Pile Restrike
257,095	Pounds	805-A001	Reinforcement
1,520	Linear Feet	813-A002	Concrete Railing, 32"
1,399	Ton	815-A009	Loose Riprap, Size 300
3,441	Square Yard	815-E001	Geotextile under Riprap
1,404	Cubic Yard	907-804-A001	Bridge Concrete, Class AA

3,543	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
359	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
599	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Bridge Replacement on SR 528 over Bogue Homa Creek Bridge No. 21.1, known as Federal Aid Project No. BR-0359-00(007) / 102493301 in Jasper County.

PROJECT COMPLETION: 145 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
216	Linear Feet	202-B064	Removal of Pipe, 8" And Above
2,400	Linear Feet	202-B076	Removal of Traffic Stripe
4,815	Square Yard	202-B078	Removal of Pavement, All Types and Depths
525	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
13,200	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
7,092	Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
500	Cubic Yard	203-G003	Excess Excavation, FM, AH
20	Cubic Yard	206-A001	Structure Excavation
16	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
10,286	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2,152	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
2	Ton	213-C001	Superphosphate
311	Square Yard	217-A001	Ditch Liner
2	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
9	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4	Acre	223-A001	Mowing
1,800	Linear Feet	234-A001	Temporary Silt Fence
128	Bale	235-A001	Temporary Erosion Checks
10	Each	236-A004	Silt Basin, Type D
2,133	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In

86	Linear Feet	501-D001	Expansion Joints, With Dowels
187	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
32	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
128	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB002	24" Reinforced Concrete End Section
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
110	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
4,924	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
4,924	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
760	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
154	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
56	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
256	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
542	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Each	619-F3004	Delineators, Guard Rail, White
264	Linear Feet	619-G4001	Barricades, Type III, Single Faced
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
54	Each	619-G5001	Free Standing Plastic Drums
15	Each	619-G7001	Warning Lights, Type "B"
100	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
56	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
66	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
27	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
65	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F013	Delineators, Surface Mounted, White

2	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
357	Ton	815-A009	Loose Riprap, Size 300
525	Square Yard	815-E001	Geotextile under Riprap
82	Square Yard	907-216-A001	Solid Sodding
4	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone
8	Ton	907-225-C001	Mulch, Vegetative Mulch
4	Acre	907-226-A001	Temporary Grassing
1,180	Linear Feet	907-234-C002	Super Silt Fence
507	Linear Feet	907-234-F001	Turbidity Barrier
1,000	Linear Feet	907-237-A003	Wattles, 20"
864	Linear Feet	907-245-A001	Triangular Silt Dike
864	Linear Feet	907-246-A001	Sandbags
175	Ton	907-249-A001	Riprap for Erosion Control
1,006	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
1,399	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
1,324	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
50	Ton	907-403-C011	19-mm, MT, Asphalt Pavement, Trench Widening
642	Gallon	907-407-A001	Asphalt for Tack Coat
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
528	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
21	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge
5,774	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6,087	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
760	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

154	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Lump Sum	907-699-A002	Roadway Construction Stakes
75	Ton	907-815-F001	Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

4,890	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

4,890	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

4,890	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

Bridge Items

889	Square Yard	501-K001	Transverse Grooving
1	Each	803-B002	Conventional Static Pile Load Test
2,580	Linear Feet	803-D002	HP 12 x 53 Steel Piling
3	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
101,792	Pounds	805-A001	Reinforcement
443	Linear Feet	813-A001	Concrete Railing
910	Square Yard	815-A001	Loose Riprap, Size 100
1,356	Square Yard	815-A004	Loose Riprap, Size 300
1,921	Square Yard	815-E001	Geotextile under Riprap
424	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
477	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
359	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
479	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III

CALL No. 08

Bridge Joint Repair on various routes in Yazoo, Washington, Issaquena, Sharkey & Humphreys, known as Federal Aid Project No. BR-9999-03(011) / 106918302 Districtwide (3).

PROJECT COMPLETION: 87 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
5	Square Feet	907-618-B001	Additional Construction Signs

Bridge Items

15,680	Linear Feet	808-A001	Joint Preparation
7,628	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
212	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
15,256	Linear Feet	907-823-B001	Saw Cut, Type I
424	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 09

Bridge Joint Repair on I-20 Eastbound over I-55 South, known as Federal Aid Project No. BR-9999-05(017) / 106918303 in Hinds County.

PROJECT COMPLETION: JULY 22, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,517	Linear Feet	202-B076	Removal of Traffic Stripe
600	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
600	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
2,032	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape
3,155	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
108	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
54	Each	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
487	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
870	Linear Feet	619-F1001	Concrete Median Barrier, Precast
450	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
60	Linear Feet	619-G4001	Barricades, Type III, Single Faced
36	Linear Feet	619-G4005	Barricades, Type III, Double Faced
7	Each	619-G5001	Free Standing Plastic Drums
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
48	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1	Lump Sum	907-618-A001	Maintenance of Traffic
3	Each	907-619-E3001	Changeable Message Sign
1,831	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,427	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1,427	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
173	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White

Bridge Items

104	Linear Feet	808-A001	Joint Preparation
-----	-------------	----------	-------------------

53 Linear Feet

907-823-A002 Preformed Joint Seal, Type II

1 Lump Sum

907-824-PP093 Bridge Repair, Remove and Replace Concrete Bridge Deck, Per Plans

CALL No. 10

Overlay SR 2 from SR 4 to Alcorn County Line, known as State Project No. MP-1002-70(005) / 305382301 in Tippah County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

200 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,185 Linear Feet	202-B076	Removal of Traffic Stripe
200 Cubic Yard	203-G003	Excess Excavation, FM, AH
6,900 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
23 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
11,500 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,400 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,050 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,400 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,650 Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
10,000 Ton	907-411-A003	Ultra Thin Asphalt Pavement
8,300 Gallon	907-411-B001	Bituminous Tack Coat
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
23 Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
7 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
16 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
11,500 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,400 Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

200 Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
----------------	--------------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

200 Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
----------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

200 Cubic Yard 907-304-H004 Size 825B Crushed Stone Base, LVM

ALTERNATE GROUP BB NUMBER 1

830 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

415 Linear Feet 907-626-K003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP BB NUMBER 2

830 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, Continuous White

415 Linear Feet 628-L002 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 11

Mill and Overlay approximately 5 miles of SR 15 from End 3-lane in Ripley to CR 407, known as State Project No. MP-1015-70(015) / 305423301 in Tippah County.

PROJECT COMPLETION: 50 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

550	Cubic Yard	203-G003	Excess Excavation, FM, AH
182,600	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
9	Mile	423-A001	Rumble Strips, Ground In
9	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
10,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
820	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
350	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
700	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
16,400	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
9,150	Gallon	907-407-A001	Asphalt for Tack Coat
1	Each	907-604-PP003	Modify Existing Inlet, Per Plans
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
9	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,950	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,450	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
820	Linear Feet	907-626-H004	Thermoplastic Legend, White
85	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NUMBER 1			
650	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM

ALTERNATE GROUP AA NUMBER 2

650 Cubic Yard 907-304-H003 Size 610 Crushed Stone Base, LVM

ALTERNATE GROUP AA NUMBER 3

650 Cubic Yard 907-304-H004 Size 825B Crushed Stone Base, LVM

CALL No. 12

Mill & Overlay approximately 5 miles of SR 15 North from North Church Avenue Overpass to the Winston / Choctaw County Line, known as State Project No. MP-1015-80(012) / 305424301 in Winston County.

PROJECT COMPLETION: 50 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,760 Linear Feet	202-B076	Removal of Traffic Stripe
170 Cubic Yard	203-G003	Excess Excavation, FM, AH
680 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
7,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4 Mile	423-A001	Rumble Strips, Ground In
420 Linear Feet	503-C007	Saw Cut, Full Depth
10 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7 Mile	619-A3006	Temporary Traffic Stripe, Skip White
3 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
24,500 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
225 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
825 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
365 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,000 Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
12,500 Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
250 Ton	907-403-A024	19-mm, MT, Asphalt Pavement
38,000 Square Yard	907-405-D001	Scrub Seal
9,000 Gallon	907-407-A001	Asphalt for Tack Coat
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
4 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
8 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White

3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
15,600	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,000	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NUMBER 1			
200	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
200	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
200	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1			
780	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
780	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
780	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
780	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
780	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
780	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 13

Mill & Overlay approximately 19 Miles of SR 178 from SR 15 to 5-Lane South of US 78, known as State Project Nos. MP-1178-00(080) / 305381301, 302, & 303 in Union, Pontotoc, & Lee Counties.

PROJECT COMPLETION: 65 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

677	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
54	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
657	Cubic Yard	203-G003	Excess Excavation, FM, AH
280,289	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
70	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
42	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3006	Temporary Traffic Stripe, Skip White
21	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
20,406	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
6,909	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
500	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
858	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
315	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,739	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,423	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
26,399	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
3,766	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
19,623	Gallon	907-407-A001	Asphalt for Tack Coat
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
3	Square Feet	907-618-B001	Additional Construction Signs
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
36	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
11	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
21	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

12,757	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,080	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,056	Linear Feet	907-626-H004	Thermoplastic Legend, White
500	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

600	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
-----	------------	--------------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

600	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
-----	------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

600	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
-----	------------	--------------	-----------------------------------

CALL No. 14

Mill & Overlay approximately 7 miles of SR 145 at Macon, known as State Project No. MP-5145-52(002) / 305442301 in Noxubee County.

PROJECT COMPLETION: 86 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

14,180	Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
311	Square Yard	202-B035	Removal of Concrete Sidewalk
392	Linear Feet	202-B038	Removal of Curb, All Types
1,816	Linear Feet	202-B076	Removal of Traffic Stripe
792	Square Yard	202-B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
192	Cubic Yard	203-G003	Excess Excavation, FM, AH
100	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
121,220	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2,347	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths (Bridge Deck Milling)
360	Linear Feet	413-B001	Cleaning and Sealing Joints
922	Linear Feet	503-C007	Saw Cut, Full Depth
311	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
7,817	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,028	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
39	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
364	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
426	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
440	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
48	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
805	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
200	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E

14,533	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
711	Ton	907-403-B017	12.5-mm, MT, Asphalt Pavement, Leveling
10,000	Gallon	907-407-A001	Asphalt for Tack Coat
28,392	Linear Feet	907-413-D002	Cleaning and Filling Joints in PCC Pavement, 10" or Less
28,392	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
144	Linear Feet	907-415-A002	Asphaltic Plug Joint System (Bridge No. 135.9)
280	Square Feet	907-611-PP003	Detectable Warning, Per Plans
1	Lump Sum	907-618-A001	Maintenance of Traffic
1,737	Linear Feet	907-619-A5001	Temporary Traffic Stripe, Detail Blue ADA
2,710	Linear Feet	907-625-E001	Detail Traffic Stripe, 4" Equivalent Length
1,737	Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
14	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
950	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
4,157	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,028	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
39	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
11	Each	907-630-PP001	Handicap Parking Sign with Post

ALTERNATE GROUP AA NUMBER 1

260	Cubic Yard	907-304-G001	Size 825B Crushed Stone Base, AEA
-----	------------	--------------	-----------------------------------

ALTERNATE GROUP AA NUMBER 2

260	Cubic Yard	907-304-G002	Size 610 Crushed Stone Base, AEA
-----	------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

260	Cubic Yard	907-304-G003	Size 3/4" and Down Crushed Stone Base, AEA
-----	------------	--------------	--

Bridge Items

1	Lump Sum	907-824-PP093	Bridge Repair,
---	----------	---------------	----------------

CALL No. 15

Overlay approximately 7 miles of SR 15 in Bay Springs from SR 18 South, known as State Project No. MP-6015-31(009) / 305495301 in Jasper County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100	Linear Feet	202-B076	Removal of Traffic Stripe
18	Square Yard	202-B078	Removal of Pavement, All Types and Depths
30,750	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
9	Mile	423-A001	Rumble Strips, Ground In
25	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,672	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
460	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
25	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,750	Ton	907-304-F004	Size 825B Crushed Stone Base
12,000	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
8	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
3,600	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
13,100	Gallon	907-407-A001	Asphalt for Tack Coat
6,910	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
12	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,800	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,672	Linear Feet	907-626-H004	Thermoplastic Legend, White

241 Square Feet

907-626-H005 Thermoplastic Legend, White

CALL No. 16

Mill & Overlay approximately 5 miles of SR 198 from .2 miles W of SR 26 to US 98, known as State Project No. MP-6198-20(003) / 305492301 in George County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,032	Linear Feet	202-B076	Removal of Traffic Stripe
24,244	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
8	Mile	423-A001	Rumble Strips, Ground In
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
418	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,583	Ton	907-304-F004	Size 825B Crushed Stone Base
1,184	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
9,256	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
2,758	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
12,184	Gallon	907-407-A001	Asphalt for Tack Coat
11,000	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
6,125	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,574	Linear Feet	907-626-H004	Thermoplastic Legend, White

Bridge Items

480	Linear Feet	808-A001	Joint Preparation
-----	-------------	----------	-------------------

240 Linear Feet	907-823-A001	Preformed Joint Seal, Type I
480 Linear Feet	907-823-B001	Saw Cut, Type I

CALL No. 17

Scrub Seal approximately 34 miles of roadway throughout the District, known as State Project No. MP-7000-00(182) / 305460301 Districtwide (7).

PROJECT COMPLETION: 55 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
ROADWAY Items**

5,389	Linear Feet	202-B076	Removal of Traffic Stripe
28	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
29	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
29	Mile	625-B002	Traffic Stripe, Skip Yellow
69	Mile	625-C002	Traffic Stripe, Continuous White
28	Mile	625-D002	Traffic Stripe, Continuous Yellow
47,284	Linear Feet	625-E001	Detail Traffic Stripe
5,940	Linear Feet	625-F002	Legend
3,035	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
2,056	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,035	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
482,113	Square Yard	907-405-D001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
3	Square Feet	907-618-B001	Additional Construction Signs

ALTERNATE GROUP AA NUMBER 1

3,326	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,363	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
700	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

3,326	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,363	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
700	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 18

Overlay approximately 7 miles of SR 24 from East Fork Road to Pike County Line, known as State Project No. MP-7024-03(010) / 305450301 in Amite County.

PROJECT COMPLETION: 50 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

275	Linear Feet	202-B076	Removal of Traffic Stripe
150	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
4,474	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,100	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,268	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
365	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
544	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F001	Delineators, Guard Rail, White
2,085	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
10,086	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
700	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
9,005	Gallon	907-407-A001	Asphalt for Tack Coat
3,043	Square Feet	907-412-A002	Pre-Grinding
1,500	Pounds	907-420-A001	Undersealing Concrete Pavement
88	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
14	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

1,446	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
654	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,268	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 01

Remove and Replace the Roof Systems at the MDOT Materials Lab and Administration Building in Jackson, known as State Project Nos. MEP-5000-25(080) & MEP-5000-25(088) / 502884301 & 302 in Hinds County.

PROJECT COMPLETION: JANUARY 29, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	1570-A001	Remove and Replace Roof System at MDOT Materials Lab
1	Lump Sum	1570-A001	Remove and Replace Roof System at MDOT Administration Building

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR