

**Proposal & Plan Sales Will Begin on June 8, 2015**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For June - June 22, 2015**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR JUNE - Monday, June 22, 2015

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 8, 2015

Proposals must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

Contract Administration Division

Jackson, MS

Telephone: (601) 359-7700

Plans must be purchased online at:

<https://shopmdot.ms.gov>

For Information Please Contact:

MDOT Plans Print Shop

Jackson, MS

Telephone: (601) 359-7460

e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

#### LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
1	IM-0055-02(245)/106023308	HINDS

CALL No. 1

Widening approximately 8 miles of I-55 from South of the Byram Interchange to North of McDowell Road, known as Federal Aid Project No. IM-0055-02(245) / 106023308 in Hinds County.

PROJECT COMPLETION: Contractor Determined

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
359	Linear Feet	202-B022	Removal of Concrete Median Barrier
7	Square Yard	202-B025	Removal of Concrete Paved Ditch
65	Square Yard	202-B036	Removal of Concrete Slope Paving
171	Linear Feet	202-B038	Removal of Curb, All Types
3	Each	202-B057	Removal of Inlets, All Sizes
251	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,000	Square Yard	202-B072	Removal of Soil Cement Treated Base, All Depths
18,864	Square Feet	202-B074	Removal of Steel Sheet Piling
8,357	Square Yard	202-B078	Removal of Pavement, All Types and Depths
200	Linear Feet	202-B102	Removal of Guard Rail
1	Each	202-B142	Removal of Junction Box
2	Mile	202-B149	Removal of Traffic Stripe
6,942	Linear Feet	202-B196	Removal of Debris and Sand From Pipe, All Sizes
1,000	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
1,000	Cubic Yard	203-B004	Rock Excavation, LVM, AH
28,971	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
5,000	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
26,310	Cubic Yard	203-G003	Excess Excavation, FM, AH
858	Cubic Yard	206-A001	Structure Excavation
5,597	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
790	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
10,189	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
25	Ton	213-C001	Superphosphate

4,491	Square Yard	217-A001	Ditch Liner
95	Thousand Gallon	219-A001	Watering
25	Acre	220-A001	Insect Pest Control
762	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
484	Acre	223-A001	Mowing
7,022	Square Yard	224-A001	Soil Reinforcing Mat
8,523	Linear Feet	234-A001	Temporary Silt Fence
2,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2,556	Pounds	602-A001	Reinforcing Steel
368	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
64	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
72	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
7	Each	603-CB001	18" Reinforced Concrete End Section
3	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB003	30" Reinforced Concrete End Section
920	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
472	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
3	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
4	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
1	Each	603-SB024	18" Branch Connections, Stub into Existing Median Inlet
4,636	Pounds	604-A001	Castings
6,973	Pounds	604-B001	Gratings
1,704	Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
144	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
157	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
6	Each	605-Z002	Underdrain Appurtenances, Small Animal Guard
6	Each	605-Z004	Underdrain Appurtenances, Sign
6	Each	605-Z005	Underdrain Appurtenances, Concrete Apron, Precast or Cast-In-Place
1,075	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post

2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
229	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
5	Each	613-D004	Adjustment of Inlet
15,319	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place Median Barrier
30,720	Linear Feet	615-B001	Precast Concrete Median Barrier
5,560	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
3,184	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
447	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
48	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
77	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
535	Square Feet	619-D2002	Standard Roadside Construction Signs, 10 Square Feet or More, Permanent
17	Each	619-D3001	Remove and Reset Signs, All Sizes
353	Square Feet	619-D4001	Directional Signs
11,030	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
312	Linear Feet	619-G4005	Barricades, Type III, Double Faced
193	Each	619-G5001	Free Standing Plastic Drums
8	Unit	619-J1004	Impact Attenuator, 70 MPH
2	Each	619-J2003	Impact Attenuator, 70 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
1,450	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
15	Each	629-A003	Vehicular Impact Attenuator, 70 MPH
32	Each	630-F001	Delineators, Guard Rail, White
358	Ton	815-A009	Loose Riprap, Size 300
105	Cubic Yard	815-D001	Concrete Slope Paving
663	Square Yard	815-E001	Geotextile under Riprap
262,172	Square Yard	907-203-I001	Site Grading
4,715	Square Yard	907-216-A001	Solid Sodding
49	Acre	907-225-A001	Grassing
25	Ton	907-225-B001	Agricultural Limestone
98	Ton	907-225-C001	Mulch, Vegetative Mulch

49	Acre	907-226-A001	Temporary Grassing
36	Each	907-234-D001	Inlet Siltation Guard
5	Each	907-234-E001	Reset Inlet Siltation Guard
5,000	Linear Feet	907-237-A003	Wattles, 20"
863	Linear Feet	907-245-A001	Triangular Silt Dike
1,000	Each	907-246-B002	Rockbags
800	Ton	907-249-A001	Riprap for Erosion Control
250	Cubic Yard	907-249-B001	Remove and Reset Riprap
1	Lump Sum	907-251-A001	Maintenance of Existing Erosion Control Devices
64,621	Ton	907-304-B005	Granular Material, Class 9, Group C
1,039	Ton	907-304-B007	Granular Material, Class 5, Group E
29,060	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
262	Ton	907-307-D001	Lime
27,676	Square Yard	907-307-PP001	12" Soil-Lime-Water Mixing, Class C
7,265	Gallon	907-307-S001	Bituminous Curing Seal
10,890	Square Yard	907-321-A001	8" In-Grade Preparation
4,376	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
23,035	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
46,834	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
14,641	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
1,650	Ton	907-403-B022	19-mm, HT, Asphalt Pavement, Leveling
14,329	Gallon	907-407-A001	Asphalt for Tack Coat
1,334	Square Yard	907-503-M001	Repair of Failed Areas in Asphalt and/or Concrete Pavement
36	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,244	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
264	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
13,201	Linear Feet	907-615-PP002	Concrete Median Barrier Finish
1	Lump Sum	907-618-1M001	Service Patrol
1	Lump Sum	907-618-A001	Maintenance of Traffic
6	Each	907-619-J3001	Remove and Reset Impact Attenuator

500	Linear Feet	907-619-P1001	Glare Paddles
1	Each	907-622-A002	Engineer's Field Office Building, Type 3
9	Mile	907-626-U004	6" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
8	Mile	907-626-V004	6" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
1,000	Linear Feet	907-626-W003	6" Thermoplastic Traffic Stripe, Skip Yellow, 40-mil min.
8	Mile	907-626-X004	6" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
12,095	Linear Feet	907-626-Y002	Thermoplastic Detail Traffic Stripe, White, 6" Equivalent Length, 40-mil. min.
341	Cubic Yard	907-631-A001	Flowable Fill, Excavatable
1	Lump Sum	907-699-A002	Roadway Construction Stakes
100	Ton	907-815-F001	Sediment Control Stone
<b>ALTERNATE GROUP AA NUMBER 1</b>			
984	Ton	907-304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
984	Ton	907-304-F003	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>			
984	Ton	907-304-F004	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP BB NUMBER 1</b>			
1,811	Ton	907-308-A001	Portland Cement
128,336	Square Yard	907-308-B003	Soil-Cement-Water Mixing, Multiple Pass Mixers, Base
32,085	Gallon	907-308-S001	Bituminous Curing Seal
<b>ALTERNATE GROUP BB NUMBER 2</b>			
128,336	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
988	Ton	907-311-B001	Lime
3,951	Ton	907-311-C001	Fly Ash, Class C
32,085	Gallon	907-311-S001	Bituminous Curing Seal
<b>ALTERNATE GROUP CC NUMBER 1</b>			
262	Ton	907-308-A001	Portland Cement
29,060	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
7,265	Gallon	907-308-S001	Bituminous Curing Seal
<b>ALTERNATE GROUP CC NUMBER 2</b>			
29,060	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick

197 Ton	907-311-B001	Lime
785 Ton	907-311-C001	Fly Ash, Class C
7,265 Gallon	907-311-S001	Bituminous Curing Seal

**Bridge Items**

930 Cubic Yard	206-A001	Structure Excavation
9,900 Square Feet	802-A001	Permanent Steel Sheet Piling State Provided
12,870 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling State Provided
3,115 Linear Feet	803-D007	HP 14 x 89 Steel Piling
2,790 Linear Feet	803-D007	HP 14 x 89 Steel Piling State Provided
85,830 Pounds	805-A001	Reinforcement
85,808 Pounds	805-A001	Reinforcement State Provided
1,932 Cubic Yard	907-804-A014	Bridge Concrete, Class B



For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH  
EXECUTIVE DIRECTOR