


Proposal & Plan Sales Will Begin on June 1, 2015



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For June - June 23, 2015



Two Month Projects
Have An (*)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JUNE - Tuesday, June 23, 2015

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 1, 2015

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
01	HSIP-0002-01(048)/106627301	JACKSON
* 02	HSIP-0225-00(005)/107003301	JONES
03	SP-9999-03(003)/106934301	BOLIVAR
* 04	SFM-0018-01(001)/107058301	HUMPHREYS
* 05	SFM-2171-00(023)/107075301	PEARL RIVER
* 06	SFM-2171-00(024)/107076301	LAMAR
* 07	MP-6000-00(251)/305526301	DISTRICT 6
* 08	MP-6000-00(252)/305527301	DISTRICT 6
* 09	MP-6015-56(006)/305529301	PERRY
* 10	MP-6029-56(017)/305528301	PERRY
* 11	MP-7000-00(183)/305490301	DISTRICT 7

CALL No. 01

Construction necessary to install a traffic signal on SR 63 at SR 614, known as Federal Aid Project No. HSIP-0002-01(048) / 106627301 in Jackson County.

PROJECT COMPLETION: MAY 31, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2	Each	202-B057	Removal of Inlets, All Sizes
316	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
104	Cubic Yard	203-G003	Excess Excavation, FM, AH
162	Cubic Yard	206-A001	Structure Excavation
3,880	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
40	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
10	Thousand Gallon	219-A001	Watering
1	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
200	Linear Feet	234-A001	Temporary Silt Fence
25,108	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Mile	423-A001	Rumble Strips, Ground In
1,282	Pounds	602-A001	Reinforcing Steel
340	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
72	Linear Feet	603-CA126	18" Reinforced Concrete Pipe, Class V, Jacked or Bored
1	Each	603-CB001	18" Reinforced Concrete End Section
976	Pounds	604-A001	Castings
1,550	Pounds	604-B001	Gratings
528	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
251	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
3	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
4,800	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
4,050	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5,000	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White

8,914	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
310	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
299	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
495	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
138	Each	619-G5001	Free Standing Plastic Drums
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
159	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
338	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
15	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
135	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
224	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
9	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
223	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
78	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
34	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
68	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
36	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
311	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
51	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
186	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
972	Linear Feet	635-A001	Vehicle Loop Assemblies
971	Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
6	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A045	Traffic Signal Heads, Type 3L, LED

2	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
1	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
8	Each	647-A001	Pullbox, Type 1
1	Each	647-A002	Pullbox, Type 3
4	Each	647-A005	Pullbox, Type 2
64	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
2,253	Linear Feet	666-B007	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4 Conductor
150	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor
911	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1,956	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
391	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
204	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
472	Square Yard	907-216-A001	Solid Sodding
1	Each	907-234-D001	Inlet Siltation Guard
1	Each	907-234-E001	Reset Inlet Siltation Guard
470	Linear Feet	907-237-A003	Wattles, 20"
2,405	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
263	Ton	907-403-A023	12.5-mm, MT, Asphalt Pavement
399	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
1,579	Gallon	907-407-A001	Asphalt for Tack Coat
19	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
5,000	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
4,800	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,124	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,900	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
13,297	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,100	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,240	Linear Feet	907-626-H004	Thermoplastic Legend, White

299	Square Feet	907-626-H005	Thermoplastic Legend, White
60	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
2	Each	907-639-A161	Traffic Signal Equipment Pole, Type II, 22' Shaft, 80' Arm
2	Each	907-639-A162	Traffic Signal Equipment Pole, Type II, 22' Shaft, 40' Arm
16	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
60	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
2	Each	907-641-B002	Signal Advanced Radar Detection
4	Each	907-645-B001	Be Prepared to Stop When Flashing Assembly
1	Lump Sum	907-699-A002	Roadway Construction Stakes

ALTERNATE GROUP AA NUMBER 1

1,050	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,050	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

ALTERNATE GROUP AA NUMBER 3

1,050	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

CALL No. 02

Overlay with High Friction Surface Treatment approximately 2 miles of SR 537 from 100 feet South of the Northview / Hwy 537 Intersection to 100 feet North of Buck Temple Road, known as Federal Aid Project No. HSIP-0225-00(005) / 107003301 in Jones County.

PROJECT COMPLETION: 48 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	202-A001	Removal of Obstructions
970	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
700	Linear Feet	202-B076	Removal of Traffic Stripe
50	Square Yard	202-B078	Removal of Pavement, All Types and Depths
3,415	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
350	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D015	Guard Rail, Bridge End Section
12	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
180	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
360	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
48	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
6	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
700	Ton	907-304-F004	Size 825B Crushed Stone Base
2,500	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
50	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
1,400	Ton	907-403-B013	12.5-mm, ST, Asphalt Pavement, Leveling
4,300	Gallon	907-407-A001	Asphalt for Tack Coat
6,600	Square Yard	907-410-D001	High Friction Surface Treatment

1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
5 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
854 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
392 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
732 Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 03

Construction on the Grammy Museum Turning Lane on Mississippi Highway 8, known as State Project No. SP-9999-03(003) / 106934301 in Bolivar County.

PROJECT COMPLETION: AUGUST 31, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
4	Each	202-B057	Removal of Inlets, All Sizes
340	Linear Feet	202-B076	Removal of Traffic Stripe
338	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
2,720	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
2,038	Cubic Yard	203-G004	Excess Excavation, LVM, AH
208	Pounds	602-A001	Reinforcing Steel
21	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
221	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
340	Linear Feet	609-D009	Combination Concrete Curb and Gutter Type 3B
1	Lump Sum	620-A001	Mobilization
62	Each	627-C001	Red-Clear Reflective Raised Markers
31	Each	627-D001	Two-Way Yellow Reflective Raised Markers
8	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
13	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
1	Ton	907-225-C001	Mulch, Vegetative Mulch
42	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
127	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Each	907-604-PP003	Modify Existing Inlet, Per Plans
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
1,110	Linear Feet	907-625-A003	Traffic Stripe, High Build, Skip White
80	Linear Feet	907-625-B003	Traffic Stripe, High Build, Skip Yellow
995	Linear Feet	907-625-D003	Traffic Stripe, High Build, Continuous Yellow

1,130	Linear Feet	907-625-E003	Detail Traffic Stripe, High Build
77	Square Feet	907-625-F005	Legend, High Build
100	Linear Feet	907-625-F006	Legend, High Build
37	Cubic Yard	907-631-A001	Flowable Fill, Excavatable
1	Lump Sum	907-699-A002	Roadway Construction Stakes

ALTERNATE GROUP AA NUMBER 1

286	Ton	907-304-F002	Size 610 Crushed Stone Base
-----	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

286	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-----	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

286	Ton	907-304-F004	Size 825B Crushed Stone Base
-----	-----	--------------	------------------------------

CALL No. 04

Widen & Overlay approximately 11 miles of SR 12 from the Sunflower Bridge to US 49W at Belzoni, known as State Project No. SFM-0018-01(001) / 107058301 in Humphreys County.

PROJECT COMPLETION: 47 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,400	Linear Feet	202-B076	Removal of Traffic Stripe
2,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
22	Mile	423-A001	Rumble Strips, Ground In
22	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
11	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
2,912	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
636	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
175	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
800	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,100	Ton	907-304-B002	Granular Material, Class 5, Group D
18,656	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
500	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
9,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
22	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
932	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,980	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
636	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White

ALTERNATE GROUP AA NUMBER 1

1,250	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
90	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,080	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

1,250	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
90	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,080	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 05

Overlay approximately 6 miles of US 11 from Lakeshore Drive to South Apple Drive, known as State Project No. SFM-2171-00(023) / 107075301 in Pearl River County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

445	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
5,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
760	Linear Feet	413-B001	Cleaning and Sealing Joints
10	Mile	423-A001	Rumble Strips, Ground In
770	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
50	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
833	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
700	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
70	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
625	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
660	Linear Feet	635-A001	Vehicle Loop Assemblies
800	Ton	907-304-F004	Size 825B Crushed Stone Base
9,300	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
4,200	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
7,500	Gallon	907-407-A001	Asphalt for Tack Coat
21,000	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

3,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
700	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,800	Linear Feet	907-626-H004	Thermoplastic Legend, White
526	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 06

Overlay approximately 7 miles of US 11 from Pearl River County Line to Yawn School Road, known as State Project No. SFM-2171-00(024) / 107076301 in Lamar County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

200	Linear Feet	202-B076	Removal of Traffic Stripe
389	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1	Each	202-B090	Removal of Terminal End Section
11	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
7	Square Yard	202-B095	Removal of Concrete Sidewalks & Driveways, All Depths
12,391	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5,773	Linear Feet	413-B001	Cleaning and Sealing Joints
9	Mile	423-A001	Rumble Strips, Ground In
386	Linear Feet	503-C007	Saw Cut, Full Depth
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
267	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
11,115	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,291	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
400	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
10	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
688	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16	Each	630-F001	Delineators, Guard Rail, White
50	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
50	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
2,476	Ton	907-304-F004	Size 825B Crushed Stone Base
7,500	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
350	Ton	907-403-A024	19-mm, MT, Asphalt Pavement

5,110	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
14,303	Gallon	907-407-A001	Asphalt for Tack Coat
24,491	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
5,612	Square Yard	907-505-B001	Grinding Concrete Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
9	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,701	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,857	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,146	Linear Feet	907-626-H004	Thermoplastic Legend, White
63	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 07

Sealing on various routes in District 6, known as State Project No. MP-6000-00(251) / 305526301 Districtwide.

PROJECT COMPLETION: OCTOBER 16, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

6,200	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
5,000	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
6,200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
173,583	Square Yard	907-405-D001	Scrub Seal
192,000	Gallon	907-410-A001	Asphalt for Surface Treatment, Grade CRS-2P
76,400	Gallon	907-410-A002	Asphalt for Surface Treatment, Grade CQS-1H
5,300	Cubic Yard	907-410-C002	Seal Aggregate Cover Material, Size 7, Limestone
1	Lump Sum	907-618-A001	Maintenance of Traffic

CALL No. 08

Raised Pavement Markers on various routes in District 6, known as State Project No. MP-6000-00(252) / 305527301 Districtwide.

PROJECT COMPLETION: 43 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

13,000	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
16,400	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
9,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	907-618-A001	Maintenance of Traffic

CALL No. 09

Overlay approximately 2 miles of SR 15 from Redbay Avenue to Mulberry Rd., known as State Project No. MP-6015-56(006) / 305529301 in Perry County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100	Linear Feet	202-B076	Removal of Traffic Stripe
124	Square Yard	202-B078	Removal of Pavement, All Types and Depths
13,820	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,334	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
150	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
24	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,134	Linear Feet	635-A001	Vehicle Loop Assemblies
700	Ton	907-304-F004	Size 825B Crushed Stone Base
4,910	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
45	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
1,000	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
6,000	Gallon	907-407-A001	Asphalt for Tack Coat
7,196	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,211	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,330	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,556	Linear Feet	907-626-H004	Thermoplastic Legend, White

114 Square Feet

907-626-H005 Thermoplastic Legend, White

CALL No. 10

Overlay approximately 3 miles of SR 29 from Daughtry Hill Rd. to SR 42, known as State Project No. MP-6029-56(017) / 305528301 in Perry County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,940	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
290	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
6	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
278	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
130	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
205	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
40	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
800	Ton	907-304-F004	Size 825B Crushed Stone Base
78	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
3,600	Ton	907-411-A003	Ultra Thin Asphalt Pavement
2,906	Gallon	907-411-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
700	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
560	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
556	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 11

Raised Pavement Markers on various routes in District 7, known as State Project No. MP-7000-00(183) / 305490301 Districtwide.

PROJECT COMPLETION: 49 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

22,104	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
23,338	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
20,633	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	907-618-A001	Maintenance of Traffic

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR