


Proposal & Plan Sales Will Begin on July 6, 2015



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For July - July 28, 2015



Two Month Projects
Have An (*)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JULY - Tuesday, July 28, 2015

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 6, 2015

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JULY

CALL	CONTRACT	COUNTY
*	01 STP-0008-01(135)/107097301	HARRISON
	02 STP-0008-02(104)/107085301	COVINGTON
	03 BR-0009-03(052)/106913301	WASHINGTON
*	04 STP-0011-02(085) / 107094301 & SFM-0011-02(085) / 107106301	LEFLORE
	05 HSIP-0015-02(095)/106700301	COVINGTON
*	06 STP-0054-02(026)/107098301	WARREN
*	07 STP-0067-01(008)/107096301	HANCOCK
*	08 STP-0306-00(022)/107099301 & STP-0305-00(016)/107099302	JEFFERSON, COPIAH
	09 BR-7338-00(005)/106914301	RANKIN
	10 BR-9396-00(012)/102964302	JONES
	11 BR-9999-06(021)/106918304	JACKSON
	12 BR-9999-07(011) / 1069183050 & BR-9999-07(011) / 1069183051 & BR-9999-07(011) / 1069183052	COVINGTON, LINCOLN, SIMPSON
	13 EXB-0028-00(006) / 102488302	GEORGE
	14 SP-0019-01(008) / 107035301	CARROLL

*	15	MP-2004-47(004)/305557301 & MP-2007-47(005)/305557302	MARSHALL
*	16	MP-5022-45(007) / 305445301	MADISON
	17	MP-7027-74(011)/305452301 & MP-7583-74(009)/305452302	WALTHALL
	18	SFM-0009-01(/107042301	ADAMS
*	19	SFM-0017-02(011) / 107089301	PANOLA
	20	SFM-0018-03(022) / 107049301	CHOCTAW
*	21	SFM-0028-01(018)/107077301	GEORGE
*	22	SFM-0056-01(090)/107044301	LEAKE
	23	SFM-0071-00(001) / 107050301	LEE
	24	SFM-0196-00(004)/107043301	LAWRENCE
	25	SFM-0857-00(001)/107048301	PONTOTOC
	26	SFM-0926-00(008)/107047301	LEE
	27	SFM-2709-00(002) / 107046301	LOWNDES
*	28	SFM-9999-01(005)/107045301	DISTRICT 1
*	29	SFM-9999-02(006) / 107107301	ATTALA

CALL No. 01

Mill & Overlay approximately 4 miles of US 49 from 28th Street to Creosote Road, known as Federal Aid Project No. STP-0008-01(135) / 107097301 in Harrison County.

PROJECT COMPLETION: 31 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1,316	Linear Feet	202-B076	Removal of Traffic Stripe
1,729	Square Yard	202-B078	Removal of Pavement, All Types and Depths
400	Cubic Yard	203-G003	Excess Excavation, FM, AH
123,138	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
78	Linear Feet	503-C007	Saw Cut, Full Depth
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3006	Temporary Traffic Stripe, Skip White
6,725	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
11,627	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,347	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
7,608	Linear Feet	635-A001	Vehicle Loop Assemblies
2,993	Ton	907-304-F004	Size 825B Crushed Stone Base
1,600	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
358	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
9,385	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
9,363	Gallon	907-407-A001	Asphalt for Tack Coat
29,568	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
12	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
26,900	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

15,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
15,502	Linear Feet	907-626-H004	Thermoplastic Legend, White
6,829	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 02

Overlay approximately 4 miles of US 49 SB from Leonard's Mill Creek Bridge North to Simpson County Line, known as Federal Aid Project No. STP-0008-02(104) / 107085301 in Covington County.

PROJECT COMPLETION: 33 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

663	Linear Feet	202-B076	Removal of Traffic Stripe
7,619	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
6	Mile	423-A001	Rumble Strips, Ground In
4	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3006	Temporary Traffic Stripe, Skip White
12,430	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,620	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
195	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
560	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
158	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
322	Linear Feet	635-A001	Vehicle Loop Assemblies
2,141	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
2,159	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
5,171	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
362	Ton	907-403-E006	9.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
6,737	Gallon	907-407-A001	Asphalt for Tack Coat
202	Square Feet	907-412-A002	Pre-Grinding
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
4	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
6,630	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

1,620 Linear Feet 907-626-H004 Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

191 Linear Feet 628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip White

382 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, Continuous White

191 Linear Feet 628-M002 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

191 Linear Feet 907-626-I003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

382 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

191 Linear Feet 907-626-L001 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 03

Bridge Maintenance on US 61 at US 82 Bridge Nos. 196.7A & 196.7B, known as Federal Aid Project No. BR-0009-03(052) / 106913301 in Washington County.

PROJECT COMPLETION: MAY 31, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500	Linear Feet	234-A001	Temporary Silt Fence
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
448	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,000	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,000	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
64	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Each	619-G7001	Warning Lights, Type "B"
80	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
500	Linear Feet	907-234-C002	Super Silt Fence
1	Lump Sum	907-618-A001	Maintenance of Traffic

ALTERNATE GROUP AA NUMBER 1

3,000	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,500	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,500	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

3,000	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,500	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,500	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

408	Linear Feet	202-B298	Removal of Existing Joint Material
408	Linear Feet	808-A001	Joint Preparation
3,082	Square Yard	907-202-B004	Removal of Bridge Deck, Hydrodemolition
211	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
204	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
400	Linear Feet	907-823-B002	Saw Cut, Type II

1 Lump Sum

907-824-PP093 Bridge Repair, Temporary Shoring

CALL No. 04

Mill and Overlay of US 82 from US 49E to the US 49 Overpass and the frontage roads on the north and south side, known as Federal Aid Project No. STP-0011-02(085) / 107094301 & SFM-0011-02(085) / 107106301 in Leflore County.

PROJECT COMPLETION: MAY 26, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	202-A001	Removal of Obstructions
512	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,213	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
53	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
355	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
8,250	Linear Feet	202-B076	Removal of Traffic Stripe
172	Cubic Yard	203-G003	Excess Excavation, FM, AH
335,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,960	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
3	Mile	423-A001	Rumble Strips, Ground In
1,010	Linear Feet	501-D001	Expansion Joints, With Dowels
3,555	Linear Feet	503-C007	Saw Cut, Full Depth
100	Cubic Yard	503-D001	Concrete for Base Repair
178	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
100	Linear Feet	606-B001	Guard Rail, Class A, Type 1
200	Each	606-B025	Guard Rail, Replace Metal Blockout
9	Each	606-E001	Guard Rail, Terminal End Section
100	Linear Feet	609-B001	Concrete Curb, Header
31	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
31	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
48,140	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
16,595	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
3,725	Square Feet	619-A6002	Temporary Traffic Stripe, Legend

1	Lump Sum	620-A001	Mobilization
1,050	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,307	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Each	630-F001	Delineators, Guard Rail, White
15	Each	630-F002	Delineators, Guard Rail, Yellow
2,958	Linear Feet	635-A001	Vehicle Loop Assemblies
2,306	Linear Feet	636-A002	Shielded Cable
9	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
1,525	Ton	907-304-B009	Granular Material, Class 3, Group D
13,063	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
2,290	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
75	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
7,605	Ton	907-403-B020	9.5-mm, HT, Asphalt Pavement, Leveling
11,410	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
41,925	Gallon	907-407-A001	Asphalt for Tack Coat
110,855	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
59,125	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1,215	Square Yard	907-503-A001	9" and Variable Reinforced Concrete Pavement, Broom Finish
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
4	Each	907-619-E3001	Changeable Message Sign
10	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
22	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
22	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,170	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
10,060	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
10,068	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,995	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

326 Ton 907-304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

326 Ton 907-304-F003 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

326 Ton 907-304-F004 Size 825B Crushed Stone Base

CALL No. 05

Intersection Improvements on US 84 at SR 35, known as Federal Aid Project No. HSIP-0015-02(095) / 106700301 in Covington County.

PROJECT COMPLETION: JUNE 30, 2016

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1,772	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
97	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
74	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
880	Square Yard	202-B025	Removal of Concrete Paved Ditch
3	Each	202-B042	Removal of Flared End Section, All Sizes
400	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
150	Linear Feet	202-B064	Removal of Pipe, 8" And Above
8	Each	202-B070	Removal of Sign Including Post & Footing
37,438	Linear Feet	202-B076	Removal of Traffic Stripe
4,125	Linear Feet	202-B141	Removal of Edge Drain
1,500	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
4,740	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
15,082	Cubic Yard	203-G003	Excess Excavation, FM, AH
4,298	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4	Ton	213-C001	Superphosphate
10,000	Thousand Gallon	219-A001	Watering
8	Acre	220-A001	Insect Pest Control
60	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
8	Acre	223-A001	Mowing
5,000	Linear Feet	234-A001	Temporary Silt Fence
1	Each	236-A004	Silt Basin, Type D
63,292	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
6	Mile	423-A001	Rumble Strips, Ground In
243	Linear Feet	503-C007	Saw Cut, Full Depth

148	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
56	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
42	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
1	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
3,754	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
2,992	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
741	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
4	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3006	Temporary Traffic Stripe, Skip White
11,767	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
269	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
588	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
5,000	Linear Feet	619-F1001	Concrete Median Barrier, Precast
500	Linear Feet	619-G4001	Barricades, Type III, Single Faced
100	Linear Feet	619-G4005	Barricades, Type III, Double Faced
149	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
448	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
208	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
107	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

54	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
359	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
23	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
94	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
60	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
7	Each	630-F001	Delineators, Guard Rail, White
7	Each	630-F002	Delineators, Guard Rail, Yellow
173	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
50	Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
3,511	Square Yard	907-216-A001	Solid Sodding
8	Acre	907-225-A001	Grassing
16	Ton	907-225-B001	Agricultural Limestone
8	Ton	907-225-C001	Mulch, Vegetative Mulch
8	Acre	907-226-A001	Temporary Grassing
600	Linear Feet	907-237-A003	Wattles, 20"
100	Linear Feet	907-245-A001	Triangular Silt Dike
560	Linear Feet	907-246-A001	Sandbags
150	Ton	907-249-A001	Riprap for Erosion Control
4,700	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
1,905	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
6,209	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1,917	Ton	907-403-D012	19-mm, HT, Asphalt Pavement, Polymer Modified
6,393	Gallon	907-407-A001	Asphalt for Tack Coat
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
128	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
64	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
4	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White

5,230	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
11,767	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,579	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
269	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Lump Sum	907-699-A002	Roadway Construction Stakes
10	Ton	907-815-F001	Sediment Control Stone

ALTERNATE GROUP AA NUMBER 1

7,000	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
-------	------------	--------------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

7,000	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
-------	------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

7,000	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
-------	------------	--------------	-----------------------------------

CALL No. 06

Overlay approximately 10 miles of SR 27 from Warren County Line to Beechwood, known as Federal Aid Project No. STP-0054-02(026) / 107098301 in Warren County.

PROJECT COMPLETION: 77 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
3,360	Linear Feet	202-B076	Removal of Traffic Stripe
4	Each	202-B090	Removal of Terminal End Section
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
9,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
25	Mile	423-A001	Rumble Strips, Ground In
4	Each	606-E001	Guard Rail, Terminal End Section
21	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
67,056	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
5	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
17,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
2,202	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
159	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
312	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
53	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
345	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,740	Ton	907-304-B002	Granular Material, Class 5, Group D
14,000	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
3,550	Ton	907-403-B020	9.5-mm, HT, Asphalt Pavement, Leveling
16,751	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
18	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
67,056	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

8,000	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
9,236	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
159	Square Feet	907-626-H005	Thermoplastic Legend, White
2,202	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White

ALTERNATE GROUP AA NUMBER 1

50	Cubic Yard	907-304-G001	Size 825B Crushed Stone Base, AEA
----	------------	--------------	-----------------------------------

ALTERNATE GROUP AA NUMBER 2

50	Cubic Yard	907-304-G002	Size 610 Crushed Stone Base, AEA
----	------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

50	Cubic Yard	907-304-G003	Size 3/4" and Down Crushed Stone Base, AEA
----	------------	--------------	--

ALTERNATE GROUP BB NUMBER 1

1,680	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
194	Linear Feet	628-D001	6" Cold Plastic Traffic Stripe, Skip Yellow
1,486	Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

1,680	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
194	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,486	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 07

Widen and Overlay approximately 8 miles of SR 603 from SR 43 to Dummyline Road, known as Federal Aid Project No. STP-0067-01(008) / 107096301 in Hancock County.

PROJECT COMPLETION: 80 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

830	Linear Feet	202-B076	Removal of Traffic Stripe
600	Square Yard	202-B078	Removal of Pavement, All Types and Depths
2,934	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
16	Mile	423-A001	Rumble Strips, Ground In
200	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
40	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
31	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
17,518	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
320	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
798	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,700	Ton	907-304-F004	Size 825B Crushed Stone Base
13,000	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
9,216	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
16,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
16	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,721	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,038	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,080	Linear Feet	907-626-H004	Thermoplastic Legend, White
77	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 08

Level & Seal approximately 6 miles of SR 547 from SR 28 to Copiah/ Claiborne County Line & approximately 5 miles of SR 552 at the BOSM to SR 28, known as Federal Aid Project Nos. STP-0306-00(022) / 107099301 & STP-0305-00(016) / 107099302 in Copiah & Jefferson Counties.

PROJECT COMPLETION: 26 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

21 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
12 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,200 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
41,300 Gallon	907-410-A001	Asphalt for Surface Treatment, Grade CRS-2P
1,560 Cubic Yard	907-410-C002	Seal Aggregate Cover Material, Size 7, Limestone
2,720 Ton	907-411-A003	Ultra Thin Asphalt Pavement
3,230 Gallon	907-411-B001	Bituminous Tack Coat
1 Lump Sum	907-618-A001	Maintenance of Traffic
2 Square Feet	907-618-B001	Additional Construction Signs

CALL No. 09

Work necessary for Bridge Maintenance on SR 475 at Hog Creek, known as Federal Aid Project No. BR-7338-00(005) / 106914301 in Rankin County.

PROJECT COMPLETION: OCTOBER 28, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

46	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
64	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
430	Linear Feet	619-F1001	Concrete Median Barrier, Precast
430	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
12	Linear Feet	619-G4001	Barricades, Type III, Single Faced
54	Each	619-G5001	Free Standing Plastic Drums
1	Unit	619-J1005	Impact Attenuator, 45 MPH
1	Unit	619-J2001	Impact Attenuator, 45 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
4	Each	627-B001	Two-Way Clear Reflective Raised Markers
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Each	907-619-E3001	Changeable Message Sign
1	Each	907-619-J3001	Remove and Reset Impact Attenuator
155	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
155	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
155	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

Bridge Items

308	Linear Feet	808-A001	Joint Preparation
601	Square Yard	907-202-B004	Removal of Bridge Deck, Hydrodemolition
41	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
162	Linear Feet	907-823-A001	Prefomed Joint Seal, Type I
308	Linear Feet	907-823-B001	Saw Cut, Type I
30	Square Feet	907-824-PP098	Bridge Repair, Epoxy Repair
213	Square Feet	907-824-PP098	Bridge Repair, Removal of Bridge Deck

CALL No. 10

Bridge Maintenance on US 11 from Industrial Park to 16th Avenue Bridge No. 101.9, known as Federal Aid Project No. BR-9396-00(012) / 102964302 in Jones County.

PROJECT COMPLETION: OCTOBER 09, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2	Each	202-B167	Removal of Bridge End Span
12	Square Yard	202-B285	Removal of Bridge Concrete
400	Linear Feet	234-A001	Temporary Silt Fence
711	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
508	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
508	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
361	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
376	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
11	Each	619-G7001	Warning Lights, Type "B"
8	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
440	Linear Feet	907-237-A003	Wattles, 20"
58	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
58	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
508	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
508	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

Bridge Items

92	Cubic Yard	801-A001	Foundation Excavation for Bridges
9,620	Pounds	805-A001	Reinforcement

106	Linear Feet	813-A002	Concrete Railing, 32"
48	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
310	Linear Feet	907-804-C273	26' Prestressed Concrete Beam, 16" x 16"
12	Each	907-811-PP001	Bearing Pedestal Assembly, Abutment, Per Plans
6	Each	907-811-PP002	Bearing Pedestal Assembly, Intermediate Bent, Per Plans

CALL No. 11

Bridge Joint Replacement on SR 63 over Escatawpa River, known as Federal Aid Project No. BR-9999-06(021) / 106918304 in Jackson County.

PROJECT COMPLETION: OCTOBER 16, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	202-B169	Removal of Debris
1,467	Linear Feet	202-B298	Removal of Existing Joint Material
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
52	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
3,160	Linear Feet	808-A001	Joint Preparation
96	Gallon	808-B002	Epoxy Mortar Mix
1	Lump Sum	907-618-A001	Maintenance of Traffic
164	Linear Feet	907-822-B002	3" Reinforced Elastomeric Molded Rubber Expansion Joint
246	Linear Feet	907-822-B003	4 3/4" Reinforced Elastomeric Molded Rubber Expansion Joint
1,242	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

CALL No. 12

Bridge Joint Repair in various locations, known as Federal Aid Project Nos. BR-9999-07(011) / 1069183050, 3051, & 3052 in Covington, Lincoln, and Simpson Counties.

PROJECT COMPLETION: 110 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,586	Linear Feet	202-B298	Removal of Existing Joint Material
1	Lump Sum	620-A001	Mobilization
16,840	Linear Feet	808-A001	Joint Preparation
1	Lump Sum	907-618-A001	Maintenance of Traffic
3	Square Feet	907-618-B001	Additional Construction Signs
7,499	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
865	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
14,998	Linear Feet	907-823-B001	Saw Cut, Type I
578	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 13

Bridge Replacement on SR 198 over Rocky Creek, known as State Project No. EXB-0028-00(006) / 102488302 in George County.

PROJECT COMPLETION: 104 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
3,844	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
200	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
209	Linear Feet	202-B064	Removal of Pipe, 8" And Above
4,683	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
30,621	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
43	Cubic Yard	206-A001	Structure Excavation
4,797	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2	Ton	213-C001	Superphosphate
7,268	Square Yard	217-A001	Ditch Liner
15	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
135	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
3	Acre	223-A001	Mowing
979	Square Yard	224-A001	Soil Reinforcing Mat
2,991	Linear Feet	234-A001	Temporary Silt Fence
1,867	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
94	Linear Feet	501-E001	Expansion Joints, Without Dowels
204	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
120	Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB003	30" Reinforced Concrete End Section
61	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III

5	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
8	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
146	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
3,772	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
4,368	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
530	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
159	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
29	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
273	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
192	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
28	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Each	622-A002	Engineer's Field Office Building, Type 2
32	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
29	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
38	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
120	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F001	Delineators, Guard Rail, White
1,320	Ton	815-A006	Loose Riprap, Size 100
1,720	Square Yard	815-E001	Geotextile under Riprap
754	Square Yard	907-216-A001	Solid Sodding
3	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone

6	Ton	907-225-C001	Mulch, Vegetative Mulch
6	Ton	907-225-D001	Mulch, Hydromulch
3	Acre	907-226-A001	Temporary Grassing
642	Linear Feet	907-234-C002	Super Silt Fence
1,000	Linear Feet	907-237-A003	Wattles, 20"
178	Each	907-246-A002	Sandbags
1,281	Ton	907-249-A001	Riprap for Erosion Control
610	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
718	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
1,439	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
64	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
571	Gallon	907-407-A001	Asphalt for Tack Coat
56	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
56	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
364	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
80	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
80	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
19	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
3,772	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,368	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
530	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
159	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Lump Sum	907-699-A002	Roadway Construction Stakes

ALTERNATE GROUP AA NUMBER 1

5,053	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

5,053	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

5,053 Ton 907-304-F004 Size 825B Crushed Stone Base

Bridge Items

1,067 Square Yard	501-K001	Transverse Grooving
1 Each	803-B002	Conventional Static Pile Load Test
1,140 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
2,040 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
3 Each	803-I001	PDA Test Pile
2 Each	803-J001	Pile Restrike
86,636 Pounds	805-A001	Reinforcement
483 Linear Feet	813-A001	Concrete Railing
656 Ton	815-A009	Loose Riprap, Size 300
554 Square Yard	815-E001	Geotextile under Riprap
425 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
947 Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
479 Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2

CALL No. 14

Stream Stabilization and Countermeasures on Bridge No. 49.4 at SR 7 across Potacocowa Creek, known as State Project No. SP-0019-01(008) / 107035301 in Carroll County.

PROJECT COMPLETION: OCTOBER 27, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
620 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1 Ton	213-C001	Superphosphate
1,700 Linear Feet	234-A001	Temporary Silt Fence
1 Lump Sum	620-A001	Mobilization
3,000 Ton	815-A009	Loose Riprap, Size 300
2 Acre	907-225-A001	Grassing
4 Ton	907-225-B001	Agricultural Limestone
4 Ton	907-225-C001	Mulch, Vegetative Mulch
600 Square Yard	907-228-A001	Erosion Control Blanket, Type I
650 Linear Feet	907-234-F001	Turbidity Barrier
100 Linear Feet	907-237-A003	Wattles, 20"
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Lump Sum	907-699-A002	Roadway Construction Stakes

CALL No. 15

Mill & Overlay approximately 4 miles of SR 4 from 1/2 mile North of US 78 to HWY 4 Bypass & approximately 1 mile of SR 7 from HWY 4 to 1/2 miles South of HWY 311, known as State Project Nos. MP-2004-47(004) / 305557301 & MP-2007-47(005) / 305557302 in Marshall County.

PROJECT COMPLETION: OCTOBER 29, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

82,900	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
17	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,220	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail White
1,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail Yellow
3,920	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,372	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
230	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,340	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,772	Linear Feet	635-A001	Vehicle Loop Assemblies
2,085	Linear Feet	636-A002	Shielded Cable
7	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
950	Ton	907-304-B009	Granular Material, Class 3, Group D
6,875	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
4,115	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Square Feet	907-618-B001	Additional Construction Signs
10	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,110	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
900	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

1,960 Linear Feet

907-626-H004 Thermoplastic Legend, White

1,186 Square Feet

907-626-H005 Thermoplastic Legend, White

CALL No. 16

Mill and Overlay approximately 8 miles of SR 22 from US 49 to SR 463, known as State Project No. MP-5022-45(007) / 305445301 in Madison County.

PROJECT COMPLETION: OCTOBER 27, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
25 Square Yard	202-B095	Removal of Concrete Sidewalks & Driveways, All Depths
400 Cubic Yard	203-G003	Excess Excavation, FM, AH
100 Ton	310-B003	Size I Stabilizer Aggregate, Coarse
118,871 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13 Mile	423-A001	Rumble Strips, Ground In
23 Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
100 Linear Feet	609-E001	Bituminous Curb
33 Square Yard	616-B003	Bituminous Median and/or Island Pavement
16 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,000 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
600 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
520 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
560 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
700 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6,000 Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
10,266 Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
8,115 Ton	907-403-B017	12.5-mm, MT, Asphalt Pavement, Leveling
6,500 Gallon	907-407-A001	Asphalt for Tack Coat
1,140 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
130 Square Feet	907-611-PP003	Detectable Warning, Per Plans
1 Lump Sum	907-618-A001	Maintenance of Traffic

14	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,624	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
906	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
3,210	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,879	Square Feet	907-626-H005	Thermoplastic Legend, White

CALL No. 17

Overlay approximately 2 miles of SR 27 from SR 198 N. to US 98, & approximately 1 mile of SR 583 from SR 27 N. to US 98, known as State Project Nos. MP-7027-74(011) / 305452301 & MP-7583-74(009) / 305452302 in Walthall County.

PROJECT COMPLETION: NOVEMBER 13, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

29	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
886	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
19,488	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
4	Each	606-F002	Special Sections, Guard Rail Bridge End Connector
3	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6,333	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,085	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
270	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
50	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
12	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
310	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16	Each	630-F001	Delineators, Guard Rail, White
3,157	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
105	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
2,934	Gallon	907-407-A001	Asphalt for Tack Coat
1,480	Square Feet	907-412-A002	Pre-Grinding
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Square Feet	907-618-B001	Additional Construction Signs
3	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
226	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
5,525	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
925	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

4	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
1,763	Linear Feet	907-626-H004	Thermoplastic Legend, White
13	Square Feet	907-626-H005	Thermoplastic Legend, White
19	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers

CALL No. 18

Mill and Overlay approximately 5 miles of US 61 from St. Catherine Creek Bridge in Natchez to St. Catherine Creek Bridge in Washington, known as State Project No. SFM-0009-01(110) / 107042301 in Adams County.

PROJECT COMPLETION: NOVEMBER 13, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

5,694	Linear Feet	202-B076	Removal of Traffic Stripe
375	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
23	Cubic Yard	203-G004	Excess Excavation, LVM, AH
182,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
107	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
48	Linear Feet	503-C009	Saw Cut, 2-inch
188	Linear Feet	606-B001	Guard Rail, Class A, Type 1
63	Linear Feet	606-B002	Guard Rail, Class A, Type 1, Double Faced
2	Each	606-D001	Guard Rail, Bridge End Section, Type A
2	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
1	Each	606-E009	Guard Rail, Terminal End Section, Double Faced
3	Each	606-F001	Special Sections, Bridge Connector
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A3006	Temporary Traffic Stripe, Skip White
25,744	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,720	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,108	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
452	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,354	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
128	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Each	630-F001	Delineators, Guard Rail, White
18	Each	630-F002	Delineators, Guard Rail, Yellow
3,006	Linear Feet	635-A001	Vehicle Loop Assemblies

1,993	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
3,909	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
11,162	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
13,657	Gallon	907-407-A001	Asphalt for Tack Coat
24,486	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2,500	Pounds	907-420-A001	Undersealing Concrete Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
7	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
12,876	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
12,868	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,720	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,108	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Lump Sum	907-680-A001	Portable Construction Lighting

ALTERNATE GROUP AA NUMBER 1

1,898	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,898	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,898	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

1,898	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,898	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,898	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 19

Mill and Overlay approximately 2 miles of SR 315 from Sardis to US 51, known as State Project No. SFM-0017-02 (011) / 107089301 in Panola County.

PROJECT COMPLETION: NOVEMBER 05, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

10	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
10	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
10	Cubic Yard	203-G003	Excess Excavation, FM, AH
4	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3006	Temporary Traffic Stripe, Skip White
8,056	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,764	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
358	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
263	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
315	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
103	Ton	907-304-B009	Granular Material, Class 3, Group D
4,151	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
44,917	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
3,367	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Square Feet	907-618-B001	Additional Construction Signs
4	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
4	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,840	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,217	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,764	Linear Feet	907-626-H004	Thermoplastic Legend, White
358	Square Feet	907-626-H005	Thermoplastic Legend, White

1 Lump Sum 907-899-A001 Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

10 Ton 907-304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

10 Ton 907-304-F003 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

10 Ton 907-304-F004 Size 825B Crushed Stone Base

CALL No. 20

Mill and Overlay approximately 6 miles of SR 12 from SR 15 to the Oktibbeha County Line, known as State Project No. SFM-0018-03(022) / 107049301 in Choctaw County.

PROJECT COMPLETION: NOVEMBER 13, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
11	Mile	423-A001	Rumble Strips, Ground In
90	Linear Feet	503-C007	Saw Cut, Full Depth
30	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,800	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
160	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
645	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,500	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
10,600	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
110,100	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
6,460	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Square Feet	907-618-B001	Additional Construction Signs
12	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,100	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,400	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 21

Overlay approximately 9 miles of SR 26 from East of Pascagoula River Bridge to West of ROW limits of SR 63, known as State Project No. SFM-0028-01(018) / 107077301 in George County.

PROJECT COMPLETION: NOVEMBER 06, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

450	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1,688	Linear Feet	202-B076	Removal of Traffic Stripe
3,228	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
25	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
10	Each	606-E002	Guard Rail, Terminal End Section, Flared
34	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,612	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
38	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
48	Each	619-F3004	Delineators, Guard Rail, White
620	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
85	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
850	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,600	Ton	907-304-F004	Size 825B Crushed Stone Base
10,700	Ton	907-411-A003	Ultra Thin Asphalt Pavement
14,607	Gallon	907-411-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
17	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,804	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,980	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,368	Linear Feet	907-626-H004	Thermoplastic Legend, White

77 Square Feet

907-626-H005 Thermoplastic Legend, White

CALL No. 22

Mill & Overlay approximately 11 miles of SR 25 from SR 483 to SR 16, known as State Project No. SFM-0056-01(090) / 107044301 in Leake County.

PROJECT COMPLETION: 78 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

200 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
13,194 Linear Feet	202-B076	Removal of Traffic Stripe
50 Cubic Yard	203-G004	Excess Excavation, LVM, AH
50 Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
37 Mile	423-A001	Rumble Strips, Ground In
19 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
20 Mile	619-A3006	Temporary Traffic Stripe, Skip White
50,440 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,176 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
32 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
360 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48 Linear Feet	619-G4001	Barricades, Type III, Single Faced
977 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,700 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
306 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
46 Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
46 Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
1,800 Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
34,000 Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
797 Ton	907-403-B017	12.5-mm, MT, Asphalt Pavement, Leveling
350,251 Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
19,195 Gallon	907-407-A001	Asphalt for Tack Coat
114 Linear Feet	907-606-PP009	Remove and Replace Blockouts & Add Rub-Rail
1 Lump Sum	907-618-A001	Maintenance of Traffic

19	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
23,941	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
26,601	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
20	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,176	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 23

Overlay approximately 6.5 miles of SR 371 from Itawamba County Line to SR 178, known as State Project No. SFM-0071-00(001) / 107050301 in Lee County.

PROJECT COMPLETION: NOVEMBER 10, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

15 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
5 Cubic Yard	203-G003	Excess Excavation, FM, AH
15 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
8,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,700 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
450 Each	627-B001	Two-Way Clear Reflective Raised Markers
475 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,000 Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
6,650 Ton	907-411-A003	Ultra Thin Asphalt Pavement
7,100 Gallon	907-411-B001	Bituminous Tack Coat
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
14 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,400 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,300 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,700 Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NUMBER 1

160 Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
----------------	--------------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

160 Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
----------------	--------------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

160 Cubic Yard

907-304-H004 Size 825B Crushed Stone Base, LVM

CALL No. 24

Overlay approximately 6 miles of SR 587 between Ervin Reid Circle and SR 184, known as State Project No. SFM-0196-00(004) / 107043301 in Lawrence County.

PROJECT COMPLETION: NOVEMBER 12, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

123	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
210	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1,600	Linear Feet	202-B076	Removal of Traffic Stripe
4	Each	202-B255	Removal of Guard Rail Cable Anchor, Including Post, Rail, Anchor & Hardware
55	Cubic Yard	203-G004	Excess Excavation, LVM, AH
7,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
9	Mile	423-A001	Rumble Strips, Ground In
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D002	Guard Rail, Bridge End Section, Type C
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
3	Each	613-D005	Adjustment of Manhole
1	Each	613-D011	Adjustment of Water Valve
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,175	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,200	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
252	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
200	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
26	Each	630-F001	Delineators, Guard Rail, White
1,101	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
8,550	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
218	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
639	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling

5,300	Gallon	907-407-A001	Asphalt for Tack Coat
2,751	Square Feet	907-412-A002	Pre-Grinding
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
675	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,200	Linear Feet	907-626-H004	Thermoplastic Legend, White
252	Square Feet	907-626-H005	Thermoplastic Legend, White
5	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions
ALTERNATE GROUP AA NUMBER 1			
100	Ton	907-304-F003	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
100	Ton	907-304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
100	Ton	907-304-F004	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
800	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
800	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
800	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
800	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 25

Mill & Overlay approximately 3 miles of SR 345 from South of Center Hill Road to SR 15, known as State Project No. SFM-0857-00(001) / 107048301 in Pontotoc County.

PROJECT COMPLETION: NOVEMBER 06, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
4,288	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,354	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
504	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
338	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
293	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
276	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
4,544	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
4,745	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
3	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
123	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
3,354	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
280	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
6	Square Feet	907-626-H001	Thermoplastic Legend, Blue-ADA
956	Linear Feet	907-626-H004	Thermoplastic Legend, White

CALL No. 26

Overlay approximately 6.5 miles of SR 348 from Union County Line to US 45, known as State Project No. SFM-0926-00(008) / 107047301 in Lee County.

PROJECT COMPLETION: NOVEMBER 05, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

400 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,650 Linear Feet	202-B076	Removal of Traffic Stripe
150 Cubic Yard	203-G003	Excess Excavation, FM, AH
15,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,950 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,850 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
550 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
550 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
575 Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
260 Ton	907-403-A019	19-mm, ST, Asphalt Pavement
6,900 Ton	907-411-A003	Ultra Thin Asphalt Pavement
7,200 Gallon	907-411-B001	Bituminous Tack Coat
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
14 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,600 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,450 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,850 Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NUMBER 1		
120 Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM

ALTERNATE GROUP AA NUMBER 2

120 Cubic Yard 907-304-H003 Size 610 Crushed Stone Base, LVM

ALTERNATE GROUP AA NUMBER 3

120 Cubic Yard 907-304-H004 Size 825B Crushed Stone Base, LVM

ALTERNATE GROUP BB NUMBER 1

1,100 Linear Feet 907-626-J003 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

600 Linear Feet 907-626-K003 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP BB NUMBER 2

1,100 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, Continuous White

600 Linear Feet 628-L002 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 27

Mill and Overlay approximately 2 miles of SR 182 from Oktibbeha County line to beginning of Concrete Section, known as State Project No. SFM-2709-00(002) / 107046301 in Lowndes County.

PROJECT COMPLETION: OCTOBER 30, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

25	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
25	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
25	Cubic Yard	203-G003	Excess Excavation, FM, AH
38,670	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
50,310	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
336	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
140	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
10	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
475	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
700	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
4,425	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
2,972	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
4	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,668	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
10,102	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
112	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NUMBER 1			
708	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

708 Linear Feet 907-626-L001 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

708 Linear Feet 628-J002 6" High Performance Cold Plastic Traffic Stripe, Continuous White

708 Linear Feet 628-M002 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 28

Install Raised Pavement Markers on various routes in District 1, known as State Project No. SFM-9999-01(005) / 107045301 Districtwide.

PROJECT COMPLETION: NOVEMBER 24, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

65,982	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
54,987	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	907-618-A001	Maintenance of Traffic

CALL No. 29

Scrub Seal on Various Routes, known as State Project No. SFM-9999-02(006) / 107107301 in Attala County.

PROJECT COMPLETION: OCTOBER 23, 2015

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

568	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
5,920	Linear Feet	625-E001	Detail Traffic Stripe
568	Square Feet	625-F001	Legend
6,275	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
933,386	Square Yard	907-405-D001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
40	Mile	907-625-B004	Traffic Stripe, High Build, Skip Yellow
140	Mile	907-625-C004	Traffic Stripe, High Build, Continuous White
88	Mile	907-625-D004	Traffic Stripe, High Build, Continuous Yellow

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR