
Proposal & Plan Sales Will Begin on August 3, 2015



# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

# Notice to Contractors

# Letting Date For August - August 25, 2015



# MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS LETTING DATE FOR AUGUST - Tuesday, August 25, 2015

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

# **PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 3, 2015**

Proposals must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: Contract Administration Division Jackson, MS Telephone: (601) 359-7700 Plans must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

|   |      | LIST OF CONTRACTS FOR AUGUST   |                                  |  |  |  |
|---|------|--|----------------------------------|--|--|--|
|   | CALL | CONTRACT   | COUNTY                           |  |  |  |
|   | 01   | STP-0056-01(075) / 104101301   | RANKIN                           |  |  |  |
| * | 02   | HSIP-0006-01(089) / 107100301  | DESOTO                           |  |  |  |
|   | 03   | STP-0014-01(062) / 107087301   | WILKINSON                        |  |  |  |
|   | 04   | STP-0014-02(072) / 107086301   | WALTHALL                         |  |  |  |
|   | 05   | HSIP-0022-02(052) / 107113301  | WINSTON                          |  |  |  |
|   | 06   | STP-0040-01(023)V21/101635302 &<br>STP-0040-01(024)/101635303                                    | MONROE                           |  |  |  |
| * | 07   | STP-0050-01(036) / 107093301   | CALHOUN                          |  |  |  |
| * | 08   | STP-0056-01(079) / 107088301 &<br>STP-0056-01(079) / 107088302 &<br>STP-0056-01(079) / 107088303 | LEAKE, RANKIN, SCOTT             |  |  |  |
|   | 09   | STP-0056-02(036) / 107090301   | OKTIBBEHA                        |  |  |  |
|   | 10   | STP-0862-00(019) / 107135301   | ITAWAMBA                         |  |  |  |
| * | 11   | BR-9999-02(252) / 106918301 &<br>BR-9999-02(252) / 1069183011 &<br>BR-9999-02(252) / 1069183012  | DESOTO, MONTGOMERY,<br>YALOBUSHA |  |  |  |
|   | 12   | EXB-0521-00(006)/100592301   | LEAKE                            |  |  |  |
| * | 13   | MP-2017-08(003) / 305578301 &<br>MP-2430-08(006) / 305578302                                     | CARROLL                          |  |  |  |

# 14 MP-3472-15(003) / 305582301

\*

COPIAH

Construction necessary to Add 2 Lanes to SR 25 from SR 475 to Grants Ferry Road, known as Federal Aid Project No. STP-0056-01(075) / 104101301 in Rankin County.

#### PROJECT COMPLETION: Contractor Determined

| 1       | Lump Sum 202        | 2-A001 | Removal of Obstructions   |
|---------|---------------------|--------|---|
| 48,707  | Square Yard 202     | 2-B005 | Removal of Asphalt Pavement, All Depths                         |
| 23,164  | Linear Feet 202     | 2-B017 | Removal of Concrete Combination Curb & Gutter                   |
| 3,338   | Square Yard 202     | 2-B025 | Removal of Concrete Paved Ditch                                 |
| 175     | Square Yard 202     | 2-B030 | Removal of Concrete Pavement, All Depths                        |
| 58      | Each 202            | 2-B042 | Removal of Flared End Section, All Sizes                        |
| 17      | Each 202            | 2-B057 | Removal of Inlets, All Sizes                                    |
| 732     | Linear Feet 202     | 2-B064 | Removal of Pipe, 8" And Above                                   |
| 260     | Each 202            | 2-B070 | Removal of Sign Including Post & Footing                        |
| 2,778   | Linear Feet 202     | 2-B076 | Removal of Traffic Stripe                                       |
| 1,200   | Linear Feet 202     | 2-B087 | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 4,425   | Square Yard 202     | 2-B216 | Removal of Island Pavement, All Types                           |
| 80,265  | Cubic Yard 203      | 8-A003 | Unclassified Excavation, FM, AH                                 |
| 12,714  | Cubic Yard 203-I    | EX029  | Borrow Excavation, AH, FME, Class B15                           |
| 81,159  | Cubic Yard 203-     | EX035  | Borrow Excavation, AH, FME, Class B9-6                          |
| 10,171  | Cubic Yard 203      | -G003  | Excess Excavation, FM, AH                                       |
| 2,312   | Cubic Yard 206      | S-A001 | Structure Excavation  |
| 50      | Cubic Yard 206      | 6-B001 | Select Material for Undercuts, Contractor Furnished, FM         |
| 343,732 | Square Yard 209     | )-A004 | Geotextile Stabilization, Type V, Non-Woven                     |
| 1,500   | Cubic Yard 211      | -B001  | Topsoil for Slope Treatment, Contractor Furnished               |
| 64      | Ton 213             | S-C001 | Superphosphate  |
| 3,130   | Square Yard 217     | '-A001 | Ditch Liner   |
| 49      | Thousand Gallon 219 | )-A001 | Watering  |
| 64      | Acre 220            | )-A001 | Insect Pest Control   |

| 261    | Cubic Yard  | 221-A001  | Portland Cement Concrete Paved Ditch                    |
|--------|-------------|-----------|---|
| 1      | Acre        | 223-A001  | Mowing  |
| 3,176  | Square Yard | 224-A001  | Soil Reinforcing Mat                                    |
| 52,000 | Linear Feet | 234-A001  | Temporary Silt Fence                                    |
| 11     | Each        | 236-A004  | Silt Basin, Type D                                      |
| 2,302  | Linear Feet | 239-A001  | Temporary Slope Drains                                  |
| 36,177 | Square Yard | 406-A001  | Cold Milling of Bituminous Pavement, All Depths         |
| 2,846  | Square Yard | 406-B001  | Cold Milling of Concrete Pavement, All Depths           |
| 5,520  | Linear Feet | 413-D001  | Cleaning and Filling Joints                             |
| 135    | Linear Feet | 501-E001  | Expansion Joints, Without Dowels                        |
| 140    | Each        | 501-H001  | Dowels, Installed                                       |
| 274    | Linear Feet | 501-1001  | Joint Filler, Wooden Board                              |
| 343    | Square Yard | 501-K001  | Transverse Grooving                                     |
| 367    | Square Yard | 502-A001  | Reinforced Cement Concrete Bridge End Pavement          |
| 10,951 | Linear Feet | 503-C007  | Saw Cut, Full Depth                                     |
| 15     | Cubic Yard  | 503-D001  | Concrete for Base Repair                                |
| 462    | Each        | 503-E002  | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 50     | Each        | 512-A001  | Holes   |
| 69,022 | Pounds      | 602-A001  | Reinforcing Steel                                       |
| 32     | Linear Feet | 603-CA001 | 15" Reinforced Concrete Pipe, Class III                 |
| 6,624  | Linear Feet | 603-CA002 | 18" Reinforced Concrete Pipe, Class III                 |
| 1,408  | Linear Feet | 603-CA003 | 24" Reinforced Concrete Pipe, Class III                 |
| 72     | Linear Feet | 603-CA004 | 30" Reinforced Concrete Pipe, Class III                 |
| 176    | Linear Feet | 603-CA005 | 36" Reinforced Concrete Pipe, Class III                 |
| 32     | Linear Feet | 603-CA006 | 42" Reinforced Concrete Pipe, Class III                 |
| 24     | Linear Feet | 603-CA007 | 48" Reinforced Concrete Pipe, Class III                 |
| 304    | Linear Feet | 603-CA107 | 24" Reinforced Concrete Pipe, Class V, Jacked or Bored  |
| 168    | Linear Feet | 603-CA126 | 18" Reinforced Concrete Pipe, Class V, Jacked or Bored  |
| 42     | Each        | 603-CB001 | 18" Reinforced Concrete End Section                     |
| 16     | Each        | 603-CB002 | 24" Reinforced Concrete End Section                     |
|        |             |           |   |

| 3      | Each        | 603-CB003 | 30" Reinforced Concrete End Section                          |
|--------|-------------|-----------|--|
| 11     | Each        | 603-CB004 | 36" Reinforced Concrete End Section                          |
| 2      | Each        | 603-CB005 | 42" Reinforced Concrete End Section                          |
| 16     | Linear Feet | 603-CE003 | 36" x 23" Concrete Arch Pipe, Class A III                    |
| 1      | Each        | 603-CF003 | 36" x 23" Concrete Arch Pipe End Section                     |
| 4      | Each        | 603-SB003 | 18" Branch Connections, Stub into Concrete Box Culvert       |
| 1      | Each        | 603-SB007 | 48" Branch Connections, Stub into Box Culvert                |
| 1      | Each        | 603-SB028 | 30" Branch Connections, Stub into Box Culvert                |
| 9,787  | Pounds      | 604-A001  | Castings   |
| 6,262  | Pounds      | 604-B001  | Gratings   |
| 925    | Linear Feet | 606-B005  | Guard Rail, Class A, Type 1, 'W' Beam                        |
| 1      | Each        | 606-C003  | Guard Rail, Cable Anchor, Type 1                             |
| 2      | Each        | 606-D012  | Guard Rail, Bridge End Section, Type I                       |
| 2      | Each        | 606-E002  | Guard Rail, Terminal End Section, Flared                     |
| 1      | Each        | 606-E003  | Guard Rail, Terminal End Section, Non-Flared                 |
| 2,797  | Linear Feet | 609-B001  | Concrete Curb, Header  |
| 14,122 | Linear Feet | 609-D004  | Combination Concrete Curb and Gutter Type 3A Modified        |
| 842    | Linear Feet | 609-D006  | Combination Concrete Curb and Gutter Type 1 Modified         |
| 20,707 | Linear Feet | 609-D007  | Combination Concrete Curb and Gutter Type 2 Modified         |
| 3      | Each        | 613-A002  | Adjustment of Castings, Gratings & Utility Appurtenances     |
| 2      | Each        | 613-D005  | Adjustment of Manhole  |
| 42     | Linear Feet | 615-A002  | Concrete Type III Cast-in-Place Median Barrier               |
| 423    | Linear Feet | 615-A003  | Concrete Type IV Cast-in-Place Median Barrier                |
| 21     | Linear Feet | 615-A006  | Concrete Type III Modified Cast-in-Place Median Barrier      |
| 123    | Linear Feet | 615-A015  | Concrete Bridge End Barrier, 32"                             |
| 3,345  | Square Yard | 616-A001  | Concrete Median and/or Island Pavement, 4-inch               |
| 2,017  | Square Yard | 616-A003  | Concrete Median and/or Island Pavement, 10-inch              |
| 15     | Mile        | 619-A1004 | Temporary Traffic Stripe, Continuous White, Paint            |
| 364    | Linear Feet | 619-A1005 | Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape |
| 12     | Mile        | 619-A2004 | Temporary Traffic Stripe, Continuous Yellow, Paint           |
|        |             |           |  |

| 364     | Linear Feet | 619-A2005 | Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape  |
|---------|-------------|-----------|--|
| 364     | Linear Feet | 619-A3003 | Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape         |
| 33      | Mile        | 619-A3007 | Temporary Traffic Stripe, Skip White, Paint                    |
| 206,113 | Linear Feet | 619-A5002 | Temporary Traffic Stripe, Detail, Paint                        |
| 8,454   | Linear Feet | 619-A6003 | Temporary Traffic Stripe, Legend, Paint                        |
| 9,688   | Square Feet | 619-A6004 | Temporary Traffic Stripe, Legend, Paint                        |
| 1,481   | Each        | 619-C6001 | Red-Clear Reflective High Performance Raised Marker            |
| 575     | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 965     | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 16      | Each        | 619-D3001 | Remove and Reset Signs, All Sizes                              |
| 830     | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast                               |
| 780     | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast              |
| 96      | Linear Feet | 619-G4001 | Barricades, Type III, Single Faced                             |
| 774     | Each        | 619-G5001 | Free Standing Plastic Drums                                    |
| 24      | Each        | 619-G7001 | Warning Lights, Type "B"                                       |
| 2       | Unit        | 619-J1005 | Impact Attenuator, 45 MPH                                      |
| 1       | Unit        | 619-J2001 | Impact Attenuator, 45 MPH, Replacement Package                 |
| 1       | Lump Sum    | 620-A001  | Mobilization   |
| 4,378   | Each        | 627-K001  | Red-Clear Reflective High Performance Raised Markers           |
| 444     | Each        | 627-L001  | Two-Way Yellow Reflective High Performance Raised Markers      |
| 2       | Each        | 629-A005  | Vehicular Impact Attenuator, 55 MPH                            |
| 4       | Each        | 629-B001  | Median Barrier End Section                                     |
| 2       | Each        | 629-C001  | Vehicular Impact Attenuator Back-up Wall                       |
| 2,093   | Square Feet | 630-A001  | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness      |
| 232     | Square Feet | 630-A002  | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness      |
| 3,209   | Linear Feet | 630-C003  | Steel U-Section Posts, 3.0 lb/ft                               |
| 72      | Linear Feet | 630-D003  | Structural Steel Beams, W6 x 9                                 |
| 211     | Linear Feet | 630-D005  | Structural Steel Beams, W6 x 15                                |
| 54      | Pounds      | 630-E001  | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles          |
| 179     | Pounds      | 630-E002  | Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles  |
|         |             |           |  |

-----

| 126    | Pounds        | 630-E004     | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar                |
|--------|---------------|--------------|--|
| 34     | Each          | 630-F001     | Delineators, Guard Rail, White   |
| 218    | Linear Feet   | 630-K002     | Welded & Seamless Steel Pipe Posts, 3 1/2"                             |
| 62     | Linear Feet   | 630-K003     | Welded & Seamless Steel Pipe Posts, 4"                                 |
| 128    | Each          | 640-A016     | Traffic Signal Heads, Type 1 LED                                       |
| 47     | Each          | 640-A017     | Traffic Signal Heads, Type 2 LED                                       |
| 25     | Each          | 640-A018     | Traffic Signal Heads, Type 3 LED                                       |
| 8      | Each          | 640-A022     | Traffic Signal Heads, Type 7 LED                                       |
| 12     | Each          | 640-A056     | Traffic Signal Heads, Type 2 FYA LED                                   |
| 16     | Each          | 642-A008     | Solid State Traffic Actuated Controllers, Type 8A                      |
| 1      | Lump Sum      | 646-A001     | Removal of Existing Traffic Signal Equipment                           |
| 12     | Each          | 647-A002     | Pullbox, Type 3  |
| 25     | Each          | 647-A003     | Pullbox, Type 4  |
| 22     | Each          | 647-A004     | Pullbox, Type 5  |
| 41     | Each          | 647-A005     | Pullbox, Type 2  |
| 185    | Linear Feet   | 666-B016     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor |
| 1,641  | Linear Feet   | 666-B028     | Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor      |
| 10,150 | Linear Feet   | 666-B054     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor |
| 5,377  | Linear Feet   | 666-C007     | Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor       |
| 963    | Linear Feet   | 666-D019     | Electric Cable, Aerial Supported in Conduit, THHN, AWG #6, 3 Conductor |
| 1,164  | Linear Feet   | 668-A018     | Traffic Signal Conduit, Underground, Type 4, 2"                        |
| 325    | Linear Feet   | 668-A020     | Traffic Signal Conduit, Underground, Type 4, 3"                        |
| 150    | Linear Feet   | 668-B024     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 5,133  | Linear Feet   | 668-B025     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 1,680  | Ton           | 815-A009     | Loose Riprap, Size 300   |
| 119    | Square Yard   | 815-E001     | Geotextile under Riprap  |
| 108    | Station 9     | 07-201-C001  | Random Clearing and Grubbing   |
| 2,458  | Square Yard S | 907-216-A001 | Solid Sodding  |
| 132    | Acre S        | 07-225-A001  | Grassing   |
|        |               |              |  |

| 383    | Ton         | 907-225-B001  | Agricultural Limestone  |
|--------|-------------|---------------|---|
| 264    | Ton         | 907-225-C001  | Mulch, Vegetative Mulch                                       |
| 128    | Acre        | 907-226-A001  | Temporary Grassing  |
| 120    | Each        | 907-234-D001  | Inlet Siltation Guard   |
| 10,000 | Linear Feet | 907-237-A003  | Wattles, 20"  |
| 3,000  | Linear Feet | 907-245-A001  | Triangular Silt Dike  |
| 1,500  | Each        | 907-246-B002  | Rockbags  |
| 2,000  | Ton         | 907-249-A001  | Riprap for Erosion Control                                    |
| 38,900 | Ton         | 907-304-B007  | Granular Material, Class 5, Group E                           |
| 32,900 | Ton         | 907-403-A019  | 19-mm, ST, Asphalt Pavement                                   |
| 592    | Ton         | 907-403-A027  | 9.5-mm, HT, Asphalt Pavement                                  |
| 27,566 | Ton         | 907-403-A028  | 12.5-mm, HT, Asphalt Pavement                                 |
| 33,636 | Ton         | 907-403-AA001 | Stone Matrix Asphalt, 9.5 mm Mixture                          |
| 51,523 | Ton         | 907-403-AA002 | Stone Matrix Asphalt, 12.5 mm Mixture                         |
| 48,673 | Ton         | 907-403-B021  | 12.5-mm, HT, Asphalt Pavement, Leveling                       |
| 52,529 | Gallon      | 907-407-A001  | Asphalt for Tack Coat   |
| 8,448  | Linear Feet | 907-413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement      |
| 500    | Pounds      | 907-420-A001  | Undersealing Concrete Pavement                                |
| 172    | Square Yard | 907-501-A002  | 6" Reinforced Cement Concrete Pavement, Broom Finish          |
| 44     | Square Yard | 907-503-A001  | 9" and Variable Reinforced Concrete Pavement, Broom Finish    |
| 5,000  | Pounds      | 907-512-B001  | Portland Cement Pressure Grout Slurry, Type 1                 |
| 152    | Cubic Yard  | 907-601-A001  | Class "B" Structural Concrete                                 |
| 425    | Cubic Yard  | 907-601-B003  | Class "B" Structural Concrete, Minor Structures               |
| 136    | Linear Feet | 907-603-PE205 | 18" Corrugated Polyethylene Pipe                              |
| 39     | Each        | 907-617-A001  | Right-of-Way Marker   |
| 1      | Lump Sum    | 907-618-A001  | Maintenance of Traffic  |
| 2      | Each        | 907-619-J3001 | Remove and Reset Impact Attenuator                            |
| 1      | Each        | 907-622-B001  | Engineer's Field Office Building, Type 2 LO                   |
| 20     | Mile        | 907-626-A005  | 6" Thermoplastic Double Drop Traffic Stripe, Skip White       |
| 1      | Mile        | 907-626-B006  | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White |
|        |             |               |   |

| 7       | Mile        | 907-626-C003  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White                   |
|---------|-------------|---------------|--|
| 2       | Mile        | 907-626-E006  | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow               |
| 5       | Mile        | 907-626-F003  | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow                  |
| 122,702 | Linear Feet | 907-626-G006  | Thermoplastic Double Drop Detail Stripe, White                               |
| 29,422  | Linear Feet | 907-626-G007  | Thermoplastic Double Drop Detail Stripe, Yellow                              |
| 7,946   | Linear Feet | 907-626-H009  | Thermoplastic Double Drop Legend, White                                      |
| 8,042   | Square Feet | 907-626-H010  | Thermoplastic Double Drop Legend, White                                      |
| 299     | Square Feet | 907-630-PP010 | Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted |
| 1       | Each        | 907-637-A001  | Equipment Cabinet, Type B  |
| 1       | Each        | 907-637-A002  | Equipment Cabinet, Type C  |
| 4       | Each        | 907-637-A003  | Equipment Cabinet, Type A  |
| 3       | Each        | 907-637-B001  | ITS Equipment Cabinet Modifications  |
| 3       | Each        | 907-639-A161  | Traffic Signal Equipment Pole, Type II, 22' Shaft, 80' Arm                   |
| 3       | Each        | 907-639-A167  | Traffic Signal Equipment Pole, Type II, 22' Shaft, 50' Arm                   |
| 1       | Each        | 907-639-A168  | Traffic Signal Equipment Pole, Type II, 22' Shaft, 55' Arm                   |
| 3       | Each        | 907-639-A169  | Traffic Signal Equipment Pole, Type II, 22' Shaft, 65' Arm                   |
| 3       | Each        | 907-639-A170  | Traffic Signal Equipment Pole, Type II, 22' Shaft, 70' Arm                   |
| 7       | Each        | 907-639-A171  | Traffic Signal Equipment Pole, Type II, 22' Shaft, 75' Arm                   |
| 1       | Each        | 907-639-A173  | Traffic Signal Equipment Pole, Type II, 22' Shaft, 85' Arm                   |
| 2       | Each        | 907-639-A174  | Traffic Signal Equipment Pole, Type II, 22' Shaft, 90' Arm                   |
| 5       | Each        | 907-639-A175  | Traffic Signal Equipment Pole, Type II, 22' Shaft, 95' Arm                   |
| 2       | Each        | 907-639-A176  | Traffic Signal Equipment Pole, Type IV, 40' Shaft, 80' Arm                   |
| 1       | Each        | 907-639-A177  | Traffic Signal Equipment Pole, Type IV, 40' Shaft, 85' Arm                   |
| 1       | Each        | 907-639-A178  | Traffic Signal Equipment Pole, Type IV, 40' Shaft, 95' Arm                   |
| 36      | Each        | 907-639-A179  | Traffic Signal Equipment Pole, Type II, Wood, 40'                            |
| 1       | Each        | 907-639-A181  | Traffic Signal Equipment Pole, Type II, 22' Shaft, 35' Arm                   |
| 2       | Each        | 907-639-A183  | Traffic Signal Equipment Pole, Type II, 22' Shaft, 60' Arm                   |
| 1       | Each        | 907-639-A194  | Traffic Signal Equipment Pole, Type IV, 40' Shaft, 50' Arm                   |
| 1       | Each        | 907-639-B002  | Traffic Signal Equipment Lateral Ext., video camera mount                    |
| 142     | Cubic Yard  | 907-639-C002  | Pole Foundations, 36" Diameter   |

| 9      | Linear Feet | 907-639-D001 | Slip Casing, 36" Diameter  |
|--------|-------------|--------------|--|
| 2      | Each        | 907-639-F001 | Detector Pole with Foundation, 35' Pole  |
| 16     | Each        | 907-641-C001 | Signal Radar Detection System  |
| 2      | Each        | 907-650-A002 | On Street Video Equipment, Fixed Type  |
| 4      | Each        | 907-650-A003 | On Street Video Equipment, PTZ Type  |
| 2      | Each        | 907-654-A001 | Battery Back-up System   |
| 27,460 | Linear Feet | 907-657-A001 | Fiber Optic Cable, 72 SM   |
| 4,143  | Linear Feet | 907-657-B001 | Fiber Optic Drop Cable, 12 SM  |
| 17     | Each        | 907-658-A005 | Network Switch, Type A   |
| 3      | Each        | 907-658-B001 | Terminal Server  |
| 3,395  | Linear Feet | 907-658-C001 | Category 6 Cable, Installed in Conduit   |
| 1      | Lump Sum    | 907-659-A001 | Traffic Management Center Modifications  |
| 1      | Each        | 907-662-A002 | Video Encoder  |
| 35     | Linear Feet | 907-668-E001 | Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"                        |
| 7,445  | Linear Feet | 907-668-E002 | Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"                    |
| 1,090  | Linear Feet | 907-668-F001 | Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"     |
| 23,296 | Linear Feet | 907-668-F002 | Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2" |
| 100    | Linear Feet | 907-668-F003 | Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 3 @ 2" |
| 50     | Linear Feet | 907-668-G002 | Traffic Signal Conduit Bank, Aerial Supported, Type I, 2 @ 2"                    |
| 3      | Each        | 907-670-A001 | ITS Radar Detection System   |
| 50     | Linear Feet | 907-670-B001 | ITS RDS Comm Cable   |
| 6      | Each        | 907-672-A002 | Remove and Reset ITS Equipment   |
| 2      | Each        | 907-673-A001 | Traffic Signal Controller Unit, Fiber Ready                                      |
| 2      | Each        | 907-673-B002 | Malfunction Management Unit, 16-Channel  |
| 9      | Each        | 907-697-A001 | Bluetooth Detection System, Type A   |
| 1      | Lump Sum    | 907-699-A002 | Roadway Construction Stakes  |
| 315    | Ton         | 907-815-F001 | Sediment Control Stone   |
| 2,080  | Hours       | 907-906001   | Trainees   |
|        |             |              | ALTERNATE GROUP AA NUMBER 1  |
| 84,800 | Ton         | 907-304-F002 | Size 610 Crushed Stone Base  |

#### ALTERNATE GROUP AA NUMBER 2

| 84,800 | Ton         | 907-304-F003 | 3/4" and Down Crushed Stone Base                              |
|--------|-------------|--------------|---|
|        |             |              | ALTERNATE GROUP AA NUMBER 3                                   |
| 84,800 | Ton         | 907-304-F004 | Size 825B Crushed Stone Base                                  |
|        |             |              | Bridge Items  |
| 442    | Linear Feet | 202-B089     | Removal of Concrete Railing                                   |
| 28     | Square Yard | 202-B123     | Removal of Part of End Bent Cap, Curb and Wingwall, Per Plans |
| 99     | Square Yard | 202-B307     | Removal of Bridge Deck  |
| 330    | Cubic Yard  | 801-A001     | Foundation Excavation for Bridges                             |
| 2,730  | Linear Feet | 803-D003     | HP 14 x 73 Steel Piling                                       |
| 4      | Each        | 803-I001     | PDA Test Pile   |
| 4      | Each        | 803-J001     | Pile Restrike   |
| 80,327 | Pounds      | 805-A001     | Reinforcement   |
| 449    | Linear Feet | 813-A002     | Concrete Railing, 32"   |
| 125    | Cubic Yard  | 815-D001     | Concrete Slope Paving   |
| 426    | Cubic Yard  | 907-804-A001 | Bridge Concrete, Class AA                                     |
| 239    | Linear Feet | 907-804-C016 | 40' Prestressed Concrete Beam, Type I+2                       |
| 302    | Linear Feet | 907-804-C240 | 101' Prestressed Concrete Beam, Type IV                       |
| 159    | Linear Feet | 907-804-C255 | 40' Prestressed Concrete Beam, Type II+2                      |
| 302    | Linear Feet | 907-804-C256 | 101' Modified Prestressed Concrete Beam, Type IV              |

Work necessary to Pave approximately 2 miles of US 78 from 305 to Bethel Road, known as Federal Aid Project No. HSIP-0006-01(089) / 107100301 in Desoto County.

# PROJECT COMPLETION: NOVEMBER 30, 2015

| 98,000 | Square Yard | 406-A001     | Cold Milling of Bituminous Pavement, All Depths      |
|--------|-------------|--------------|--|
| 8      | Mile        | 423-A001     | Rumble Strips, Ground In                             |
| 8      | Mile        | 619-A1002    | Temporary Traffic Stripe, Continuous White           |
| 8      | Mile        | 619-A2002    | Temporary Traffic Stripe, Continuous Yellow          |
| 8      | Mile        | 619-A3006    | Temporary Traffic Stripe, Skip White                 |
| 5,500  | Linear Feet | 619-A5001    | Temporary Traffic Stripe, Detail                     |
| 1      | Lump Sum    | 620-A001     | Mobilization   |
| 275    | Each        | 627-K001     | Red-Clear Reflective High Performance Raised Markers |
| 3,400  | Ton         | 907-304-B009 | Granular Material, Class 3, Group D                  |
| 2,000  | Ton         | 907-403-A017 | 9.5-mm, ST, Asphalt Pavement                         |
| 1,310  | Ton         | 907-403-B012 | 9.5-mm, ST, Asphalt Pavement, Leveling               |
| 4,920  | Ton         | 907-403-B021 | 12.5-mm, HT, Asphalt Pavement, Leveling              |
| 6,125  | Ton         | 907-403-D010 | 9.5-mm, HT, Asphalt Pavement, Polymer Modified       |
| 15,000 | Gallon      | 907-407-A001 | Asphalt for Tack Coat                                |
| 1      | Lump Sum    | 907-618-A001 | Maintenance of Traffic                               |
| 1      | Square Feet | 907-618-B001 | Additional Construction Signs                        |
| 4      | Mile        | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White          |
| 4      | Mile        | 907-626-B004 | 6" Thermoplastic Traffic Stripe, Continuous White    |
| 4      | Mile        | 907-626-D003 | 6" Thermoplastic Traffic Stripe, Skip Yellow         |
| 2,750  | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                   |

Overlay approximately 2 miles of SR 24 from South Crosby Street to Amite County Line in Centerville, known as Federal Aid Project No. STP-0014-01(062) / 107087301 in Wilkinson County.

# PROJECT COMPLETION: 61 Working Days

|        |             |              | Roddway Reins   |
|--------|-------------|--------------|---|
| 11,008 | Square Yard | 406-A001     | Cold Milling of Bituminous Pavement, All Depths           |
| 3      | Mile        | 619-A1002    | Temporary Traffic Stripe, Continuous White                |
| 4      | Mile        | 619-A2002    | Temporary Traffic Stripe, Continuous Yellow               |
| 2      | Mile        | 619-A4006    | Temporary Traffic Stripe, Skip Yellow                     |
| 8,711  | Linear Feet | 619-A5001    | Temporary Traffic Stripe, Detail                          |
| 1,310  | Linear Feet | 619-A6001    | Temporary Traffic Stripe, Legend                          |
| 89     | Square Feet | 619-A6002    | Temporary Traffic Stripe, Legend                          |
| 100    | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers  |
| 346    | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 1,126  | Cubic Yard  | 907-304-A003 | Granular Material, LVM, Class 6, Group D                  |
| 3,199  | Ton         | 907-403-A022 | 9.5-mm, MT, Asphalt Pavement                              |
| 230    | Ton         | 907-403-B016 | 9.5-mm, MT, Asphalt Pavement, Leveling                    |
| 3,254  | Gallon      | 907-407-A001 | Asphalt for Tack Coat                                     |
| 1,037  | Square Feet | 907-412-A002 | Pre-Grinding  |
| 10,458 | Linear Feet | 907-413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement  |
| 1      | Lump Sum    | 907-618-A001 | Maintenance of Traffic                                    |
| 1      | Square Feet | 907-618-B001 | Additional Construction Signs                             |
| 3      | Mile        | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White            |
| 1      | Mile        | 907-626-D003 | 6" Thermoplastic Traffic Stripe, Skip Yellow              |
| 2      | Mile        | 907-626-F004 | 6" Thermoplastic Edge Stripe, Continuous Yellow           |
| 5,486  | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                        |
| 3,899  | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                       |
| 1,088  | Linear Feet | 907-626-H004 | Thermoplastic Legend, White                               |
| 137    | Square Feet | 907-626-H005 | Thermoplastic Legend, White                               |
|        |             |              |   |

Overlay approximately 5 miles of US 98 from SR 198 to Marion County Line, known as Federal Aid Project No. STP-0014-02(072) / 107086301 in Walthall County.

# PROJECT COMPLETION: 83 Working Days

|        |             |              | Roduway nems  |
|--------|-------------|--------------|---|
| 1,640  | Linear Feet | 202-B076     | Removal of Traffic Stripe                                     |
| 9,041  | Square Yard | 406-A001     | Cold Milling of Bituminous Pavement, All Depths               |
| 18     | Mile        | 423-A001     | Rumble Strips, Ground In                                      |
| 10     | Mile        | 619-A1002    | Temporary Traffic Stripe, Continuous White                    |
| 8      | Mile        | 619-A2002    | Temporary Traffic Stripe, Continuous Yellow                   |
| 10     | Mile        | 619-A3006    | Temporary Traffic Stripe, Skip White                          |
| 23,463 | Linear Feet | 619-A5001    | Temporary Traffic Stripe, Detail                              |
| 796    | Linear Feet | 619-A6001    | Temporary Traffic Stripe, Legend                              |
| 316    | Square Feet | 619-A6002    | Temporary Traffic Stripe, Legend                              |
| 420    | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers      |
| 1,400  | Each        | 627-K001     | Red-Clear Reflective High Performance Raised Markers          |
| 76     | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers     |
| 26     | Each        | 630-F003     | Delineators, Flexible Post Mounted, Crossover, Type I, Green  |
| 26     | Each        | 630-F004     | Delineators, Flexible Post Mounted, Crossover, Type I, Yellow |
| 7,175  | Cubic Yard  | 907-304-A003 | Granular Material, LVM, Class 6, Group D                      |
| 3,231  | Ton         | 907-403-A017 | 9.5-mm, ST, Asphalt Pavement                                  |
| 1,655  | Ton         | 907-403-B020 | 9.5-mm, HT, Asphalt Pavement, Leveling                        |
| 14,194 | Ton         | 907-403-D010 | 9.5-mm, HT, Asphalt Pavement, Polymer Modified                |
| 18,058 | Gallon      | 907-407-A001 | Asphalt for Tack Coat   |
| 173    | Square Feet | 907-412-A002 | Pre-Grinding  |
| 2,000  | Pounds      | 907-420-A001 | Undersealing Concrete Pavement                                |
| 1      | Lump Sum    | 907-618-A001 | Maintenance of Traffic  |
| 1      | Square Feet | 907-618-B001 | Additional Construction Signs                                 |
| 10     | Mile        | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White                   |
| 10     | Mile        | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White                |

| 8      | Mile        | 907-626-F004 | 6" Thermoplastic Edge Stripe, Continuous Yellow                     |
|--------|-------------|--------------|---|
| 10,597 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                                  |
| 12,866 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                                 |
| 796    | Linear Feet | 907-626-H004 | Thermoplastic Legend, White   |
| 316    | Square Feet | 907-626-H005 | Thermoplastic Legend, White   |
|        |             |              | ALTERNATE GROUP AA NUMBER 1   |
| 730    | Linear Feet | 907-626-1003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White        |
| 730    | Linear Feet | 907-626-J003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White  |
| 730    | Linear Feet | 907-626-L001 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
|        |             |              | ALTERNATE GROUP AA NUMBER 2   |
| 730    | Linear Feet | 628-1002     | 6" High Performance Cold Plastic Traffic Stripe, Skip White         |
| 730    | Linear Feet | 628-J002     | 6" High Performance Cold Plastic Traffic Stripe, Continuous White   |
| 730    | Linear Feet | 628-M002     | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow  |

Overlay approximately 13 miles of SR 15 from Louisville to the Neshoba County Line, known as Federal Aid Project No. HSIP-0022-02(052) / 107113301 in Winston County.

# PROJECT COMPLETION: NOVEMBER 06, 2015

| 100     | Square Yard | 202-B005     | Removal of Asphalt Pavement, All Depths                   |
|---------|-------------|--------------|---|
| 5,100   | Linear Feet | 202-B076     | Removal of Traffic Stripe                                 |
| 50      | Cubic Yard  | 203-G003     | Excess Excavation, FM, AH                                 |
| 36      | Mile        | 423-A001     | Rumble Strips, Ground In                                  |
| 27      | Mile        | 619-A1002    | Temporary Traffic Stripe, Continuous White                |
| 12      | Mile        | 619-A2002    | Temporary Traffic Stripe, Continuous Yellow               |
| 11      | Mile        | 619-A4006    | Temporary Traffic Stripe, Skip Yellow                     |
| 17,000  | Linear Feet | 619-A5001    | Temporary Traffic Stripe, Detail                          |
| 7,700   | Linear Feet | 619-A6001    | Temporary Traffic Stripe, Legend                          |
| 900     | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers  |
| 1,100   | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 5,200   | Cubic Yard  | 907-304-A007 | Granular Material, LVM, Class 3, Group D                  |
| 18,600  | Ton         | 907-403-A022 | 9.5-mm, MT, Asphalt Pavement                              |
| 12      | Mile        | 907-403-S004 | Joint Sealant   |
| 189,000 | Square Yard | 907-405-D001 | Scrub Seal  |
| 25,000  | Square Yard | 907-406-D001 | Fine Milling of Bituminous Pavement, All Depths           |
| 11,000  | Gallon      | 907-407-A001 | Asphalt for Tack Coat                                     |
| 1       | Lump Sum    | 907-618-A001 | Maintenance of Traffic                                    |
| 1       | Square Feet | 907-618-B001 | Additional Construction Signs                             |
| 24      | Mile        | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White            |
| 10      | Mile        | 907-626-D003 | 6" Thermoplastic Traffic Stripe, Skip Yellow              |
| 10      | Mile        | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow        |
| 6,800   | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                        |
| 1,800   | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                       |
| 2,600   | Linear Feet | 907-626-H004 | Thermoplastic Legend, White                               |

#### ALTERNATE GROUP AA NUMBER 1

| 3,100 | Linear Feet                | 907-626-J003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White  |
|-------|----------------------------|--------------|---|
| 800   | Linear Feet                | 907-626-K003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow   |
| 1,800 | Linear Feet                | 907-626-L001 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow   |
|       |                            |              | ALTERNATE GROUP AA NUMBER 2   |
|       |                            |              |   |
| 3,100 | Linear Feet                | 628-J002     | 6" High Performance Cold Plastic Traffic Stripe, Continuous White   |
| -,    | Linear Feet<br>Linear Feet |              | 6" High Performance Cold Plastic Traffic Stripe, Continuous White<br>6" High Performance Cold Plastic Traffic Stripe, Skip Yellow |

Pave 2 lanes on SR 25 from 2.5 miles South of Becker to US 278, & Intersection Improvements on SR 25 in Amory, known as Federal Aid Project Nos. STP-0040-01(023)V21 / 101635302 & STP-0040-01(024) / 101635303 in Monroe County.

#### PROJECT COMPLETION: 230 Working Days

| 1      | Lump Sum        | 201-A001  | Clearing and Grubbing                             |
|--------|-----------------|-----------|---|
| 7,966  | Square Yard     | 202-B005  | Removal of Asphalt Pavement, All Depths           |
| 1      | Each            | 202-B008  | Removal of Box Culvert                            |
| 40     | Square Yard     | 202-B018  | Removal of Concrete Driveways, All Depths         |
| 61     | Square Yard     | 202-B035  | Removal of Concrete Sidewalk                      |
| 160    | Linear Feet     | 202-B038  | Removal of Curb, All Types                        |
| 1,688  | Linear Feet     | 202-B041  | Removal of Fence, All Types                       |
| 1      | Each            | 202-B057  | Removal of Inlets, All Sizes                      |
| 1      | Each            | 202-B060  | Removal of Low Mast Lighting Assembly             |
| 1      | Each            | 202-B061  | Removal of Low Mast Lighting Foundation           |
| 111    | Linear Feet     | 202-B064  | Removal of Pipe, 8" And Above                     |
| 4      | Each            | 202-B070  | Removal of Sign Including Post & Footing          |
| 5,827  | Linear Feet     | 202-B076  | Removal of Traffic Stripe                         |
| 15,405 | Linear Feet     | 202-B091  | Removal of Existing Silt Fence                    |
| 20,179 | Cubic Yard      | 203-A003  | Unclassified Excavation, FM, AH                   |
| 1,736  | Cubic Yard      | 203-EX017 | Borrow Excavation, AH, FME, Class B9              |
| 6,908  | Cubic Yard      | 203-G003  | Excess Excavation, FM, AH                         |
| 828    | Cubic Yard      | 206-A001  | Structure Excavation                              |
| 9,021  | Square Yard     | 209-A004  | Geotextile Stabilization, Type V, Non-Woven       |
| 2,625  | Cubic Yard      | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished |
| 3      | Ton             | 213-C001  | Superphosphate                                    |
| 23     | Thousand Gallon | 219-A001  | Watering  |
| 30     | Acre            | 220-A001  | Insect Pest Control                               |
| 218    | Cubic Yard      | 221-A001  | Portland Cement Concrete Paved Ditch              |
|        |                 |           |   |

| 40                    | Acre                               | 223-A001                                     | Mowing   |
|-----------------------|------------------------------------|--|--|
| 16,399                | Linear Feet                        | 234-A001                                     | Temporary Silt Fence   |
| 132                   | Bale                               | 235-A001                                     | Temporary Erosion Checks   |
| 2                     | Each                               | 236-B004                                     | Maintenance and Removal of Existing Silt Basins, Type D  |
| 5                     | Mile                               | 321-A001                                     | 6" In-Grade Preparation  |
| 3,943                 | Square Yard                        | 406-A001                                     | Cold Milling of Bituminous Pavement, All Depths  |
| 10                    | Mile                               | 423-A001                                     | Rumble Strips, Ground In   |
| 404                   | Linear Feet                        | 501-E001                                     | Expansion Joints, Without Dowels   |
| 863                   | Square Yard                        | 502-A001                                     | Reinforced Cement Concrete Bridge End Pavement   |
| 1,455                 | Linear Feet                        | 503-C007                                     | Saw Cut, Full Depth  |
| 705                   | Pounds                             | 602-A001                                     | Reinforcing Steel  |
| 16                    | Linear Feet                        | 603-CA002                                    | 18" Reinforced Concrete Pipe, Class III  |
| 664                   | Linear Feet                        | 603-CA003                                    | 24" Reinforced Concrete Pipe, Class III  |
| 10                    | Each                               | 603-CB002                                    | 24" Reinforced Concrete End Section  |
| 32                    | Linear Feet                        | 603-CE007                                    | 65" x 40" Concrete Arch Pipe, Class A III  |
| 1                     | Each                               | 603-CF007                                    | 65" x 40" Concrete Arch Pipe End Section   |
| 79                    | Pounds                             | 604-A001                                     | Castings   |
| 381                   | Pounds                             | 604-B001                                     | Gratings   |
| 2,250                 | Linear Feet                        | 606-B001                                     | Guard Rail, Class A, Type 1  |
| 16                    | Each                               | 606-D012                                     | Guard Rail, Bridge End Section, Type I   |
| 16                    | Each                               | 606-E001                                     | Guard Rail, Terminal End Section   |
| 49                    | Square Yard                        | 608-A001                                     | Concrete Sidewalk, Without Reinforcement   |
| 175                   | Linear Feet                        | 609-D006                                     | Combination Concrete Curb and Gutter Type 1 Modified   |
| 2,196                 | Linear Feet                        | 609-D007                                     | Combination Concrete Curb and Gutter Type 2 Modified   |
| 4                     |                                    |  |  |
| 1                     | Each                               | 613-D004                                     | Adjustment of Inlet  |
|                       | Each<br>Each                       | 613-D004<br>613-D006                         | Adjustment of Inlet<br>Adjustment of Water Meter   |
| 1                     |                                    |  |  |
| 1<br>78               | Each                               | 613-D006                                     | Adjustment of Water Meter  |
| 1<br>78<br>160        | Each<br>Square Yard                | 613-D006<br>614-B001                         | Adjustment of Water Meter<br>Concrete Driveway, With Reinforcement                                       |
| 1<br>78<br>160<br>749 | Each<br>Square Yard<br>Linear Feet | 613-D006<br>614-B001<br>615-A018<br>616-A001 | Adjustment of Water Meter<br>Concrete Driveway, With Reinforcement<br>Concrete Bridge End Barrier, 33.5" |

| 6,744 | Linear Feet | 619-A1001    | Temporary Traffic Stripe, Continuous White                     |
|-------|-------------|--------------|--|
| 6,292 | Linear Feet | 619-A2001    | Temporary Traffic Stripe, Continuous Yellow                    |
| 114   | Linear Feet | 619-A4001    | Temporary Traffic Stripe, Skip Yellow                          |
| 1,353 | Linear Feet | 619-A5001    | Temporary Traffic Stripe, Detail                               |
| 96    | Square Feet | 619-D1001    | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 647   | Square Feet | 619-D2001    | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 240   | Linear Feet | 619-F1001    | Concrete Median Barrier, Precast                               |
| 420   | Linear Feet | 619-G4001    | Barricades, Type III, Single Faced                             |
| 48    | Linear Feet | 619-G4004    | Barricades, Type III, Single Faced, Permanent, Red/White       |
| 36    | Linear Feet | 619-G4005    | Barricades, Type III, Double Faced                             |
| 143   | Each        | 619-G5001    | Free Standing Plastic Drums                                    |
| 4     | Each        | 619-G7001    | Warning Lights, Type "B"                                       |
| 1     | Lump Sum    | 620-A001     | Mobilization   |
| 171   | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers       |
| 134   | Each        | 627-K001     | Red-Clear Reflective High Performance Raised Markers           |
| 1,320 | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers      |
| 99    | Square Feet | 630-A001     | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness      |
| 383   | Square Feet | 630-A002     | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness      |
| 9     | Linear Feet | 630-C002     | Steel U-Section Posts, 2.0 to 2.5 lb/ft                        |
| 281   | Linear Feet | 630-C004     | Steel U-Section Posts, 3.0 to 3.5 lb/ft                        |
| 73    | Linear Feet | 630-D003     | Structural Steel Beams, W6 x 9                                 |
| 59    | Pounds      | 630-E001     | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles          |
| 385   | Pounds      | 630-E004     | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar        |
| 100   | Each        | 630-F001     | Delineators, Guard Rail, White                                 |
| 16    | Each        | 630-G002     | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted            |
| 91    | Linear Feet | 630-K001     | Welded & Seamless Steel Pipe Posts, 3"                         |
| 102   | Linear Feet | 630-K002     | Welded & Seamless Steel Pipe Posts, 3 1/2"                     |
| 92    | Linear Feet | 630-K003     | Welded & Seamless Steel Pipe Posts, 4"                         |
| 1,135 | Square Yard | 907-216-A001 | Solid Sodding  |
| 30    | Acre        | 907-225-A001 | Grassing   |

| 30     | Ton         | 907-225-B001  | Agricultural Limestone                                   |
|--------|-------------|---------------|--|
| 60     | Ton         | 907-225-C001  | Mulch, Vegetative Mulch                                  |
| 30     | Acre        | 907-226-A001  | Temporary Grassing                                       |
| 64     | Linear Feet | 907-237-A002  | Wattles, 12"   |
| 496    | Linear Feet | 907-237-A003  | Wattles, 20"   |
| 496    | Linear Feet | 907-245-A001  | Triangular Silt Dike                                     |
| 496    | Linear Feet | 907-246-A001  | Sandbags   |
| 150    | Ton         | 907-249-A001  | Riprap for Erosion Control                               |
| 4,518  | Cubic Yard  | 907-249-B001  | Remove and Reset Riprap                                  |
| 29,707 | Cubic Yard  | 907-304-C005  | Granular Material, AEA, Class 9, Group C                 |
| 7,567  | Cubic Yard  | 907-304-C007  | Granular Material, AEA, Class 3, Group C                 |
| 71,906 | Square Yard | 907-307-B002  | 6" Soil-Lime-Water Mixing, Class B                       |
| 971    | Ton         | 907-307-D001  | Lime   |
| 17,976 | Gallon      | 907-307-S001  | Bituminous Curing Seal                                   |
| 9,739  | Ton         | 907-403-A022  | 9.5-mm, MT, Asphalt Pavement                             |
| 11,951 | Ton         | 907-403-A023  | 12.5-mm, MT, Asphalt Pavement                            |
| 16,173 | Ton         | 907-403-A024  | 19-mm, MT, Asphalt Pavement                              |
| 11,064 | Gallon      | 907-407-A001  | Asphalt for Tack Coat                                    |
| 404    | Linear Feet | 907-413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 15     | Cubic Yard  | 907-601-B003  | Class "B" Structural Concrete, Minor Structures          |
| 237    | Linear Feet | 907-603-ALT01 | 18" Type A Alternate Pipe                                |
| 360    | Linear Feet | 907-603-ALT02 | 24" Type A Alternate Pipe                                |
| 232    | Linear Feet | 907-603-ALT04 | 36" Type A Alternate Pipe                                |
| 1      | Lump Sum    | 907-618-A001  | Maintenance of Traffic                                   |
| 1      | Square Feet | 907-618-B001  | Additional Construction Signs                            |
| 2,556  | Linear Feet | 907-626-B003  | 6" Thermoplastic Traffic Stripe, Continuous White        |
| 58,250 | Linear Feet | 907-626-C008  | 6" Thermoplastic Edge Stripe, Continuous White           |
| 14,374 | Linear Feet | 907-626-D004  | 6" Thermoplastic Traffic Stripe, Skip Yellow             |
| 35,317 | Linear Feet | 907-626-E003  | 6" Thermoplastic Traffic Stripe, Continuous Yellow       |
| 10,237 | Linear Feet | 907-626-G004  | Thermoplastic Detail Stripe, White                       |
|        |             |               |  |

| 4,452   | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                                 |
|---------|-------------|--------------|---|
| 1,038   | Linear Feet | 907-626-H004 | Thermoplastic Legend, White   |
| 835     | Square Feet | 907-626-H005 | Thermoplastic Legend, White   |
| 1       | Lump Sum    | 907-699-A002 | Roadway Construction Stakes   |
|         |             |              | ALTERNATE GROUP AA NUMBER 1   |
| 2,801   | Ton         | 907-304-F002 | Size 610 Crushed Stone Base   |
|         |             |              | ALTERNATE GROUP AA NUMBER 2   |
| 2,801   | Ton         | 907-304-F003 | 3/4" and Down Crushed Stone Base                                    |
|         |             |              | ALTERNATE GROUP AA NUMBER 3   |
| 2,801   | Ton         | 907-304-F004 | Size 825B Crushed Stone Base  |
|         |             |              | ALTERNATE GROUP BB NUMBER 1   |
| 1,931   | Ton         | 907-308-A001 | Portland Cement   |
| 185,495 | Square Yard | 907-308-B001 | Soil-Cement-Water Mixing, Optional Mixers, Base                     |
| 46,373  | Gallon      | 907-308-S001 | Bituminous Curing Seal  |
|         |             |              | ALTERNATE GROUP BB NUMBER 2   |
| 185,495 | Square Yard | 907-311-A003 | Processing Lime and Fly Ash Treated Course, 6" Thick                |
| 1,360   | Ton         | 907-311-B001 | Lime  |
| 5,438   | Ton         | 907-311-C002 | Fly Ash, Class C or F   |
| 49,373  | Gallon      | 907-311-S001 | Bituminous Curing Seal  |
|         |             |              | ALTERNATE GROUP CC NUMBER 1   |
| 4,188   | Linear Feet | 907-626-J003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White  |
| 1,394   | Linear Feet | 907-626-K003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow       |
| 1,332   | Linear Feet | 907-626-L001 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
| 1,509   | Linear Feet | 907-626-M001 | Inverted Profile Thermoplastic Detail Traffic Stripe, White         |
|         |             |              | ALTERNATE GROUP CC NUMBER 2   |
| 4,188   | Linear Feet | 628-J002     | 6" High Performance Cold Plastic Traffic Stripe, Continuous White   |
| 1,394   | Linear Feet | 628-L002     | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow        |
| 1,332   | Linear Feet | 628-M002     | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow  |
| 1,509   | Linear Feet | 628-O001     | High Performance Cold Plastic Detail Stripe, White                  |
|         |             |              |   |

Mill and Overlay approximately 12 miles of SR 9 from Calhoun City Square to Highway 9/9W split, known as Federal Aid Project No. STP-0050-01(036) / 107093301 in Calhoun County.

# PROJECT COMPLETION: 74 Working Days

| 1       | Lump Sum    | 202-A001     | Removal of Obstructions                                    |
|---------|-------------|--------------|--|
| 1,400   | Square Yard | 202-B005     | Removal of Asphalt Pavement, All Depths                    |
| 475     | Linear Feet | 202-B053     | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 4,911   | Linear Feet | 202-B076     | Removal of Traffic Stripe                                  |
| 465     | Cubic Yard  | 203-G003     | Excess Excavation, FM, AH                                  |
| 214,250 | Square Yard | 406-A001     | Cold Milling of Bituminous Pavement, All Depths            |
| 22      | Mile        | 423-A001     | Rumble Strips, Ground In                                   |
| 100     | Linear Feet | 606-B001     | Guard Rail, Class A, Type 1                                |
| 490     | Each        | 606-B025     | Guard Rail, Replace Metal Blockout                         |
| 10      | Each        | 606-E001     | Guard Rail, Terminal End Section                           |
| 290     | Linear Feet | 609-D004     | Combination Concrete Curb and Gutter Type 3A Modified      |
| 24      | Mile        | 619-A1002    | Temporary Traffic Stripe, Continuous White                 |
| 15      | Mile        | 619-A2002    | Temporary Traffic Stripe, Continuous Yellow                |
| 6       | Mile        | 619-A4006    | Temporary Traffic Stripe, Skip Yellow                      |
| 33,331  | Linear Feet | 619-A5001    | Temporary Traffic Stripe, Detail                           |
| 4,746   | Linear Feet | 619-A6001    | Temporary Traffic Stripe, Legend                           |
| 254     | Square Feet | 619-A6002    | Temporary Traffic Stripe, Legend                           |
| 1       | Lump Sum    | 620-A001     | Mobilization   |
| 2,160   | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers  |
| 5,640   | Ton         | 907-304-B009 | Granular Material, Class 3, Group D                        |
| 22,800  | Ton         | 907-403-A022 | 9.5-mm, MT, Asphalt Pavement                               |
| 912     | Ton         | 907-403-A024 | 19-mm, MT, Asphalt Pavement                                |
| 1,100   | Ton         | 907-403-B016 | 9.5-mm, MT, Asphalt Pavement, Leveling                     |
| 1,930   | Ton         | 907-403-C011 | 19-mm, MT, Asphalt Pavement, Trench Widening               |
| 21,050  | Gallon      | 907-407-A001 | Asphalt for Tack Coat                                      |
|         |             |              |  |

| 1      | Lump Sum    | 907-618-A001 | Maintenance of Traffic                             |
|--------|-------------|--------------|--|
| 1      | Square Feet | 907-618-B001 | Additional Construction Signs                      |
| 24     | Mile        | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White     |
| 15     | Mile        | 907-626-D003 | 6" Thermoplastic Traffic Stripe, Skip Yellow       |
| 6      | Mile        | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 8,700  | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                 |
| 24,650 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                |
| 4,750  | Linear Feet | 907-626-H004 | Thermoplastic Legend, White                        |
| 254    | Square Feet | 907-626-H005 | Thermoplastic Legend, White                        |
|        |             |              | ALTERNATE GROUP AA NUMBER 1                        |
| 880    | Ton         | 907-304-F002 | Size 610 Crushed Stone Base                        |
|        |             |              | ALTERNATE GROUP AA NUMBER 2                        |
| 880    | Ton         | 907-304-F003 | 3/4" and Down Crushed Stone Base                   |
|        |             |              | ALTERNATE GROUP AA NUMBER 3                        |
| 880    | Ton         | 907-304-F004 | Size 825B Crushed Stone Base                       |

Mill & Overlay approximately 12 miles of SR 25 from SR 43 to SR 483, known as Federal Aid Project Nos. STP-0056-01(079) / 107088301, 302, & 303 in Leake, Rankin, & Scott Counties.

# PROJECT COMPLETION: 99 Working Days

|         |             |               | Roduway nems   |
|---------|-------------|---------------|--|
| 250     | Square Yard | 202-B005      | Removal of Asphalt Pavement, All Depths                        |
| 2,652   | Linear Feet | 202-B076      | Removal of Traffic Stripe                                      |
| 60      | Cubic Yard  | 203-G004      | Excess Excavation, LVM, AH                                     |
| 55      | Ton         | 305-B003      | Size I Stabilizer Aggregate, Coarse                            |
| 443,186 | Square Yard | 406-A001      | Cold Milling of Bituminous Pavement, All Depths                |
| 47      | Mile        | 423-A001      | Rumble Strips, Ground In                                       |
| 22      | Mile        | 619-A1002     | Temporary Traffic Stripe, Continuous White                     |
| 18      | Mile        | 619-A2002     | Temporary Traffic Stripe, Continuous Yellow                    |
| 24      | Mile        | 619-A3006     | Temporary Traffic Stripe, Skip White                           |
| 53,840  | Linear Feet | 619-A5001     | Temporary Traffic Stripe, Detail                               |
| 1,232   | Linear Feet | 619-A6001     | Temporary Traffic Stripe, Legend                               |
| 312     | Square Feet | 619-D1001     | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 32      | Square Feet | 619-D2001     | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 48      | Linear Feet | 619-G4001     | Barricades, Type III, Single Faced                             |
| 1,204   | Each        | 627-J001      | Two-Way Clear Reflective High Performance Raised Markers       |
| 3,050   | Each        | 627-K001      | Red-Clear Reflective High Performance Raised Markers           |
| 500     | Each        | 627-L001      | Two-Way Yellow Reflective High Performance Raised Markers      |
| 62      | Each        | 630-F003      | Delineators, Flexible Post Mounted, Crossover, Type I, Green   |
| 62      | Each        | 630-F004      | Delineators, Flexible Post Mounted, Crossover, Type I, Yellow  |
| 2,500   | Cubic Yard  | 907-304-A010  | Granular Material, LVM, Class 5, Group E                       |
| 47,331  | Ton         | 907-403-A022  | 9.5-mm, MT, Asphalt Pavement                                   |
| 780     | Ton         | 907-403-B017  | 12.5-mm, MT, Asphalt Pavement, Leveling                        |
| 23,550  | Gallon      | 907-407-A001  | Asphalt for Tack Coat  |
| 76      | Linear Feet | 907-606-PP009 | Remove and Replace Blockouts & Add Rub-Rail                    |
| 1       | Lump Sum    | 907-618-A001  | Maintenance of Traffic   |
|         |             |               |  |

| 24     | Mile        | 907-626-A005 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White        |
|--------|-------------|--------------|--|
| 22     | Mile        | 907-626-C003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 18     | Mile        | 907-626-E006 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 21,843 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                             |
| 31,997 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                            |
| 1,232  | Linear Feet | 907-626-H004 | Thermoplastic Legend, White                                    |

Mill and Overlay approximately 9 miles of SR 25 from near St. Mark Drive to beginning of concrete section, known as Federal Aid Project No. STP-0056-02(036) / 107090301 in Oktibbeha County.

# PROJECT COMPLETION: 101 Working Days

|         |             |              | Roddway Relins  |
|---------|-------------|--------------|---|
| 150     | Square Yard | 202-B005     | Removal of Asphalt Pavement, All Depths                   |
| 4,300   | Linear Feet | 202-B076     | Removal of Traffic Stripe                                 |
| 50      | Cubic Yard  | 203-G003     | Excess Excavation, FM, AH                                 |
| 12      | Mile        | 423-A001     | Rumble Strips, Ground In                                  |
| 315     | Linear Feet | 503-C007     | Saw Cut, Full Depth                                       |
| 39      | Mile        | 619-A1002    | Temporary Traffic Stripe, Continuous White                |
| 37      | Mile        | 619-A2002    | Temporary Traffic Stripe, Continuous Yellow               |
| 35      | Mile        | 619-A3006    | Temporary Traffic Stripe, Skip White                      |
| 102,000 | Linear Feet | 619-A5001    | Temporary Traffic Stripe, Detail                          |
| 3,840   | Linear Feet | 619-A6001    | Temporary Traffic Stripe, Legend                          |
| 470     | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers  |
| 2,450   | Each        | 627-K001     | Red-Clear Reflective High Performance Raised Markers      |
| 100     | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 10,800  | Cubic Yard  | 907-304-A007 | Granular Material, LVM, Class 3, Group D                  |
| 36,000  | Ton         | 907-403-A022 | 9.5-mm, MT, Asphalt Pavement                              |
| 372,000 | Square Yard | 907-406-D001 | Fine Milling of Bituminous Pavement, All Depths           |
| 21,000  | Gallon      | 907-407-A001 | Asphalt for Tack Coat                                     |
| 1       | Lump Sum    | 907-618-A001 | Maintenance of Traffic                                    |
| 1       | Square Feet | 907-618-B001 | Additional Construction Signs                             |
| 16      | Mile        | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White               |
| 18      | Mile        | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White            |
| 2       | Mile        | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow        |
| 15      | Mile        | 907-626-F004 | 6" Thermoplastic Edge Stripe, Continuous Yellow           |
| 32,000  | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                        |
| 19,000  | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                       |
|         |             |              |   |

| 4,500 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White   |
|-------|-------------|--------------|---|
|       |             |              | ALTERNATE GROUP AA NUMBER 1   |
| 2,700 | Linear Feet | 907-626-1003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White        |
| 1,800 | Linear Feet | 907-626-J003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White  |
| 1,800 | Linear Feet | 907-626-L001 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
|       |             |              | ALTERNATE GROUP AA NUMBER 2   |
| 2,700 | Linear Feet | 628-1002     | 6" High Performance Cold Plastic Traffic Stripe, Skip White         |
| 1,800 | Linear Feet | 628-J002     | 6" High Performance Cold Plastic Traffic Stripe, Continuous White   |
| 1,800 | Linear Feet | 628-M002     | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow  |

Scrub Seal and Ultra Thin Overlay approximately 7 miles of SR 363 from Lee County Line to SR 371 in Mantachie, known as Federal Aid Project No. STP-0862-00(019) / 107135301 in Itawamba County.

### PROJECT COMPLETION: MAY 05, 2016

| 300    | Square Yard | 202-B005     | Removal of Asphalt Pavement, All Depths                   |
|--------|-------------|--------------|---|
| 480    | Linear Feet | 202-B076     | Removal of Traffic Stripe                                 |
| 100    | Cubic Yard  | 203-G003     | Excess Excavation, FM, AH                                 |
| 7      | Mile        | 619-A1002    | Temporary Traffic Stripe, Continuous White                |
| 5      | Mile        | 619-A2002    | Temporary Traffic Stripe, Continuous Yellow               |
| 3      | Mile        | 619-A4006    | Temporary Traffic Stripe, Skip Yellow                     |
| 3,000  | Linear Feet | 619-A5001    | Temporary Traffic Stripe, Detail                          |
| 1,300  | Linear Feet | 619-A6001    | Temporary Traffic Stripe, Legend                          |
| 730    | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers  |
| 815    | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 600    | Cubic Yard  | 907-304-A007 | Granular Material, LVM, Class 3, Group D                  |
| 157    | Ton         | 907-403-A019 | 19-mm, ST, Asphalt Pavement                               |
| 42,000 | Square Yard | 907-405-D001 | Scrub Seal  |
| 2,500  | Ton         | 907-411-A003 | Ultra Thin Asphalt Pavement                               |
| 3,100  | Gallon      | 907-411-B001 | Bituminous Tack Coat                                      |
| 1      | Lump Sum    | 907-618-A001 | Maintenance of Traffic                                    |
| 1      | Square Feet | 907-618-B001 | Additional Construction Signs                             |
| 2      | Mile        | 907-625-B004 | Traffic Stripe, High Build, Skip Yellow                   |
| 6      | Mile        | 907-625-C004 | Traffic Stripe, High Build, Continuous White              |
| 3      | Mile        | 907-625-D004 | Traffic Stripe, High Build, Continuous Yellow             |
| 7      | Mile        | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White            |
| 3      | Mile        | 907-626-D003 | 6" Thermoplastic Traffic Stripe, Skip Yellow              |
| 5      | Mile        | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow        |
| 2,000  | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                        |
| 900    | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                       |

| 1,300 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White  |
|-------|-------------|--------------|--|
|       |             |              | ALTERNATE GROUP AA NUMBER 1  |
| 40    | Cubic Yard  | 907-304-H002 | 3/4" and Down Crushed Stone Base, LVM                              |
|       |             |              | ALTERNATE GROUP AA NUMBER 2  |
| 40    | Cubic Yard  | 907-304-H003 | Size 610 Crushed Stone Base, LVM                                   |
|       |             |              | ALTERNATE GROUP AA NUMBER 3  |
| 40    | Cubic Yard  | 907-304-H004 | Size 825B Crushed Stone Base, LVM                                  |
|       |             |              | ALTERNATE GROUP BB NUMBER 1  |
| 420   | Linear Feet | 628-J002     | 6" High Performance Cold Plastic Traffic Stripe, Continuous White  |
| 210   | Linear Feet | 628-L002     | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow       |
|       |             |              | ALTERNATE GROUP BB NUMBER 2  |
| 420   | Linear Feet | 907-626-J003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
| 210   | Linear Feet | 907-626-K003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow      |

Repair of various bridge joint types on 48 bridges located in District 2, known as Federal Aid Project Nos. BR-9999-02(252) / 1069183010, 3011, & 3012 in Desoto, Montgomery, and Yalobusha Counties.

# PROJECT COMPLETION: MARCH 13, 2017

| 1,352  | Linear Feet | 202-B298      | Removal of Existing Joint Material |
|--------|-------------|---------------|------------------------------------|
| 1      | Lump Sum    | 620-A001      | Mobilization                       |
| 10,454 | Linear Feet | 808-A001      | Joint Preparation                  |
| 1      | Lump Sum    | 907-618-A001  | Maintenance of Traffic             |
| 3      | Square Feet | 907-618-B001  | Additional Construction Signs      |
| 3,657  | Linear Feet | 907-823-A001  | Preformed Joint Seal, Type I       |
| 1,570  | Linear Feet | 907-823-A002  | Preformed Joint Seal, Type II      |
| 7,359  | Linear Feet | 907-823-B001  | Saw Cut, Type I                    |
| 3,140  | Linear Feet | 907-823-B002  | Saw Cut, Type II                   |
| 345    | Linear Feet | 907-824-PP097 | Bridge Repair,                     |

Bridge Replacement on SR 429 at Yockanookany River Bridge No. 3.6, known as State Project No. EXB-0521-00(006) / 100592301 in Leake County.

# PROJECT COMPLETION: 234 Working Days

| 1      | Lump Sum 201      | -A001 | Clearing and Grubbing  |
|--------|-------------------|-------|--|
| 1      | Lump Sum 202      | -A001 | Removal of Obstructions  |
| 5,589  | Square Yard 202   | -B005 | Removal of Asphalt Pavement, All Depths                        |
| 196    | Linear Feet 202   | -B064 | Removal of Pipe, 8" And Above                                  |
| 59,118 | Cubic Yard 203-E  | EX035 | Borrow Excavation, AH, FME, Class B9-6                         |
| 64,330 | Cubic Yard 203    | -G003 | Excess Excavation, FM, AH                                      |
| 1,920  | Square Yard 209   | -A004 | Geotextile Stabilization, Type V, Non-Woven                    |
| 2      | Ton 213           | -C001 | Superphosphate   |
| 2      | Acre 220          | -A001 | Insect Pest Control  |
| 5      | Cubic Yard 221    | -A001 | Portland Cement Concrete Paved Ditch                           |
| 7      | Acre 223          | -A001 | Mowing   |
| 8,000  | Linear Feet 234   | -A001 | Temporary Silt Fence   |
| 2,000  | Linear Feet 239   | -A001 | Temporary Slope Drains   |
| 104    | Square Yard 406   | -A001 | Cold Milling of Bituminous Pavement, All Depths                |
| 2      | Mile 423          | -A001 | Rumble Strips, Ground In                                       |
| 74     | Linear Feet 501   | -E001 | Expansion Joints, Without Dowels                               |
| 160    | Square Yard 502   | -A001 | Reinforced Cement Concrete Bridge End Pavement                 |
| 425    | Linear Feet 606   | -B001 | Guard Rail, Class A, Type 1                                    |
| 4      | Each 606          | -D012 | Guard Rail, Bridge End Section, Type I                         |
| 4      | Each 606          | -E001 | Guard Rail, Terminal End Section                               |
| 40     | Linear Feet 615   | -A018 | Concrete Bridge End Barrier, 33.5"                             |
| 10,400 | Linear Feet 619-/ | A1003 | Temporary Traffic Stripe, Continuous White, Paint              |
| 10,400 | Linear Feet 619-  | A2003 | Temporary Traffic Stripe, Continuous Yellow, Paint             |
| 46     | Square Feet 619-I | D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 340    | Square Feet 619-I | D2001 | Standard Roadside Construction Signs, 10 Square Feet or More   |
|        |                   |       |  |

| 22     | Each        | 619-F3004    | Delineators, Guard Rail, White                             |
|--------|-------------|--------------|--|
| 144    | Linear Feet | 619-G4001    | Barricades, Type III, Single Faced                         |
| 30     | Linear Feet | 619-G4005    | Barricades, Type III, Double Faced                         |
| 52     | Each        | 619-G5001    | Free Standing Plastic Drums                                |
| 2      | Each        | 619-G7001    | Warning Lights, Type "B"                                   |
| 1      | Lump Sum    | 620-A001     | Mobilization   |
| 117    | Each        | 627-D001     | Two-Way Yellow Reflective Raised Markers                   |
| 66     | Linear Feet | 630-C003     | Steel U-Section Posts, 3.0 lb/ft                           |
| 22     | Each        | 630-F001     | Delineators, Guard Rail, White                             |
| 37     | Square Yard | 907-216-A001 | Solid Sodding  |
| 4      | Acre        | 907-225-A001 | Grassing   |
| 2      | Ton         | 907-225-B001 | Agricultural Limestone                                     |
| 7      | Ton         | 907-225-C001 | Mulch, Vegetative Mulch                                    |
| 4      | Acre        | 907-226-A001 | Temporary Grassing   |
| 800    | Linear Feet | 907-234-C002 | Super Silt Fence   |
| 2,000  | Linear Feet | 907-237-A003 | Wattles, 20"   |
| 1,000  | Linear Feet | 907-246-B001 | Rockbags   |
| 1,500  | Ton         | 907-249-A001 | Riprap for Erosion Control                                 |
| 1,800  | Cubic Yard  | 907-304-A005 | Granular Material, LVM, Class 9, Group C                   |
| 1,200  | Cubic Yard  | 907-304-A010 | Granular Material, LVM, Class 5, Group E                   |
| 3,185  | Square Yard | 907-307-C003 | 6" Soil-Lime-Water Mixing, Class C                         |
| 43     | Ton         | 907-307-D001 | Lime   |
| 797    | Gallon      | 907-307-S001 | Bituminous Curing Seal                                     |
| 1,157  | Ton         | 907-403-A017 | 9.5-mm, ST, Asphalt Pavement                               |
| 1,185  | Ton         | 907-403-A018 | 12.5-mm, ST, Asphalt Pavement                              |
| 250    | Ton         | 907-403-B012 | 9.5-mm, ST, Asphalt Pavement, Leveling                     |
| 601    | Gallon      | 907-407-A001 | Asphalt for Tack Coat                                      |
| 68     | Linear Feet | 907-413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement   |
| 1      | Lump Sum    | 907-618-A001 | Maintenance of Traffic                                     |
| 10,400 | Linear Feet | 907-626-C007 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
|        |             |              |  |

| 4,186   | Linear Feet | 907-626-D005  | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow                       |
|---------|-------------|---------------|--|
| 6,506   | Linear Feet | 907-626-E005  | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow                 |
| 12      | Square Feet | 907-630-PP009 | Roadside Directional Signs, Sheet Aluminum, 0.080" Thickness, Overhead Mounted |
| 18      | Square Feet | 907-630-PP010 | Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted   |
| 1       | Lump Sum    | 907-699-B002  | Bridge Construction Stakes   |
|         |             |               | ALTERNATE GROUP AA NUMBER 1  |
| 2,150   | Ton         | 907-304-F002  | Size 610 Crushed Stone Base  |
|         |             |               | ALTERNATE GROUP AA NUMBER 2  |
| 2,150   | Ton         | 907-304-F003  | 3/4" and Down Crushed Stone Base   |
|         |             |               | ALTERNATE GROUP AA NUMBER 3  |
| 2,150   | Ton         | 907-304-F004  | Size 825B Crushed Stone Base   |
|         |             |               | ALTERNATE GROUP BB NUMBER 1  |
| 97      | Ton         | 907-308-A001  | Portland Cement  |
| 9,180   | Square Yard | 907-308-B001  | Soil-Cement-Water Mixing, Optional Mixers, Base                                |
| 2,295   | Gallon      | 907-308-S001  | Bituminous Curing Seal   |
|         |             |               | ALTERNATE GROUP BB NUMBER 2  |
| 9,180   | Square Yard | 907-311-A003  | Processing Lime and Fly Ash Treated Course, 6" Thick                           |
| 68      | Ton         | 907-311-B001  | Lime   |
| 271     | Ton         | 907-311-C002  | Fly Ash, Class C or F  |
| 2,295   | Gallon      | 907-311-S001  | Bituminous Curing Seal   |
|         |             |               | Bridge Items   |
| 2,713   | Square Yard | 501-K001      | Transverse Grooving  |
| 1       | Each        | 803-B002      | Conventional Static Pile Load Test   |
| 880     | Linear Feet | 803-C003      | 16" x 16" Prestressed Concrete Piling  |
| 2,090   | Linear Feet | 803-C004      | 18" x 18" Prestressed Concrete Piling  |
| 8       | Each        | 803-1001      | PDA Test Pile  |
| 2       | Each        | 803-J001      | Pile Restrike  |
| 242,039 | Pounds      | 805-A001      | Reinforcement  |
| 1,631   | Linear Feet | 813-A002      | Concrete Railing, 32"  |
| 2,076   | Ton         | 815-A009      | Loose Riprap, Size 300   |
| 1,942   | Square Yard | 815-E001      | Geotextile under Riprap  |

- 810 Linear Feet 907-803-P002 30" Steel Pipe Piling, Wall Thickness 0.500"
- 720 Linear Feet 907-803-P003 24" Steel Pipe Piling, Wall Thickness 0.500"
- 1,021 Cubic Yard 907-804-A001 Bridge Concrete, Class AA
- 2,062 Linear Feet 907-804-C014 138' Prestressed Concrete Beam, Type BT-72
- 1,181 Linear Feet 907-804-C016 40' Prestressed Concrete Beam, Type I+2
- 798 Linear Feet 907-804-C030 80' Prestressed Concrete Beam, Type III

Seal approximately 38 miles of SR 17 and SR 430 from the Holmes County Line to US 51, known as State Project Nos. MP-2017-08(003) & MP-2430-08(006) / 305578301 & 302 in Carroll County.

# PROJECT COMPLETION: OCTOBER 29, 2015

| 200     | Linear Feet | 619-A6001    | Temporary Traffic Stripe, Legend                          |
|---------|-------------|--------------|---|
| 1       | Lump Sum    | 620-A001     | Mobilization  |
| 450     | Linear Feet | 625-E001     | Detail Traffic Stripe                                     |
| 200     | Square Feet | 625-F001     | Legend  |
| 3,110   | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 458,190 | Square Yard | 907-405-D001 | Scrub Seal  |
| 1       | Lump Sum    | 907-618-A001 | Maintenance of Traffic                                    |
| 2       | Square Feet | 907-618-B001 | Additional Construction Signs                             |
| 28      | Mile        | 907-625-B004 | Traffic Stripe, High Build, Skip Yellow                   |
| 71      | Mile        | 907-625-C004 | Traffic Stripe, High Build, Continuous White              |
| 51      | Mile        | 907-625-D004 | Traffic Stripe, High Build, Continuous Yellow             |

Level and Seal approximately 14 miles of SR 472, (LOG MILE 0.00 TO 13.4), known as State Project No. MP-3472-15(003) /305582301 in Copiah County.

# PROJECT COMPLETION: OCTOBER 28, 2015

| 27     | Mile        | 619-A1004    | Temporary Traffic Stripe, Continuous White, Paint         |
|--------|-------------|--------------|---|
| 19     | Mile        | 619-A2002    | Temporary Traffic Stripe, Continuous Yellow               |
| 6      | Mile        | 619-A4006    | Temporary Traffic Stripe, Skip Yellow                     |
| 1,500  | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 53,310 | Gallon      | 907-410-A001 | Asphalt for Surface Treatment, Grade CRS-2P               |
| 1,975  | Cubic Yard  | 907-410-C002 | Seal Aggregate Cover Material, Size 7, Limestone          |
| 5,900  | Ton         | 907-411-A003 | Ultra Thin Asphalt Pavement                               |
| 7,000  | Gallon      | 907-411-B001 | Bituminous Tack Coat                                      |
| 1      | Lump Sum    | 907-618-A001 | Maintenance of Traffic                                    |
| 1      | Square Feet | 907-618-B001 | Additional Construction Signs                             |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at https://shopmdot.ms.gov. Specimen proposals may be viewed and downloaded online at no cost at http://mdot.ms.gov or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at https://shopmdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH EXECUTIVE DIRECTOR